M S

Copy of Sold & of

(4—683.)

Mineral Survey No. 2226

Lot No.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	MOTIRY MINES COMPANY.				
	•				
	KNOWN AS THE				
_	REFUGIO LODE				
	PATAGONIA Mining District,				
	SAUTA CRUZ County, ARIZOMA				
*	Section 15. 214 Approx. Township 25. S. Range 16. F. Surveyed under instructions dated April 3rd. , 1906.				
	by Philip Contzon U. S. Deputy Mineral Surveyor				
	Claim located See location notice , 1				
	Survey commenced April 9th. 1906				
	Survey completed April 9th. 1996				

Krugin and Wright, Stiys.

Tueson, arizona.

No. 2226 Survey REFUGIO LODE.

Beginning at Cor.No.1., Identical with the location, which is a mound of stone 5 ft. base and 2 ft. high. Set a granite stone 24 x 18 x 10 ins. 18 ins. in the ground chiseled with a cross (x) and R 1-2226 and raise a mound of stone alongside. Whence U.S.M.M.No.5 P.M.D., bears N.850-51 W. 2725.6 ft.dist. Cor. No.4 of the El Pueblo Lode, Survey No.2190 bears N.52°-54'W. 45.5 ft. dist. Cor.No.4 of the Mowry No.6 Lode, Survey No.2227 bears S.78°-23'W. 108.7 ft. dist. Cor.No.2 of the Howry No.5 Lode, Survey No.2190 bears S.789-25'W. 339.8 ft. dist. Am och 6 ins. in diam. bears S.89°E. 144 ft. dist. blazed and scribed 1-2823 B T. The S.W. corner of an adobe house 27 x 12 ft. bears N.8°W. 19.5 ft. dist. Thonco S. 52°-54'E. Var. 13° E. On the line 4-3 of the El Pueblo Lode, Survey No.2190 225 Stream, course N.E. 245 Road, bears E. & W. 254.5 East end center monument of the El Pueblo Lode, Survey No.2190. West end centers monument. Identical with the location which is a mound of stone 3 ft. base and 2 ft. high. 500 Cor.No.3 of the El Pueblo Lode, Survey No.2190. Cor.No.2. Identical with the logation, which is a 554.5 600 mound of stone 3 ft. base and 2 ft. high. Set a granite stone 24 x 8 x 6 ins. 18 ins. in the ground, chiseled with a cross (x) and R S-SSSS and raise a mound of stone alongside. Whence
An oak 4 ins. in diam. bears N.23°W. 5 ft. dist. and
An oak 4 ins. in diam. bears S.14°E. S2 ft. dist. both blazed and scribed 2-2226 B T. Thence M.789-25'E. Var. 1307. .W. & S.E. Road, bears 530 Stream, course S.E. 1500 Cor.No.3. Identical with the location, which is a mound of stone 3 ft. base and 2 ft. high.
Set a granite stone 30 x 12 x 0 ins. 24 ins. in the ground, chiseled with a cross (x) and R 3-2226 and raise a mound of stone alongside. Whence
An oak 4 ins. in diam. bears 5.30 %W. 13.5 ft. dist. &
An oak 4 ins. in diam. bears N.60°W. 3 ft. dist. both blazed and scribed 3-2226 B T Thence N.52°-34'W. Var. 13°E. Road, bears H.E. & S.W. East end center monument. Identical with the location which is a mound of stone 2 ft. base and lift. high. Cor. No.4. Identical with the location, which is \$ mound of stone 3 ft. base and 2 ft. high.

Set a granite stone 36 x 24 x 12 ins. 24 ins. in the ground, chiseled with a cross (x) and 4 -2226 R. and raise a mound of stone alongside. Whence
An oak 6 ins. in diam. bears 5.86 0 E.22 ft. dist.
An oak 6 ins. in diam. bears.5.59 0 W. 29 ft. dist.
both blazed and scribed 4-2226 B T.

264 500

600

Thence S.73°-23'W.

Var. 13°E.

Cor.No.3 of the Mowry No.5 Lode, Survey No.2190. 539.8

Gulch, course S.W. Ridge, bears N. & S. 420 740

Stream, course S.E. 1360 1390

Road, bears N.W. & B.W. Cor.No.1 the place of beginning. 1500

> AREA. Containing 19.295 Acres.

ADJOINING CLATIS.

This claim is bounded on the North by the Howry No.5 Lode and on the West by the El Pueblo Lode, both of Survey No.2190.

COURSE OF VEIN.

The course of the vein of this claim is M.780-701 M. 1500 ft. running from the West and center monument to the East end center monument.

EMPERDITURE OF FIVE HUNDRED DOLLARS. I'cortify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors is not less than \$500.00 and that said improvements consist of

From the West end center monument The discovery plaft No.1, 6 x 4 ft. 10 ft. deep, prs. 73° 23° E: 200 ft. dist. Value \$100.00

From Cor. No.1
A tunnel No.2, 6 x 4 x 40 ft. long, course E., with an open cut 20 m 5 m 5 ft. average depth bears S.88°E. 360 ft. dist.

Value \$450.00

INSTRUMENT.

This survey was made with a Young Light Mountain Transit with a solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a hundred fot steel tape.

POLARIS OBJERVATION. At Cor.No.1 of this claim on April 9th, 1906, at 6h 12m P. M. 1. m. t.I observe Polaris at western clongation, and mark this line by a bolt 18 ins. long placed 400 ft. N. of my station. At 7 a.m. I deflect the azimuth 1°-25' to the East From to emeridian thus established I determine the courses of this survey, which agrees with the the courses as determined by the solar within one minute.

FINAL OATHS FOR SURVEYS.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for , dated , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Mount Man (known as the Mugio Rode), known as the	
Stuate in 1000 that County, Mining District, County, County, in Section appear, Township No. 735, Range No. 156	
and designated as Survey No. 2776, as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or fraction grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
DI. 1. 600 - to	
U. S. Deputy Mineral Supreyor.	/
Subscribed and sworn to by the said	
U. S. Deputy Mineral Surveyor, before me	
this 13 d	
day of april, 1906.	
M.G. Power	

Affidavit of Five Hundred Dollars Improvements.

We, Ta. Cox and L. J. Weseiwaw
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Refugio mining claim, situate in Catagonia
mining district, Saula County, Arizona Territory, for which
mining district, Landa Cauly County, Arizona Territory, for which The Moury Mines County
had made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
in said mine.
Dijseman.
TERRITORY OF ARIZONA, COUNTY OF Sauta Cuy
Sworn to and subscribed before me this fourth day
[SEAL.] of June 490 6
11786400-2-04 EXPIRES NOV 1, 1908. John C Suowden Rotary Public Cour, Co anyone
Lauta Cruz Co arigoue

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

HOWACE OF MINI C LOCATION. LODE CLAIM.

TO A L WHOTH IT HAY CONCERN:

Finance Claim, when the of which is the Refundo Finance Claim, situate on Lands belonging to the United States of America, and in which there are valuable climeral deposits, was entered upon and located for the purposes of exploration and purchase of Alerad, Donau, a citizen of the crited areas, the understored, or the First day of January, 1901.

The length of this claim is 1500 feet, and I chain 1200 feet in a Masuerly direction and 300 feet in a Masuerly direction from the center of the discovery shaft, at what this notice is posted, lengthwise of the claim, together with 300 feet the width of the surface arounds, on each side of the center of said claim. The theral course of the lode deposit and premises is from the West to Best.

trict, in Santa Gruz Course, in the Territory of Arizona, about mone-alt of a mile in a Sound-easterly direction from the Journ and this claim is counded on the moral of the four no. 5 claim and on the west by the Mel Public claim, and this location is mart located as abandoned property.

The surface loundaries of the claim are marked upon the spot of fallows: Bodin from the mound of stone at a point the a Westerly direction 300 form from the discovery shaft (as which this notice is posted), form in the center of the esterly and like of said claim; thence Mortherly, 300 feet to a mound of stone, being the Morth-westerly corner of said claim; thence Easterly 1600 feet to a mound of stone, being at the Hort Heasterly corner of said claim; thence Southerly, 300 feet to a mound of stone, at the center of the Easterly end of said claim; thence Southerly, 300 feet to a mound of stone, at the center of the Easterly end of said claim; thence Southerly, 300 feet to a mound

of store, being at the South-easterly corner of said claim; thence Westerly 1500 feet to a mound of stone, at the South-westerly corner of said claim; thence mortherly, 500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of We General Assembly of Arizona, entialed "An Act to Revise and Codify the Laws of the derritory of Arizona," approved Hard 16,1901.

D. ted and posted on the ground, this First day of January, 1906.

Refres Stand	in Hal 2 (C)
at 1 0m	The Hercel
TERRITORY OF ARTZONA -	פשתקסטשק ששיי קום אווי או איזוששט

TERRITORY OF ARIZONA,

OFFICE OF THE COUNTY RECORDER?

COUNTY OF SANTA CRUZ.))

I, Phil Herold County Recorder of the County of Santa CRUz Territory of Arizona, do hereby certify the foregoing to be a full true and correct copy of the Notice of Mining Location of the Refugio Mining Claim duly filsd for record in the Office of the County Recorder of Santa Cruz County, Territory of Arizona, March 24th, I906 at I O'Clock, P.M. and that I have compared the same with the original, that it is a correct copy of the same and of the whole thereof.

IN WITNESS WHEREOF? Ihave hereunto affixed my hand and Official

Sathis 28th day of March, A.D. 1906.

County Recorder,

By

Deputy.

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix,	Arizon	13	**********	
	*****		July 26		, <i>190</i> .ಟ
I, U. S. Surveyor-General for Dist	rict of	Arizona	٠,		***
do hereby certify that the foregoing transc	ript of the Fi	ield Notes,	return and	approval of	the survey
of the mining claim of Howery Mines					
known as the					
situate in		Pass	gonia	•• • • • • • • • • • • • • • • • • • • •	
Mining District, Santa Cruz		County	, Ariao	12	
in Section ADDROX, Township No.		, Range	No. 16 S		, and
designated as Survey No. 2226	, has bee	n correctly	copied from	the origina	als on file in
this office; that said Field Notes furnish s	such an accur	ate descrip	tion of said	mining clai	m as will, if
incorporated into a patent, serve fully to id	lentify the pre	emises, and	that such re	eference is n	ade therein
to natural objects or permanent monument	ts as will perp	etuate and	l fix the locus	thereof.	
And I further certify that five hund	red dollars' w	vorth of la	bor has bee	n expended	or improve-
ments made upon said mining claim by cla consist of 1 shaft, 1 tunnel an	id 1 cut,	total	value #	530,00	

*				*******	
and that no portion of said labor or impro	evements has			timate of e	xpenditures
upon any other claim.	220 20 -		D.	la e en dar	
I further certify that the plat thereof,					
Arizona is correct a	and in confori	mity with	the foregoing	; Field Note	:8.
	Frai	nk S. I	ngalls,		
United Stat	tan Summanian Ca		สะปรุกทุก		

7861b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona,		
		July	<u>, 26, 190_6</u> .
I, U. S. Surveyor-General for	istrict of An	rizona	
do hereby certify that the foregoing a	ınd hereto attached F	ield Notes and Return o	f the Survey of the
Mining Claim of MOVERY Mines	Co.		
			known as the
	Relugio		
situate in	Pε	ntigonia	Mining District,
Santa Cruz	County,	Arizona	
in Section _APPTOX, Tow	rnship No23. S.	, Range No	16 E.
, designated as Su	rvey No. 2226)	
executed byPhilip Conta	en	, U	. S. Deputy Mineral
Surveyor,	April 9	, 190 <u>5</u> , under m	y instructions dated
April 3	, 190.6, have been	n critically examined and	d the necessary cor-
rections and explanations made, and	the said Field Notes	and Return, and the St	irvey they describe,
are hereby approved. A true copy o	of the copy of the lo	cation certificate filed by	y the applicant for
survey is included in the field notes.	Man.	f A inga	cer)
	77 0 0	Ariz	ເດນອ

