(4--683.)

•	Mineral Surv	rev No. 2232	2	
	AR	IZONA	Land District.	
	-	· ***		
	FIEL	D NOTES		
	OF THE SURVEY C	OF THE MINING CLA	IM OF	
	The Manhattan	Development	Company	-
		Frank H.	Hereford, Atty.	
	KNO	WN AS THE	3:	
"Fraction"	" Monarch"	"Mogul 1"	"Erion Cap"	
	Cali	fornia	Mining Distri	ct.
Coc	hise	County,	Perritory of Arizona	
Sectionapr	rox. Townshi	p 17 S	, Range 30 EG & SR B	&
Surveyed t	ander instructions date	ed April 18	, 1906.	
	. 2	by I.	J. Stauber	
	,	•	U. S. Deputy Mineral Survey	<i>j</i> 01
Claim	located seelocat	ion notices	, 1	
Surve	y commenced	May 10	1906 1	
Surve	y completed	May 11	1906 . 1	
+ 0	6-101			
Postoffice add	dress of claimant	s attorney		
Fra	ank H. Hereford,	Tucson, Pima	Coumty, Arizona.	

Possed Evin Cop + Howard

ERION CAP, et al.

Feet

ERION CAP

Beginning at Cor. No. 1, the S. E. Cor., identical with location, and with Cors. 3 and 4, respectively of Bried of the West and SunBeam Lodes of Survey No. 2220; also identical with the S. W. Cor. of Challenge lode, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones and scribed, 1-2232 E C L, whence a pine post of same dimensions and scribed E P 1-2232 brs. N. 16° 41' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 55° 10' W. 50 ft. and U. S. M.M. No. 2220, California Mining District, brs. S. 72° 11' E. 5349.6 ft., no bearing monuments available.

Thence S. 55° 10' W.

- 300.0 To original location for S.E.C.
- occ. Same bearing, to Cor. No. 2, the S. W. Cor., identical with location and with Cor. No. 1 of Fraction Lode of this survey and with Cors. 3 and 4, respectively, of Sun Beam and Queen Lodes, Survey No. 2220, a pine post, etc., scribed 2-2232 F C L, no bearing monuments available.

Thence N. 16° 41' W.

1277.2 to Gor. No. 3, the N. W. Cor., identical with location and with Cor. No. 4, the S. E, the S. W., respectively, of Fraction Lode of this survey, Pack Saddle and Towser Lodes, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones, and scribed Z-2232 E C L, whence a pine post of same dimensions and scribed B P 3-4-2232 brs. S. 55° 10' W. 50 ft., and a second pine post of same dimensions and scribing, brs. N. 55° 10' E. 50 ft., no bearing monuments available.

Thence N. 55° 10' E.

- 300.¢ to original location for N.E.C.
- 600.0 same bearing along south end line of Towser lode unsurveyed to Cor. No. 4, the N. E. Cor, identical with location,

Feet

and with the S. W., the S. E., the N. W. Cors. respectfully of Escodeo, Towser, and Challenge Lodes, unsurveyed
a pine post 4 ft. long, 4 in. sq., set 18 in. in the
ground, in a mound of stones, and scribed 4-2232 E C L,
whence a pine post of same dimensions and scribed E P
4-2232 brs. S. 55° 10' W. 50 ft., and a second pine post
of same dimensions and scribing brs. S. 16° 41' E. 50 ft.
no bearing monuments available.

Thence S. 16° 41' E.

1277.2 To Cor. NO. 1, the place of beginning.

LEDGE

The presumed course of the vein on this claim is from the M. F. G. S. 16° 41' E. 1277.2 ft.

FRACTION ----

Beginning at Bor. No. 1, the S. E. Cor., identical with location and with Cor. No. 2 of Erion Cap Lode of this survey and with Cors. No. 3 and 4, respectively of SunBeam and Toueen Lodes, of Survey No. 2220, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones and scribed 1-2232 F L, whence a pine post of same dimensions and scribed R P 1-2-2232 brs. N. 55° 10' E. 50 ft., and a second pine post of same dimensions and scribed R P 1-2-2252 brs. N. 10. 2220, California Mining Pistriot, brs. S. 76° 57' E. 5753.6 ft., no bearing monuments available.

Thence S. 55° 10! 7.

300.0 to original location for S. E. C.

400.0 same bearing, along line 4-3 Queen lode, Survey No. 2220 to Cor. No. 2, the S. W. Cor., identical with location and with Cor. No. 1, Monarch lode of this survey, a pine post, etc., scribed 2-2232 F L, no bearing monuments available.

Thence W. 16° 41' W.

1877.2 to Cor. No. 3, the N. W. Cor., identical with location

Feet and with Cor. No. 4, Monarch lode of this survey, and the S. W. Cor. of Pack Saddle lode, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 18 in, in the ground, in a mound of stones, and scribed 3-2232 F L, whence a pine post of same dimensions and scribed B P 3-4-2232 brs.

S. 55° 10' V. 50 ft., and a second pine post of same dimensions and scribing brs. N. 55° 10' E. 50 ft., no bearing monuments available.

Thence N. 55° 10' E.

100.0 to orighinal location for N. E. C.

400.0 same bearing, along south end line of Pack Saddle lode unsurveyed to Cor. No. 4, the N. E. Cor. identical with location and with Cor. No. 3, Frion Cap lode of this survey, and the S. E. and S. W. Cors., respectively of Pack Saddle and Towser lodes unsurveyed, a pine post, etc., scribed 4-2232 F L, no bearing monuments available.

Thence S. 16° 41' E.

1277.2to Cor. NO. 1, the place of beginning.

TELCE

The presumed ocurse of the vein on this claim is from the N. E. C. S. 16° 41' E., 1277.2 St.

----- MONARCH -----

Eginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No. 2 of Fraction lode of this survey and situated on line 3-4 Queen lode, Curvey No. 2220 at M. 55° 10' E. 200 ft. from Cor. No. 5, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones, and scribed 1-2232 Mon. L, whence a pine post of same dimensions and scribed B P 1-2-2232, brs. N. 55° 10' E. 50 ft., and a second pine post of same dimensions and scribing, brs. S. 55° 10' W. 50 ft., and U.S.M.M. No. 2220, California Mining District, brs. S. 79° 47' E. 6009.1 ft., no bearing monuments available.

Feet

Thence S. 55° 10' W.

- 200.0 to cors. No. 3 and 5, respectively of Queen and Last Turn lodes, Survey No. 2220, from which point Cor: No. 4, Last Turn lode, Survey No. 2220, brs. S. 59° 54' W. 387.1 ft.
- 300.0 same bearing, to original location for S. E. C.
- 600.0 same bearing, to Cor. NO. 2, the S. W. Cor., identical with location, and with Cor. No. 1, Mogull lode of this survey and Cor. No. 4; Winner lode, Survey No. 2220, and situated on line 3-4. Last Turn lode, Survey No. 2220, at S. 10° 48' E. 35.0 ft. from Cor. No. 4, a pine post; etc., scribed 2-2232 Non. L, no bearing monuments available.

Thence N. 16° 41, W.

1277.2to Cor. No. 3, the N. W. Cor., identical with location, and with Cor. No. 4; of Mogull lode of this survey, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones and scribed 3-2252 Mon. I., whence a pine post, of same dimensions and scribed B P 3-4-2232, brs. S. 64° 4' W. 50 ft., and second pine post of same dimensions and scribing brs. N. 55° 10' E. 50 ft., no bearing monuments available.

· Thence N. .559 101 E.

- 300.0 to original location for N. E. C.
- 600.0 same bearing, to Cor. No. 4, the N. T. Cor., identical with location and with Cor. No. 3, Fraction lode of this survey, and the S. W. Cpr. of Pack Saddle lode unsurveyed, a pine post, etc., scribed 4-2232 Hon. L, no bearing monuments available.

Thence S. 16° 41' E.

1277.2 to Cor. No. 1, the place of beginning.

· LEDGE .-

The presumed course of the vein on this claim is from the N. E. C. S. 16° 41' E., 1277.2 ft. . . .

feet

---- MOGULL -----

Beginning at Cor. No. 1, the S. E. Cor., identical with location, and with Cors. No. 2 and 4, respectively, of Monarch lode of this survey, and Winner lode Survey No. 2220, and situated on line 3-4 Last Turn lode Survey No. 2220 at S. 10° 48' E. 35 mft. from Cor. No. 4, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 1-2232 M L, whence a pine post of same dimensions and scribed B P 1-2232, brs. N. 55° 10' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 64° 4' W. 50 ft., and Cor. No. 3, Winner lode, Survey No. 2220 brs. S. 80° 37' W. 587.3 ft. and U. S. M. M. No. 2220, California Mining District brs. S. 83° 33' 30" E., 6447.0 ft., no bearing monuments available.

Zhence S. 64° 4' W.

300.0 to original location for S. E. C.

with location and with Cor. No. 2, the S. W. Cor. identical with location and with Cor. No. 4, Winner Fraction lode Survey No. 2220, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones and scribed 2-2232 M L, whence a pine post of same dimensions and scribed B P 2-2232 brs. N. 64° 4' E. 50 ft. and a second pine post of same dimensions and scribing brs. N.16° 41' W., 50 ft., and Cor. No.3, Winner lode, Survey No. 2220 brs. N. 13° 28' W., 171.4 ft., and Cor. NO. 3, Winner Fraction lode, Survey No. 2220 brs. S. 81° 21' W., 62.3 ft., no bearing monumenst available.

Thence N. 16° 41' W.

1277.2 to Cor. No. 3, the N. W. Cor., identical with location a pine post 4 ft. long, 4 in. msq., set 18 in. in the ground, in a mound of stones, and scribed 3-2232 M L, whence a pine post of same dimensions and scribed B P 3-2232 brs. S.16° 41' E., 50 ft., and second pine post of same dimensions and scribing brs. N. 64° 4' E., 50 ft.

Feet	and a white oak tree scribed B T 3-2232 brs. N. 12° 32'
	·E. , 51:1 ft.
	Thence N. 64° 4' E.
300.0	to original location for N. E. C.,
	same bearing, to Cor. No. 4, the N. E. Cor., identical
	with location and with Cor. No. 3, Monarch lode of this
	survey, a pine post; etc., scribed 4-2232 M L, no bear-
	ing monuments available.
-	Thence S. 16° 41' E.
1277.2	to Cor. No. 1, the place of beginning.
	· · · · LEDGE
	The presumed course of the vein on this claim is
	from the N. E. C., S. 16° 41' E.; 1277.8 ft.
	AREAS.
	Total and Net area of Erion Cap 16.721
	Total and Net area of Fraction 11.145
	Total and Net area of Monarch 16.781 Area in conflict with Last Turn, lode, Sur. No. 2220, (not de- ducted) O.147
	Total and Net area Mcgull 17.364 Area in conflict with Winner lode, Sur. No. 2226, (notdeducted) 1.152
	Total and Net Area of Group 61.951
	IMPROVEMENTS.
	I hereby certify that the value of the labor
	and improvements on this group, placed thereon by the
,	claimant or its grantors is as follows:
•	Brion Cap
No. 1	Discovery cut, 5 x 15 x 12 ft., bra. from S. E. C.
	N. 16° 41' W., 50 ft. Value, \$125.00
	FRACTION
No. 1	Discovery cut, 5 x 15 x 10 ft., brs. from S.E. C.
	N. 16° 41' W., 120 ft. Value, \$100.00
	MONARCH
No. 1	20 200 doop, bis. 110m O.Z.C.
	N. 16° 41' W., 240 ft. Value, \$100.00

MOGULL

No. 1 Discovery tunnel, 4 x 6 x 12 ft. brs. from S. E. C.

N. 16° 41' W., 500 ft. Value, \$120.00

Total improvements on group, \$445.00

Note; Complete affadavit of \$500.00 worth of improvements for each location will be furnished prior to
the expiration of the period of the publication of the
notice of application for patent.

ADJOINING CLAIMS.

North Pack Saddle, Towser, Escodeo lodes, unsurveyed, owned by Ulrich Reider; unsurveyed claims, claimants unknown

East Challenge lode, unsurveyed, owned by Ulrich Reider
South Subbeam, Queen, Last Turn, Winner, and Winner Fraction lodes, Survey No. 2220, owned by the applicant herein
West Unserveyed claim, claimant unknown.

LOCATION

This group is located about four and one-half miles, in a Northwesterly direction from the town of Paradise, on unsurveyed lands, in the California Mining District, Cochise County, Territory of Arizona, approximately in Tp. 17, S., R. 30 E., G. & S., R. B. & M.

INSTRUMENT.

This survey was made with the C. L. Berger & Sons No. 1 C Transit; the course were deflected from the true meridian as determined by a Solar observation, ehecked by an observation on Polaris. The distance's were measured with a 300 ft. steel tape.

Magnetic variation: 12° 30' E. at all conner.

U.S. Deputy Mineral Surveyor

Dated at Bisbee, Arizona, May 22, 1906.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of
known as the "Fraction" "Monarch" "Mogulf" Erion Cap" and showing the respective capacities in which they acted. J. P. Chiado , Chainman. Harry Looke , Chainman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , Flagman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , Axman. Flagman. Flagman. The Manhatttan Development Company swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Manhatttan Development Company known as the "Fraction " " Monarch" " Mogulf" "Erion Cap" represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
and showing the respective capacities in which they acted. J. P. Chiado , Chainman. Harry Looke , Chainman. , Axman. , Flagman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , Flagman. We, J.P. Chiado , The Chiado , The Chainman of the mining claim of the boundaries of the mining claim of the boundaries of the mining claim of the mining cla
J. P. Chiado , Chainman. Harry Looke , Chainman. Harry Looke , Chainman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , Flagman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , do solemnly swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Manhatttan Development Company known as the "Fraction " Monarch" " Moguin" "Erion Cap" represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
J. P. Chiado , Chainman. Harry Looke , Chainman. , Axman. , Flagman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado , do solemnly swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Manhatttan Development Company known as the "Fraction " Monarch" " Moguli" "Erion Cap" represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
Harry Looke , Chainman. , Axman. , Flagman. FINAL OATHS OF ASSISTANTS. We, J.P. Chiado and Harry Looke , do solemnly swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of
FINAL OATHS OF ASSISTANTS. We, J.P. Ghiado and Harry Locks , do solemnly swear that we assisted
FINAL OATHS OF ASSISTANTS. We, J.P. Chiado and Harry Locke , do solemnly swear that we assisted
FINAL OATHS OF ASSISTANTS. We, J.P. Chiado and Harry Locke , do solemnly swear that we assisted
We, J.P. Chiado and Harry Locke , do solemnly swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Manhatttan Development Company known as the "Fraction " "Monarch" " Mogulf" "Erion Cap." represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
We, J.P. Chiado and Harry Locke , do solemnly swear that we assisted I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Manhatttan Development Company known as the "Fraction " "Monarch" " Mogulf" "Erion Cap." represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
Harry Locke , do solemnly swear that we assisted
I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of
I. J. Stauber , United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of
the boundaries of the mining claim of
The Manhatttan Development Company known as the "Fraction " "Monarch" "Mogulf" "Erion Cap" represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
known as the "Fraction " "Monarch" "Mogulf" "Erion Cap" represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona
Chainman.
Chainman.
, Aman.
71
, Flagman.
Subscribed and sworn to by the above-named persons before me this 232

NOTARY PUBLIC
In and for the County of Cochise, Territory of Arizona,
My Commission Expires March 12, 1910.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	I. J. Stauber	,	U. S. Deputy Mineral			
Surveyor, do solemnly s	swear that, in pursual	nce of instructions re	ceived from the United			
States Surveyor Genera	ıl forA	rizona	, dated			
April 18 1906	, , I h	ave, in strict conforn	nity to the laws of the			
United States, the offici	al regulations and in	structions thereunder	r, and the instructions			
of said Surveyor Gene	ral, faithfully and co	rrectly executed the	survey of the Mining			
Claim of	a Manhattan Dev	elopment Compan	- y			
			known as the			
"Fragtion "	"Monarch" "Mogu	ll" " Erion Cap"	······································			
situate in	alifornia	***************************************	Mining District,			
Cochise	Co	ounty, Arizona	, in Section			
approx. , Townshi	ip No. 17 S., Rang	ge No. 30 E G & S	R B & M			
and designated as Surv	vey No. 2232		, as represented			
in the foregoing field no	otes, which accurately	show the boundarie	s of said mining claim			
as distinctly marked by	monuments on the g	ground, and described	l in the attached copy			
of the location certification	ate, which was receiv	red by me from the S	Surveyor General with			
said instructions, and the	nat all the corners of	said survey have been	n established and per-			
petuated in strict accordance with the law, official regulations and instructions there-						
under; and I do further	er solemnly swear th	at the foregoing are	the true and original			
field notes of said sur	vey and my report t	herein, and that the	e labor expended and			
improvements made up	on <mark>said mining c</mark> laim	by claimant or	its grantors			
are as therein fully sta	ted, and that the ch	aracter, extent, locati	on and itemized value			
thereof are specified th	erein with particular	rity and full detail, a	nd that no portion of			
said labor or improvement	ents so credited to th	is claim has been inc	cluded in the estimate			
of expenditures upon a	ıy other claim					

		1 ()				
		J. J. La	S. Deputy Mineral Surveyor.			
		U.s	J. Deputy Mineral Surveyor.			
		I. J. Staul				
		ore meFrank				
		this	13-			
day of	May 1906.	, .				

0 3-154

NOTARY PUBLIC
In and for the County of Cochise, Territory of Arizona,
My Commission Expires March 12, 1910.

Territory of Arizona) as County of Cochise)

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the Amended Location Notice of the Moquel Mining Claim, filed and recorded in my office on the 1/9 day of Over 1905 in Book 33, Record of Mines, at page 50/ and that the same is a full, true and correct copy of such original and of the whole thereof.

witness my hand and seal of office, this 15th day of February,

A. D. 1906.

Scaup Harry
County Recorner.

LODE OLAIM

12

to All Whom At May Concern: This Mining Claim, the name of which is the ______ Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and the undersigned, on the 6th day of The length of this claim is feet. the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the ortherly to the Southerly The claim is situated and located in the Cacifornia Mining District, in Cocluse County, in the Territory of Arizona, about four mile westerly direction from the torber of adjoins the roesterly side claim and the northerle The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a Southerly Seventundrestet fromdirection.... the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence three hundred feet to a monument , being the South west corner of said claim; thence unared feet to a monument, being at the Morth west corner of said claim; thence three hundred feet at the center of the Mostle end of said claim; hundred feet to amounteent, being at the corner of said claim; thencorefteen hundred at the south East three hundredieet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.


Dated and posted on the ground this of day of April 190 3

Elish Breder

Filed and recorded at request of Hereford & Hazzare age. 19 a. D. 1905 - at 10 a. M. Book 1 33 Reford of manes, at page 501.

No. 110.—NOTICE OF LOCATION OF LODE CLAIM.—The H. H. Nonell Company's Red Line Blanks, Phœnix, Arizona,*

County of	ss		, County Reco	order in and fo	or the County
	ereby certify that the with				
on this	day of		190, and duly	recorded in Be	ook No
of	Records of		County,	Arizona, at pa	iges
И	ITNESS my hand and office	cial seal the day a	nd year first above	written.	
					inty Recorder.
				COL	inty Recorder.
II .		1 8	7.		1. 1.
=		190.	D. 190.		County Recorder. Deputy Recorder.
93		19C	D.		Reco
g g			, A.		unty
CE OF TOC		at			ပိ
<u> </u>		rded			
OE		eco ₁			
3 3		d R			
oti		l an			
Motice of Location LODE CLAIM		ted Filed and Recorded at		ok	
		Dated	at.	Book Pages.	By



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center he Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.


13 To All Whom At May Concern: This Mining Claim, the name of which is the ... Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Ulrich The length of this claim is the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together three mundred feet in width of the surface grounds, on each The general course of the lode deposit and premises is from the side of the center of said claim. Calisonnea The claim is situated and located in the ... County, in the Territory of Arizona, about direction from.... The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a... direction MUS the discovery shaft (at which this notice is posted), being in the center of the Docular three hundred feet to a monus end line of said claim; thence... , being the southwest corner of said claim; thence hundred feet to a monument ...corner of said claim; thence... monument of stone at the center of the northerly end of said claim; feet to a Manualle corner of said claim; thence.... ment of tongat the south last hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes or the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this..... No. 110.—NOTICE OF LOCATION OF LODE CLAIM.—The H. H. NcNeil Company's Red Line Blanks, Phœnix, Arizona.

I. Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the Amended Location Notice of the Fraction/ Mining Claim, filled and recorded in my office on the 19 day of Apr. 1905-in Book 33 Record of Mines, at page 50 4 and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 15th day of Fab. A. D. 1906.

County Recorder.

TERRITORY OF A County of	> ss		, County Recorde.	r in and for	the County a
	hereby certify that the with				
of	Records of VITNESS my hand and office		County, Aria	zona, at page	
				Coun	ty Recorder.
			W.		
ation		190. request of	D. 190		County Recorder. Deputy Recorder.
Rotice of Location					Count
ce of		d Record			7
Poti		DatedFiled and Recorded at	,	Book	
#		Da	at.	Book Pages	By



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona) ss County of Cochise)

oertify that I have compared the foregoing copy with the Amended Location Notice of the Mendrew Mining Claim, filed and recorded in my office on the 19 day of April 1905 in Book Record of Mines, atpage 505, and that the same is a Tull, true and correct copy of such original and of the whole thereof.

witness my hand and seal of office, this 15th day of Neb.,

A. D. 1906.

Drawk Hare

County Recorder.

16

LODE CLAIM

To All Tubom It May Concern: This Mining Claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Elrich Rieder the undersigned, on the... The length of this claim is direction and AME the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the California Mining District, in The claim is situated and located in the County, in the Territory of Arizona, about Jour miles direction from our the westerlyside The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument direction Flor the discovery shaft (at which this notice is posted), being in the center of the Auth end line of said claim; thence.... being the corner of said claim; thence hundred feet to a mounisment corner of said claim; thence thill hundred feet at the center of the motile end of said claim; hundred feet to a mountained, being at the corner of said claim; thence..... at the south that corner of said claim; there hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes or the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 6th day of

No. 110.—NOTICE OF LOCATION OF LODE CLAIM,—The H. H. NcNeil Company's Red Line Blanks, Phænix, Arizona,'

TERRITORY OF ARIZONA, County of	ify that the with	in instrumen	t was filed	for record at	o'clock,
on this					
WITNESS n	ny hand and offic	cial seal the	day and ye	ar first above writt	еп.
					County Recorder.
Ø =					
Location		190	ed at request of	A. D. 190	County Recorder. Deputy Recorder.
Motice of Location LODE CLAIM		ted	Filed and Recorded at	ok	ges

Dated

Corner Μοσμπιεπέ Corner Monument Shaft B End Monument End Monument 500 feet Zer Discovery 1991 0001 300 ft. Corner Monument Согаепте Молатепт

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Book

By

merritory of Arizona,)

County of Cochise.


I, Frank Hare County Recorder in and for said county hereby certify that I have compared the annexed copy with taim; original amended location notice of the Eiron Cap min filed and recorded in moffice on the 11th day of April 11, rue Rook 36 page 209, Record of Mines, and that the same is and correct copy of such original and of the whole the reof. 106. Witness my hand and seal of office, this 11th day of April

AMENDED

Motice of Mining Location

The Min at May Concern:
This Mining Claim, the name of which is the OUCAN OCAN Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Stanter a citizen of the Il. S.
(Locator must insert either "a citizen of the United States,") or, "who has declared his intention to become a citizen of the United States,")
the undersigned, on the 21 day of March 190 s.
The length of this claim is 1500 feet,
and WC claim 1450 feet,
in a Northerly direction and 50
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the lohinicalua Mining District, in
County, in the Territory of Arizona, about One ville
in a Casterly direction from the Stone House and is
bounded on the South by the Sun Beam on the west
Justhe Fraction & on the north & East, by the Reider
KI Al on the
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone
at a point in a Loutherly direction 50 feet from
the discovery shaft (at which this notice is posted,) being in the center of the houth
end line of said claim; thence menterly 300 feet to a monument
of said claim; thence
northerly 1500 feet to a monument, being at the
northwelt corner of said claim; thence lasterly 300 feet
to a monument at the center of the north end of said claim;
thence Lasterly 300 feet to a moning, being at the
northeast corner of said claim; thence southerly 1500
cet to a whomis went at the southeast corner of said claim;
hence westerly 301 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
he United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
014 ml 10 ah
This is an Amended Location Notice of the Oracle Spanning Claim, located by Union Meder on the 5-th day of
on the 5th day of
Q May 1905, and recorded in Book 3 3 of Regords of Mines, at
age 445, in the office of the County Recorder of the aforesaid County of Orchiol o which reference is hereby made, and this amended Location Notice is made and posted to
· it demonstrate the said official Location Notice
Posted and posted on the ground this 21 day of 11 UACA 190.15
mess; manhattan Development les.
- Shoulder
1 1 the areat of Frank H. Hereford above
d and he corded at request of Frank It Hereford apr 1906 at 10 a. M. Book 36 Record Doy Mines page 209.
NO. 109.—AMENDED NOTICE OF LOCATION OF LODE CLAIM.—The H. H. NcNell Dompany's Red Line Blanks, Phœnix, Arizona.

Motice of Location.				County of	TERRITORY
	WITNESS my hand a	Records	, do hereby certify that th	 J	OF ARIZONA, ss.
Dated 190	nd official seal				
	the day and year fi				
at A. D. 190. Book					
Pages County Recorder.					
1 1					



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoeni	ix, Arizona,	
		June 28, 190	26
			,
I, U. S. Surveyo	r-General for Distric	et of Arizona	
do hereby certify tha	t the foregoing transcript of	f the Field Notes, return and approval of the sur	vey
*		relopment Company	
		Mogull, Erion Cap	
		County, Arizona	
in Section ADDIO	K, Township No17	S., Range No. 30 E.,	and
designated as Survey	No2.232,	has been correctly copied from the originals on file	e in
this office; that said	Field Notes furnish such a	an accurate description of said mining claim as wil	ll, if
incorporated into a p	patent, serve fully to identify	y the premises, and that such reference is made the	rein
_	_	will perpetuate and fix the locus thereof.	
And I further c	less than ertify that five hundred d	lollars' worth of labor has been expended or impro	ove-
ments made upon sai	id mining claim by claiman	t or its grantors, and that said improvement	ents
consist of, at to	me of survey,	2 cuts, 1 turnel and	
1 shaft, to	tal value 44	2 cuts, 1 turnel and	
<i>y</i> · · ·)	0.000 1000
•••			
and that no portion	of said labor or improveme	ents has been included in the estimate of expenditu	ıres
upon any other claim	1.		
I further certify	that the plat thereof, filed i	in the U.S. Land Office at Phoenix,	
Arizona	is correct and in	n conformity with the foregoing Field Notes.	
	ا.	Frank S. Ingalls	
5001h 5	United States Sur	rveyor-General for ArizoNa	
7861b5m3-03			

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	E	Phoenix, Arizona,	
		June 28	, 190.6.
I, U. S. Surveyor-General for	District of	Arizona	
do hereby certify that the foregoing	and hereto attached	Field Notes and Return of the Su	rvey of the
Mining Claim of Manhattan	<u> Development</u>	Tompany	
		, kn	own as the
Fraction, Monarck,	Mogull, Ar	ion cap.	
situate in	California	Mini	ng District,
Cochise	County,	Arizona.	
in Section approx., To			
executed byISta	ube <u>r</u>	, U. S. Dept	uty Mineral
Surveyor, May 10-11,	19.06	, 190, under my instruc	tions dated
April 18, 1906,	, 190, have be	een critically examined and the ne	cessary cor-
rections and explanations made, and	d the said Field Not	es and Return, and the Survey the	ey describe,
are hereby approved. A true copy	of the copy of the	location certificate filed by the app	plicant for
survey is included in the field notes	Fran	Surveyor-General for Arizona.	
12779b5m4-04	C. 51 /		

HAIOH CAP et al lodes

County, Arizona and owned by the Hannattan Development Company,

AFFIDAVIT OF \$500.00 IMPROVEMENTS

I hereby certify the the value of the labor and imprevenents upon or for the benefit of this group placed thereon by the claimant or its granters is not less than [500.00 for each location and I further certify that the improvements as stated below who a note by the said explicant prior to the expiration of the period of publication of the motice of application for matent.

This work to the value of 100.00 or more has been done on each legation. The remainder has been concentrated on seven (7) long tunnels and two (2) deep shelt designed to develop the entire group of claims owned by the Hanhatten Revelopment Company. The seven (7) long tunnels and two (2) deep shafts are located as follows:

Hain tunnel, mouth of which brs. from Cor. 10. 1, Copper Trust lode, Euryey 10. 2220, 0. 70° 24' U., 722.2 ft., has 752.1 ft. of 5 x 7 ft. drifting and 15 ft. of 4 x 4 ft. winze, as described in Eurycy To. 2220, Total value, 110,500.00

Turnel No. 1, 4 x 6 x 105 ft. long brg. 4. 84° 0'". the mouth of which brs. from Cor. No. 3, Copper Hluff lode, Survey No. 2220, 6. 75° 52' 7., 691.0 ft.

Value, 1,250.00

Tunnel No. 2, 4 x 3 x 175 ft. long br. N. 83° 6' T., brs. from Cor. No. 2, Iron Cap lode, Turvey No.2270, b. 85° 5' N., 150.0 ft. Telue, A 1,750.00

Tunnel No. 3, 4 x 0 x 140 ft. long brg. 0. 35° T.,

Pro. from C. T. D. C. Rodes lode, Survey No. 2220, N.

86° W., 471.0 ft.

Talue, 1,400.00

Tunnel No. 4, or Nieder tunnel, the mouth of which art. from Cor. No. 5, Hidden Tressure lode, Survey No.

interest on Lineual Survey Lo. 2231, expressly reserving four thirty-eighths interest of the above about for claims in this survey.

two (2) main shafts are so locate that it is possible to explore and develop to the bost advantage this entire group of thirty-eight (35) claims; from an economic standpoint, the locations are the nost favorable the group affords as they are most accessible from the source of supplies, both in the nation of grade and distance.

2231 and 2232 are a complet group an it is believed that by the seven (7) tunnel and the two (2) main shifts, the mineral possibilities can be developed to the best adventors and each claim benefited equality by the work and therefore the seven (7) turnel and the two (2) main shafts must be justly considered at tending to develop the entire group of claims owned by the Hanhattan Development Company, and thus the claims of this survey.

FRION C/P

To. 1: Fiscovery cut, 5 x 1% m 12 ft. brs. from M. .U.

W. 16° 41' "., 50.0 ft. Telue, "125.00"

An undivided 1/38th interest in soven (7) Lang tunnels and two (2) deep shafts, 775.00

Total Improvements on Claim, SCO.CO

FRACTION

An undivided 1/30th interest in seven (7) long tunnels and two (2) deep shalts, 775.00

Total Improvements on Claim, 375.00

COMARCH

No. 1

Discovery sheft, 4 x C x 10 ft. deep hrs. from

E. E. C.location W. 10° 41' W., 240.0 ft. Value, 2100.00

An undivided 1/38th interest in seven (7) long tunnels and two (2) deep shefts,

Total Improvements on Claim,

375.00

LOCULL

No. 1 Discovery tunnel, 4 x 3 x 12 ft. brs. from S. E. C. location, T. 16° 41' T., 50.0 ft. Value, 120.00

No. 2 Punnel, 4 x 3 x 50 ft. long brg. S. 70° 0' "., the mouth of which bus. from Gor. No. S, 5.70' 54' E.,

484.C ft. Talue, [100.00

An undivided 1/38th interest in seven (7) long tunnels and two (2) deep shafts, 775.00

Total Improvement: on Claim, 1795.00

TOTAL IMPROVEMENTS OF CROUP, 4,445.00

U.S. Deput Mineral Curveyor

Dated at Disbee, Arizona,
August 15th, 1900.

Affidavit of Five Hundred Dollars Improvements.

We,	J. P. Chiado	and Harry Locke
of lawful age, being	first duly sworn according t	o law, depose and say: That we are acquainted with the
	and Mogull	
Frion Cap, F	-	ing claim@situate in California
mining district,	Cou	nty, Arizona Territory, for which
***************************************	The Manhattan D	evelopment Company
haS. made applica	tion for survey prior to applica	tion for patent under the provisions of the Act of Congress
approved May 10,		and improvements made thereon by the applicant and
its grant		ach location is in value, and further that we are not personally interested
in said mine.		Mahido.
	COONING);
County of		7,02
		on to and subscribed before me this day
[SEAL.]		or august , 1906
171715400-3-05		MANAGETTE PUBLIS
		In and for the County of Cochise, Fart to F. My Commission Expires March 12, 1910.

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM-

I, U.S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or 1ts grantors, upon the mining claims of
Manhattan Development Company
known as the Erion Cap, Fraction, Monarch and Mogull,
situate in <u>California</u> mining district,
County, Arizona
in Section, Township No, Range No;
that said improvements consist of Erion Cap 1 cut, valued at 5125.00,
Fraction 1 cut, valued at \$100.00, Honarch 1 shaft, valued at
\$100.00, Mogull 2 tunnels valued at \$1020.00, and an undivided
4/38 interest in the seven long tunnels and two main snafts,
situated on survey No. 2220, valued at \$3100.00 total value
<u>\$4 445.00</u>

, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
I. J. Stauber, U.S. Deputy Mineral Surveyor, dated
August 15, 1906, 18 , is hereto attached.
Frank Desigalle
U. S. Surveyor General for Arizona
Office of U. S. Surveyor General,
Phoenix, Arizona,
August 27, 1906., 1

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

