

**MS**

**0**

**2**

**2**

**3**

**6**

Copy  
4-06

APR 25 1906

(4-683.)

Mineral Survey No. 2236

Lot No. \_\_\_\_\_

Gila Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. H. Martin

KNOWN AS THE

Louise

Hartford

Mining District,

Cochise

County,

Arizona

Section 30 Township 23S, Range 21E

Surveyed under instructions dated Mar 31, 1906

by

John A. Rockfellow

U. S. Deputy Mineral Surveyor.

Claim located Jan 1st, 1906

Survey commenced April 17, 1906

Survey completed April 18, 1906

6-180

Address of Claimant  
Hartford  
Arizona

298.9 W. Center End, a madrone post 4 ins square, 4 ft. high in a mound of stone, marked W C E - L, which I scribe in addition 2236.

598.6 To Cor. No. 4 an oak post 4 ins square, 4ft. high in a mound of stone marked N W C - L and which I scribe 4 - 2236.

Whence:

1) A cross (X) and B T 4 - 2236 scribed on a blaze on an oak tree 15 ins in diameter bears N 28° 36'W, 50.0 ft.

2) A cross (X) and B T 4 - 2236 scribed on a blaze on an oak tree 4 ins ~~square~~ diameter bears N 29° 37'E, 14.9 ft.

Thence S 79° 00'E, Va. 13° 12'E.

1500.0 To Cor. No. 1 the place of beginning.

The survey of this lode is identical with location.

Area..... 20.613 Acres. ✓

-----  
Location.

This claim is located in what will be when surveyed Sec. 30, Tp 25 S R 21 E, G & S R Meridian in Hartford mining district, Cochise County, Arizona.

The discovery was made by sinking and the lode cannot be traced on the surface. The presumed course is N 79° 01'W, 486 ft. and S 79° 01'E, 1914 ft from discovery.

There are no adjoining claims so far as known.

-----  
Expenditure of five hundred dollars.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimant and his grantors is at the present time as follows, work being now carried on: an L shaped shaft or open stope, the northerly end of which is adjacent to the lode line at S 79° 01' E, 486 ft. from the W. C. E. Monument.

Said work is of an average width of five feet, an average depth of eleven feet and a combined length of 61 ft., partly in soil and partly in rock. The walls are sustained by numerous redwood stulls or timbers.

Total excavation 3355 cu. ft. Value at 10 cents per cubic foot, <sup>\$335.50</sup> and \$75.00 for timbers and placing, makes a total

S U R V E Y NO. 2236.

Lowry Lode.

Beginning at Cor. No. 1, the N. E. Cor. of claim, an oak post 4 ins square, 4ft. above ground in a mound of stone marked N. E. C.-L, which I scribe in addition 1 - 2236, Whence the Cor. of Secs. 19, 20, 29, & 30, by 25 S, R 21 E bears N 50° 18'E, 3487.5 ft.

2) A cross (X) and B.T. 1-2236, scribed on a blaze on an oak tree 5 ins diameter bears S 60°22'W, 209 ft.

3) A cross (X) and B. T. 1-2236 scribed on a blaze on an oak tree 20 ins. diameter bears N 5° 00'E, 14.45 ft.

Thence S 10° 58'W, Va. 12°45'E.

288.0 Center of gulch 6 ft. wide, course easterly.

299.3 East Center end, a pine post 4 ins square, 4 ft. high in a mound of stone, marked E.C.E.-L, and which I scribe in addition 2236.

598.6 To Cor. No. 2, an oak post 4 ins, Square, 4 ft. high in a mound of stone, marked S E C-L, and which I scribe in addition 2-2236.

Whence:

- 1) A cross(X) and B T 2-2236 scribed on a blaze on an oak tree 8 ins. diameter bears S 9° 40'E, 10.6 ft.
- 2) A cross (X) and B. T. 2-2236 scribed on an oak tree, 8 ins. diameter bears N 73° 38' W, 45.0 ft.

Thence N 79° 00'W, Va. 13° E.

1500.0 To Cor. No. 3, an oak post 4 ins. square, 4 ft. high in a mound of stone, marked S. W. C. - L which I scribe in addition 3-2236.

Whence;

- 1) A cross(X) and B.R. 3-2236 chiseled on a porphyry rock 36 X 20 X 2 ins. bears N 30° 10' E, 12.2 ft.
- 2) A cross (X) and B. T. 3-2236 scribed on a blaze on an oak tree 9 ins. diameter bears S 74° 00' E, 32.0 ft.
- 3) A cross (X) and B.T. 3-2236 scribed on an oak tree 15 ins. diameter bears S 30° 32'W, 19.2 ft.

Thence N 10° 58' E, Va. 13° 10'E.

212.0 Gulch 6 ft. wide course easterly.


value of \$410.50.

-----  
Instrument.

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith solar attachment. The courses were deflected from true meridian as obtained by direct solar observations. The measurements were made with 500 and 50 ft. steel tapes.

Tombstone, Arizona.

April 23, 1906.

A handwritten signature in cursive script, reading "John B. Rockefeller". The signature is written in dark ink and is positioned above the typed name.

U. S. Deputy Mineral Surveyor.

5  
NOV 27 1906

I, John A. Rockfellow, a United States Deputy Mineral Surveyor, do solemnly swear that on the Lowry Mining Claim, Survey No. 2236, in addition to the labor and improvements described by me in notes signed April 23, 1906, the following has also been done by the claimant, viz:

A cut in rock, the mouth of which bears from the west center end S 17° E, 81.5 ft., cut 15 X 4½ ft, 11 ft face, course S 17° E, Value \$100.00. This work was performed prior to the expiration of the period of publication of application for patent.

*John A. Rockfellow*  
Notary Public

Signed and sworn to before me a  
this 26 day of November, 1906.

*L. G. Crable*  
Notary Public

*Com. ex. Nov. 18, 1908.*

Affidavit of Five Hundred Dollars Improvements.

We, J. C. Baker and James H. Martin

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Louvy mining claim, situate in Hartford

mining district, Lochiel County, Arizona Territory, for which

J. H. Martin

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

his grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

J. C. Baker  
James H. Martin

TERRITORY OF ARIZONA,

COUNTY OF

Lochiel

} ss:

Sworn to and subscribed before me this 1st day

of December 6, 1906

[SEAL.]

J. H. Martin  
notary Public

My. Com. Expires Aug 21/1909

Office of U. S. Surveyor General,  
Phoenix, Arizona, December 19<sup>th</sup>, 1906

I, FRANK S. INCALLS, U. S. Surveyor General for the District of Arizona, hereby certify that in addition to the work reported upon the Lowry mining claim, Survey No. 2236, at the time of survey, there has been One Hundred (\$100.00) Dollars additional work done, as described in the foregoing report of John A. Rockefeller, U. S. Deputy Mineral Surveyor, and that the labor and improvements on said claim performed prior to the expiration of the date of publication of application for patent, exceeds Five Hundred (\$500.00) Dollars in value, and that no portion of said improvements has been credited to any other claim under the statutory requirement of Five Hundred Dollars improvements on each location.

*Frank S. Incalls*  
U. S. Surveyor General.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of.....  
E. H. Martin  
 known as the Lawry  
 and showing the respective capacities in which they acted.

R. Hazel, Chainman.  
W. S. Brakfield, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, R. Hazel  
 and W. S. Brakfield, do solemnly swear that we assisted John A. Rockfellow  
Rockfellow, United States Deputy Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of E. H. Martin  
 known as the Lawry  
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona

R. Hazel, Chainman.  
W. S. Brakfield, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 18  
 day of April, 1906

John A. Rockfellow  
 Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Mar 31 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of C. H. Martin, known as the Louvy, situate in Hartford Mining District, Cochise County, Arizona, in Section 30 Township No. 23S, Range No. 21E and designated as Survey No. 2236, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller  
U. S. Deputy Mineral Surveyor, before me A. G. Crable, a Notary  
Public County Cochise, Arizona this 23rd  
day of April, 1906

A. G. Crable  
Notary Public

Com. ex 118/8

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Lowry  
Mining Claim, situate on lands belonging to the United States of America, and in which there  
are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
purchase by O. H. Martin

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the first day of Jan. 1906.

The length of this claim is 1500 feet,  
and I claim 512.3 feet,  
in a Westerly direction and 987.7

feet in an Easterly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is ~~from the~~  
N. 78° 32' W ~~to the~~ and S. 78° 32' E

The claim is situated and located in the Hartford Mining District, in  
Cochise County, in the Territory of Arizona, about one-half mile  
in a Southeasterly direction from the Cor. Secs. 19, 20, 29 & 30  
Tp. 23 S, R 21 E, G & S. R. Meridian

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument of stone

at a point ~~from~~ N. 78° 32' W ~~direction~~ 512.3 feet from  
the discovery shaft (at which this notice is posted), being in the center of the West  
end line of said claim; thence N. 11° 28' E, 300 feet to a post in a mound  
of stone, being the N. W. corner of said claim; thence  
S. 78° 32' E, 1500 feet to a post in a mound of stone being at the  
N. E. corner of said claim; thence S. 11° 28' W, 300 feet  
to a monument of stone at the center of the East end of said claim;  
thence same course 300 feet to a post in mound of stone being at the  
S. E. corner of said claim; thence N. 78° 32' W, 1500  
feet to a post in mound of stone at the S. W. corner of said claim;  
thence N. 11° 28' E, 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to  
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January 1906

O. H. Martin  
Witness - F. B. Moson

TERRITORY OF ARIZONA,  
County of.....COCHISE..... } ss.

I, Frank Star, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 1-40 P o'clock, P M., on this MAR 23 1906 day of 1906, and duly recorded in Book No. 36 of MINING Records of COCHISE County, Arizona, at pages 31

WITNESS my hand and official seal the day and year first above written.

Frank Star  
County Recorder.

COMPARED.

No. 1638

### Notice of Location

### LODE CLAIM

Dated 1906

Filed and Recorded at request of  
E. L. Robinson

MAR 23 1906

A. D. 190


at 1-40 P M.

Book 36 Record of Mines

Page 31

Frank Star  
County Recorder.

By \_\_\_\_\_  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 24<sup>th</sup>, 1906.

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

C. H. Martin

known as the Lowery

situate in Hartford

Mining District, Cochise County, Arizona

in Section 30 UNSUR., Township No. 23 S., Range No. 21 E., and designated as Survey No. 2236

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that less than five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of, at time of survey, six shaft or open stope 5 x 11 x 61 ft., value \$410.50

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona.

May 24<sup>th</sup> 1906, ~~XV~~

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

C. H. Martin

, known as the

Lowry

situate in Hartford mining district,

Cochise County, Arizona

in Section 30 unsur., Township No. 23 S., Range No. 21 E.

, designated as Survey No. 2236

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, April 17 - 18, 1906, ~~XI~~, under my instructions dated

March 31, 1906, ~~IX~~, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location


certificate filed by the applicant for survey is included in the field notes.

*Frank J. Sawyer*

U. S. Surveyor General for Arizona

unsurveyed

surveyed



Survey No 2236  
 GILA LAND DISTRICT  
 Surveyed April 17 & 18 - 1906  
 By John A. Rockfellow  
 U.S. Dep. Min. Surveyor.  
 Scale 200 ft = 1 inch