Recopied Ly

(Col. S. D. May 17-06

(4-683,)

## Mineral Survey No. 2245

Lot No.

XXX Coryona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

| FONIABECKET OF                                      |                                |  |  |  |
|---|--------------------------------|--|--|--|
| Morenci, Hrizena                                    |                                |  |  |  |
| KNOWN AS THE  |                                |  |  |  |
| Presto Rico & First Chance Lodes                    |                                |  |  |  |
| Copper Mountain                                     | Mining District,               |  |  |  |
| Graham County                                       | Ar12079                        |  |  |  |
| Section Township                                    |                                |  |  |  |
| Surveyed under instructions dated APIII 19 19, 1905 |                                |  |  |  |
| by <u>/</u>   | amar Cobb, Jr                  |  |  |  |
|   | U. S. Deputy Mineral Surveyor. |  |  |  |
| Claim located 27 for of                             | noties , 190                   |  |  |  |
| Survey commenced APIII                              | 2354,1906                      |  |  |  |
| Survey completed AP (1)                             | 2314,1906                      |  |  |  |
| o 6—100   |                                |  |  |  |

Ties to che

Address of Claimant's attorney,

John R. Hampton, Clifton, Graham Co., Arizona.

3/1/20 defuly ached for Endelen

Feet. Survey No. 2245 Torth dest end . HODE POJR OFFICE. E mound of store. 500 Beginning at Cor. No. 1. To Cor. To. & 00.3 Identical with Core No. LiFirst Chance Lode of this i pire cost '} it. long, ' ins. sauere. age of bedrock and Arpine mest sets the lense toing sonquere exet on bed rock surrounded by mound of stone. scribed 1-1-2245. whence 1 x 1 ft., heire 1. 61° 31' 8. 7.0 ft. A cross (x) and, B.R. 1-1-2245 chiseled in granite boulder, 2 x 3 ft., 18 ins. above surface, bears S. 28° 07' W. 54.4 ft. U. S. M. M. No. 1 bears S. 4 43 E. 1497 ft. 1458.6 To Cor. No. 1, the place of beginning.

Thence N. 23° 02' W.

Southwest and center of Posstion, a mound of stone.

To Cor. No. 2.

1.07.700 ts gainetized

Lightigal with Cor. No. 4 First Chance Lode of this
survey.

A pine post, 42 ft. long, 4 ins. square, set on bedrock, surrounded by mound of stone, scribed 2-4-2245, whence A cross (x) and B.R. 2-4-2245 chiseled on granite point, 3 x 3 ft., 2 ft. high bears N. 23° 02' W. 5.4 ft.

1137,7 10 007. 10. 2.

Surrour as it tour, of plane, carifed 7-2011, vacide

```
.Jasi
                     Thence S. 23 quo2' E.
       North East end center of the location, a mound of stone.
300
                                Reginging of Cor. No. 1.
600
       To Cor. No. 4
   Pdentical with cor! No. Princon lode, ansurveyed.
         A pine post, 42 ft. long, 4 ins. square, set on bedrock,
    be referrated ed by imound of stone, edribed 422245. Whence
      . A cross of France Bene 4022450 chisefer on granite face
       2 x 3 ft., beers N. 61° 31' E. 7.0 ft.
     The N. E. cor of the matilda Inde Pot 16 53, bis
    boulder, 2 x 2 ft., 1s inn. chave surface, heers . .
                       Thence S. 66° 58' W.
       Gulch, course South East.
230
1458.6 To Cor. No. 1, the place of beginning.
                  Thenne IL Car og! ".
      enote to buren a . The end House Tode to be end
                                         To Car. Mo. 2.
       Beginning at Cor. No. 1
   Identical with Cor. No. I Puerto Rico Tode, of this
       survey, whence
. Sorted U. Sellemento. Ti bears'S. 42 43" E. Clayor ft.
   turrantied by round of stone, seribed E-4-2245, wheree
      a street in era E.H. 2-4-224b chiseled on granite
  Thence S. 80° 53' W.
     Gulch, course South East.
1187.7 To Cor. No. 2.
        A pine post, 42 ft. long, 4 ins. square, set on bedrock,
      surrbanded, by mound of stone scribed 2.2245 whence
        A cross (x). and B.R. 2-2245 chiseled on granite face.
      Ixl ft., bears N. 61° 22' W. 7.0 ft. S.oH. 700 of 3.8624
A pire nost, if it. larr, 4 ins. rydere, set of heirock.
     surrouried by mound of chart seribed 3-2245, where
        Thence N. 23° 02' W.
      South West end center of the location, a mound of stone.
300
600
      To Cor. No. 3.
        A pine post, 42 ft. long, 4 ins. square set on bed rock
      surrounded by mound of stone, scribed 3-2245, whence
        A
```

## POOR

# QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

reet.

A cross (x) and B R. 3-2245 chiseled on granite face 2 x 4 ft., 5 ft. high, bears N. 23 02' W., 38.65 ft.

#### Thence N. 80° 53' E.

1187.7 To Cor. No.4,

Identical with Cor. No. 2, Puerto Rico lode, of this survey.

Thence S. 23° 02' E.

300

600

North East end center of the location, a mound of stone.
To cor.No.1, the place of beginning.

#### LEDGES.

The discovery of the First Chance Lode is located on the center of the ledge, S. 30° 57' W!, 180 ft. from the East end center, at which point the ledge outcrops and the course of the vein from this point is S. 80° 53' W., 1007.7 ft., and N. 80° 53' E., 180 ft.

The discovery point for the Puerto Fico is on the ledge, N. 66° 58' E., 190 ft. from the West end center, at which point the ledge outcrops, from which point the course of the vein is N. 66° 58' E., 1268.6 ft., and S. 66° 58' W., 190 ft.

The survey of the Puerto Rico and First Chance Lodes are identical with their respective amended locations.

Variation of all corners of this survey, .130 20'E.

#### AREA.

Total area Puerto Rico lode, 20.091 acres.

Area in conflict with Rincon lode,

unsurveyed, 1.240 "

Net area Puerto Rico lode, 18.851 "

Total and net area First Chace lode 15.879 "

Net area lode claim, 34.730 "

#### LOCATION.

This claim is located approximately in Section 6, T. 4 S.,

R. 29 E. of the G. and S. R. P. M., unsurveyed. Coffee Mountain Municipality, Israham Co., engona.

It is bounded on the South by Matilda No. 3, and copper Crown No. 3 Lodes, unsurveyed, Arizona Copper Company, Claimant: on the East by the Rincon lode unsurveyed, Detroit Copper Mining Company, Claimant, and the Black Sheep lode, unsurveyed, Lee Broshears, I. N. Stevens and Charles Stevens, Claimants: No known locations on the North or West.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon or for the improvements of each location of this claim, is not less than five hundred dollars, and that said improvements consist of

of which bears from a point on line 4-1, 214 ft.from Cor. No.4, N 66° 28' W. 402 ft., 4 x 6 ft., running S. 23° 20' W. 15 ft. to breast, with 10 ft.open cut approach.

This point on side line is designated as Station "A" on map, Value, \$200.00

A tunnel, the face of which bears from Station

A. No.62° 30' W: 439 ft., 4 x 6 ft., running N.62° W.,

10 ft. to face with 6 ft. open cut approach,

Value, \$130.00

An open cut, the mouth of which bears from Station

A. No 61° 18' W., 117 ft., 4 x 13 ft.

Value, \$ 50.00

No.2

No.3

Value

of the First Change to determine of this working to be credited

No. 1 The location shaft of the First Chance lode, the center of which bears from a point on line 1-2, 290 ft.

from Cor. No. 1, N. 5° 18' W. 186 ft. Shaft 4 x 4 x 10 ft.

Value

\$100.00

\$190.00

No. 2 An open cut, the face of which bears from a point on line 2-3, 128.5 ft. from Cor. No. 2, N. 64° 10' E. 405 ft., 4 ft. wide, 14 ft. long, 10 ft. face.

Value

\$ 70.00

#### OTHER IMPROVEMENTS

A frame building, the East Corner of which bears from Station A. N. 83° 05' W. 388 ft. Course of long side, N. 36° 40' V.

A shaft, the center of which bears from Cor. No. 3, S. 43° 11' 7. 135 ft., which is the location shaft of the Rincon lode, Detroit Copper Company, Claimant.

The surface embraced by this claim rises rapidly from the Gulch on the Eastern end of the Puerto Rico.

South Testerly to about 200 ft. West of the end line common to the two locations, to an elevation of from four to five hundred feet, thence descending to the Gulch across the Westerly end of the First Chance.

Tunnel No. 4 and tunnel No. 5 with a slight change in

```
their course would cut both claims at a considerable depth, which would be the most economical way to work
         the two claims together. From these tunnels to the
         Coronado Tramway is only about 600 ft. which would
         furnish a shorter and cheaper means of transporting
       of the ores to the reduction works than if this claim
      uas developed in any other manner.
BE 48' W. . It. to breast, with it it. open out soprosoni.
     co.ber
   cedicate This survey was made with a Berger Light Mountain
         Transit. The courses were deflected from the true
         meridian as determined by polaris observations. The
  -Map and sold sold for a set to the moissonf off distances were measured with a 500 ft. tape.
      ter of mileh lears from a point on line 1-2, 290 ft.
                      from Jor. No. 1, E. 20 18' F. 186 ft.
    Je. borg
                           value
       No. 2 An open out, the face of which beers from a coint
     or line 2-5, 176.6 ft. from Cor. To. 2, 7, 64° 30 3.
            4 ft., 4 ft. rik. 1: ft. lorg, 10 ft. face.
    2. . . . .
                           SUFAY
                       who is a part of the coase more and
       present minimizers of the first correct of military bearing
     " 10 series . " . 50 05 ". 52 ft. Journe of little
                                        . '3' '3' . ' 3 . . '
     it to the court of whiteh learn than the title the
    to lade acatagod and the follow at the language of the con-
       the Minney Tote, Letroit Copper Chargery, Claimert,
  ment tillner senir misks gidt til sen stime opsty a offi
          the unless on the substances of the werte lich.
     to shout for it. Jest of the erd 3 ine
     common to the tro levels, to an elevelnes of from
```

to m to the large of the second of the secon

entil total off to the mittalia and morney apido

Til spinio digito a ditir a . . I forest ine t . o. facult

#### FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

Luniar Cort A list of the names of the individuals employed by. United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of..... and showing the respective capacities in which they acted. FINAL OATHS OF ASSISTANTS. Chart Coles do solemnly swear that we assisted factors Caket ......, United States Deputy Mineral Surveyor, in marking the corners and surveying Caul R. Beeter the boundaries of the mining claim of..... represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for... , Chainman Jax mon , Flagman. Subscribed and sworn to by the above-named persons before me this..... 17287b5m3-05

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

| la lakk -   |
|---|
| I, dancarlobby, U. S. Deputy Mineral  |
| Surveyor, do solemning swear that in pursuance of instructions received from the United   |
| States Surveyor General for dated , I have, in strict conformity to the laws of the       |
| Charles 1906, I have, in strict conformity to the laws of the                             |
| United States, the official regulations and instructions thereunder, and the instructions |
| of said Surveyor General, faithfully and correctly executed the survey of the Mining      |
| Claim of Sauch Decter   |
| Puerto Rees and First Chance lodes,   |
| Tuesto Reco and tensh have lodes  |
| situate in Coffee Mountain Mining District,  County, Conty, in Section                    |
| Graham County, Composa, in Section  |
| 6, Township No. 4 5., Range No. 29 E. mesuryed  |
| and designated as Survey No. 2245, as represented   |
| in the foregoing field notes, which accurately show the boundaries of said mining claim   |
| as distinctly marked by monuments on the ground, and described in the attached copy       |
| of the location certificate, which was received by me from the Surveyor General with      |
| said instructions, and that all the corners of said survey have been established and per- |
| petuated in strict accordance with the law, official regulations and instructions there-  |
| under; and I do further solemnly swear that the foregoing are the true and original       |
| field notes of said survey and my report therein, and that the labor expended and         |
| improvements made upon said mining claim by claimant or grantors                          |
| are as therein fully stated, and that the character, extent, location and itemized value  |
| thereof are specified therein with particularity and full detail, and that no portion of  |
| said labor or improvements so credited to this claim has been included in the estimate    |
| of expenditures upon any other claim.   |
|   |
|   |
| Lacus of  |
| U. S. Deputy Mineral Surveyor.  |
| 7' , , , , , , ,  |
| Subscribed and sworn to by the said downor tobb, fr.                                      |
| U. S. Deputy Mineral Surveyor, before me John CHampton                                    |
| this First  |
| day of Thoy   |
| 1 Of WILL   |
| Journa august   |
| " notory hable  |
| commission Expend August 1, 190)  |
| commission expense August 1, 1907,  |

## AMENDED LOCATION NOTICE.

| Know all Men by these Presents:  |  |
|--|--|
|  | , the undersigned, has this 4  |
| day of Abril , 190 b , amended, located  |  |
| locate, and claim by right of the original discover  | y and this additional and amended location certifi-  |
| · ·  |  |
| vein, ledge or deposit, along the vein thereof, with a   | an its dips, angles, and variations.   |
| The length of this claim is  | 1458-6 feet,   |
| and claim  | 190. feet,   |
| in a War   | direction, and 1 268.6  outh resture direction from  |
| the center of the discovery found, at which this no  | otice is posted, lengthwise of the claim, together with  |
| * * * * * * * * * * * * * * * * * * *  | feet in width of the surface grounds, on each side   |
| of the center of said claim. The general course of the   | the Southwest  |
| to t   | the haughter   |
| The claim is situated and located in the   | kur Mountain Mining District, in   |
| County, Territory  | of Arizona, about  |
| in a direction in U.S.L.M. No. 1 bears from  | The Sault Corner 5.4°43 E.   |
|  | The state of the s |
| The surface boundaries of the claim are marked a Beginning at corner No. 1   | upon the ground as follows:  |
| bears 5. 4°43'6. Hence M. 23°0   | 2' (1) 300 Rt to the Anotherson  |
| 1 de  | 1.1 2 - 1/   |
| and center, There 4, 23°02   | w 200 ft,  |
| to corner No. 2. a Pine Gost   | ······································   |
| Thene  | M.106°58'E.1458.6 ft.  |
| Quantum management of the control of |  |
| to corner No. 3. Opine Gost<br>Thene S   | 23°02' 6, 300 ft to the  |
| World East and anter there 5   | 23°02' 9 300 H   |
|  |  |
| North kast and anter There is<br>to corner No. 4. (1 Sine post<br>There  | 1 5.66°38'10, 1458.6 ff.   |
| to corner No. 1, the place of beginning.   |  |
|  |  |
| All done under the provisions of Chapter Six, of States, and of an Act of the General Assembly of Arizo of the Territory of Arizona," approved March 16th, 190  This is an Amended Location Notice of the  | Title XXXII, of the Revised Statutes of the United ona, entitled "An Act to Codify and Revise the Laws 11.   |
| This is an Amended Location Notice of the,   | Jucito Kico  |
| Mining Claim, located by while decided   | amphell  |
| a meriminan makan menerah manak menerah manak sama sama sama sama sama sama sama sa  | on the day of  |
| 190 6, and recor   | ded in book of Records of Mines, at  |
| page & q, in the office of the County Recorder of  |  |
| to which reference is hereby made,   |  |
|  | 100-000 - 110  |
|  |  |
| Dated and posted on the ground this  | g Briefic 1906   |
|  |  |
|  |  |
|  |  |
|  |  |
|  | the state of the s |

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at

par ' 061 day of sidt no "M.


duly recorded in Book No Records of

County, Arizona, at pages

County of

Witness my hand and seal the day and year first above written,

County Recorder.



Dated

The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 test from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

LODE CLAIM

Filed and recorded at request of Book


Deputy Recorder.

ERA PRINT, CLIFTON

## AMENDED LOCATION NOTICE.

| Know all Men by these                                     | Presents:  | 11 - 1 - 2   | beathing at  |
|---|--|--|--|
| That  | Druman.  | , the undersigned,   | nas tnis   |
|   |  | d, and claimed, and by these prese                                       |  |
|   | t of the original discovery  | and this additional and amended<br>e                                     | location certifi-  |
|   |  |  |  |
| vein, ledge or deposit, alor                              | ng the vein thereof, with a  | ll its dips, angles, and variations.                                     |  |
| The length of this cla                                    | tim is   | · · · · · · · · · · · · · · · · · · ·                                    | 1.19   |
| and claim   |  | direction, and   | l o o o o  |
| in a prorth, reast  | erly   | direction, and   |  |
|   | feet in a  | LLK 004 STULLY   | direction from   |
|   | * *  | tice is posted, lengthwise of the cla                                    |  |
|   |  | feet in width of the surface grou  |  |
| of the center of said claim.                              | The general course of the  | lode deposit and premises is from t                                      | he   |
| nous es   | to t   | he South west<br>per Mountain  |  |
| The claim is situated                                     | and located in the   | 200 Mountain   | Iining District, in  |
| Tranami   | County, Territory  | of Arizona, about  |  |
| ination   | direction for  | the East Corner  |  |
| L. M. Mo.I  | bears from   | the east Corner  | 5.443 8  |
| 1497.71.  |  |  |  |
|   | or resource there are compared the war and   | are it's simular in the contraction and                                  |  |
| diam attannesses more commences en                        |  | on a constant was a state (minute access to                              |  |
| The surface boundarie                                     | es of the claim are marked t   | ipon the ground as follows:  | ^  |
| Beginning at corner No. 1                                 | a Dine Das   | I whence US.L. Y   | n. Not bear  |
| S. 4. 43 6 1497 8   | 1. Ilene S.  | 1 whence us.L. 7 \$ 80°53' W. ,1187.7 \$                                 | +.   |
|   | Administration of American   | ) · · · · · · · · · · · · · · · · · · ·                                  | The state of the s |
|   | V. 2200  | i'W: 300 ft. to the  | 5  |
| to corner No. 2.  | nee 10,750   | 2 W. Souff to the  | South  |
| west and Center   | . Flener M. 23°  | 02 W. 300 ft.  |  |
|   |  |  |  |
| to corner No. 3. ()                                       | in, bost   |  |  |
| to corner No. a.  | Ll. n  | 80°53E. 1187.7 H.  |  |
| **************************************                    | · · · · · · · · · · · · · · · · · · ·  | 300, 113 [, ] ]  | (1700-1807) - 17305 (MBH)  |
| · · · · · · · · · · · · · · · · · · ·                     | man and a second succession of the second succ | and the same state and a management                                      |  |
| to corner No. 4.  | me gost,   |  | 4  |
| (11 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0                 | Thence S.  | 2302 8 30 of to the  | ~ North  |
| kast and Center,  | There of   | 23°02' E. 300 ft. to th  |  |
|   |  |  | A-1  |
| to corner No. 1, the place                                | of beginning.  | er om a para a promi a la para la su |  |
| Commence of the second day of the contract and the second |  | O DOME TO A STATE OF THE OWNER OF STREET                                 |  |
| All done under the pr                                     | rovisions of Chanter Stx. of   | Title XXXII, of the Revised Statu  | tes of the United  |
|   |  | ona, entitled "An Act to Codify and                                      |  |
| of the Territory of Arizona,                              | " approved March 16th, 190   | 1.9  |  |
| This is an Amended  | Location Notice of the   | First chance   |  |
| Mining Claim, located by                                  | ungel d. lar   | ~ Phell  |  |
|   |  | nphele on the 21 st.   | day of   |
| Jan.  | 190 b, and recor   | ded in book 13 of Reco   | rds of Mines, at   |
| page 8.8., in the office                                  | of the County Recorder of  | the aforesaid County of  | an .   |
| to which reference is hereb                               | oy made,   |  |  |
| management of the second management is con-               |  |  |  |
| · · · · · · · · · · · · · · · · · · ·                     | were true the manager and the same to the  |  |  |
|   | 4  |  |  |
| Dated and posted on                                       | the ground this  | day of April   | 190 🖢  |
|   | 1,0000   | G. Berwatti  |  |
|   |  | M.   |  |
|   |  |  |  |
|   | 18   |  |  |
|   |  |  |  |
|   |  |  | The state of the s |

County Recorder.



The above diagram is to give the locator a general idea of the pian of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

Notice of Location
Notice of Location

LODE CLAIM

LODE CLAIM

LODE CLAIM

LODE CLAIM

A. D. 190 C

At 11 Oct On M.

Book & Recorded at request of

Pages 30 County Recorder.

By Deputy Recorder.

ERA PRINT. CLIFTON

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

|                          | Phoenix, Arizona,  |        |
|--------------------------|--|--------|
|                          | 0,0,00   | 0.0    |
|                          | July 13 , 190  | Ų.Þ    |
| I. H. S. Surveyor-       | General for Dist. of Arizona   |        |
|                          | the foregoing transcript of the Field Notes, return and approval of the sur  | rvev   |
| -                        |  | Vey    |
| of the mining claim of   | D. J. D. D. Plean  |        |
|                          | -Paul R. Becker-   |        |
|                          | rto Rico and First Change lodes  |        |
|                          | Copper Mountain  |        |
| Mining District,         | Graham County, Arizona   |        |
|                          | , Township No. 4 S. , Range No. 29 E. unsurveyed,  |        |
| designated as Survey N   | o. 2245 , has been correctly copied from the originals on fil  | le in  |
| this office; that said F | ield Notes furnish such an accurate description of said mining claim as wil  | ll, if |
| •                        | ent, serve fully to identify the premises, and that such reference is made the   |        |
| -                        | rmanent monuments as will perpetuate and fix the locus thereof.  |        |
|                          | tify that five hundred dollars' worth of labor has been expended or impro  | 070-   |
|                          | that have hundred donars worth of factor has been expended of improvement of the said improvement of t |        |
| ments made upon said     | grantors, and that said improvement  | ents   |
| consist of               | nels, 2 cuts, and 1 shaft, total   |        |
| value !                  | 043.   |        |
|                          | )  |        |
|                          |  |        |
|                          |  |        |
|                          |  |        |
|                          |  |        |
|                          |  |        |
|                          | said labor or improvements has been included in the estimate of expendit   |        |
| upon any other claim.    | omponential de la compressión de la componential de | u100   |
|                          | of the rist of the County the Tright and Office of Phoenix   |        |
|                          | at the plat thereof, filed in the U.S. Land Office at Phoen1x  |        |
| TTTAOUN.                 | is correct and in conformity with the foregoing Field Notes.   |        |
|                          | Frank S. Ingalls   |        |
|                          |  |        |
| 7361b5m8-03              | United States Surveyor-General for Arizona.  |        |

## Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona.

| July 13", 1906, 18.  |
|--|
|  |
| I, U. S. Surveyor General for Dist. of Arizona,  |
| do hereby certify that the foregoing and hereto attached Field Notes and Return of the |
| Survey of the Mining Claim of  |
| -Paul R. Becker-   |
| , known as the   |
| Pureto Rico and First Chance lodes ,   |
| situate inCopper Mountain mining district,   |
| Graham County, Arizona ,   |
| in Section 6 , Township No. 4 S. , Range No. 29 E. unsurveyed                          |
| , designated as Survey No. 3245  |
| executed by Lamar Cobb Jr., U. S. Deputy Mineral                                       |
| Surveyor, April 23rd, 1906 , under my instructions dated                               |
| April 19th 1906 , ka , have been critically examined and the                           |
| necessary corrections and explanations made, and the said Field Notes and Return, and  |
| the Survey they describe, are hereby approved. A true copy of the copy of the location |
| certificate filed by the applicant for survey is included in the field notes.          |
| U. S. Surveyor General for Arizona .   |

Largemaps