Hopy Signal of

(4—683.)

## Mineral Survey No. 2270

Lot 140.	
 	·
 ARIZON <mark>A</mark>	Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF	1
Thompson Brown, G. W. Long and J. C. Collir	1S
G. F. Humbert, At	ity.
KNOWN AS THE	
Corker	
Warren	_Mining District,
Cochise County; Cryor	ra.
Section approx. Township 23 S. Range 24	
Surveyed under instructions dated May 26 , 1906	) •,
by I. J. STaul U. S. Depr	ger uty Mineral Surveyor.
Claim located see location notice ,	1
Survey commenced June 1, 1906,	L
Survey completed June 1, 1906.	l .
o 6—160	

Postoffice address of claimant's attorney,

G. F. Humbert, Bisbee, Cochise County, Arizona.

ok

## SURVEY NO 2270 CORKER LODE

Feet

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No. 2, Whistler lode, Survey No. 2267, and situated on the North side line of the N. E. & Sec. 3, Tp. 24S., R. 24 E., G. & S., R. B. & M., a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones, and scribed 1-2270 C L, whence a pine post of same dimensions and scribed B P. 1-2270, brs. N. 17° 24' E., 50 ft., and a second pine post of same dimensions and scribing brs. S. 89° 54' W., 50 ft., no bearing nonuments available, and the N.F. Cor. Sec. 3, Tp. 24S., R. 24 E., G. & S., R. B. & M. brs. M. 89° 54' E., 1575.9 ft.

## Thence S. 89° 54! W

- 514.0 along the North side line of the H. F. . Sec. 3, Tp. 24 S, R. 24 E., C. & S., R. B. & M. to original location for S. E. C.
- with location, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2270 C L, whence a pine post of same dimensions and scribed B P 2-2270 brs. M. 89° 54' E., 50 ft., and a second pine post of same dimensions and seribing brs. M. 17° 24' E., 50 ft., no bearing monuments available.

Thonce N. 17° 24' E.

1500.0 to Cor. No. 3, the H. W. Cor., identical with location and with Cor. No. 2 Snorter lode, Survey No. 2268, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground, in a mound of stones and scribed 3-2270, C L, whence a pine post of same dimensions and scribed B P 3-2270 brs. S. 17° 24' W., 50 ft., and a secondpine post of same dimensions and scribing brs. H. 89° 54' E., 50 ft., no bearing monuments available.

Thence N. 89° 54!E.

314.0 along line 2-1 Snorter lode, Surve- No. 2208, to original

Feet

location for N.E.C.

same bearing, to Cor. No. 4, the N. E. Cor., identical with location and with Cors. No. 1, 2 and 3, respectively of Snorter lode, Survey No. 2268, Game Cock lode, Survey No. 2271, and Whistler lode, Survey No. 2267, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 4-2270 C L, whence a pine post of same dimensions and scribed B-P 4-2270 brs. S. 89° 54' W., 50 ft., and a second pine post of same dimensions and scribing brs. S. 17° 24' W., 50 ft., no bearing monuments available.

Thence is. 179 24' W.

1500.0 To Cor. No. 1, the place of beginning.

#### LEDGE

The presumed course of the vein on this claim | is from the N. E. C., S. 17° 84'. W., 15CO.O ft.

## IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimants or their grantors, is as follows:

No. 1 Discovery shaft, 4 x 6 x 10 ft. deep, brs. from

N. E. C., S. 17° 24' W., 225.0 ft. Value, \$100.00

Note: Complete affidavit of \$500.00 worth of improvements on this claim will be furnished prior to the expiration of the priod of publication of the notice of application for patent.

#### AREA

Total and Met area of Corker Lode

20.624 A

#### ADJOINING CLAIMS

North Snorter lode, Survey Mo. 2268, owned by the applicants herein.

East Whisthr lode, Survey No. 2267, owned by the applicants herein.

South N. E. 4, Sec. 3, Tp. 24 S., R. 24 E., G. & S., R.B.& M.

West

Claims and claimants un indwn.

#### LOCATION

This claim is located about one and one-half miles in a Southeasterly direction fro Don Luic Station on the E. P. & S. W. R. R., on unsurveyed lands in the Warren Mining District, Cochise County, Territory of Arizona, approximately in Tp. 23, S., R. S4 E., C. & S., R. P.C. II.

## INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 C Transit; the courses were deflected from the true meridian as determined by Solar observation checked by an observation on Polaris; the distances were measured with a 300 ft. Steel tape.

Magnetic variation; I2° 30' F. at all dors.

U. C. Deputy Mineral Surveyor

Dated at Bisbee, Arizona,

Note:

Any discrepancies between the courses of this survey and those of the adjoining public land survey are due to errors in the latter.

#### CORKER LODE

situated in the Warren Mining District, Cochise County, Territory of Arizona, and owned by Thompson Brown, 9.%. Long and J. C. Collins,

AFFIDAVIT OF \$500.00 IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimmants or their grantors is not less than \$500.00 and that said improvements were placed on said claim before the first day of August and prior to the expiration of the period of publication of the notice of application for patent. Said improvements are as follows:

No.	1	Discovery shaft, 4 x 6 x 10 ft. deep brs. from	m
		N.E.C.location, S. 17° 24' W., 225.0 ft. Value, \$10	00.00
No.	2	Shaft, 5 x 7 x 40 ft. deep brs. from S.E.C. 1	oca-

Shaft, 5 x 7 x 40 ft. deep brs. from S.E.C. location, N. 17° 24' E., 761.0 ft. Value, \$400.00

Shaft, 5 x 7 x 10 ft. deep brs. from S. E. C. 10-cation, N. 17° 24' E., 739.5 ft. Value, \$100.00

Shaft, 5 x 7 x 10 ft. deep brs. from S. E. C. 10-cation, N. 17° 24' E., 81.0 ft. Value, \$100.00

Shaft, 5 x 7 x 10 ft. deep brs. from S. E. C. location, N. 17° 24' E., 59.0 ft. Value, \$100.00

Shaft, 5 x 7 x 10 ft. deep brs. from S.E.C. location, N. 17° 24' E., 38.5 ft. Value, \$100.00

Total Improvements on this Claim, \$900.00

,

U.S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona,
July 31st, 1906.

No. 3

No. 4

No. 5

No. 6

# Affidavit of Five Hundred Dollars Improvements.

We. H. BITKHOT	andand
of lawful age, being first duly sworn a	according to law, depose and say: That we are acquainted with the
Corker	mining claim, situate in Warren
mining district, Cochise	County, Arizona Territory, for which Thompson Brown,
g. W. Long, and J. C. Co.	llins, by their Attorney, G. F. Humbert,
ha_V <sup>©</sup> made application for survey prior	to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the	labor done and improvements made thereon by the applicant s and
their grantor S exceed five hun	dred dollars in value, and further that we are not personally interested
in said mine.	7.6 Birkner
	M. C. Getchell
TERRITORY OF ARIZONA,  County of Cochine	<i>ss</i> :
	Sworn to and subscribed before me this
[SEAL.]	of July , 190 <sup>G</sup>
17171b400-3-05	NOTARY PUBLIC In and for the County of Cochise, Territory of Viscosian My Commission Expires March 12, 1910.

# Certificate of U. S. Surveyor General

AS TO

Expenditures Reported after Return of Survey of Mining Claim.

I, U. S. Surveyor General fo	or District of Arizona ,
	dred Dollars' worth of labor has been expended or
	or their grantors, upon the mining claim of
	and J. C. Collins, by G. F. Humbert,
	······································
situate in <u>Warren</u>	mining district,
Cochise	County,Arizona
n Section, Township	ip No;
that said improvements consist o	of 6 shafts, valued at, \$900.00
	e .
, and th	nat no portion of said labor or improvements has been
included in the estimate of expend	ditures upon any other claim. A copy of the report of
I. J. Stauber	, U.S. Deputy Mineral Surveyor, dated
July 31, 1906, 18	, is hereto attached.
,	
	Frank & Sugalle
	U.S. Surveyor General for Arizona
Office of U.S. Surveyor General,	
Phoenix, Arizona,	,

o 2—178

## FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employ	yed by <u>I. J. Stauber</u>	
United States Deputy Mineral Surveyor, to assis	et in running, measuring, and marking the	lines, corners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of	
Thompson Brown , G.	W. Long and J. C. Collin	18
known as the	Corker	,
and showing the respective capacities in which the	ey acted.	
	W. A. Soule	, Chainman.
	J. P. Chiado	, Chainman.
		, Flagman.
We,	S OF ASSISTANTS.	
and J. P. Chżado	, do solemnly swear that we assisted	
I. J. Stauber, United States De	eputy Mineral Surveyor, in marking the corn	ers and surveying
the boundaries of the mining claim of		
Thompson Brown , G. W. Lo	ong and J. C. Collins	
known as theCorks	er	
represented in the foregoing field notes as having	been surveyed by said deputy mineral surve	yor and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge and be	lief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and	d the instructions
furnished by the United States Surveyor-General	Arizona  Arizona  Arizona  Arizona  Arizona  Arizona	, Chainman. , Chainman.
		, Axman.
Subscribed and sworn t	to by the above-named persons before me this	4th.
day ofJune	Maxfle	inc
	In and for the County of Cochise	

In and for the County of Cochise, Territory of Arizona
My Commission Expires March 12, 1910.

9189b5m8-03

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,I. Stauber	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance	
States Surveyor General for Arizon	<u>a</u> , dated
May 26, 1906., , I have	
United States, the official regulations and instru	ctions thereunder, and the instructions
of said Surveyor General, faithfully and correc	tly executed the survey of the Mining
Claim of Thompson Brown, G. W. Long	and J. C. Collins
	, known as the
Corker	
situate in Warren	Mining District,
Cochise Count	y, <u>Arizona</u> , in Section
approx., Township No. 23 S., Range N	o. 24 E. G.& S.R.B.& M. unsur.
and designated as Survey No.	270 , as represented
in the foregoing field notes, which accurately sh	ow the boundaries of said mining claim
as distinctly marked by monuments on the grou	and, and described in the attached copy
of the location certificate, which was received	by me from the Surveyor General with
said instructions, and that all the corners of said	l survey have been established and per-
petuated in strict accordance with the law, office	cial regulations and instructions there-
under; and I do further solemnly swear that	the foregoing are the true and original
field notes of said survey and my report ther	ein, and that the labor expended and
improvements made upon said mining claim by	claimant or thier grantors
are as therein fully stated, and that the chara-	cter, extent, location and itemized value
thereof are specified therein with particularity	and full detail, and that no portion of
said labor or improvements so credited to this e	laim has been included in the estimate
of expenditures upon any other claim.	
	-08/
4	( ) Comber
	U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	I. J. Stauber
U.S. Deputy Mineral Surveyor, before	
***************************************	this 4 <sup>th.</sup>
day of June, 1906.	
	Mr. & Alger
	NOTARY PUBLIC
o 3—154	In and for the County of Cochise, Territory of Arizona.  My. Commission Expires March 12, 1910.

## AMENDED

# Motice of Mining Location

This Mining Claim, the name of which is the Corker
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Thompson Brown, G. W. Long and J. C. Collins
citizens of the United States (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 17th. day of May 196
The length of this claim is fifteen hundred ( 1500 ) feet,
and we claim two hundred (200) feet,
in a northerly direction and thirteen
hundred (1300) feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with three hundred ( 300 ) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the north to the south
The claim is situated and located in the Warren Mining District, in
C ochise County, in the Territory of Arizona, about 1 1/2 miles
in a southeasterly direction from Don Luis Station on the
EP&SW railroad and is bounded on the north by the Snorter lode
unsurveyed, east by the Whistler lode unsurveyed,
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument
at a point in a northerly direction about 200 feet from
the discovery shaft (at which this notice is posted,) being in the center of the north
end line of said claim; thence easterly about 300 feet to a post &
monument, being the N. E. corner of said claim; thence
Southerly about 1500 feet to a post & monument , being at the corner of said claim; thence westerly about 300 feet
to a post & monument at the center of the south end of said claim;
thencewesterly about 300 feet to a post & monument , being at the
S. W. corner of said claim; thence northerly about 1500
feet to a post & monument at the N? W. corner of said claim;
thence easterly about 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Corker
Mining Claim, located by Thompson Brown , G. W. Long, E. N. Hutto
and J. C. Collins on the 25 <sup>th</sup> day of
May 1902, and recorded in Book 20 of Records of Mines, at
page 440in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this 17th day of May 190 6
Thompson Grown
G. Or Zory
J ( V) active.

TERRITORY OF ARIZONA,	
County of SS.	
I, County Recorder in and for the Co	
1, County Recorder in and for the Co	unly and
Territory aforesaid, do hereby certify that the within instrument was filed for record ato'clock,	M.
on thisday of	<i>3</i> 6
of	
	7
WITNESS my hand and official seal the day and year first above written.	
Frankly Ca	
County Reco	rder.

AMENDED

Motice of Location.

16.2819

Dated

Bifed and Recorded at request of

MAY 18 1535

A. D. 190

at

Monument

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Book 36 Ollewyd

Deputy Recorder.

By

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
July 11 de , 1906
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Tompson Brown, G. W. Long and J. T. Collins
known as the Corker
situate in
Mining District, Coshise County, Arizona
in Section approx., Township No. 23 S., Range No. 24 E., an
designated as Survey No. 2270 , has been correctly copied from the originals on file is
this office; that said Field Notes furnish such an accurate description of said mining claim as will,
incorporated into a patent, serve fully to identify the premises, and that such reference is made therei
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.  And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimants or their grantors, and that said improvement consist of at time of survey, 1 shaft, value \$100.00
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor-General for Arizona.

7361b5m3-03

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.


## Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Ariz ma,
	July 11 de, 1906.
I, U. S. Surveyor-General for	. District of Arizona
	ng and hereto attached Field Notes and Return of the Survey of the
Mining Claim of To:1 son B	rown, G. W. Long and J. J. Collins
	, known as the
situate in <u>Warren</u>	
Cochise	County, Arizona
in Section .approx,	Township No. 23 S., Range No. 23 F.
, designated as	s Survey No. 2270
executed by I. J. Staut	U. S. Deputy Mineral
Surveyor,	June 1 , 190-6, under my instructions dated
May 26	, 190.6., have been critically examined and the necessary cor-
rections and explanations made, a	and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true cop	by of the copy of the location certificate filed by the applicant for
survey is included in the field not	Frank Asigalle
12779b5m4-04	U. S. Surveyor-General for Arizona.

# SURVEY NO.

SCALE 300 FT= IIN.



= fx T 245 A

NÃ