

MS -

0

2

2

7

8

Copy by C. B. July 2, 1906

(4-683.)

Mineral Survey No. 2278

Lot No.

Phoenix Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

North Verde Copper Company

KNOWN AS THE

Kamuck, Irene, Sids Hope, Verde King, Black Jack
and Garibaldi, Verde Mining District,

Yavapai County, Arizona

Section, Township, Range

Surveyed under instructions dated June 1st, 1906
by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located see certificates, 1

Survey commenced June 11th, 1906

Survey completed June 13th, 1906

o 6-100

Address.

H. M. Gibbs
Atty. and Agent for Company
Jerome
Arizona,

True & Legally
sworn
S. M. ...

see B.R.R. + Improvements

feet

KANUCK LODE.

Beginning at cor. No. 1, which is also cor. No. 1 of the Irene Lode of this Survey, identical with cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

Set a lava stone 24 x 12 x 6 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked K. 1-2278 on E. and I. 1-2278 on W. faces,

Whence a + on a lava rock in place, marked B. R. K. 1-2278, bears S. $31^{\circ} 40'$ E. 29.5 ft.

Whence a + on a lava stone in place, marked B.R. I. 1-2278 bears N. 67° W. 16 ft.

Whence U.S.M.M. No. 1 V. D. bears S. $12^{\circ} 14'$ W. 5961.7 ft.

Thence North

670
1500

To gulch, 5 ft. wide, course E.

To cor. No. 2, which is also cor. No. 2 Irene, cor. No. 1 Verde King and cor. No. 1 Sids Hope Lodes of this survey, identical with cor. of loc. a mon. of stones 2.5 base 1.5 ft. high.

Cut a + on a lava rock in place for cor. point, marked K. 2-2278 on S. E., I. 2-2278 on S.W., V.K.1-2278 on N.W. and S.H. 1-2278 on N.E. sides. Raised a mound of stones 3 x 3 ft. alongside. No bearings available.

Thence East

300

To N.C.E., which is also the S.C.E. Sids Hope Lode of this survey, identical with N.C.E. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

Set a lava stone 18 x 8 x 6 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked N.C.E. K. 2278 and S.C.E.S.H. 2278.

600

To cor. No. 3 which is also cor. No. 4 Sids Hope Lode of this survey, identical with cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

Set a lava stone 20 x 10 x 4 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft. stone marked K. 3-2278 on S. and S.H. 4-2278 on N. faces,

Whence a + on a lava rock in place marked B.R.K.3-2278 bears S. $82^{\circ} 25'$ E. 12.1 ft.

Whence a + on a lava rock in place marked B.R. S.H. 4-2278 bears S. $85^{\circ} 35'$ E. 36.5 ft.

Thence South

800
1500

To gulch, 6 ft. wide, course E.

To cor. No. 4, identical with S. E. cor. of loc. a mon. of stones 2.5 x 1.5 ft.

Set a lime stone 18 x 10 x 8 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft.,

feet

stone marked K. 4-2278,

Whence a + on a porphyry rock in place marked B.R.K.4-2278 bears N. $72^{\circ} 55'$ E. 78.5 ft. No other bearings available,

Thence West

300 To S.C.E. identical with S.C.E. of loc. a mon. of stones 2.5 ft. base by 1.5 ft. high.

Set a lava stone 18 x 12 x 16 ins., 12 ins. in ground marked S.C.E.K. 2278.

600 To cor. No. 1, the place of beginning survey of exterior bdys.

IRENE LODE.

is

Beginning at cor. No. 1, which also cor. No. 1 Kanuck Lode of this survey, cor. desc. above,

Whence U.S.M.M. No. 1 V.D. bears S. $12^{\circ} 14'$ W. 5961.7 ft.

Thence North

670 To gulch, 5 ft. wide, course E.
1500 To cor. No. 2, which is also cor. No. 2 Kanuck, cor. No. 1 Sids Hope and cor. No. 1 Verde King Lodes of this survey. Cor. desc. above.

Thence West

300 To N.C.E. which is also the S.C.E. of the Verde King Lode of this survey, identical with N.C.E. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

Set a lava stone 20 x 8 x 4 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked N.C.E.I. 2278 on S. and S.C.E.V.K. 2278 on N. faces.

600 To cor. No. 3, which is also cor. No. 4 of the Verde King lode of this survey, identical with cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

Set a lava stone 20 x 8 x 5 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked I. 3-2278 on S. and V.K. 4-2278 on N. faces,

Whence a + on a lava rock in place marked B.R. I. 3-2278 bears S. $55^{\circ} 35'$ E. 24.5 ft.

Whence a + on a lava rock in place marked B.R.V.K. 4-2278 bears N. $14^{\circ} 47'$ E. 18 ft.

Thence South

850 To gulch, 5 ft. wide, course E.

SURVEY NO. 2278.

- feet
- 1500 To cor. No. 4, identical with S. W. cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.
Set a lava stone 20 x 10 x 8 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft. stone marked I. 4-2278,
Whence a + on a lava rock in place marked B.R. I. 4-2278 bears S. 62° E. 8.8 ft.
Whence a + on a lava rock in place marked B.R.I. 4-2278 bears N. 43° W. 9.1 ft.
Whence cor. No. 3 Topaz Lode Survey No. 1377 bears N. 75° 15' W. 712 ft.
- Thence East
- 300 To S.C.E. identical with S.C.E. of loc. a mon. of stones 2.5 base 1.5 ft. high.
Set a lava stone 24 x 10 x 6 ins. 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked S.C.E.I. 2278.
- 600 To cor. No. 1, the place of beginning survey of exterior bdays.
- *****
- SIDS HOPE LODE.
- Beginning at cor. No. 1, which is also cor. No. 1 Verde King, cor. No. 2 Irene and cor. No. 2 Kanuck Lodes of this survey. Cor. desc. above,
Whence US.M.M. No. 1 V.D. bears S. 9° 47' W. 7434.4 ft.
- Thence North
- 1435 To Gulch, 6 ft. wide, course E.
- 1500 To cor. No. 2, which is also cor. No. 1 Black Jack, cor. No. 1 Garibaldi and cor. No. 2 Verde King Lodes of this survey, identical with cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.
Set a lava stone 20 x 8 x 8 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked S.H. 2-2278 and B.J. 1-2278 on N.E. and G.1-2278 on N.W. V.K. 2-2278 on S.W. faces.
Whence a + on a lime rock in place marked B.R.B.J. 1-2278 bears N. 82° 15' E. 37.5 ft.
Whence a + on a lava rock in place marked B.R. G. 1-2278 bears S. 15° 35' W. 30.5 ft.
- Thence East
- 300 To N.C.E. which is also the S.C.E. Black Jack Lode of this survey, identical with loc. a mon. of stones 2.5 ft. base 1.5 ft. high.
Set a lava stone 20 x 6 x 6 ins., 12 ins. in ground, marked N.C.E.S.H. 2278 and S.C.E.B.J. 2278. Alongside raised a mound of stones 3 x 3 ft.,

SURVEY NO. 2278.

feet

330 To gulch, 6 ft. wide, course N.E.
 600 To cor. No. 3, which is also cor. No. 4 Black Jack Lode of this survey, identical with cor. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.
 Set a lime stone 20 x 8 x 6 ins., 12 ins. in ground. Alongside raised a mound of stones 3' x 3 ft., stone marked S.H.-2278 on S. and B.J. 4-2278 on N. faces,
 Whence a cross on a lime rock in place marked B.R.B.J. 4-2278 bears N. 75° 45' E. 7.4 ft. No other bearings available.

Thence South

1500 To cor. No. 4, which is also cor. No. 3 Kanuck Lode of this survey. Cor. desc. above.

Thence West

300 To S.C.E. which is also N.C.E. Kanuck Lode of this survey.
 600 To cor. No. 1, the place of beginning survey of exterior bdys.

VERDE KING LODE.

Beginning at cor. No. 1 which is also cor. No. 1 Sids Hope, cor. No. 2 Kanuck and cor. No. 2 Irene Lodes of this survey. Cor. desc. above,
 Whence U.S.M.M. No. 1 V.D. bears S. 9° 47' W. 7434.4 ft.

Thence North

1455 To gulch, 6 ft. wide, course E.
 1500 To cor. No. 2, which is also cor. No. 2 Sids Hope, cor. No. 1 Black Jack and cor. No. 1 Garibaldi Lodes of this survey. Cor. desc. above.

Thence West

300 To N.C.E. which is also the S.C.E. of the Garibaldi Lode of this survey, identical with N.C.E. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.

600 Set a lime stone 18 x 8 x 4 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked N.C.E.V.K. 2278 and S.C.E.G. 2278.
 To cor. No. 3, which is also cor. No. 4 of the Garibaldi Lode of this survey. idnt. with loc. a mon. stone 2x2 ft.
 Set a lava stone 20 x 10 x 6 ins., 12 ins. in ground. Alongside raised a mound of stones 3 x 3 ft., stone marked V.K. 3-2278 on S. and G. 4-2278 on N. faces,
 Whence a + on a lava rock in place marked G. 4-2278 B.R. bears N. 45° E. 51. 5 ft.

SURVEY NO. 2278.

feet

Whence a + on a lava rock in place marked B.R.V.K. 3-2278 bears N. 27° 45' W. 42 ft.

Thence South

130 To gulch, 6 ft. wide, course N.E.
1500 To cor. No. 4, which is also cor. No. 3 of the Irene Lode of this survey, cor. desc. above.

Thence East

300 To S.C.E. which is also the N.C.E. of the Irene Lode of this survey. Mon. desc. above.
600 To cor. No. 1, the place of beginning survey of exterior bdays.

BLACK JACK LODE.

Beginning at cor. No. 1, which is also cor. No. 1 Garibaldi, cor. No. 2 Verde King and cor. No. 2 Sids Hope Lodes of this survey. Cor. desc. above.
Whence U.S.M.M. No. 1 V.D. bears S. 8° 9' W. 8916.3 ft.

Thence North

1500 To cor. No. 2, identical with cor. of loc. a mon. of stones 2 x 2 ft.
Set a lava stone 18 x 10 x 8 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked B.J. 2-2278 on E. and G. 2-2278 on W. faces. No bearings available.

Thence East

300 To N.C.E. identical with N.C.E. of loc. a mon. of stones 2.5 ft. base 1.5 ft. high.
Set a lava stone 18 x 8 x 5 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked N.C.E.B.J. 2278.
600 To cor. No. 3, identical with N.E. cor. of loc. a mon. of stones 2.5 ft. base, 1.5 ft. high.
Set a lava stone 24 x 8 x 6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked B.J. 3-2278,
Whence a + on a lava rock in place marked B.R. B.J. 3-2278 bears S. 50° 45' W. 19.5 ft. No other bearings available.

MISSING

PAGE(S)

SURVEY NO. 2278.

feet

600

To cor. No. 1, the place of beginning survey of exterior bdys.

Magnetic variation at all cors.
14° 30' E.

A R E A.

=====

KANUCK LODE	20.661 Acres
IRENE LODE	20.661 "
VERDE KING LODE	20.661 "
SIDS HOPE <i>Lode</i>	20.661 "
BLACK JACK LODE	20.661 "
GARIBALDI LODE	20.661 "
Total area Lode Claims	<u>123.966 Acres</u>

L O C A T I O N.

=====

This claim is located on unsurveyed land approximately in Tp. 16 N., R. 2 E. in Verde Mining District, Yavapai County, Arizona, and is bounded on the East by Vivian and Ruth Lode claims, on the South by the Pearl, on the West by Lode claim, name unknown.
all unsurveyed.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

=====

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors is not less than Five Hundred Dollars for each location in claim and that said improvements consist of:

KANUCK LODE.

No. 1 Discovery shaft which bears from the N.C.E. mon. South 300 ft., shaft 4 x 6 ft., 10 ft. deep. *\$150.00*

Shaft No. 2 which bears from cor. No. 3, S. 7° 50' W. 950 ft., shaft 4 x 6 ft. in clear timbered, 200 ft. deep.

Value \$4000.00

Steam hoist and building bears S. 6° 10' W. 930 ft. from cor. No. 3.

Value \$2500.00

IRENE LODE.

Discovery shaft No. 1 which bears from the S.C.E. North 600 ft., shaft 4 x 6 ft., 10 ft. deep.

Value \$100.00

SURVEY NO. 2278.

Tunnel No. 2, which bears from cor. No. 3 S. 13° E. 930 ft., tunnel 4 x 6 ft. 180 ft. long, which bears South. At 125 ft. cross-cut runs S. 45° E. 4 x 6 ft., 55 ft. At fork of tunnel a winz 4 x 6 ft. 40 ft. deep.

Value \$2750.00

SIDS HOPE LODE.

Discovery shaft No. 1, which bears from the S.C.E. mon. North 100 ft., shaft 4 x 6 ft., 10 ft. deep.

Value \$100.00

NOTE: \$400.00 worth of the improvements in shaft No. 2 Kanuck Lode is to be credited to Sids Hope.

VERDE KING LODE.

Discovery shaft No. 1, which bears from the S.C.E. mon. North 100 ft., shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

NOTE: \$400.00 worth of the improvements in shaft No. 2 Kanuck Lode is to be credited to the Verde King. Shaft No. 2 Kanuck is the main working shaft of this group of mines, from which it is proposed to cross-cut West in order to develop the veins in the entire group.

BLACK JACK LODE.

Discovery shaft No. 1, which bears from the S.C.E. North, 600 ft., shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

NOTE: \$400.00 worth of the improvements in shaft No. 2 Kanuck Lode is to be credited to the Black Jack.

GARIBALDI LODE.

Discovery shaft No. 1, which bears from the S.C.E. North, 600 ft., shaft 4 x 6 ft., 10 ft. deep.

Value \$100.00

NOTE: \$400.00 worth of the improvements in shaft No. 2 Kanuck Lode is to be credited to the Garibaldi Lode.

Total improvements on Survey 2278 \$9750.00

V E I N S.

=====

KANUCK:

Extends North 300 ft. and South 1200 ft. from the discovery shaft.

IRENE:

Extends N. 900 ft. and S. 600 ft. from the discovery shaft.

SURVEY NO. 2278.

SIDS HOPE:

Extends N. 1400 ft. and S. 100 ft. from discovery shaft.

VERDE KING:

Extends N. 1400 ft. and S. 100 ft. from the discovery shaft.

BLACK JACK:

Extends N. 900 ft. and S. 600 ft. from the discovery shaft.

GARIBALDI:

Extends N. 900 ft. and S. 600 ft. from the discovery shaft.

I N S T R U M E N T .

=====

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct Solar Observation. The distances were measured with a 75 ft. steel tape.

Prescott, Arizona,
July 9th, 1906.


U.S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

North Verde Copper Company

known as the Kamuck, Iron, Side Hope, Verde King, Black Jack & Gumbaldi's

and showing the respective capacities in which they acted.

Orlander Fry, Chainman.

Ed. Kinsey, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We Orlander Fry

and Ed Kinsey, do solemnly swear that we assisted J. J.

Fisher, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of North Verde Copper Company

known as the Kamuck, Iron, Side Hope, Verde King, Black Jack & Gumbaldi's

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona Orlander Fry

Ed Kinsey, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of June, 1906

J. J. Fisher
Notary Public

9 1908

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 1st 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of North Verde Copper Company, known as the Kamucke, Inne, Sids Hope, Verde King, Black Jack & Gumbaldi situate in Verde Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____, and designated as Survey No. 2278, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher, U. S. Deputy Mineral Surveyor, before me a Notary Public in and for Yavapai County Arizona this ninth day of July, 1906.

Thomas C. Job
Notary Public

My Commission Expires July 9, 1907.

Affidavit of Five Hundred Dollars Improvements.

We, Orlander Fry and Ed. Kinsley

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Kamuch, Irene, Sills Hope Verde King, Black Jack & Gumbaldi mining claim, situate in Verde

mining district, Yavapai County, Arizona Territory, for which North

Verde Copper Company

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and

its grantor for each location in claim exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Orlander Fry
Ed Kinsley

TERRITORY OF ARIZONA,
COUNTY OF Yavapai } ss:

Sworn to and subscribed before me this 13th day

[SEAL.]

of June, 1906

J. J. Fisher
Notary Public

2278

BLACK JACK.

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Black Jack Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong a citizen of the United States the undersigned, on the 27th day of Mar. 1903.

The length of this claim is 1500 feet, and I claim 600 feet in a Southerly direction, and 900 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about One Mile in a Northerly direction from the United Verde Smelter, and join...the north end line of the Sids Hope Mining claim and the east side line of the Garibaldi Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a stone monument, being the Southeast corner of said claim; thence Northerly 1500 feet to a stone monument, being at the Northeast corner of said claim; thence Westerly 300 feet to a stone monument at the center of the North end of said claim; thence Westerly 300 feet to a stone monument, being at the Northwest corner of said claim; thence Southerly 1500 feet to a stone monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona, approved March 16, 1901.

Dated and posted on the ground this 27 day of Mar. 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbes June 13, A. D., 1903, at 9:00 o'clock A. M., Book 69 of Mines, page 35 Records of Yavapai County, Arizona.

(Seal) P. J. Farley,
By M. A. Lawler, Deputy Recorder. County Recorder.

KANUCK.

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Kanuck Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong a citizen of the United States the undersigned, on the 27th day of March, 1903.

The length of this claim is 1500 feet, and I claim 1200 feet in a southerly direction, and 300 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the south to the north.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 2500 feet in a northerly direction from the United Verde Smelter and joins on the northerly side line of the Pearl Mining Claim owned by the United Verde Copper Company and the easterly side line of the Irene Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southerly direction 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a stone monument, being the southeast corner of said claim; thence northerly 1500 feet to a stone monument, being at the northeast corner of said claim; thence westerly 300 feet to a stone monument at the center of the north end of said claim; thence westerly 300 feet to a stone monument, being at the northwest corner of said claim; thence southerly 1500 feet to a stone monument at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 13, 1901.

Dated and posted on the ground this 27th day of March, 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbs June 13 A. D., 1903, at 9:00 o'clock A. M., Book 39 of Mines, page 36, Records of Yavapai County, Arizona.

By M. A. Lawler, (Seal) P. J. Farley,
Deputy Recorder. County Recorder.

SIDS HOPE.

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the SIDS HOPE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong, a citizen of the United States, the undersigned, on the 27th day of March, 1903.

The length of this claim is 1500 feet, and I claim 100 feet in a southerly direction, and 1400 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 4000 feet in a northerly direction from the United Verde Smelter and joins the north end line of the Kanuck Mining claim, and the easterly side line of the Verde King Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence easterly 300 feet to a stone monument, being the Southeast corner of said claim; thence northerly 1500 feet to a stone monument, being at the Northeast corner of said claim; thence westerly 300 feet to a stone monument, at the center of the North end of said claim; thence westerly 300 feet to a stone monument, being at the Northwest corner of said claim; thence southerly 1500 feet to a stone monument at the Southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 13, 1901.

Dated and posted on the ground this 27 day of March, 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbes June 13, A. D. 1903, at 9:00 o'clock A. M., Book 69 of Mines, page 37, Records of Yavapai County, Arizona.

By M. A. Lawler, Deputy Recorder.
 (Seal) P. J. Farley, County Recorder.

IRENE.

NOTICE OF MINING LOCATION.
Lode Claim.

To All whom it may concern:

This mining claim, the name of which is the Irene Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong a citizen of the United States, the undersigned, on the 27th day of March 1903.

The length of this claim is 1500 feet, and I claim 600 feet in a Southerly direction, and 900 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 2500 feet in a Northerly direction from the United Verde Smelter, and joins on the Northerly side line of the Pearl Mining claim owned by the United Verde Copper Company.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a stone monument, being the Southeast corner of said claim; thence Northerly 1500 feet to a stone monument, being at the Northeast corner of said claim; thence Westerly 300 feet to a stone monument at the center of the North end of said claim; thence westerly 300 feet to a stone monument, being at the Northwest corner of said claim; thence Southerly 1500 feet to a stone monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 27th day of March, 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbes June 13 A. D. 1903, at 9:00 o'clock A. M., Book 69 of Mines, page 38, Records of Yavapai County, Arizona.

By M. A. Lawler, (Seal) P. J. Farley,
Deputy Recorder. County Recorder.

GARIBALDI.

NOTICE OF MINING LOCATION.
Lode Claim.

To All whom it may concern:

This mining claim, the name of which is the Garibaldi Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong a citizen of the United States the undersigned, on the 27th day of March, 1903.

The length of this claim is 1500 feet and I claim 600 feet in a Southerly direction, and 900 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a northerly direction from the United Verde Smelter and joins on the North end of the Verde King Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a stone monument, being the South East corner of said claim; thence Northerly 1500 feet to a stone monument, being at the North east corner of said claim; thence Westerly 300 feet to a stone monument at the center of the North end of said claim; thence westerly 300 feet to a stone monument, being at the Northwest corner of said claim; thence Southerly 1500 feet to a stone monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16, 1901.

Dated and posted on the ground this 27th day of March, 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbes, June 15 A. D. 1903, at 9:00 o'clock A. M., Book 69 of Mines, page 39, Records of Yavapai County, Arizona.

By H. A. Lawler,
Deputy Recorder.

(Seal) P. J. Farley,
County Recorder.

VERDE KING.

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Verde King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sidney P. DeLong a citizen of the United States the undersigned, on the 27th day of Mar. 1903.

The length of this claim is 1500 feet, and I claim 100 feet in a Southerly direction, and 1400 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 1000 feet in a Northerly direction from the United Verde Smelter and joins the North end line of the Irene Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a stone monument, being the the southeast corner of said claim; thence Northerly 1500 feet to a stone monument, being at the Northeast corner of said claim; thence Westerly 300 feet to a stone monument at the center of the North end of said claim; thence West-erly 300 feet to a stone monument, being at the North west corner of said claim; thence Southerly 1500 feet to a stone monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Re-vise and Codify the Laws of the Territory of Arizona", approved March 18, 1901.

Dated and posted on the ground this 27 day of March, 1903.

Sidney P. DeLong.

Filed and recorded at request of H. M. Gibbs June 13 A. D. 1903, at 9:00 o'clock A. M., Book 69 of Mines, page 40, Records of Yavapai County, Arizona.

By M. A. Lawler, (Seal) P. J. Farley,
Deputy Recorder. County Recorder.

TERRITORY OF ARIZONA,))
 County of Yavapai.) ss.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same contains a full, true and correct copy of the Notice of Location of each of the following described mining claims, as the same appear from the original records of said notices of location in my said office, viz:-

BLACK JACK mining claim, notice of location whereof is of record in Book 62 of Mines, page 35, records of Yavapai County, Arizona;

KANUCK mining claim, notice of location whereof is of record in Book 69 of Mines, page 36, said county records;

SIDS HOPE mining claim, notice of location whereof is of record in Book 69 of Mines, page 37, said county records;

IRENE mining claim, notice of location whereof is of record in Book 67 of Mines, page 38, said county records;

GARIBALDI mining claim, notice of location whereof is of record in Book 69 of Mines, page 39, said county records;

VERDE KING mining claim, notice of location whereof is of record in Book 69 of Mines, page 40, said county records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 31st day of May, A. D. 1903.



Roland Mosher
 County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 21, 1906

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of North Verde Copper Company

known as the Kanuck, Irene, Sids Hope, Verde King, Black Jack and Garibaldi situate in Verde

Mining District, Yavapai County, Arizona

in Section, Township No., Range No., and

designated as Survey No. 2278, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 7 shafts, 1 tunnel, and Steam Hoist, Hoist house, Cross cut etc., total value \$9850.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

August 21, 1906.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of North Verde Copper Company,

known as the Kamack, Irene, Sids Hope, Verde King Black Jack and Garibaldi

situate in Verde Mining District,

Yavapai County, Arizona,

in Section _____, Township No. _____, Range No. _____,

designated as Survey No. 2278


executed by J. J. Fisher, U. S. Deputy Mineral Surveyor, June 11-13, 1906, 1906, under my instructions dated June 1st, 1906, 1906, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank J. Sargent

U. S. Surveyor-General for Arizona.

Survey No 2278.
Phoenix Land District.

Lode claim, name unknown.



Ruth
Unsurveyed

VIVIAN
Unsurveyed

Surveyed June 11-13-1906
by J. J. Fisher
U.S.D.M.S.

N 75° 15' W 712 ft
Cor 3 Topog Surv. 1887

Pearl
Unsurveyed.

Tunnel No. 1
Dis. Shaft No. 1
S 25° 30' W 777 ft
S 70° 47' W 477 ft
S 72° 15' W 582 ft