July 23/906.
Alle 8-1905 (4-683.) Mineral Survey No. 227 Lot No. Land District. FIELD NOTES The Wew England and Organd Isle and livado, Read Star and Emugler Big Bug Mining District, Juvapui County, augme Section Oppost., Township 13 / Range / E Surveyed under instructions dated June 14, 1906 Claim located See bre, Cerlification, 1 Survey commenced... Survey completed frue 6 4 , 1906 (eddress. E.S. Clark allowing in fact.
Prescutt fully 76, all in

feet

ELDORADO LODE.

Cor. no. ! Beginning at the N.E. cor. of claim, identical with cor. of loc. which is also the S.E. cor. of the Read Star Lode of this survey.

Set a porphyry stone 20x8x8 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft.,

stone marked E. 1-2279, also R.S. 2-2279.

Whence a + on a porphyry rock in place marked
B.R.E. 1-2279, bears S. 24° 10' E. 313.6 ft. No other
bearings available.

Whence U.S.M.M. No. 1, B.B.D. bears S. 43° 51' E. 9100.2 ft.

Whence calculated point for cor. secs. 7, 8, 17 and 18, Tp. 13 N., R. 1 E., bears S. 5° 27 W. 878. 7ft. Cor. Secs. 15, 16, 21 and 22, T. 13 N., R. 1 E. bears S. 59° 34' E., 12150.1 ft.

Thence S. 1° 30' E. Var. 14° 30' E.

To cor. No. 2, identical with the S.E. cor. of loc., a mon. of stones 2 ft. base 1.5 ft. high. 1500

Set a porphyry stone 18x8x6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft.,

stone marked E. 2-2279.

Whence a + on a porphyry rock in place, marked B.R.E. 2-2279, bears S. 50° 30° E., 156.4 ft. No other bearings available.

Thence S. 88° 30' W. Var. 14° 30' E.

300 To S.C.E., identical with S.C.E stones 2 ft. base 1.5 ft. high. identical with S.C.E. of loc. a mon. of

Set a porphyry stone 24x10x6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked S.C.E.E. 2279.

To cor. No. 3, identical with the S.W. cor. of loc. a mon. of stones 2x2 ft. 600

Set a porphyry stone 24x8x8 ins., 12 ins. in ground, stone marked E. 3-2279. mound of stones 3x3 ft. Alongside raised a

Whence a + on a porphyry rock in place, marked B.R.E. 3-2279 hears N. 66° 30° W., 16.4 ft. No other bearings available.

Thence N. 1° 30' W. Var. 14° 30' E.

To cor. No. 4, which is also cor. No. 3 of the Read Star Ldde of this survey, identical with the N.W. cor. 1500 of loc.

Set a porphyry stone 18x8x6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked E. 4-2279, also R.S. 3-2279,

Whence a + on a porphyry rock in place, marked B.R.E. 4-2279 bears S. 57° 5' W., 55.2 ft. No other bearings available.

SURVEY NO. 2279.

feet	
	Thence N. 88° 30' E. Var. 14° 30' E.
300	To N.C.E., which is also the S.C.E. of the Read Star Lode of this survey, identical with loc. a mon. of stone 2 ft. base 2 ft. high. Set a porphyry stone 20x12x8 ins., 12 ins. in
600	ground. Alongside raised a mound of stones 3x3 ft., stone marked N.C.E.E. 2279, also S.C.E.R.S. 2279. To cor. No.1, the place of beginning survey of exterior bdys.
2.4	READ STAR LODE.
	Beginning at cor. No. 1, which is also cor. No. 1 of the Smugler Lode of this survey, identical with cor. of loc. a mon. of stones 2x2 ft. Set a porphyry stone 18x10x5 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked R.S. 1-2279, also S. 1-2279, Whence a + on a porphyry rock in place, marked B.R. S. 1-2279 bears S. 84° 45' E. 104.5 ft. Whence a + on a porphyry rock in place marked B.R. R.S. 1-2279, bears S. 38° 52' E. 141.5 ft. Whence U.S.M.M. No. 1, B.B.D. bears S. 38° 12' E. 10259.0 ft. Whence calculated point for cor. secs. 7, 8, 17 and 18, Tp. 13 N., R. 1 E. bears S. 1°5' W. 2374.4 ft. Cor. Secs. 15, 16, 21 and 22, T. 13 N., R. 1 E. bears S. 53° 57' E. 13006.3 ft. Thence S. 1° 30' E. Var. 14° 30' E.
1500	To cor. No. 2, which is also cor. No. 1 Eldorado Lode of this survey, cor. desc. above.
	Thence S. 88° 30' W. Var. 14° 30' E.
300	To S.C.E., which is also N.C.E. of Eldorado Lode of
600	this survey. Mon. desc. above. To cor. No. 3, which is also cor. No. 4 of the Eldorado Lode of this survey. Cor. desc. above.
	Thence N. 1° 30' W. Var. 14° 30' E.
1500	To cor. No. 4, which is also cor. No. 4 of the Smugler Lode of this survey, identical with cor. of loc. a mon. of stones 2x2 ft. Set a porphyry stone 24xlOx8 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked R.S. 4-2279, also S. 4-2279. Whence a + on a porphyry rock in place, marked B.R. S. 4-2279, bears S. 85° W. 78.5 ft.

SURVEY NO. 2279.

feet Thence N. 88° 30' E. Var. 14° 30' E. To N.C.E. which is also the S.C.E. of the Smugler Lode of this survey, identical with loc. a mon. of 300 stones 2x2 ft. Set a porphyry stone 18x12x6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked N.C.E.R.S. 2279, also S.C.E.S. 2279. To cor. No. 1, the place of beginning survey of ex-600 terior bdys. SMUGLER LODE. Beginning at cor. No. 1, which is also cor. No. 1 of Read Star Lode of this survey, cor. desc. above.
Whence U.S.M.M. No. 1, B.B.D. bears S. 38° 12' E. 10259.0 ft. Whence calculated point for cor. secs. 7, 8, 17 and 18, Tp. 13 N., R. 1 E., bears S. 1° 5' W. 2374.4 ft. cor. Secs. 15, 16, 21 and 22, T. 13 N., R. 1 E. bears S. 53° 57' E. 13006.3 ft.

Thence N. 1° 30' W.

Var. 14° 30' E. To cor. No. 2, identical with the N.E. cor. of loc. 1500 a mon. of stones 2x2 ft. Set a granite stone 20x10x8 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked S.2-2279, Whence a + on a granite rock in place, marked B.R. S. 2-2279 bears N. 85° 30' E., 36.5 ft. Smoke stack Humboldt Smelter bears S. 60° 55' E. about 3 miles. Thence S. 88° 30' W. Var. 14° 30' E. 300 To N.C.E., identical with N.C.E. of loc. a mon. of stones 2x2 ft. Set a granite stone 24x8x8 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone marked N.C.E.S. 2279. To cor. No. 3, identical with N.W. cor. of loc. a mon. of stones 2x2 ft. 600 Set a porphyry stone 24x8x6 ins., 12 ins. in ground. Alongside raised a mound of stones 3x3 ft., stone mar ked S. 3-2279. Whence a + on a porphyry stone in place, marked B.R.S. 3-2279 bears S. 47° 50' E., 24 ft. No other bearings available. Thence S. 1° 30' E. Var. 14° 30' E.

To cor. No. 4, which is also cor. No. 4 of the Read

Star Lode of this survey, cor. desc. above.

1500

MISSING PAGE(S)

SURVEY NO. 2279.

SMUGLER LODE.

Discovery shaft No. 1, which bears from the S.C.E. N. 1° 30' W., 547 ft., shaft 4x6 ft., 10 ft. deep.

Value \$100.00

NOTE: \$400.00 worth of the improvements on discovery shaft No. 1 of the Read Star Lode is to be credited to the Smugler Lode.

Total value of improvements on claim \$2300.00

VEINS.

ELDORADO:

Extends from the S.C.E. mon. N. 1° 30' W., 700 ft. to spur, (which bears N. 39° 30' E.) 1500 ft. to N.C.E.

READ STAR:

Extends N. 1° 30' W. 1063 ft. to the N.C.E. from the discovery shaft and S. 1° 30' E. 437 ft. to the S.C.E. from the discovery shaft.

SMUGLER:

Extends N. 1° 30' W. 953 ft. and S. 1° 30' E. 547 ft. from the discovery shaft.

NOTE: After two days diligent search, surveying from cor. secs. 15, 16, 21 and 22, Tp. 13 N., R. 1 E., and surveying from cor. Secs. 22,23,26 and 27, T. 14 N., R. 1 E., I was unable to find cor. of the public surveys, there being no corners in existence.

INSTRUMENTS.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 75 ft. steel tape.

Prescott, Arizona, July 5th, 1906.

Ju. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of. The West
England and Argonal Gold & Copper Muning les. known as the Eldorads, Read Star and Emugler
known as the Eldorado, Ricad Show and Smugler
and showing the respective capacities in which they acted.
Me W. Oliver, Chainman.
Wile W. Oliver, Chainman.
, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
We. Thee W. Olives
and G.L. Merrill , do solemnly swear that we assisted J. J.
United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of The New England and Augune
Lold and leopper Mining levery and
Rold and Copper Mining Congruency
known as the summers, when I smurger
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Chargonic
Will W Oliver Chainman.
. Ifmenat, Chainman.
Axman.
Flagman.
Subscribed and sworn to by the above-named persons before me this.
Subscribed and sworn to by the above-named persons before me this day of 190 6
day of June, 1906

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

$\frac{1}{2}$					
I, J. Heshur, U. S. Deputy Mineral					
Surveyor, do solemnly swear that, in pursuance of instructions received from the United					
States Surveyor General for Cheynus, dated					
frue 14 1956, I have, in strict conformity to the laws of the					
United States, the official regulations and instructions thereunder, and the instructions					
of said Surveyor General, faithfully and correctly executed the survey of the Mining					
Claim of The Muo England and Origina Gold and					
Elemels. Read star and Imusles, known as the					
situate in Mining District,					
Javapece County, Ouzous, in Section					
, Township No. , Range No. ,					
and designated as Survey No. 2272, as represented					
in the foregoing field notes, which accurately show the boundaries of said mining claim					
as distinctly marked by monuments on the ground, and described in the attached copy					
of the location certificate, which was received by me from the Surveyor General with					
said instructions, and that all the corners of said survey have been established and per-					
petuated in strict accordance with the law, official regulations and instructions there-					
under; and I do further solemnly swear that the foregoing are the true and original					
field notes of said survey and my report therein, and that the labor expended and					
improvements made upon said mining claim by claimant or egrantors					
are as therein fully stated, and that the character, extent, location and itemized value					
thereof are specified therein with particularity and full detail, and that no portion of					
said labor or improvements so credited to this claim has been included in the estimate					
of expenditures upon any other claim.					
1 1 7 1					
J. J. Dieslie					
U. S. Deputy Mineral Surveyor.					
Subscribed and sworn to by the said to the					
U.S. Deputy Mineral Surveyor before the los Clark a Molary Public					
in his for Sportin Critic Mugina this					
day of Jaly 1906					
My Commission expire Oct, 30, 1909. E.S. Clark					
I governor of part wer, vi 1704, acc. com					
Notary Tulker					

FAVARRA

Affidavit of Five Hundred Dollars Improvements.

We, Will W Olivin and & L. Merrete
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Elderado, Read Shew & Enny lew mining claim; situate in Bry Bry
mining district, furupuic County, Arizona Territory, for which The Wew Engle
mining district, Juripuic County, Arizona Territory, for which The New England and Olypour Gold and leopper Mining Co.
ha. A made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and further that we are not personally interested.
in said mine. Gliver Gliver
TERRITORY OF ARIZONA, County of flowspeed Sworn to and subscribed before me this day
[SEAL.] of June , 1906 17171b400-3-05
may more

"SMUGLER";

NOTICE OF MINING LOCATION. Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the SMUGLER Mining Claim, situate on lands belonging to the United States of America, and in which there are valueble mineral deposits, was entered upon and located for the purpose of exploration and purchase by Charles

M. Egge the undersigned, on the 3 day of November, 1900.

The length of this claim is 1500 lineal feet, and I claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Big Bug Mining District, in Yavapai County, in the Territory of Arizona, about 4 miles in a North Easterly direction from McCabe Mine and about 1 mile Easterly from Astic ruins McCabe and Prescott road and is the North extention

of the Read Star Mining Claim.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a nonument being the North East corner of said thence 300 feet to a monument being the North East corner of said claim; thence 750 feet to a monument at the center of the East side line of said claim; thence 750 feet to a monument being at the South East corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the South west corner of said claim; thence 750 feet to a monument being at the center of the West side line of said claim; thence 750 feet to a monument at the Northwest corner of said claim; thence 750 feet to a monument at the Northwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1395, and amended March 2d, 1899.

approved March 20th, 1395, and amended Harch 2d, 1399.

Dated and posted on the ground this 3 day of November,

1900.

Charles M. Egge.

Filed and recorded at request of Chas. M. Egge, Nov. 7" A. D. 1900, at 10:45 o'clock A. M., Book 55 of Mires, page 546, Records of Yavapai Jounty, Arizona.

By P. J. Farley, Deputy Recorder.

(Seal) W. I. Johnson, County Recorder.

TERRITORY OF ARIZONA,) County of Yavapai.) 88.

I, ROLAND MOSHER, county Recorder in and for the county of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "SMUGLER" Mining Claim, as the same appears from the records of my said office, in Book 58 of Mines, page 543, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official seal, this 39th day of May, A. D. 1906.

Roland Mosker

County Recorder.

By I.S. Columbia, Departy.

ELDORADO.

NOTICE OF MINING LOCATION Lode Claim.

To all whom it may conserm:

This Mining Claim, the name of which is the Eldorado Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Charles

M. Egge the undersigned, on the 3 day of November, 1900.

The length of this claim is 1500 linal feet, and I claim 625 feet in a Northerly direction and 875 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the south.

The claim is situated and located in the Big Rug Mining District, in Yavapai County, in the Territory of Arizona, about 3-1\2 miles in a North Easterly direction from McCabe Mine and about 1

mile South East from Astic Ruines McCabe and Prescott Road and is the South Extention of the Read Star Mining Claim. The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a Northerly direction 325 feet from the discovery shaft (at which this notice is posted, being in the center of the North end line of said claim; thence 300 feet to a monument being the North East corner of said claim; thence 750 feet to a nonment of the center of the East side line of said claim; thence 750 feet to a monument being at the South East corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument being at the South west corner of said claim; thence 750 feet to a monument being at the center of the West side line of said claim; thence 750 feet to a thence 750 feet to a monument at the North West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 3" day of November, 1900.

Charles M. Egge.

Filed and recorded at request of Chas. M. Egge, Nov. 7" A. D. 1900, at 10:45 o'clock A. M., Book 56 of Mines, page 545, Records of Yavapai County, Arizona.

W. I. Johnson, (Seal) County Recorder.

By P. J. Farley, Deputy Recorder.

TERRITORY OF ARIZONA,)

I. ROLAND MOSHER, county Recorder in and for the County of Yavapai, in the Territory of Arigona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "ELDORADO" Mining Claim, as the same appears from the records of my said office in

Book 56 of Mines, page 545, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 33th day of May, A. D. 1906.

County Recorder.

By S. Solwell Deputy.

To all whom it may concern:

This Mining Claim, the name of which is the READ STAR Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The New England and Arizona Gold and Copper Mining Company a corporation organized under the laws of the Territory of Arizona, the undersigned, on the 39th day of May, 1906.

The length of this claim is fifteen hundred feet, and it claims one thousand feet in a northerly direction and five hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of

three number feet in whath of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the south to the north.

The claim is situated and located in the Big Bug Mining District, in Yavapai County, in the Territory of Arizona, about one mile in an easterly direction from the Aztec Ruins, McCabe and Pres-

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a momment of stones at a point in a southerly direction five hundred feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a morrment of stones, being the southeast corner of said claim; thence northerly 1500 feet to a nonument of stones, being at the north east corner of said claim; thence westerly 300 feet to a nonument of stones, at the center of the north end of said claim; thence westerly 300 feet to a monument of stones, being at the north west corner of said claim; thence southerly 1500 feet to a monument of stones at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 13, 1901.

This is an Amended Location Notice of the Read Star Mining Claim, located by Charles M. Egge, on the 3d day of November, 1900 and recorded in Book 53, of Record of Mines, at page 544, in the office of the County Recorder of the aforesaid County of Vavapai, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 29th day of May 1906.

The New England and Arizona Gold and Copper Mining Company, By E. S. Clark, Agent.

Filed and recorded at request of E. S. Clark May 29" A. D. 1906, at 10:00 o'clock A. M., Book 74 of Mines, pages ,Re , Records of Yavapai County, Arizona.

ROLAND MOSHER, (Seal) County Recorder.

By Deputy Recorder.

TERRITORY OF ARIZONA,) 88. County of Yavapai.

I, ROLAND MOSHER, county Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "READ STAR" Mining Flaim, as the same appears from the original instrument recorded in my said office, on the 29th day of May, A. D. 1906, at 10:00 o'clock A. M.

IN WITHESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 39th day of May, A. D. 1906.

County Recorder.

By I. S. Colivel Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
Sentember 20 , 190 6
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
The New England and Arizona Gold and Copper Mining Co.
known as the Eldorado, Read Star, Smugler
situate in Big Bug
Mining District, Yavapai County, Arizona
in Section approx., Township No. 13 N., Range No. 1 E., and
designated as Survey No2279 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- OF FOR CHOI OF ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 3 shafts, 1 cut and 1 tunnel, total value \$2300.00
h
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor General for Arizona.

7361b5m3-03


SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Pnoenix, Arizona,
	September 20, 1906
I, U. S. Surveyor-General for Di	strict of Arizona
do hereby certify that the foregoing and	hereto attached Field Notes and Return of the Survey of the
<u> </u>	i and Arizora wold and Copper Mining Co.
	, known as the
Eldorado, Read Star, Smug	ler
situate in	Big Bug Mining District,
Yavapai	County, Arizona
in Section Approx, Townsh	nip No. 13 N., Range No. 1 E.
, designated as Surv	rey No. 2279
executed by J. J. Fisher	, U. S. Deputy Mineral
Surveyor, Jun	10.6, under my instructions dated
June 1,	, 190.3, have been critically examined and the necessary cor-
rections and explanations made, and the	said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of t	he copy of the location certificate filed by the applicant for
survey is included in the field notes.	trank den all
	U. S. Surveyor-General for Arizona.

7360b5m3-03



Surveyed June 4-6, 1906 by J. J. Fisher. U.S. Dep. Min. Surveyor.