

M
S

0

2

2

9

0

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Ent. 11-27-25

water cont. to
with 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2

Copy by
W. S. D.

JUL 25 1906

AUG 9 - 1906

Sept. 14-06

(4-683.)

Mineral Survey No. 2290 A & B

Lot No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thos. Fuller and A. M. Lockwood

KNOWN AS THE

Disappointment & Deliverance lodes, Disappointment Mill Site

Globe

Mining District.

Gila

County,

Arizona.

Section 9 & 10, Township T. N., Range 15 E.

Surveyed under instructions dated July 12th, 1906.

by R. J. Young,

U. S. Deputy Mineral Surveyor

Claim located Jan. 1st 1902, July 3rd 1904, May 2nd 1903.

Survey commenced July 15th, 1906.

Survey completed July 20th, 1906.

6-100

Address,

Thos. Fuller & A. M. Lockwood,

Globe, Arizona.

True ✓
Lodge ✓
mill ✓
Area ✓

Feet.

Survey No. 2290-A-

Disappointment Lode.

Beginning at Corner No.1,

Identical with the S.E.Cor. of amended location,where

I set a pine post 4in x 4in x 4½ft.long one foot in the ground and surrounded with mound of stone.Post set on

top of boulder firmly embeded in the ground. Post scribed

-I-2290-A-S-E-Cor-Dis. Post is bolted to an 18in cotton-wood tree. A (+) chiseled and painted black on solid

limestone bluff 5ft.high bears S.65°37'W. 69.3ft,

chiseled and painted black alongside B-R-I-2290-A-

Cor.No.1,Disappointment Mill Site,Survey No.2290-B-bears N.82°24'W. 6353.00 feet.

The Cor. of Sections 3-4-9 and 10 T.1 N.R.15 E.G.& S.R.M. bears N.43°02'W. 3422.57 feet.

U.S.M.M.No.10 bears S.85°07'E. 3065.30 feet.

Thence N.41°58'W.

48.37 Int. west boundary line Monarch lode,unsurveyed,S.9°01'E. 675.29 feet from the N.W.Cor.

195.00 Int.Pinal Creek running N.12°00'W.

1416.66 To Cor. No.2.

Identical with the N.E.Cor. of amended location,where I set a pine post 4in x 4in x 4½ft.long 1½ft.in the ground

and surrounded with mound of stone. Post scribed -2-2290-A-N-E-Cor-Dis.

A (+) scribed and painted black on 7in Hackberry tree bears S.70°02'W. 126.50ft. scribed and painted black alongside B-T-2-2290-A-.

The Cor. of Sections 3-4-9 and 10 T.1 N.R.15 E. bears N.43°47'W. 2006.10ft.

Thence S.38°07'W.

304.55N.W.end center.

579.06Int.line I-2 Deliverance lode this survey,S.40°35'E. 272.46ft.from Cor.No.2.

609.10To Cor.No.3.

Identical with the N.W.Cor.amended location,where I set

Page-2-

Feet.

a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long vertically over hole drilled in solid conglomerate, 5/8in round iron inserted one foot in post and one foot in conglomerate. Post scribed 3-2290-A-N-W-Cor-Dis.

A (+) chiseled and painted black on brecciated line bluff 4ft. high bears S.23°02'W. 20.50ft. chiseled and painted black alongside B-R-3-2290-A-.

Thence S.41°58'E.

1222.00 Int. Cor. No. I Deliverance lode this survey.

1416.66 To Cor. No. 4.

Identical with the S.W. Cor. of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long 1 $\frac{1}{2}$ ft. in the ground and surrounded with mound of stone. Post scribed 4-2290-A-S-W-Cor-Dis.

A (+) chiseled and painted black on 500lb. boulder firmly embedded in the solid Gila Conglomerate bears S.14°13'E. 26.00ft. chiseled and painted black alongside B-R-4-2290-A-.

Thence N.38°07'E.

304.55 S.E. end center.

505.00 Int. Pinal Creek running N.12°00'W.

609.10 To Cor. No. I the place of beginning.

Deliverance Lode.

Beginning at Corner No. I.

Identical with the S.E. Cor. of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long 1ft. in the ground and surrounded with mound of stone. Post set in solid Gila Conglomerate. Post scribed I-2290-A-S-E-Cor-Del-.

Cor. No. 3 Disappointment lode this survey bears N.41°58'W. 1222.00ft.

U.S.M.M. No. 10 bears N.88°49'E. 3561.10ft.

The Cor. of Sections 3-4-9 and 10 T.1 N.R.15 E. bears N.32°49'W. 3375.06.

A (+) chiseled and painted black on 300lb. boulder firmly embedded in Gila Conglomerate bears N.31°39'W. 30.00ft. chiseled and painted black alongside B-R-I-2290-A-.

Feet.

Thence N.40°35'W.

1227.54 Int.line 2-3 Disappointment lode, this survey, N.38°07'E.
30.08 feet from Cor. No.3.

1500.00 To Cor.No.2.

Identical with the N.E.Cor. amended location where I set a pine post 4in x 4in x 4½ft.long 1ft. in the ground and surrounded with mound of stone. Post set in solid Gila Conglomerate. Post scribed 2-2290-A-N-E-Cor-Del-.

A (+) chiseled and painted black on face of 12ft.lime-stone bluff bears S.64°01'W. 106.80ft.chiseled and painted black alongside B-R-2-2290-A-,

The Cor. of Sections 3-4-9 and 10 T.1 N.R.15 E.bears N.26°42'W. 1899.60 feet.

Thence S.44°12'W.

301.17 N.W.end center.

602.34 To Cor. No.3.

Identical with the N.W.Cor.amended location where I set a pine post 4in x 4in x 4½ft.long 1½ft. in the ground and surrounded with mound of stone. Post scribed 3-2290-A-N-W-Del-.

A (+) chiseled and painted black on 300lb.boulder firmly embedded in the Gila Conglomerate bears S.73°23'E. 36.90ft.chiseled and painted black alongside B-R-3-2290-A.

Thence S.40°35'E.

1500.00 To Cor.No.4.

Identical with the S.W.Cor.amended location where I set a pine post 4in x 4in x 4½ft.long 1ft. in the ground and surrounded with mound of stone. Post set in solid Gila Conglomerate. Post scribed 4-2290-A-S-W-Cor-Del-.

A (+) chiseled and painted black on 300lb.boulder firmly embedded in the Gila Conglomerate bears N.45°45'W. 22.90ft. chiseled and painted black alongside B-R-4-2290-A-.

Thence N.44°12'E.

301.17 S.E.end center.

Feet.

602.34 To Cor.No I the place of beginning.

Disappointment Mill Site.

Beginning at Cor.No.I.

Identical with the N.E.Cor.original location where I set a pine post 4in x 4in x 4½ft.long 1½ft. in the ground and surrounded with mound of stone.Post scribed I-2290-B-Dis-M-S-.

A (+) chiseled and painted black on one ton boulder firmly embedded in the ground bears S.24°39'W. 50.00ft, chiseled and painted black alongside B-R-I-2290-B-.

The Cor. of Sections 3-4-9 and 10 T.I N.R.15 E.bears N.67°15'E. 4296.00 feet.

Cor. No.I Disappointment lode this survey bears S.82°24'E. 6353.00 feet.

Thence South.

466.50 To Cor.No.2

Identical with the S.E.Cor. of original location where I set a pine post 4in x 4in x 4½ft. long 1½ft. in the ground and surrounded with mound of stone. Post scribed 2-2290-B-Dis-M-S-.

A (+) chiseled and painted black on solid sandstone bluff one foot high bears S.70°55'E. 38.60 feet chiseled and painted black alongside B-R-2-2290-B-.

Thence West.

466.50 To Cor. No.3.

Identical with the S.W.Cor. of original location where I set a pine post 4in x 4in x 4½ft.long 1½ft. in the ground and surrounded with mound of stone. Post scribed 3-2290-B-S-W-Cor-Dis-M-S-.

A (+) chiseled and painted black on ten ton boulder firmly embedded in the ground bears N.12°13'W. 135.80ft. chiseled and painted black alongside B-R-3-2290-B-.

Thence North.

466.50 To Cor. No.4.

Feet.

Identical with the N.W.Cor.original location where I set a pine post 4in x 4in x 4½ft. long 1½ Ft. in the ground and surrounded with mound of stone. Post scribed 4-2290-B-N-W-Cor-Dis-M-S-.

A (+) chiseled and painted black on solid triacite bears S.5°12'W.124.00 feet chiseled and painted black alongside B-R-4-2290-B-.

Thence East.

466.50 To the place of beginning.

Area.

Total area Disappointment lode.		19.512
" " Deliverance " "	20.655	
less Area in conflict with Disappointment lode this survey.	<u>.415</u>	
Net area Deliverance lode.		20.240
Total area Disappointment Mill Site.		<u>4.996</u>
Total net area.		<u>44.748</u>

Location.

The Disappointment and Deliverance lodes are located in the N.W.1/4 and the S.W.1/4 of Section 10 T.1 N. R.15 E.G. & S.R.M.

The Disappointment Mill Site is located in the S.W. 1/4 of the N.W.1/4 of Section 9 T.1 N.R.15 E.G. & S.R.M. in *Slope Mining District, in Gila County, Arizona.*

Magnetic variation at all corners of Disappointment and Deliverance lodes and the Disappointment Mill Site 14° east.

The survey of the Disappointment and Deliverance lodes is identical with their respective amended locations.

The difference in the course from Cor. No.2 Disappointment lode, amended location notice, and the true course, to Cor. of Sections 3-4-9 and 10 is due to transposition in the amended location notice, N.43°47'W. being transposed to N.34°47'W.

The difference between the right angle width of the Disappointment lode in the amended location notice and the true distance is due to typographical error of .04 ft.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements upon the Disappointment and Deliverance lodes, placed thereon by the claimants is not less than five hundred dollars for each claim and that said improvements consist of;

No.1. Discovery cut, Disappointment lode, the center of which bears N.67°53'W.686.60 ft. from Cor. No 1 and is 4 ft. 16 ft. long and ten foot face.

Value \$ 30.00

No.2. Tunnel, the mouth of which bears N.64°54'W. 683.30 ft. from Cor. No 1 Disappointment lode, and is 4 ft. wide by 31 ft. long, open cut, and 4 ft. wide by 8 ft. high by 31 ft. long, tunnel, with a vertical winze at face 4 ft. by 6 ft. by 28 ft.

	deep. Course of tunnel S.51°56'W.		
	Value open cut.	\$ 60.00	
	" tunnel	465.00	
	" winze	<u>280.00</u>	
	Total value		\$ 805.00
No.3.	Shaft 4 ft. by 6 ft. by 30 ft. deep the center of which bears N.64°16'W.482.50 ft. from Cor. No I Disappointment lode.		
	Value		300.00
No.4.	Tunnel the mouth of which bears N.66°25'W. 477.30 ft. from Cor. No I Disappointment lode and consists of 4 ft. wide by 10 ft. long open cut, and tunnel 4 ft. by 6 ft. by 10 ft. long running S.28° W. and winze at Face <i>4x6 ft.</i> with an inclination of 48° running S.31°30'W. 30.00 ft.		
	Value open cut	\$ 20.00	
	" tunnel	100.00	
	" winze	<u>300.00</u>	
	Total value		420.00
No.I.	Discovery shaft, Deliverance lode, 5 ft. by 5 ft. by 10 ft. deep the center of which bears N.56°29'W.1097.20 ft. from Cor.No.I.		
	Value		40.00
No.2	Shaft 4 ft. by 6 ft. by 18 ft. deep the center of which bears N.63°34'W. 1182.00 ft. from Cor. No.I Deliverance lode.		
	Value		80.00
No.3.	Tunnel the mouth of which bears N.65°35'W. 1177.30 ft. from Cor.No.I Deliverance lode, running N.81°W.and consists of 4 ft.wide by 25 ft. long open cut, and 4 ft. by 6 ft. by 50 ft. of tunnel.		
	Value open cut.	\$ 50.00	
	" tunnel	<u>500.00</u>	
	Total value		550.00
No.4.	Shaft 4 ft. by 6 ft. by 8 ft. deep the center of which bears N.68° 03'W. 1185.00 ft. Cor. No.I Deliverance lode.		
	Value		25.00
	Total value labor and improvements.		<u>\$2250.00</u>

Instrument.

This survey was made with a C.L.Berger and Son Mining Transit.

The distances were measured with a 200 foot steel tape.

The courses were deflected from the true meridian as determined from direct observation on the Sun.

Adjoining Claims

The Monarch lode, unsurveyed is owned by J.C.Britt et-al. The ground on the north east, north and south is owned by Merser et-al. The ground on the west claimant unknown.

*

R. J. Young
 U.S. Deputy Min. Surveyor.

x

Ledges.

Course of the ledge on the Disappointment lode is S.41°58'E. 1416.66 from N.W. end center to S.E. end center

Course of the ledge on the Deliverance lode is S.40°35'E., 1500 ft. from N.W. end center to S.E. end center.

Meridian Determination.

The true meridian was determined on July 15th 1906 at 10 a-m mountain time, 105th meridian, or 23 minutes to 10 for this meridian 110°48'10", 5 hours west from Greenwich, by direct solar observation on the Sun, according to the following formula:

$$Z = \frac{\text{Sine Suns Declination}}{\text{Cos. Lat} \quad \text{Cos. Suns Alt.}} - \text{Tang. Lat Tang S. Alt.}$$

$$Z = \frac{21^{\circ}40'}{33^{\circ}28' \quad 50^{\circ}37'} \quad \frac{33^{\circ}28' \quad 50^{\circ}37'}{33^{\circ}28' \quad 50^{\circ}37'}$$

9.5672689	9.6459952	0.0856980
9.9212737	9.8024355	9.8202338
<u>9.6459952</u>	<u>9.8435597</u>	<u>9.9059318</u>
	log..69752	log..80525
		<u>.69752</u>

Nat Cosine Suns course S.83°48'E..10773

This meridian was determined on two occasions previous to July 15th and checked within two minutes of error.

Magnetic Variation 14° East.

The discrepancy in the magnetic variation is due probably to local attraction.

R. J. Young
 U.S. Deputy Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. J. Young
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Thos Fuller and A.M. Lockwood
 known as the Disappointment & Deliverance lodes & Disappointment Mill Site
 and showing the respective capacities in which they acted.

Fred Wilson, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I Fred Wilson
 and _____, do solemnly swear that we assisted
R. J. Young, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Thos Fuller and A.M. Lockwood
 known as the Disappointment & Deliverance lodes & Disappointment Mill site
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Fred Wilson, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 21st

day of July, 1906

George R. Hill
Notary Public

My Commission Expires

Jan 21, 1910.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R. J. Young, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12th 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Thos Fuller and A.M. Lockwood, known as the Disappointment & Deliverance lodes & Disappointment Mill Site, situate in Globe Mining District, Gila County, Arizona, in Section 9 & 10, Township No. 1 N, Range No. 15 East, and designated as Survey No. 2290 A & B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. J. Young, U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said R J Young, U. S. Deputy Mineral Surveyor, before me Geo R Hill, a Notary Public, this 21st day of July 1906.

Geo R Hill, Notary Public

My Commission Expires Jan 21 1910

Affidavit of Five Hundred Dollars Improvements.

We, W.H.Mercer and J.C.Britt

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Disappointment & Deliverance lode mining claim, situate in Globe

mining district, Gila County, Arizona Territory, for which

Thos Fuller and A. M. Lockwood

have made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and

their grantor exceed five hundred dollars in value, ^{for each claim} and further that we are not personally interested

in said mine.

W.H. Mercer
John C. Britt

TERRITORY OF ARIZONA,
COUNTY OF Gila } ss:

Sworn to and subscribed before me this 23rd day

[SEAL.]

of July, 1906
Geo B Hill
Notary Public

11786b400-2-04

My Com. Expires Jan 21 1910.

AMENDED
 NOTICE OF MINING LOCATION
 LODGE CLAIM

To all whom it may concern:

This Mining Claim, the name of which is the Deliverance Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thos Fuller and A. M. Lockwood, citizens of the United States, the undersigned, on the eighteenth day of June 1906.

The length of this claim is 1500 feet, and we claim 1082.00 feet in a S. 40° 35' E. direction and 418 feet in a N. 40° 35' W. direction from the center of discovery cut, at which this notice is posted, lengthwise of the claim, together with 301.17 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

This claim is situated and located in the Globe Mining District, in the County of Gila, Territory of Arizona, U.S.M.M. No. 10 bears N. 82° 49' E. 3561.10 feet from Corner No. 1. The N.E. Corner of Section 9 T. 1 N.R. 15 E. bears N. 26° 42' W. 1899.60 feet from Corner No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S. 40° 35' E. direction 1082.00 feet from the center of discovery cut (at which this notice is located) being the center of the south east end line of said claim; thence N. 44° 12' E. 301.17 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 1; thence N. 40° 35' W. 1500 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 2; thence S. 44° 12' W. 301.17 feet to a monument of ston, being the north west end center of said claim; thence S. 44° 12' W. 301.17 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 3, thence S. 40° 35' E. 1500 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 4; thence N. 44° 12' E. 301.17 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI1, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16th 1901.

This is an amended location notice of the Deliverance Mining Claim, located by Thos Fuller and A. M. Lockwood, on the twenty third day of July 1904, and recorded in Book 10 of Records of Mines, at page 123, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended location notice is made and posted to correct the errors in the description of the original location notice. Dated and posted on the ground this eighteenth day of June 1906.

Witness
R. J. Young
Alvan Cloud.

Thos Fuller
A. M. Lockwood

Filed and recorded at the request of R. J. Young on the 20 day of June A. D. 1906, at - - - - minutes past 4 o'clock P.M.

W. D. Fisk, County Recorder.
By Richard Fleming
Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } ss

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the DELIVERANCE Mining Claim as the same appears of record in my office in Book..8...Records of Mines..... at page..... 336; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this.....21.....day of June....., A. D. 1906...

W. D. Fisk
County Recorder, Gila County, A. T.
Richard Fleming
Deputy Recorder

AMENDED

NOTICE OF MINING LOCATION
LODE CLAIM

To all whom it may concern:

This mining claim, the name of which is the DISAPPOINTMENT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thos Fuller and A. M. Lockwood, citizens of the United States, the undersigned, on the eighteenth day of June 1906.

The length of this claim is 1416.66 feet, and we claim 670.00 feet in a S. 41° 58' E. direction and 746.66 feet in a N. 41° 58' W. direction from the center of discovery cut, at which this notice is posted, lengthwise of the claim, together with 304.57 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

This claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, U.S.M.M. No. 10 bears S. 85° 07' E. 3065.30 feet from Corner No. 1. The N. E. Corner of Section 9 T. 1 N.R. 15 E. bears N. 34° 47' W. 2006.10 feet from Corner No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S. 41° 58' E. direction 670.00 feet from the center of discovery cut (at which this notice is posted) being the center of the south east end line of said claim thence N. 38° 07' E. 304.57 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 1 of said claim; Thence N. 41° 58' W. 1416.66 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 2 of said claim; thence S. 38° 07' W. 304.57 feet to a monument of stone being at the center of the north west end line of said claim; thence S. 38° 07' W. 304.57 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 3 of said claim; thence S. 41° 58' E. 1416.66 feet to a 4 in x 4 in x 4 1/2 ft. pine post being Corner No. 4 of said claim; thence N. 38° 07' E. 304.57 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act to Revise abd Codify the Laws of the Territory of Arizona" approved March 16th 1901.

This is an Amended Location Notice of the Disappointment Mining Claim, located by Thos Fuller and A. M. Lockwood, on the first day of Janaury 1902, and recorded in Book 7 of Records of Mines, at page 491, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended location notice is made and posted to correct errors in the description of the original location notice.

Dated and posted on the ground this eighteenth day of June 1906.

Witness
R. J. Young
Alvan Cloud
Thos Fuller
A. M. Lockwood

Filed and recorded at the request of R. J. Young on the 20 day of June A. D. 1906, at - - - minutes past 4 o'clock P.M.

W. D. Fisk, County Recorder.
By Richard Fleming
Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } ss

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of DISSAPPOINTMENT Mining Claim as the same appears of record in my office in Book 8 Records of Mines at page 337; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 21 day of June

....., A. D. 1906.

W. D. Fisk
County Recorder, Gila County, A. T.
Richard Fleming
Deputy Recorder

LOCATION NOTICE OF DISAPPOINTMENT MILL SITE CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That I, the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the DISAPPOINTMENT MINING CLAIM, situated in Globe Mining District, Gila County, Arizona Territory.

The exterior boundaries of said DISAPPOINTMENT Mill-Site Claim, are as follows, viz:

COMMENCING at a monument of stone at N. E. corner of claim, being a point 150 feet south of the N. E. corner of S. W. 1/4 of N. W. 1/4 of Section 9, Town. 1 N. Range 15 E. G & S R B & M, and running thence in a westerly direction, 466.5 feet to a monument of stone at N. W. corner of claim, thence in a southerly direction 466.5 feet to a monument of stone at S. W. corner of claim, thence in an easterly direction 466.5 feet to a monument of stone at S. E. corner of claim, thence in a northerly direction 466.5 feet to a monument of stone at N. E. corner of claim and place of beginning.

Dated on the ground this 2nd day of May, 1903.

Thos Fuller
A. M. Lockwood

Filed and recorded at the request of A. M. Lockwood on the 2nd day of May, A. D. 1903, at 55 minutes past 11 o'clock A.M.

W. D. Fisk, COUNTY RECORDER.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. }^{SS}

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Location Notice of..... DISSAPPOINTMENT MILL SITE..... as the same appears of record in my office in Book 8..... at page..... 38.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 21..... day of

..... June....., A. D. 1906..

W. D. Fisk
County Recorder, Gila County, A. T.
Richard Flannery Deputy Recorder

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 21, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Thos. Fuller & A. M. Lockwood

known as the Disappointment & Deliverance lodes & Disappointment Mill Site situate in Globe

Mining District, Gila County, Arizona

in Section 9 & 10, Township No. 1 N., Range No. 15 E., and

designated as Survey No. 2290 A & B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimantS or their grantors, and that said improvements consist of 4 cuts, 3 tunnels, 4 shafts and 2 winzes, total value \$2250.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 21, 1906

I, U. S. Surveyor-General for.....District of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Thos. Fuller & A. M. Lockwood.....

....., known as the
Disappointment & Deliverance lodes & Disappointment Mill Site.....

situate in Globe..... Mining District,

Gila..... County, Arizona.....

in Section 9 & 10....., Township No. 1 N......, Range No. 15 E......

....., designated as Survey No. 2290 A & B.....

executed by R. J. Young....., U. S. Deputy Mineral


Surveyor, July 15-20....., 190⁶, under my instructions dated

July 12....., 190⁶, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.....

