Ot. S. J. Sifet, 124

(4-683.)

Mineral Survey No. 2293

Lot No. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

A.C. Gilmore, W.W. White and J. Frank Dillow

KNOWN AS THE

Construct and Lexter

Mining District,

Year face County, Territory of Arryona

Section Township Range

Surveyed under instructions dated fully 23 1, 1904

by William of Munuth

U.S. Deputy Mineral Surveyor

Claim located Man 191892 May 19 1894

Survey commenced fully 11964

Survey completed 4 11964

Survey completed 4 11964

addriss of Clarinands E. S. Clark Atty Prescott Aryona.

field for out

Feet. Beginning atmoor. No. 1

I dentical with the loc.

X-C-1-2293 Chiseled on Malpai rock in place 12 X 18 X 36 ins.above the ground with mound of stones.whence:-

inti si

U.S.M.M.No, brs.N 11°.08'E 4901.3 feet.

K-B-R-C-1-2293 chiseled on rock in place brs.N 82,00 W.

10.7 feet.
X-B-R-C-1-2293 chiseled on rock in place brs.N 26°.00'W
13.1 feet.

Loc.com.mon.of stones 2X2 ft.

Thence S 10.00 W Va. 140. 30 E

142.21 Intersect West line of Gladstone lode at N 13°.25'E 1270.87 ft.from S.W.cor.a mon.of stones 18X18 ins.

1500 To Cor. No. 2.

Identical with the loc.

A Shist stone 6x8x24 ins.set 12 ins.in the ground with mound of stones chiseled C-2-2293. whence:

X-B-R-C-2-2293 chiseled on rock in place brs.N60°.E 10.ft. X-B-R-C-2-2393 chiseled on rock in place brs.S 42°.30'E

15.1 feet. '

hoc.com.mon.of stones 2X2 ft.

Thence N 89°.GC'W' Va.14°.30'E

83.92 Intersect line 1-2 Dexter lode of this sur. at S 57°.22'E

222.37 ft. from cor. No. 1 and 6 and line of Isladstone lode unsurveyed at 8.57°22'E. 222.37ft from 8.77. Cvr.
274.5 Intersect line 4-1 lexter lode of this sur. at S 1°.37'W

116.65 ft.from cor.No.1

300 S.C. End.

340 Cuto wash 20 ft. wide course N 61°. W

526 To Cor. No. 3

X-C-3-2293 chiseled on North side of shist bluff 10 ft.
above the ground, with mound of stones. No begrings available.
Loc.cor.mon.of stones 3X3 ft.brs.south 75 ft.

Thence N 1°.50'W Va.14°.30'E

50. Center, wash 20 ft. wide course's 63°. W

150/.83 To Cor.No.4

Identical with the loc.

Malpai stone GX10X24 ins.set 12 ins.in the ground with, mound of stones, chiseled C-4-2293. whence:

X-B-R-C-4-2393 chiseled on rock in place brs.N 51° 36'W

X-B-R-6-4-2295 chiseled on rock in place bus N 37°.58 E

Thence S 89°.00'E va.14°.30'E

300

N.C. end.

600

To Cor. No. 1 the place of beginning.

DEXTER LODE.

Beginning at Cor. No. 1

Identical with the loc.and with the S.W.Cor.of Gladstone lode, A X-D-1-2293 chiseled on shist stone 6X6X2 ft.above the ground, with mound of stones. Whence:-

U.S.M.M.No.2 brs.N 11°19'E 6310.13 feet.

No bearings available.

Loc.cor.mon.of stones 3X3 ft.

Thence S 57° . 22'E

Va.14°.30'E

222.37 Intersect line 2-3 Comstock lode of this sur.at N 89°. W 83.92 ft.from Cor.No.2

288

N.C. end.

588

To Cor. No. 2.

A shist stone 6X12X24 ins.set 12 ins.in mound of earth and stone on bed-rock.with mound of stones chiseled ,D-2-2293 whence: X-B-R-D-2-2293 chiseled on rock in place brs N 81°.W 17.feet.

X-B-R-D-2-2293 chiseled on rock in place brs.N 71°.E 6 ft. Loc cor.mon.of stones 3XX brs N 16°E 95 ft.

Thence S 1°.37'W
Va.14°.30'E

100 Cutol wash 20 ft. wide course S 80°. W

971. To Cor. No. 3

Identical with the loc.X-D-3-2293 chiseled on shist rock in place 6x10X12 ins.above the ground, with mound of stones. whence:X-B-R-D-3-2293 chiseled on rock in place brs N 30°.00 E 12.2 ft.

X-B-R-D-3-2293 chiseled on rock in place brs.N 40°.00'W Weet. 8.5 feet. The stiff of the st Thence N 57°.22'W Va. 14°. 30 'E 280 Centre wash 15 ft. wide course North. 300 S.C. end. 588 To Cor. No. 4. A shist stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled D-4-2295. No bearings available Loc Cor. Mon. of stones 2.5 X3 ft. brs. S 2.0W 80 ft. Thence N 1°.37'E Va.14°.30'E Centuwash 20 ft. wide course N 34°. W Intersect line 2-3 Comstock lode of this sur.at N 89°.W 854.37 274.5 ft.from cor.No.2 971 To Cor. No. I the place of beginning: of alina, in the transfer Comstock lode. Total area..... Area in conflict with Mexter lode of this Less area in conflict with Gladstone lode Total net area of Comstock lode: Dexter lode. .. 11.20 acres. Total area...... hess area in conflict with Comstock lode of this sur. Total net area of Dexter lode. Total net area of lode claim.... 25.996 Location This claim is located on unsurveyed land, approximately in T.14 N.R.9 W. Eureka Mining District Yavapai County Arizona. · Cidyoung Claims. This claim is bounded on the North by U.S. Land on the East by Gladstone lode unsurveyed and U.S.Land, on the South by Joe Dandy lode unsurveyed and U.S. Land and on the West by U.S. Land. Ledge hedge on Comstock lode brs. N 1°.00'E 1500 ft.from S.C. and

Ledge on Dexter lode brs.S 10.37'W 971 ft.from N.C.end.

F. .

Improvements.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each lode, and that said improvements consist of:

Comstock lode.

No.1 dis.tunnel which brs.N 1°.00'E 30 ft. from S.C.end 5X7X40 ft.long course N 1°.E value ... \$320.00 No.2 tunnel which brs.N 59°.30'E 215 ft.from Cor.No.3 5X7X80 ft. course East, value..... \$640.00 No.3 tunnel which brs.N 44°.30'E 181 ft.from Cor.No.3 4X7X30 ft. Course N 10°.Evalue \$210.00 Dexter lode.

No.1 tunnel which brs.S 65°.15'W 305 ft.from Cor.No.2 5X7X160ft.course North value\$1280.00

No.2 tunnel which brs. S 57°.20'W 402 ft. from Cor.No.2 5X7X130 ft.course Southvalue. \$1040.00

No.3 tunnel which brs.S 65°.15'W 450 ft.from Cor.No.2 5X7X120 ft. course South.... value \$960.00

No.4 tunnel which brs.S 72°.00°W 340 ft.from Cor.No.2 5X7X 300 ft. course North value\$2400.00

No.5 tunnel which brs. S 74°.15'W 332 ft.from cor.No.2

5X7X130 ft. value\$1040.00

In Arment

This survey was made with a Curley Light Mountain Solar Transit, The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

William AMeril
U.S. Dep. Mineral Surveyor

B

i cor i se

God to stx o

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	William & Munt
United States Deputy Mineral Surveyor, to assist in ru	unning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the su	nrvey of the mining claim of A. C. Gilmore
W.W. While and of Frank	Dillon
W.W. While and J Frank known as the Cornslock of	nd Dejeter
and showing the respective capacities in which they acted	1.
	Cy M. Jussett, Chainman.
	, Chainman.
	, Axman.
	Flagman.
FINAL CATHS O	E ACCIOTANTO
FINAL OATHS O	
w. J. M. Musutt	At .
and, do s	olemnly swear that assisted William
AMMINIA United States Deputy M	Iineral Surveyor, in marking the corners and surveying
J. Frank Dillon	Ilmore, W.W. White and
known as the Comslock on	e Denter
represented in the foregoing field notes as having been su	rveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monum	ents established according to law and the instructions
furnished by the United States Surveyor-General for	
	Du hoh H
	The Chainman.
	, Chainman.
	, Axman.
	, Flagman.
Subscribed and sworn to by the	above-named persons before me this 20 the
day of August	
1010	Wy Munt
my Community god	Wiffmints Notary Public
1/1/1 1901/10 1/10 1/10 1/10 1/10 1/10 1	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William J. Musit , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Arysma, dated
States Surveyor General for Aryma, dated July 23rd 1906, Thave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of A.C. Galmore, WW. Whiteand of Torrank
Claim of A.C. Gelmme, W. W. White and J. Frank, Lillon, known as the Constock and Dexter, situate in Euroka Mining District,
Comstock and Dexter,
situate in Cerrika Mining District,
Manafaci County, Aryrna, in Section, Township No., Range No.
, Township No. , Range No. ,
and designated as Survey No. 2273, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or their grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U.S. Deputy Mineral Surveyor.
U. S. Deputy Mineral Surveyor.
in a grant of
Subscribed and sworn to by the said william HoMerutt,
U. S. Deputy Mineral Surveyor, before me a Notary Public in and
for youakar County, Carrona this
day of argust 1906.
for ywakai County, arizona this 71" day of august 1906. My Commission Jiba O. Brown notary Public Experies Nov. 1-1909. Yawakai County a J.
Experies nov. 1-1909. Slow O. Brown notary Public Syanspai County a J.
yangar county a.

Affidavit of Five Hundred Dollars Improvements.

We, J. L. Howells and Film, Merritt
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Constrol and Dexter mining claim, situate in Europa
mining district, Garapac County, Arizona Territory, for which A. C. Gelmone W. W. While and J. Frank Dillon
ha 3 made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
grantor exceed five hundred dollars in value, and further that we are not personally interested
in said mine. J. L. Howells Branches 1. L. Howells
TERRITORY OF ARIZONA, County of Araphai Sworn to and subscribed before me this 20 16 day
[SEAL.] of Jugust, 190 &
hy commission WH Menitt rolong Public

COMSTOCK.

Notice of Location.

Know all men by these Presents;

That we the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed

upon the ledge, and runs 1500 feet in a northerly direction.

The exterior boundaries are as follows viz:-

Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge 1500 feet to monument of stone at N.W. corner thence in an easterly direction at right angles of claim: across the ledge, six hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim; in a northerly direction, parallel with the ledge 1500 feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated North of Butte Creek and joins the Gladstone Mine on the East and the Lucky Cuss Mine on the West, at north end joins the Red Hill Mine, at South end joins the Bass Mine one mile South of Hillside Mine in Eureka Mining District, Yavapai County, Arizona Territory, and shall be known as the Comstock Mining

Claim.

Dated on the ground this 1st, day of Mch 1892.

Paul Dillon

J. Frank Dillon

Joseph Howell.

Recorded at request of J.F. Dillon Mch 3d A.D. 1892., at 9 o'clock A.M. in Book 34 of Mines, pages 3-4-5- Records of Yavapai County, Arizona.

By F.A. Tritle Jr. Deputy. (L.S.) Charles H. Akers, County Recorder.

TERRITORY OF ARIZONA,)

County of Yavapai.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "COMSTOCK" Mining Claim, as the same appears from the records of my said office in Book 34 of Mines, pages 3-4-5-, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 18th day of July, A.D. 1906.



County Recorder.

DEXTER.

Notice of Location.

Know all men by these presents:

That I the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations with surface ground three hundred (300) feet on each side of the center of vein with all mineral deposits contained therein and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto under and according to the provisions of the Mining Laws of the United States under which it is located.

This Claim commences at this monument and Notice placed upon the ledge, and runs fifteen hundred (1500) feet in a

Southerly direction along the ledge.

The Exterior boundaries are as follows, viz:-Commencing at this monument and notice and running three hundred (300) feet in an Easterly direction to Monument at N.E. corner of claim; thence in a Southerly direction parallel with the ledge fifteen hundred (1500) to monument at S.E. corner of claim; thence in a Westerly direction at right angles across the ledge Six hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction fifteen hundred (1500) feet to Monument at N.W. corner of claim; thence in an Easterly direction three hun-

dred (300) feet to momment upon the ledge and place of beginning.

This ledge may be more generally described as joining the South end of the Gladstone Ledge and joins the North end of the Joe Dandy Ledge at South end. Joins the Gray Eagle Ledge on Western South and North line and is Located under the old boundaries formerly known as the Parnell Mine, the North West end line running in a North West direction. Located on the North and South of Butte Creek 100 ft West of the Mouth of East Butte Creek, in Eureka Mining District, Yavapai County, Arizona Territory, and shall be known as the Dexter Mining Claim.

Dated on the ground this 19th day of May 1896.

Witnessed by J. Frank Dillon. Jacob Reese

Recorded at request of Jacob Reese July 22 A.D. 1896 at 9:15 o'clock A.M. in Book 44 of Mines, pages 512-514, Records of Yavapai County, Arizona.

(Seal) F.A. Tritle By H.R.Tritle County Recorder. Deputy.

TERRITORY OF ARIZONA,)
county of Yavapai.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "DEXTER" Mining claim, as the same appears from the records of my said office, in Book 44 of Mines, pages 512-514, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 18th day of July, A.D. 1906.

张安安安安安安安安安安安安安安安安安安安安



County Recorder.

Roland Mosher

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,


Phoenix, Arizona,			
		September 26	, 1906
I, U. S. Surveyor-	General for District	of Arizona	
do hereby certify that	the foregoing transcript of	the Field Notes, return and approval	of the survey
		W. W. White and J. Frank	
situate in	Eur	reka	
Mining District,	Yavapai	County, Arizona	
in Section	, Township No	, Range No	, and
designated as Survey	No. 22 9 3 , h	as been correctly copied from the origin	nals on file in
this office; that said I	Field Notes furnish such an	accurate description of said mining el	aim as will, i
incorporated into a pa	tent, serve fully to identify t	the premises, and that such reference is	made therein
to natural objects or p	ermanent monuments as wil	ll perpetuate and fix the locus thereof.	
each	of	lars' worth of labor has been expende	_
		lue \$1170.00, Dexter, 5 1	
	00, total value \$7		
and that no portion of		s has been included in the estimate of	
upon any other claim.	1	*	
	hat the plat thereof, filed in	the U.S. Land Office at Phoenix,	
		conformity with the foregoing Field Not	
		,	**************************************
	F	Frank S. Ingalls,	
	United States Surve	yor-General for Arizona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General, Phoenix, Arizona, Sentember 26, 1906. I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of A. C. Gilmore, W. W. Wnite and J. Frank Dillon _____, known as the Comstock and Dexter situate in Eureka Mining District, Yavapai County, Arizona in Section, Township No....., Range No. , designated as Survey No. 2293 executed by William H. Merritt , U.S. Deputy Mineral Surveyor, August 9-11 , 190.6, under my instructions dated July 23 , 190 6, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant... for survey is included in the field notes. Manh Dongalle U. S. Surveyor-General for Arizona.

7360b5m3-03



Scale zooft to One Inch