

0
2
2
9
6

M
S
-

*Copy
Add*

AUG 16 1906

AUG 23 1906

Sept 12 06

(4-683.)

Mineral Survey No. 2226.

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Globe and Arizona Development Company.

KNOWN AS THE

Red Oxide

Globe Mining District.

Gila County, Arizona.

Section 17 (approx), Township 1 North, Range 16 East

Surveyed under instructions dated July 31st, 1906,

by R.J. Young
U. S. Deputy Mineral Surveyor

Claim located January 1st, 1903.

Survey commenced August 3rd, 1906.

Survey completed August 5th, 1906.

6-167

Address,

Geo. R. Hill, Atty.,

Globe, Arizona.

*The
Ledge
is
near*

Survey No.2296.
Red Oxide lode.

Beginning at Corner No.I.
Identical with the N.W.Cor. of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long I $\frac{1}{2}$ ft. in the ground and surrounded with mound of stone. Post scribed I-2296-N-W-Cor-R-0-.

U.S.M.M.No.2 bears S.79°38'W. 4850.20 ft.

Cor. of Sections I2 & I3 T.I.N.R.I5 E.& Cor.of Sec.7 & I8 T.I N.R.I6 E.G.& S.R.M.bears N.62°48'W.6547.60ft.
Cor. No.3 Boston lode and Cor. No.4 Black Oxide lode unsurveyed,bears N.33°58E. I80.08 ft.

Cor. No.2 Limestone lode,unsurveyed,bears N.54°I4'E. I36.60 ft.

A rock monument,no mark,bears S.2I°I6'E.2.00 ft.

A (+) chiseled and painted black on five ton Quartzite boulder,firmly embedded in the ground,bears S.78°59'W. 89.00 ft.chiseled and painted black alongside B-R-I-2296-.

Cor. No.I Iron King lode,unsurveyed,bears S.60°I8'E. 466.76 ft.

Thence S.42°I7'E.

30I.80 S.W.end center.

603.60 To Cor. No.2.

Identical with the S.W.Cor. of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long I $\frac{1}{2}$ ft. in the ground and surrounded with mound of stone. Post scribed 2-2296-S-W-Cor-R-0-.

Cor.No.4 Japan lode,unsurveyed,bears N.9°50'E.84.IIft.

Cor.No.3 Black Oxide lode,unsurveyed,bears N.26°34'W. 70.62 ft.

A (+) chiseled and painted black on five ton Quartzite boulder bears S.73°22'E. 43.40 ft. chiseled and painted black alongside B-R-2-2296.

A rock monument no mark bears S.48°20'W.38.50 ft.

Thence N.54°I4'E.

I470.00 Int.bottom of draw I2 ft. wide running S.53°30'E.

I500.00 To Cor. No.3.

Identical with the S.E.Cor.of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long I $\frac{1}{2}$ ft. in the ground and surrounded with mound of stone. Post scribed 3-2296-S-E-Cor-R-0-.

A (+) chiseled on solid Dacite bluff 3 ft. high bears N.24°50'E. 26.00 ft. chiseled and painted black alongside B-R-3-2296-.

A rock monument,no mark, bears N.56°43'E. 2I.60ft.

Cor. No.4 Iron King lode,unsurveyed,bears S.3I°56'E. 495.84 ft.

ThenceN42°I7'W.

30I.80 N.E.end center.

603.60 To Cor. No.4.

Identical with the N.E.Cor. of amended location where I set a pine post 4in x 4in x 4 $\frac{1}{2}$ ft. long I $\frac{1}{2}$ ft. in the ground and surrounded with mound of stone. Post scribed 4-2296-N-E-Cor-R-0-S-E-Cor-LIM-.

A (+) chiseled and painted black on I200 pound Dacite boulder firmly embedded in the ground,bears S.86°06'W.23.60 ft. chiseled and painted black alongside B-R-4-2296-.

A rock monument,no mark,bears S.76°02'E. 3.80 ft.

Thence S.54°I4'W.

I55.00 Int. bottom of draw I2 ft. wide running S.53°30'E.

I363.40 Int.Cor. No.2 Limestone lode,unsurveyed,

I500.00 To Cor. No.I, the place of beginning.

Area.

Total and net area Red Oxide lode. 20.650 Acres.

Note: The survey of the Red Oxide lode is identical with its amended location. The difference between the end line in the amended location notice and the true distance is due to typographical error of one foot. The difference between the course and distance, amended location and the true distance to U.S.M.M.No.2 is due to error in the amended location notice.

Location.

The Red Oxide lode is located, approximately, in Section 17 T.1 N.R.16 E.C & S.R.M.unsurveyed, in Globe Mining District, Gila County, Arizona.

Magnetic variation at all Corners 14° East.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements, placed thereon by the claimants for the benefit of said lode, is not less than five hundred dollars and consists of:

No.1. Discovery shaft 4 ft. x 6 ft. x 13 ft. deep the center of which bears S.64°46'E. 342.80 ft. from Cor.No.1.
Value. \$ 100.00

No.2. Open cut 6 ft. x 8 ft. x 3 ft. deep the center of which bears S.63°55'E. 355.20 ft. from Cor.No.1.
Value. \$ 15.00

No.3. Shaft 4 ft. x 6 ft. x 10 ft. deep the center of which bears S.64°27'E. 372.60 ft. from Cor. No.1.
Value. \$ 28.00

Note. Incline shaft on the Iron King lode, unsurveyed, the center of which bears S.64°13'E. 1154.900 ft. from Cor. No.1 Red Oxide lode. Inclination of shaft 69°42'.4 1/2 ft. wide by 6 ft. long by 75 ft. deep running N.17°27'W. Timbered the first 28 ft. The last 40 ft. of this shaft has been credited to the Red Oxide lode and if continued in its present course will reach a point vertically under the Red Oxide lode.

Total Value. \$825.00
Last 40 ft. credited to the Red Oxide lode. \$ 440.00
\$ 583.00

~~I believe the ledge to extend throughout the center of the claim. The presumed course of the vein is from S.W.E.C. N. 54° 14' E. 1500 ft. to the N.E.E.C.~~

The Limestone, Black Oxide, Japan and Iron King lodes, unsurveyed, are owned by the claimants. The fractional ground to the south is owned by Mr. James and the ground to the north east by Mr. Rose.

Instrument.

This survey was made with a C.L. Béger and Son mining transit. The distances were measured with a 200 and 300 foot steel tape. The courses were deflected from the true meridian by direct solar observation on the sun at three different dates and from known courses and checked within three minutes of error.

By request of the claimants the Red Oxide lode is given the priority of right over the Black Oxide and Iron King lodes, unsurveyed, as to their respective conflicts, waiving the priority of right of the Black Oxide and Iron King lodes in favor of the Red Oxide lode.


R. J. Young
U.S. Deputy Min. Surveyor.

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona, September 30, 1907.

I, FRANK S. INGALLS, U. S. Surveyor General for the District of Arizona, hereby certify that Incline Shaft No. 2 on the Iron King Lode, included in Mineral Survey No. 2297, was at time of survey, $4\frac{1}{2}$ x 6 ft., 75 ft. deep.

Before the survey of the said Iron King Lode, the Red Oxide Lode, designated as Mineral Survey No. 2296, was officially surveyed, and the last 40 feet of said Incline Shaft No. 2 on the Iron King Lode was credited to the development of the said Red Oxide Lode, and I now certify that the balance of this improvement was later credited to the Iron King Lode when the same was surveyed in connection with Mineral Survey No. 2297.


U. S. Surveyor General.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R. J. Young, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 31st 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Globe & Arizona Development Company, by Geo. R. Hill, Atty., known as the Red Oxide, situate in Globe Mining District, Gila County, Arizona, in Section (approx) Township No. 1 N., Range No. 16 E., and designated as Survey No. 2296, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. J. Young
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said R. J. Young, U. S. Deputy Mineral Surveyor, before me J. Wemberger a Notary Public this 14th day of August 1906.

J. Wemberger
Notary Public

My commission expires March 26, 1910

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. J. Young
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of The Globe &
Arizona Development Company, by Geo. R. Hill Atty.
 known as the Red Oxide
 and showing the respective capacities in which they acted.

Walter Scull, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Walter Scull
 and _____, do solemnly swear that we assisted _____
R. J. Young, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of The Globe & Arizona Development Company,
by Geo. R. Hill, Atty,
 known as the Red Oxide
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Walter Scull, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 14th
 day of August, 1906

J. Penbergen
 Notary Public

My commission expires March 25, 1910

Affidavit of Five Hundred Dollars Improvements.

George Shanley

George Husband

We, and

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

..... Red Oxide mining claim, situate in Globe

mining district, Gila County, Arizona Territory, for which The Globe &

Arizona Development Company, by Geo. R. Hill, Atty.

have made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant.... and

..... grantor.... exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

George Shanley
Geo Husband
G

TERRITORY OF ARIZONA,

Gila

} ss: .

COUNTY OF

Sworn to and subscribed before me this 14th day

[SEAL.]

of august, 1906

Steinberger
Notary Public
My commission expires March 28, 1910

AMENDED Notice of Mining Location LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the RED OXIDE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Globe and Arizona Development Company, a corporation, -----citizens of the United States-----

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the fifth day of July 1906

The length of this claim is -----1500----- feet, and NE claim -----132----- feet, in a -----S. 54°14'W.----- direction and -----1300----- feet in a -----N. 54°14'E.----- direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with -----300.00----- feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the -----Globe----- Mining District, in Gila County, in the Territory of Arizona, about XXXXXX in a U.S.M.M. No. 3 bears XXXXXX direction from XXXXXX S. 79°45'W. 4819.67 feet from the North West Corner

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone

at a point in a S. 54°14'W. direction 132 feet from the discovery shaft (at which this notice is posted,) being in the center of the south-west end line of said claim; thence N. 43°17'W. 302.30 feet to a 4in x 4in x 4 1/2 ft. pine post, being the north west corner of said claim; thence N. 54°14'E. 1500 feet to a 4in x 4in x 4 1/2 ft. pine post, being at the north east corner of said claim; thence S. 43°17'E. 302.30 feet to a monument of stone at the center of the north east end of said claim; thence S. 43°17'E. 302.30 feet to a 4in x 4in x 4 1/2 ft. pine post, being at the south east corner of said claim; thence S. 54°14'W. 1500 feet to a 4in x 4in x 4 1/2 ft. pine post at the south west corner of said claim; thence N. 43°17'W. 302.30 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the RED OXIDE Mining Claim, located by Patrick Rose on the first day of January 1905, and recorded in Book 7 of Records of Mines, at page 623, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this fifth day of July 1906

Witness
R. L. Young

The Globe & Arizona Development Co.
By Geo. A. Martin Secretary

Filed and recorded at the request of Geo. R. Hill on the 27th day of July, A. D. 1906, at 50 minutes past 1 O'clock P. M'

W. D. Fisk, County Recorder
by Richard Fleming Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } ss

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of

"Red Oxide" Lode Claim.....

8

as the same appears of record in my office in Book.....

at page 371.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

27th

Given under my hand and seal of office this.....day of

July....., A. D. 1906...

W. D. Fisk
County Recorder, Gila County, A. T.
By Richard Fleming Deputy Recorder

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

Oct. 6, 1906

I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
The Globe & Arizona Development Company
known as the Red Oxide
situate in Globe
Mining District, Gila County, Arizona
in Section , Township No. , Range No. , and
designated as Survey No. 2296, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 2 shafts and 1 cut, valued at \$143.00 and a credit of 40 ft.
in shaft on Iron King lode, value \$440.00, making a total value of
\$583.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona
is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

Oct. 6, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Globe & Arizona Development Company.

known as the Red Oxide

situate in Globe Mining District,

Gila County, Arizona

in Section, Township No., Range No.

designated as Survey No. 2296

executed by R. J. Young, U. S. Deputy Mineral

Surveyor, August 3-5, 1906, under my instructions dated

July 31, 1906, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank A. Sigsbee

U. S. Surveyor-General for Arizona.

PRELIMINARY PLAT

Survey No 2296

Globe Mining District

Arizona

Surveyed August 3-5-1906

by R. J. Young
U.S. Dep. Min. Surveyor

Limestone
(unsurveyed)
G & A. D. Co.

To Cor. Sec. 12 & 13 T1N R15E &
Sec. 7 & 18 T1N R15E

Boston
(unsurveyed)
G & A. D. Co.

To U. S. M. M. No. 2
S 79° 38' 37" W 4852.22'

Black Oxide
(unsurveyed)
G & A. D. Co.

Japan
(unsurveyed)
G & A. D. Co.

RED OXIDE
Ledge N 54° 14' E - 1368

Iron King
(unsurveyed)
G & A. D. Co.

