

MS -

0

2

3

4

6

Feet Beginning at Cor.No.1
 Identical with the loc.and with Cor.No.2 Survey No.1462
 Hot Number lode.A Quartz stone 6X8X10 ins.above the ground,
 chiseled H-W-2-1462,with mound of stones,I chiseled
 P-1-2346 on the side facing this claim.
 Loc.Cor.mound of stones 2X3 ft.Whence:
 U.S.M.M.No.2 brs.N 59°.03'W 1436.24 feet.
 No bearings available.

Thence S 62°.16'E
 Va.14°.E

30 S.W.C.E.

330 To Cor.No.2.

Identical with the loc.
 A Quartz stone 3X12X26 ins.set 14 ins.in the ground,
 with mound of stones,chiseled P-2-2346.Whence:
 X-B-R-P-2-2346 chiseled on rock in place brs.W 62°.16'W
 6.2 feet.No other bearings available.
 Loc.Cor.Mon.of stones 2X3 feet.

Thence N 27°.44'E
 Va 14°.E

185.41 Intersect line 1-2 Extension lode No.2 of this sur.at
 S 34°.03'E 18.35 ft.from Cor.No.1

234.32 Intersect line 4-1 Extension No.2 lode of this sur.at
 N 55°.52'E 34.32 ft.from Cor.No.1

399.60 Intersect south end line of Iron Chief lode unsurveyed,
 at S 62°.16'E 231.3 ft.from S.W.cor.of Iron Chief.lode.

84°
 1500 To Cor.No.3.

Identical with the loc.
 Quartz stone 6X8X24 ins.set 12 ins.in the ground,with
 mound of stones,chiseled P-3-2346.No bearings available.
 Loc.Cor.mon.of stones 2X3 ft.high.

Thence N 62°.16'W
 Va.14°.E

251.3 Intersect West side line of Iron Chief lode, *unsurveyed.*
 at N 27°.44'E
 1100.32 ft.from the ^SW.W.Cor.

300 N.E.C.E.

330 To Cor.No.4.

Identical with the loc.and with Cor.No.3 Sur.No.1462

Hot Number lode.

A Malpai stone 12X14X9 ins. above the ground with mound of stones, chiseled H-N-3-1462. I chiseled P-4-2346 on the side facing this lode. No bearings available.

Loc. Cor. mon. of stones 2X3 ft. high.

Thence S 27°.44'W
Va. 14°E

455 Cr. of Air line
1500 To Cor. No. 1 the place of beginning.

SYLVIA LODGE.

Beginning at Cor. No. 1

Identical with the loc.

A Porphyry stone 3X12X26 ins. set 14 ins. in the ground, with mound of stones, chiseled S-1-2346. Whence:-

U.S.M.M. No. 2 brs. N 70°. ^{50'} ^{1946.5} ~~44'~~ ~~1847.55~~ ft.

No bearings available. Loc. Cor. mon. of stones 2X3 ft. high.

Thence S 62°.49'E
Va. 14°E

300 S.W.C.E.

600 To Cor. No. 2.

Identical with the loc.

A Porphyry stone 6X6X24 ins. set 12 ins. in the ground, with mound of stones, chiseled S-2-2346. No bearings available.

Loc. Cor. Mon. of stones 3X3 ft.

Thence N 27°.11'E
Va. 14°E

1063.09 Intersect line 3-4 Extension No. 2 lode of this sur. at.
S 34°.03'E 88.49 ft. from Cor. No. 4

1500 To Cor. No. 3

Identical with the loc.

A Porphyry stone 5X10X24 ins. set 12 ins. in the ground with mound of stones, chiseled S-3-2346. Whence:-

X-B-R-S-3-2346 chiseled on rock in place brs. S 85°E

5.7 feet. No other bearings available.

Loc. Cor. mon. of stones 3X3 ft.

Thence ~~N~~ 62°.49'W
Va. 14°E

300 N.E.C.E

377.85 Intersect East side line of Iron Chief lode, unsurveyed.,
at ^{N.} ~~N~~ 27°.44' ^{E 1474.4} ~~W 25.6~~ ft. from the ^S S.E. Cor.

500 To Cor. No. 4

Identical with the loc.

A Porphyry stone 6X10X24 ins. set 12 ins. in the ground, with
mound of stones, chiseled S-4-2346. No bearings available.

Loc. Cor. mon. of stones 3X3 ft.

Thence S 37°.11' W
Va. 14°. E

1030 Cr. Trail

1060 Cr. Air line.

1349.31 Intersect line 4-1 Extension No. 2 lode of this sur. at
S ^{W. 1088.49} ~~N~~ 55°.52' ~~X~~ 371.57 ft. from Cor. No. 4

1473.31 Intersect South end line of Iron Chief lode, ^{unsurveyed} at N 62°.16' W
200 ft. from the S.E. Cor. of the Iron Chief. Loda.

1500 To Cor. No. 1 the place of beginning.

EXTENSION No. 2 LODGE

Beginning at Cor. No. 1.

Identical with the loc.

A Quartz stone 6X12X24 ins. set 12 ins. in the ground, with m
mound of stones, chiseled E. No. 2-1-2346. Whence:

U.S.M.M. No. 2 brs. N 65°.58' W 1751.7 ft.

No bearings available. Loc. Cor. mon. of stones 3X3 ft.

Thence S 34°.08' E
Va. 14°. E

13.35 Intersect line 2-3 Pen lode of this sur. at N 27°.44' E
135.41 ft. from Cor. No. 2

300 W.C.E.

600 To Cor. No. 2

Identical with the loc. and with Cor. No. 1 Air Line No. 1
Lode of this sur.

A granite stone 4X12X24 ins. set 12 ins. in the ground with
mound of stones, chiseled E-No. 2-2.A-LNo. 1-1-2346.

No bearings available. Loc. Cor. Mon. of stones 3X3 ft.

Thence N 55°.52' E
Va 14°. E

730

Cross Air line

(4)

890 Cr. trail.
 1460 To Cor. No. 3.
 Identical with the loc. and with cor. No. 4 Air Line No. 1, ^{lode of this survey}
 Granite stone 6X8X24 ins. set 12 ins. in the ground, with mound ^{of}
 of stones chiseled, E. No. 2-3. A-L-No. 1-4-2346.
 No bearings available. Loc. Cor. Mon. of stones 3X3 ft.

Thence N 34°.08'W
 Va. 14°.E

300 E.C.E.
 511.51 Intersect line 2-3 Sylvia lode of this sur. at N 27°.11'E
 1063.09 ft. from Cor. No. 3

600 To Cor. No. 4

Identical with the loc.

A Granite stone 4X12X 26 ins. set 13 ins. in the ground with
 mound of stones, chiseled E. No. 2-4-2346.

No bearings available. Loc. Cor. Mon. of stones 3X3 ft.

Thence S 55°.52'W
 Va. 14°.E

644.87 Intersect East side line of Iron Chief lode unsurveyed at
 N 27°.44'E 514.19 ft. from the S.E. Cor. of Iron Chief.

750 Cr. trail.

800 Cross Air line.

1088.49 Intersect line 4-1 Sylvia, ^{lode of this survey} at N 27°.11'E 150.69 ft. from Cor.
 Cor. No. 1

1227.95 Intersect the South end line of Iron Chief at N 62°.16'
 272.94 ft. from the S.E. Cor. ^{lode, unsurveyed}

1425.68 Intersect line 2-3 Pen lode of this sur. at N 27°.44'E
 324.32 ft. from Cor. No. 3

1460 To Cor. No. 1 the place of beginning.

AIR LINE No. 1 LODE

Beginning at Cor. No. 1

Identical with the loc. and with Cor. No. 2 Extension No. 2
^{this sur.} lode hereinbefore described. Whence:-

U.S.M.M. No. 2 hrs. N. 58°.00'W 2283.5 ft.

Thence S 34°.08'E
 Va 14°.E

300 W.C.E.

(5)

- 600 To Cor.No.2.
 Identical with the loc.and with Cor.No.1 of Air Line No. 2 lode of this sur.
 A Shist stone 4X8X24 ins.set 12 ins.in the ground with mound of stones, chiseled A.L.No.1-2.A.L.No.2-1-2346.
 No bearings available.Loc.Cor.mon.of stones 3X3 ft.
 Thence N 55°.52'E
 Va.14°.E
- 930 Cross Air line.
- 1010 Cr.Trail
- 1460 To Cor.No.3,
 Identical with the loc.and with Cor.No.4 Air Line No.2 lode of this sur.
 A Shist^{stone} 4X10X24 ins.set 12 ins.in the ground with mound of stones chiseled A.L.No.1-3.A.L.No.3-4-2346.
 No bearings available.Loc.Cor.mon.of stones 3X3 ft.
 Thence N34°.08'W
 Va 14°.E
- 300 E.C.E.
- 600 To Cor.No.4.
 Identical with the loc.and with Cor.No.3 Extension No.2 lode of this sur.hereinbefore described.
 Thence S 55°.52'W
 Va.14°.E
- 570 Cr. trail
- 680 Cross Air Line.
- 1460 To cor.No.1the place of beginning.
 AIR LINE No.2 LODGE
 Beginning at Cor.No.1
 Identical with the loc.and with Cor.No.2 Air Line No.1 lode of this sur.hereinbefore described.Whence:
 U.S.M.M.No.2.brs. N 53°.07'W 2841.87 feet.
 Thence S, 34°.08'E
 Va 14°.E
- 300 W.C.E.
- 600 To Cor.No.2.
 Identical with the location and with Cor.No.1.

	<p style="text-align: center;">Lode</p> <p>Air Line No. 3, of this sur.</p> <p>A Shist stone 4X10X30 ins set 15 ins. in the ground, with mound of stones, chiseled A.L. No. 2-2, A.L. No. 3.1-2346.</p> <p>No bearings available. Loc. Cor. Mon. of stones. 3X3 ft.</p>	XXX
920	<p style="text-align: center;">Thence N 55° 52' E Va. 14° E</p> <p>Cross Air Line.</p>	
1030	Cr. trail.	
1460	To Cor. No. 5.	
	<p>Identical with the loc. and with Cor. No. 4 Air Line No. 3 lode of this sur.</p> <p>A Shist stone 4X6X28 ins. set 15 ins. in the ground, with mound of stones, chiseled A.L. No. 2-3, A.L. No. 3-4-2346.</p> <p>No bearings available. Loc. Cor. Mon. of stones 3X3 ft.</p>	
300	<p style="text-align: center;">Thence N 34° 08' W Va. 14° E</p> <p>E.C.E.</p>	
600	To Cor. No. 4.	
	<p>Identical with the loc. and with Cor. No. 3 Air Line No. 1 lode hereinbefore described.</p>	
450	<p style="text-align: center;">Thence S 55° 52' W Va. 14° E</p> <p>Cr. Trail</p>	
530	Gross Air line.	
1460	To Cor. No. 1 the place of beginning.	
	<p style="text-align: center;">AIR LINE No. 3 LODE.</p> <p>Beginning at Cor. No. 1</p> <p>Identical with the loc. and with Cor. No. 2 Air Line No. 2 lode of this sur. hereinbefore described. Whence:</p> <p>U.S.M.M. No. 2. brs. N 49° 50' W 3415.28 feet.</p>	
300	<p style="text-align: center;">Thence S 34° 08' E Va. 14° E</p> <p>W.C.E.</p>	
600	To Cor. No. 2.	
	<p>Identical with the loc. and with Cor. No. 1 Extension No. 1 lode of this sur.</p> <p>A Shist stone 6X12X26 ins. set 14 ins. in the ground with mound of stones, chiseled A.L. No. 3-3, E. No. 1-1-2346.</p>	

No bearings available. Loc. Cor. Mon. of stones 3X3 ft.

Thence N 55°.52'E
Va. 14°.E

500 Cr Trail

550 " "

835 Cross Air Line.

1100 Cr. Trail.

1460 To Cor. No. 3.

Identical with the loc. and with Cor. No. 4 Extension No. 1 lode of this sur.

A Porphyry stone 6X10X24 ins. set 12 ins. in the ground, with mound of stones, chiseled A.L. No. 3-3-E. No. 1-4-2346. Whence: X-B-R-A.L. No. 3-3.E. No. 1-4-2346, chiseled on rock in place brs. S 1°.30'E 5.6 feet.

X-B-R-A.L. No. 3-3.E. No. 1-4-2346, chiseled on rock in place brs. S 29°.30'W 7. feet. Loc. Cor. Mon. of stones 3X3 ft.

Thence N 34°.08'W
Va. 14°.E

300 E.C.E.

600 To Cor. No. 4.

Identical with the loc. and with Cor. No. 3 ^{Air Line} No. 2. lode of this sur. hereinbefore described.

Thence S 55°.52'W
Va. 14°.E

430 Cr Trail,

540 Cross Air Line.

1460 To Cor. No. 1 the place of beginning.

EXTENSION No. 1 LODE

Beginning at Cor. No. 1 Identical with the loc. and with Cor. No. 2. Air Line No. 3 lode of this sur. hereinbefore described. Whence:-

U.S.M.M. No. 2 brs. N 47°.30'W. 3996.51 feet.

Thence S 34°.08'E
Va. 14°.E.

300 W.C.E.

600 To Cor. No. 2.

Identical with the loc. and with Cor. No. 1. Middleton No. 1 lode of this sur.

(8)

A Granite stone 6X6X24 ins. set 12 ins. in the ground with mound of stones, chiseled E. No. 1-²M. No. 1-1-2346. whence:
X-B-R-E. No. 1-2-M. No. 1-1-2346. chiseled on rock in place brs.

N 34°.08'W 8.7 feet. No other bearings available.

Loc. cor. mon. of stones 3X3 ft.

Thence N 55°52'E
Va. 14°.E

500 Cr. Trail.

705 Cross Air Line.

1460 To Cor. No. 3.

Identical with the loc. and with cor. No. 4 Middleton No. 1 lode of this sur.

A Shist stone 6X12X26 ins. set 14 ins. in the ground, with mound of stones, chiseled E. No. 1-3-M. No. 1-4-2346. Whence:
X-B-R-E. No. 1-3-M. No. 1-4-2346 chiseled on rock in place brs.
S 9°.00'E 4.9 ft. No other bearings available.

Loc. cor. mon. of stones 3X3 ft.

Thence N34°.08W
Va. 14°.E

300 F. C. F.

600 To Cor. No. 4.

Identical with the loc. and with cor. No. 3. Air Line No. 3 lode of this sur. hereinbefore described.

Thence S 55°.52'W
Va. 14°.E

360 Cr. Trail

625 Cross Air Line.

910 Cr. Trail

960 " "

1460 To Cor. No. 1 the place of beginning.

MIDDLETON No. 1 LODGE.

Beginning at Cor. No. 1

Identical with the loc. and with Cor. No. 2. Extension No. 1 lode of this sur. hereinbefore described. Whence:-

U. S. M. M. No. 2. brs. N 45°.46'W 4582.25 feet.

Thence S 34°.08'E
Va. 14°.E

300 W.C.E.
 600 To Cor.No.3.
 Identical with the loc.and with Cor.No.1 Extension No.3
 lode of this sur.
 A Granite stone 10X12X24 ins.set 12 ins.in the ground
 with mound of stones, chiseled M.No.1-3-E.No.3-1-2346.
 No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thence N 55° 52' E
 Va 14° E

620 Cr.Trail.
 700 Cross Air Line.
 1460 To Cor.No.3.
 Identical with the loc.and with cor.No.4 Extension No.3
 lode of this sur.
 A Shist stone 4X6X24 ins.set 12 ins.in the ground, with
 mound of stones, chiseled M.No.1-3-E.No.3-4-2346.
 No bearings available. Loc.cor.mon.of stones 3X3 feet.

Thence N 34° 08' W
 Va. 14° E

300 E.C.E.
 600 To Cor.No.4.
 Identical with the loc.and with Cor.No.3 Extension No.1
 lode of this sur.hereinbefore described.

Thence S. 55° 53' W
 Va. 14° E

755 Cross Air Line.
 960 Cr.Trail.
 1460 To Cor.No.1 the place of beginning.

EXTENSION No.3 LODE.

Beginning at Cor.No.1.
 Identical with the loc.and with cor.No.2.Middelton No.1
 lode, of this sur.hereinbefore described. Whence:-
 U.S.M.M.No.2. hrs.N 44° 26' W 5171.77 feet.

Thence S 34° 08' E
 Va. 14° E

200 W.C.E.
 295 To Cor.No.3
 Identical with the loc.at ~~intersection~~ ^{on} line 4-1 Middelton

(10)

No. 2 lode, of this sur. at N 55° 52' E 170 ft. from cor. No. 1

A Granite stone 4X8X22 ins. set 12 ins. in the ground with mound of stones, chiseled E. No. 3-2-2346.

No bearings available. Loc. cor. mon. of stones 3X3 feet.

Thence ~~N 55° 52' W~~ N 55° 52' E
Va. 14° E

620 Cr. P. R.

650 Cross Air Line.

1320 Cor. No. 4 Middeltion No. 2 lode of this sur.

1460 To Cor. No. 3.

Identical with the loc.

A granite stone 6X8X24 ins. set 12 ins. in the ground with mound of stones, chiseled E. No. 3-3-2346.

No bearings available. Loc. cor. mon. of stones 3X3 ft.

Thence N 34° 08' W
Va. 14° E

95. E. C. E.

295 To Cor. No. 4.

Identical with the loc. and with cor. No. 3 Middeltion No. 1 lode of this sur. heretofore described.

Thence S 55° 52' W
Va. 14° E

760 Cross Air Line

840 Cr. Trail.

1460 To Cor. No. 1 the place of beginning.

MIDDELTON No. 2 LODE.

Beginning at Cor. No. 1.

Identical with the loc.

A Shist stone 4X8X30 ins. set 15 ins. in the ground with mound of stones, chiseled M. No. 2-1-2346. Whence:-

U. S. M. M. No. 2. hrs. N 42° 07' W 5436.33 feet.

No bearings available. Loc. Cor. mon. of stones 3X3 feet.

Thence S 34° 08' E
Va 14° E

300 W. C. E.

375 Cr. Rail Road.

600 To Cor. No. 2.

Identical with the loc. and with cor. No. 1 Middeltion No. 3 lode of this sur.

A Shist stone 4X12 X28 ins set 14 ins. in the ground with mound of stones, chiseled M. No. 2-2-M. No. 3-1-2346
No bearings available. Loc. cor. mon. of stones. 3X3 ft.

Thence N 55° .52' E
Va. 14° . E

230 Cr. Rail road.

800 " " "

1490 To cor. No. 3

Identical with the loc. and with cor. No. 4 Middleton No. 3

lode of this sur.

A quartzite stone 4X10X24 ins. set 12 ins. in the ground, with mound of stones, chiseled M. No. 2-3-M. No. 3.-4-2546

No bearings available. Loc. cor. mon. of stones 3X3 ft.

Thence N 34° .08' W
Va 14° . E

300 E. C. E.

600 To cor. No. 4

Identical with the loc.

A Granite stone 8X12X26 ins. set 14 ins. in the ground, with mound of stones, chiseled M. No. 3-4-2346.

No bearings available. Loc. cor. mon. of stones 3X3 ft.

Thence S 55° .52' W
Va. 14° E

670 Cross Air Line.

700 Cr. Rail road.

1320 Cor. No. 2 Extension No. 3 lode of this sur.

1490 To Cor. No. 1 the place of beginning.

MIDDLETON No. 3 LODGE.

Beginning at Cor. No. 1.

Identical with the loc. and with Cor. No. 2 Middleton No. 2

lode of this sur. hereinbefore described. Whence:-

U. S. M. M. No. 2 brs. N 41° .19' E 6030.88 feet.

Thence S 34° .08' E
Va. 14° . E

115 Cr. Rail road.

300 W. C. E.

600 To Cor. No. 2.

Identical with the loc.

(12)

A Granite stone 4X12X24 ins.set 12 ins.in the ground,with mound of stones ,chiseled M.No.3-2-2346

No bearings available. Loc.cor.mon.of stones 3X3 feet.

Thence N 55°.52'E

Va.14°.E

1490 To Cor.No.3.

Identical with the loc.

A Granite stone 6X12X24 ins.set 12 ins.in the ground,with mound of stones chiseled ,M.No.3-3-2346.

No bearings available. Loc.cor.mon.of stones 3X3 ft.

Thence N 34°.08'W

Va.14°.E

300 E.C.E.

431 Cr.Rail road.

600 To Cor.No.4.

Identical with the loc.and with Cor.No.3 Middleton No.2 lode of this sur.hereinbefore described.

Thence S 55°.52'W

Va.14°.E

690 Cr.Rail road.

1260 " " "

1 490 To Cor.No.1 the place of beginning.

Area

PEN LODGE.

Total area..... 11.363 acres ✓

Less area in conflict with ~~Sylvia~~ ^{Extension No. 2} lode of this

survey.....0.007 acres. ✓

Less area in conflict with Iron Chief lode

unsurveyed.....5.842 acres ✓

Total net area of PEN lode..... 5.514 acres. ✓

SYLVIA LODGE.

Total area.....20.661 acres ✓

Less area in conflict with Iron Chief unsurveyed.7.274 acre ✓

Less area in conflict with Extension No.2 lode of this

sur.not in conflict with Iron Chief lode 7.937 Acres ✓

Area in conflict with Extension No.2 lode of this sur.

and Iron Chief lode already excluded. 1.528 Acres ✓

Net area Sylvia lode... 5.45 Acres ✓

EXTENSION No. 2 LODE.

Total area.....20.111 acres. ✓

Less area in conflict with Iron Chief lode unsurveyed.

1.622 acres. ✓

Area in conflict with Sylvia lode of this sur

not excluded9.465 acres ✓

Area in conflict with Pen lode of this sur. not

excluded..... 0.007 acres. ✓

Total net area, Extension No. 2 lode.....18.482 acres. ✓

AIR LINE No. 1 LODE total and net area 20.111 " ✓

" " " 2 " " " " 20.111 " ✓

" " " 3 " " " " 20.111 " ✓

EXTENSION No. 1 LODE " " " " 20.111 " ✓

MIDDELTON No. 1 LODE " " " " 20.111 " ✓

EXTENSION No. 3 LODE " " " " 9.837 " ✓

MIDDELTON No. 2 LODE " " " " 20.523 " ✓

MIDDELTON No. 3 LODE " " " " 20.523 " ✓

Total net area of lode claim... *150.944 Acres*

Location

This claim is located on unsurveyed land approximately
 T. 11. N. R. 1. E. Peck Mining District Yavapai County, Arizona.

Adjoining claims

This claim is bounded on the North by Sur. No. 1462 Hot
 Number lode and Iron Chief lode unsurveyed, and on all other
 sides by U.S. Land.

Vein

- PEN ledge brs N 27°.44'E from W.C.E. 1500 ft.
- SYLVIA ledge br's S 27°.11'W 1500 ft. from E.C.E.
- EXTENSION No. 2 ledge brs. N 55°.52'E 1460 ft. from W.C.E.
- AIR LINE No. 1 " " N 55°.52'E 1460 ft. from W.C.E.
- " " " 2 " " N 55°.52'E 1460 " " W.C.E.
- " " " 3 " " N 55°.52'E 1460 " " W.C.E.
- EXTENSION No. 1 " " N 55°.52'E 1460 " " W.C.E.
- MIDDELTON No. 1 " " N 55°.52'E 1460 " " W.C.E.
- EXTENSION No. 3 " " N 55°.52'E 1460 " " W.C.E.
- MIDDELTON No. 2 " " N 55°.52'E 1490 " " W.C.E.
- MIDDELTON No. 3 " " N 55°.52'E 1490 " " W.C.E.

(14)

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, for each lode, and that said improvements consist of:-

PEN LODGE.

No. 1 Dis. cut brs. S 27°.44' W 750 ft. from E.C.E.

4X20X12 ft. value \$50.00

No. 2 Shaft which brs. S 27°.44' W 800 ft. from E.C.E.

4X6X10 ft. value.... \$100.00

No. 3 tunnel which brs. S 47°.20' W 460 ft. from Cor. No. 3

4X6X10 ft. course... S 47° W value.. \$60.00

" 4 cut which brs. S 40°.35' W 612 ft. from cor. No. 3

8X10X20 ft. value \$100.00

Trail across lode value \$50.00

note:

\$500.00 of the work in the working shaft is credited to this lode.

SYLVIA LODGE

No. 1 dis. cut which brs. S 27°.11' W 770 ft. from E.C.E

4X25 10 ft. face value..... \$100.00

Trail across lode valued at \$50.00

note:

\$500.00 of the work in the working shaft is credited to this lode.

EXTENSION No. 2 LODGE

No. 1 dis. Cut which brs. N 55°.52' E 550 ft. from W.C.E.

4X15X12 face. value..... \$70.00

" 2 shaft which brs. N 45°.45' E 680 ft. from Cor. No. 2

4X6X10 ft. value..... \$100.00

Trail across lode valued at \$50.00

note:

\$500.00 of the work in the working shaft is credited to this lode.

AIR LINE No. 1 LODGE

dis. No. 1 cut which brs. N 79°00' E 600 ft. from Cor. No. 1

4X15 X 10 ft. value \$70.00

" 2 cut which brs. N 87°00' E 701 ft. from Cor. No. 1

4X15X11 ft. value \$70.00

Trail across lode ...valued at \$50.00

note:

\$500.00 of the work in the working shaft is credited to this lode.

AIR LINE NO. 2 LODE.

No. 1 dis. cut which ^{brs.} N 80° 40' E 585 ft. from Cor. No. 1

4X18X11 ft. value at \$75.00

" 2 cut which brs. N 60° 45' E 640 ft. 4X6X40 ft...

from cor. No. 1 valued at \$100.00

Trail across lode valued at \$50.00

Note:

\$500.00 of the work in the working shaft is credited

to this lode.

AIR LINE No. 3. LODE.

No. 1 dis. cut which brs. N 55° 52' E 600 ft. from W.C.E.

4X18X10 ft. value \$75.00

" 2 cut which brs. N 25° 40' E 440 ft. from cor. No. 2

4X15X11 ft. value \$70.00

Trail across lode valued at \$50.00

Note:

\$500.00 of the work in the working shaft is credited to

this lode.

EXTENSION No. 1 LODE.

No. 1 dis. cut which brs. S 55° 52' W 720 ft. from E.C.E.

4X15X12 ft. value \$75.00

Trail across lode valued at .. . \$50.00

Note:

\$500.00 of the work in the working shaft is credited to

this lode.

MIDDLETON No. 1 LODE.

No. 1 dis. cut which brs. S 55° 52' W 690 ft. from E.C.E.

4X15X12 ft. value \$75.00

Trail across lode valued at \$50.00

Note:

\$500.00 of the work in the working shaft is credited to

this lode.

EXTENSION No. 3 LODE

No. 1 dis. cut which brs. S 70° 35' W 270 ft. from Cor. No. 3

4X15X12^{ft.} value \$75.00

Trail across lode valued at \$50.00

Note:

\$500.00 of the work in the working shaft is credited to

this lode.

MIDDLETON No. 2 LODE.

No. 1 dis. cut which brs. S 55° 52' W 430 ft. from E.C.E.

4X15 X13 ft. ...value \$75.00

No.2 cut which brs.S 23°.30'W 490 ft.from cor.No.4

4X15 X12 ft...value...\$75.00

" 3 cut which brs.S 40°.30'W 470 ft.from cor.No.4

4X14X11 ft....valued at\$75.00

Note
\$500.00 of the work in the working shaft is credited to this lode.

MIDDLETON No.3.LODE.

No1 dis.shaft which brs.N 55°52'E 720 ft.from W.C.E.

4X6X 25 ft.timbered valued at ...\$375.00

" 2 cut which brs,East 560 ft.from Cor.No.1

4X14 X10 ft.....valued at...\$70.00

" 3 cut which brs.N 76°50'E ^{490ft} from cor.No.1

4X15X13 ft....valued at ...\$75.00

" 4 cut which brs.N 68°.20'E ^{1030ft} from cor No.1

Note: 4X12 X 12 ft.... value\$70.00
\$500.00 of the work in the working shaft is credited to this lode.

WORKING SHAFT. which brs.N 45°.00'W 448 ft.from Cor.No.1

Pen lode of this sur. 5X12 ft.in the clear X 200 ft.deep timbered valued at \$10000.00

Note:
\$500.00 of work in this shaft is credited to each of the lodes in this claim,This shaft has all been sunk ~~in~~ within a year.

OTHER IMPROVEMENTS.

The N.W.Cor.of the boarding house brs-N 55°52'E 750 ft.

from Cor.No.1 Extension No.2 lode of this sur.

50X30 ft.course of long side .S30°.E value \$3000.00

The East Cor.of the office brs.S 40°.20'W682 ft.from Cor.

No.4 EXTension No.2 lode. 30X60 ft.course.of long side

S 27°.30'W...value\$3500.00

N.W.Cor.of the power house brs.N 58°.40'E 795 ft.from Cor

No.1 Middleton No.2 lode. 40X40 ft.course of side.

S 48°E value building\$1000.00

Boilers and compressors in building value \$5000.00

AIR LINE consisting of 700 ft.of pipe extending from

power house to mine valued at \$3500.00

The upper terminal of the Tram brs. N41°.10'E 385 ft.
from Cor. No. 1 SYLVIA LODE.

The lower terminal of the Tram brs. N 57°.40'E 665 ft.
from Cor. No. 1 Extension No. 3 lode.

Value of Tram\$10000.00

The cost of the Tram, Power house and Air Line is
credited equal portion to each of the 11 lodes in this
claim.

Note:-It is the intention of the claimants to work
these lodes in one group from the present Working Shaft,
will cross-cut the lodes at great depth.

It is absolutely necessary to have the Trail, Air Line,
Power house and Tram to work this claim.

Depot. S.W. Cor. of brs. N 87°.05'E 656 ft. from cor. No. 1

Middletown No. 2 lode. 15X50 ft. course of long side N23°.45'E

*Note. There are no monuments to be found
on the principal meridian within two
miles of this survey.*

This survey was made with a Gurley light mountain Solar
Transit. The courses were deflected from the true meridian
as determined by direct solar observations. The distances
were measured with 100-ft., and 500-ft. steel tapes.

William H. Murrill
U.S. Dep. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of De Soto

Mining Company
known as the Sylvan Park Subdivision No. 1 " " " " Amber No. 1 " " " " Amber No. 2 " " " " Amber No. 3

and showing the respective capacities in which they acted.

W. H. Merritt, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, J. M. Merritt

and....., do solemnly swear that we assisted William

H. Merritt, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of De Soto Mining Company

known as the Sylvan Park Subdivision No. 1 " " " " Amber No. 1 " " " " Amber No. 2 " " " " Amber No. 3

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

J. M. Merritt, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of Sept, 1907

W. H. Merritt
Notary Public

My commission expires
July 7-1909
14724b5m8-04

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H. Muritt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept. 13th 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of De Soto Mining Company, known as the De Soto Mining Company, situate in Peck Mining District, Yavapai County, Arizona, in Section —, Township No. —, Range No. —, and designated as Survey No. 2346, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or them its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Muritt
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said William H. Muritt
U. S. Deputy Mineral Surveyor, before me a Notary Public in and for
Yavapai County, Arizona this 27th
day of September 1906.

Ziba O. Brown, Notary Public,
Yavapai County, A. T.

my Commission Expires
Nov. 1 - 1909.

Affidavit of Five Hundred Dollars Improvements.

We, W E Glen and J M Merritt

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the ^{300 ft} ^{Peck} mining claim, situate in Peck

mining district, Yavapai County, Arizona Territory, for which De Soto

Mining Company

have made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and ^{its} ~~these~~ grantor... exceed five hundred dollars in value, and further that we are not personally interested in said mine.

W E Glen
J M Merritt

TERRITORY OF ARIZONA,
COUNTY OF Yavapai } ss:

Sworn to and subscribed before me this 27th day
of Sept, 1904

[SEAL.]

J M Merritt
Notary Public

17171b400-3-05
My comm exp
July 7 - 1909

"Middelton No 1."

Notice of Mining Location.

Lode Claim.

To All Whom it may Concern.

This Mining Claim, the name of which is the Middelton No 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Copper Cobre Mining Company the undersigned, on the 27th day of February, 1902.

The length of this claim is 1500 (Fifteen hundred) feet, and we claim 1300 feet, in a Northwesterly direction and 200 feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northwest to the Southeast.

The claim is situated and located in the Peck Mining District in Yavapai County, in the Territory of Arizona, about 5500 ft S 51°E from U.S. mineral monument No 2 Peck Mining District. The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a southeasterly direction 200 (Two hundred) feet from the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence S 56°W 300 feet to a monument of stones being the South corner (No 4) of said claim; thence N 34° W. 750 feet to a monument of stones at the center of the S.W. side line of said claim; thence N 34° W. 750 feet to a monument of stones being at the West corner (No 1) of said claim; thence N 56° E. 300 feet to a monument of stones at the center of the N.W. end of said claim; thence N 56° E 300 feet to a monument of stones being at the North corner (NO 2) of said claim; thence S. 34° E. 750 feet to a monument of stones being at the center of the N.E. side line of said claim; thence S 34° E 750 ft feet to a monument of stones at the East corner (NO 3) of said claim; thence S. 56° W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895, and amended March 2d, 1899, and March 15th 1901.

Dated and posted on the ground, this 27th day of February 1902.

Copper Cobre Mining Company
G.W.Middelton Agent.

Filed and recorded at request of G.W.Middelton May 22nd A.D. 1902, at 11:25 o'clock A.M. Book 63 of Mines, Page 61, Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By A.F.Kinsman, Deputy.

"Middelton NO 2."

Notice of Mining Location.

Lode Claim.

To all Whom it may Concern:

This Mining Claim, the name of which is the Middelton No 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Copper Cobre Mining Company the undersigned, on the 27th day of February, 1902.

The length of this claim is Fifteen hundred (1500) feet, and we claim 750 feet, in a Northeasterly direction and 750 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Peck Mining District in Yavapai County, in the Territory of Arizona, about 5300 ft S 51° E. from U.S. Mineral Monument No 2 Peck Mining District.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a Southwesterly (S.W.) direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N. 34° W. 300 feet to a monument of stones being the West corner (No 1) of said claim; thence N 56° E. 750 feet to a monument of stones at the center of the N.W. side line of said claim; thence N 56° E. 750 feet to a monument of stones being at the North corner (NO 2) of said claim; thence S 34° E 300 feet to a monument of stones at the center of the N.E. end of said claim; thence S 34° E 300 feet to a monument of stones being at the East corner (NO 3) of said claim; thence S.58°W. 750 feet to a monument of stones being at the center of the S.E. side line of said claim; thence S.58°W 750 ft feet to a monument of stones at the South corner NO 4 of said claim; thence N 34° W 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899, and March 16th 1901.

Dated and posted on the ground, this 27th day of February 1902.

Copper Cobre Mining Company
G.W.Middelton Agent.

Filed and recorded at request of G.W.Middelton May 22nd A.D. 1902, at 11:25 o'clock A.M., Book 63 of Mines, Page 32, Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By A.F.Kinsman Deputy.

"Middelton No 3."

Notice of Mining Location,

Lode Claim.

To All Whom it may concern:

This Mining Claim, the name of which is the Middelton N03 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Copper Cobre Mining Company the undersigned, on the 27th day of February, 1902.

The length of this claim is Fifteen hundred (1500) feet, and we claim 750 feet, in a Northeasterly direction and 750 feet in a southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Peck Mining District in Yavapai County, in the Territory of Arizona, about 6400 ft S 51° E from U.S. Mineral Monument No 2, Peck Mining District.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a southwesterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the southwest end line of said claim; thence N 34° W. 300 feet to a monument of stones being the West corner (No 1) of said claim; thence N.56°E. 750 feet to a monument of stones at the center of the N.W. side line of said claim; thence N 53°E 750 feet to a monument of stones being at the North corner (No 2) of said claim; thence S.34°E 300 feet to a monument of stones at the center of the N.E. end of said claim; thence S.34°E.300 feet to a monument of stones being at the East corner (No 3) of said claim; thence S. 56° W. 750 feet to a monument of stones being at the center of the S.E. side line of said claim; thence S 56° W. 750 feet to a monument of stones at the south corner (No 4) of said claim; thence N 34° W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the revised Statutes of the United States and of An Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899, and March 16th 1901.

Dated and posted on the ground, this 27th day of February 1902.

Copper Cobre Mining Company
G.W.Middelton Agent.

Filed and recorded at request of G.W.Middelton May 22nd A.D. 1902, at 11:25 o'clock A.M., Book 63 of Mines, Page 63, Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By A.F.Kinsman Deputy.

"Air Line No. 1,"

Notice of Mining Location.
Lode claim.

To All Whom it may concern:

This Mining claim, the name of which is the Air Line No.1 Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by _____ the undersigned, on the 23rd day of March 1903.

The length of this claim is 1500 feet, and we claim 600 feet in a Southwesterly direction, and 900 feet in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about S.70°E. 2300 feet from U.S. Mineral monument No.2 P.M.D. and it immediately adjoins and parallels the Extension No 2 Mining claim, (amended) of Apr. 3rd 1902, on the Southeast.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a Southwesterly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N.34°W. 300 feet to a monument of stones, being the West corner of said claim; thence N.53°E. 1500 feet to a monument of stones, being at the North corner of said claim; thence S.34° E.300 feet to a monument of stones at the center of the N.E.end of said claim; thence S.34° E. 300 feet to a monument of stones, being at the East corner of said claim; thence S.56° W. 1500 feet to a monument of stones at the South corner of said claim; thence N.34°W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 23rd day of March 1903.
Copper Cobre Mining Company
G.W.Middelton, Agent.

Filed and recorded at request of G.W.Middelton June 22 A.D. 1903 at 10:50 o'clock A.M., Book 59 of Mines, Page 73 Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By E.C.Averyt
Deputy Recorder.

"Air Line No 2."

Notice of Mining Location.
Lode Claim.

To All Whom it may concern;

This Mining Claim, the name of which is the Air Line No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the undersigned, on the 23rd day of March 1903.

The length of this claim is 1500 feet, and we claim 600 feet in a Southwesterly direction, and 900 feet in a Northeast-erly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about S. 64° E. 3350 feet from U.S. Mineral Monument No.2. P.M.D. and it immediately adjoins and parallels the Air Line No 1 Mining Claim, of March 23rd 1903, on the Southeast.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a Southwesterly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N.34° W. 300 feet to a monument of stones, being the West corner of said claim; thence N.56°E.1500 feet to a monument of stones, being at the North corner of said claim; thence S.34°E. 300 feet to a monument of stones at the center of the N.E. end of said claim; thence S.34° E. 300 feet to a monument of stones, being at the East corner of said claim; thence S.56° W. 1500 feet to a monument of stones at the South corner of said claim; thence N.34° W.300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Re- vise and Codify the Laws of the Territory of Arizona," approved March 13, 1901.

Dated and posted on the ground this 23rd day of March 1903.
Copper Cobre Mining Company,
G.W.Middelton, Agent.

Filed and recorded at request of G.W.Middelton June 22nd A.D. 1903 at 10:50 o'clock A.M., Book 39 of Mines, page 74, Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By E.C.Averyt

Deputy Recorder.

"Air Line No. 3."

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Air Line No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by ----- the undersigned, on the 23rd day of March 1903.

The length of this claim is 1500 feet, and we claim 600 feet in a Southwesterly direction, and 900 feet in a Northeast-erly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Peck Mining Dis-trict, in Yavapai County, in the Territory of Arizona, about S. 59° 30' E. 3860 feet from U. S. Mineral Monument No. 2, P. M. D. and it immediately adjoins and parallels the Air Line No. 2 Mining Claim of March 23rd 1903, on the Southeast.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Southwesterly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the S. W. end line of said claim; thence N. 34° W. 300 feet to a monument of stones, being the West corner of said claim; thence N. 56° E. 1500 feet to a monument of stones, being at the North corner of said claim; thence S. 34° E. 300 feet to a monument of stones at the center of the N. E. end of said claim; thence S. 34° E. 300 feet to a monument of stones, being at the East corner of said claim; thence S. 56° W. 1500 feet to a monument of stones at the South corner of said claim; thence N. 34° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", Approved March 16, 1901.

Dated and posted on the ground this 23rd day of March, 1903.

Copper Cobre Mining Company,
G. W. Middleton, Agent.

Filed and recorded at request of G. W. Middleton June 22nd A. D. 1903, at 10:50 o'clock A. M., Book 69 of Mines, page 75, Records of Yavapai County, Arizona.

(Seal) P. J. Farley,
County Recorder.
By E. C. Averyt,
Deputy Recorder.

"Extension NO.1."

Amended Location Notice.
Notice of Mining Location.
Lode Claim.

To All Whom it may Concern:

This Mining claim, the name of which is the Extension No 1 Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by Copper Cobre Mining Co the undersigned, on the 3rd day of April 1902.

The length of this claim is 1500 feet, and we claim 1450 feet in a Southeasterly direction and 50 feet in a Northwesterly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.W. To the S.E.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about S.38°E. 4100 ft from U.S. Mineral monument No 2. P.M.D. and immediately adjoins and parallels the Middleton No 1 Mining claim, of Feb. 27th 1902, on the Southwest. The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a Southeasterly direction 1450 feet from the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence S.56°W. 300 feet to a monument of stones, being the South corner of said claim; thence N.34°W.1500 feet to a monument of stones, being at the West corner of said claim; thence N.56° E. 300 feet to a monument of stones at the center of the N.W. end of said claim; thence N.56° E. 300 feet to a monument of stones being at the North corner of said claim; thence S.34° E. 1500 feet to a monument of stones at the East corner of said claim; thence S. 56° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revide and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 16th day of March 1903.

Copper Cobre Mining Co.
By G.W.Middelton, Agent.

Filed and recorded at request of G.W.Middelton June 22nd A.D. 1903 at 10:50 o'clock A.M., Book 39 of Mines, page 76, Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By E.C.Averyt

Deputy Recorder.

"Extension No 2."

Amended Location Notice.
Notice of Mining Location.
Lode Claim.

To All Whom it may concern;

This Mining Claim, the name of which is the Extension No 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by _____ the undersigned, on the 3rd day of April 1903.

The length of this claim is 1500 feet, and we claim 900 feet. in a Northeasterly direction, and 600 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, oneach side of the center of said claim..The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about S. 73° 15'E. 2300 -- from U.S. Mineral monument No. 2. P.M.D. and is about 950 feet S.E. of the mouth of the Hot Number Tunnel.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a Southwesterly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N.34° W. 300 feet to a monument of stones being the West corner of said claim; thence N 56° E 1500 feet to a monument of stones, being at the North corner of said claim; thence S. 34° E. 300 feet to a monument of stones at the center of the N.E. end of said claim; thence S.34°E. 300 feet to a monument of stones, being at the East corner of said claim; thence S. 53° E 1500 feet to a monument of stones at the South corner of said claim; thence N.34° W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 23rd day of March 1903.

Copper Cobre Mining Company.

By G.W.Middelton, Agent.

Filed and recorded at request of G.W.Middelton June 22 A.D. 1903 at 10:50 o'clock A.M., Book 69 of Mines, page 77 Records of Yavapai County, Arizona.

(Seal) P.J.Farley County Recorder.

By E.C.Averyt

Deputy Recorder.

"Extension No 3."

Notice of Mining Location.
Lode Claim.

To All Whom it may concern:

This Mining claim, the name of which is the Extension NO.3 Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Copper Cobre Mining Co. the undersigned, on the 26th day of March 1903.

The length of this claim is 1500 feet, and we claim 1400 feet in a Northwesterly direction, and 100 feet in a Southeast-erly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.W. to the S.E.

The claim is situated and located in the Peck Mining Dis-trict, in Yavapai County, in the Territory of Arizona, about S.53° E 5500 ft from U.S. Mineral monument No 2 P.M.D. and im-mediately adjoins and parralels the Middelton No 1 Mining claim of Feb. 27th 1902. on the Northeast.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones at a point in a south^hasterly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence S.56°W 300 feet to a monument of stones, being the South corner of said claim; thence N.34° W.1500 feet to a monument of stones, being at the West corner of said claim; thence N.56°E. 300 feet to a monument of stones at the center of the N.W. end ~~line~~ of said claim; thence N.56° E. 300 feet to a monument of stones, being at the North corner of said claim; thence S.34°E.1500 feet to a monument of stones at the East corner of said claim; thence S.56° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Re-vise and codify the Laws of the Territory of Arizona," approved March 13, 1901.

Dated and posted on the ground this 26th day of March 1903.

Copper Cobre Mining Company.
G.W.Middelton, Agent.

Filed and recorded at request of G.W.Middelton June 22 A.D. 1903 at 10;50 o'clock A.M., Book 39 of Mines, page 78 Records of Yavapai County, Arizona.

(Seal) P.J.Farley, County Recorder.

By E.C.Averyt

Deputy Recorder.

Notice of Mining Location.

Lode Claim.

To all Whom it may Concern;

This Mining Claim, the name of which is the "Pen" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by De Soto Mining Company the undersigned, on the 25 day of January, 1906.

The length of this claim is 1500 feet, and the Co, claims 727 feet, in a Northeasterly direction and 773 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Southwest to the Northeast.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about _____ in a Westerly direction from the Mining camp known as the De Soto Mining Camp.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at _____ at a point in a Northeasterly direction 773 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 30.. feet to a point, being the Northwest corner of said claim; thence 1500 feet to a point, being at the Southwest corner of said claim; thence 30 feet to a point at the center of the South end of said claim; Thence 300 feet to a point, being at the Southeast corner of said claim; thence 1500 feet to a point at the Northeast corner of said claim thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901. Dated and posted on the ground this 25 day of January 1906.

De Soto Mg Co.
By R.T.Mason, Supt.
J.J.Wilson.

Filed and recorded at request of Herndon & Norris, Jan, 29th A.D. 1906 at 4:03 o'clock P.M., Book 75 of Mines, Page 209, Records of Yavapai County, Arizona.

(Seal) Roland Mosher
County Recorder.
By E.C.Averyt
Deputy Recorder.

Notice of Mining Location.

Lode Claim.

To all Whom it may Concern:

This Mining claim, the name of which is the "Sylvia" Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by De Soto Mining Company the undersigned, on the 25 day of Jany, 1906.

The length of this claim is 1500 feet, and the Co claims 750 feet, in a Northeasterly direction and 750 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Southwest to the Northeast.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about --- in an Easterly direction from the "Hot Number" Mining claim, and parallel thereto.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at --- at a point in a North-easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a point, being the Northwest corner of said claim; thence 1500 feet to a point, being at the Southwest corner of said claim; thence 300 feet to a point at the center of the South end of said claim; thence 300 feet to a point, being at the Southeast corner of said claim; thence 1500 feet to a point at the Northeast corner of said claim; thence 300 feet to the place of beginning.

All done under the Provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 25 day of January 1906.

De Soto Mg.Co.
by R.T.Mason, Supt.
J.J.Wilson.

Filed and recorded at request of Herndon & Norris, Jan 29"
A.D. 1906 at 4:03 o'clock P.M., Book 75 of Mines, Page 210,
Records of Yavapai County, Arizona,

(Seal) Roland Mosher,
County Recorder.
By E.C.Averyt
Deputy Recorder.

TERRITORY OF ARIZONA,)
 County of Yavapai.) ss.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same contains a full, true and correct copy of each of the following described instruments, as the same appears from the records of my said office, viz:-

Notice of Location of the Middleton No. 1 Mining Claim, of record in Book 63 of Mines, page 61, records of Yavapai County, Arizona;

Notice of Location of the Middleton No. 2 Mining Claim, of record in Book 63 of Mines, page 62, said records;

Notice of Location of the Middleton No. 3 Mining Claim, of record in Book 63 of Mines, page 63, said records;

Notice of Location of the Air Line No. 1 Mining Claim, of record in Book 69 of Mines, page 73, said records;

Notice of Location of the Air Line No. 2 Mining Claim, of record in Book 69 of Mines, page 74, said records;

Notice of Location of the Air Line No. 3 Mining Claim, of record in Book 69 of Mines, page 75, said records;

Amended Notice of Location of the Extension No. 1 Mining Claim, of record in Book 69 of Mines, page 76, said records;

Amended Notice of Location of the Extension No. 2 Mining Claim, of record in Book 69 of Mines, page 77, said records;

Notice of Location of the Extension No. 3 Mining Claim, of record in Book 69 of Mines, page 78, said records;

Notice of Location of the Pen Mining Claim, of record in Book 75 of Mines, page 209, said records;

Notice of Location of the Sylvia Mining Claim, of record in Book 75 of Mines, page 210, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 11th day of September, A. D. 1906.



Roland Mosher
 County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

Oct. 13, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of DE SOTO MINING COMPANY

known as the Sylvia, Pen, Extension No. 1, Extension No. 2, Extension No. 3, Air Line No. 1, Air Line No. 2, Air Line No. 3, Middleton No. 1, Middleton No. 2, Middleton No. 3

situate in P. M. C. K.

Mining District, Yavapai County, Arizona

in Section, Township No., Range No., and

designated as Survey No. 2346, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 19 cuts, 3 shafts, 1 tunnel and trail, total value \$2530. and \$5500.00, credited from working shaft making \$8030.00 upon or for the group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

Oct. 13, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

DE SOTO MINING COMPANY

known as the Sylvia, Pen, Extension No.1, Extension No.2, Extension No. 3, Air Line No.1, Air Line No.2, Air Line No.3, Middleton No.1, Middleton No.2, Middleton No. 3

situate in P E C K Mining District,

Yavapai County, Arizona

in Section, Township No., Range No.

designated as Survey No. 2346

executed by W. H. Merritt, U. S. Deputy Mineral

Surveyor, Sept. 15 - Sept. 21, 1906, under my instructions dated

Sept. 13, 1906, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for

survey is included in the field notes.

Handwritten signature of Frank A. Sigalla

U. S. Surveyor-General for Arizona

MISSING

PAGE(S)

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 2346
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Middelton No.1, Middelton No.2, Middelton NO.3, Air Line No.1, Air Line No.2, Air Line No.3, Extension No 1, Extension No 2, Extension NO.3, Pen, and Sylvia lodes, Mineral Survey No. 2346, located in approx. sections 19, 20, and 29, Township 11 North, Range 1 East (unsurveyed), Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Middelton No.1, Middelton No.2, Middelton NO.3, Air Line No.1, Air Line No.2, Air Line No.3, Extension No 1, Extension No 2, Extension NO.3, Pen, and Sylvia lodes M.S. 2346, were canceled July 21, 2010, by memo 9605 (956) M.S. 2346, which is now a part of the original field notes."

July 21, 2010
Date


Acting Chief Cadastral Surveyor of Arizona