

**M
S
-**

0

2

3

6

8

FEB 23 1907
MAR 9 1907

1

Copy by,
W.S.I., 3/18/00.

(4-683.)

Mineral Survey No. 2368

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John G. Kerr, William Chapin et al

KNOWN AS THE

Sierra Placer

Unknown

Mining District,

Cochise County, Arizona.

Section, Township, Range

Surveyed under instructions dated December 4, 1906

by E. C. Rabbitt,

U. S. Deputy Mineral Surveyor.

Claim located See location notice, 1

Survey commenced Dec. 6th, 1906

Survey completed Dec. 20th, 1906

o 6-180

Address of Claimant
J. G. Kerr,
Empire Bldg,
Denver,
Colo.

12

145 293

Feet

Sur. No. 2368
Sierra Placer.

Beginning at Cor. No. 1.

A granite stone 30 x 10 x 8 ins
set 18 ins in the ground with
mound of stones, chiseled $\frac{2}{2368}$
whence U.S.L.M. 2368 bears
 $N. 65^{\circ} 19' E. 547.1$ ft. Identical with Cor. No. 4
of the amended location.

Thence $N. 89^{\circ} 52' W.$

1320 To Cor. No. 2,

A granite stone, 30 x 8 x 8 ins
set 18 ins in the ground with
mound of stones, chiseled $\frac{2}{2368}$
Identical with Cor. No. 5 of the amended location.

Thence $N. 0^{\circ} 8' E.$

650 Stream 2 ft wide flowing $N. 45^{\circ} E.$

660 To Cor. No. 3

A granite stone 28 x 10 x 8 ins
set 18 ins in the ground with
mound of stones, chiseled $\frac{3}{2368}$
Identical with Cor. No. 6 of the amended location

Thence $N. 89^{\circ} 52' W.$

1320 To Cor. No. 4,

A lime stone, 26 x 10 x 12
ins, chiseled $\frac{4}{2368}$, in mound
of stones, set on bed rock, identical with
Cor. No. 7 of the amended location.

Thence $N. 0^{\circ} 8' E.$

660 To Cor. No. 5,

A lime stone 28 x 10 x 10 ins
set 18 ins in the ground with
mound of stones, chiseled $\frac{5}{2368}$.
Identical with Cor. No. 8 of the amended location

Thence $N. 89^{\circ} 52' W.$

1320 To Cor. No. 6,

A lime stone 28 x 9 x 9 ins set 18
ins in the ground with mound
of stones, chiseled $\frac{6}{2368}$ whence
a cedar tree, 10 ins dia. placed
and circled B.T. $\frac{6}{2368}$ bears

sect $N. 6^{\circ} 37' W.$ 7.4 ft. Identical with
Cor. No. 9 of the amended location.

660 Hence $N. 0^{\circ} 8' E.$
To Cor. No. 7,

A lime stone $30 \times 8 \times 7$ ins
set 18 ins in the ground with
mound of stones, chiseled
 $7/2368$, Identical with Cor. No. 10 of
the amended location.

1320 Hence $N. 89^{\circ} 52' W.$
To Cor. No. 8,

a granite stone $28 \times 10 \times 10$
ins set 18 ins in the ground
with mound of stones, chiseled
 $8/2368$, Identical with Cor. No. 11 of the
amended location,

660 Hence $S. 0^{\circ} 8' W.$
To Cor. No. 9

a granite stone $26 \times 10 \times$
 12 ins set 18 ins in the ground
with mound of stones, chiseled
 $9/2368$. Identical with Cor. No. 12 of
the amended location.

660 Hence $S. 89^{\circ} 52' E.$
To Cor. No. 10

A lime stone $29 \times 10 \times 11$ ins
set 18 ins in the ground with
mound of stones, chiseled $10/2368$
Identical with Cor. No. 13 of the amended location

660 Hence $S. 0^{\circ} 8' W.$
To Cor. No. 11,

A lime stone $28 \times 10 \times 10$ ins set
18 ins in the ground with
mound of stones, chiseled
 $11/2368$. Identical with Cor. No. 14 of the
amended location.

1320 Hence $S. 89^{\circ} 52' E.$
To Cor. No. 12

a lime stone $29 \times 9 \times 9$ ins set
18 ins in the ground with mound
of stones, chiseled $12/2368$. Identical
with Cor. No. 15 of the amended location

Feet
 660 Fence S. 0° 8' W.
 To Cor. No. 13
 A lime stone 30 x 10 x 12 ins set 18 ins in the ground with mound of stones, chiseled 13/2 368. Identical with Cor. No. 16 of the amended location.

Fence S 89° 52' E
 660 Left bank of dry wash course N 40° E
 700 Right bank of dry wash course N 40° E
 1320 To Cor. No. 14
 A lime stone, 30 x 10 x 6 ins set 18 ins in the ground with mound of stones, chiseled 14/2 368. Identical with Cor. No. 17 of the amended location.

Fence S. 0° 8' W.
 660 To Cor. No. 15
 A granite stone 36 x 6 x 8 ins set 18 ins in the ground with mound of stones, chiseled 15/2 368. Identical with Cor. No. 18 of the amended location.

Fence S. 89° 52' E.
 1320 To Cor. No. 16
 A lime stone 28 x 9 x 9 ins set 18 ins in the ground with mound of stones, chiseled 16/2 368 whence x B.P. 16/2 368 chiseled on north face of quartzite ledge 3 ft high, bears N. 65° 58' E. 19.89 ft. Identical with Cor. No. 19 of the amended location.

Fence S. 0° 8' W.
 660 To Cor. No. 17,
 A limestone, 28 x 8 x 8 ins set 18 ins in the ground with mound of stones, chiseled 17/2 368. Identical with Cor. No. 20 of the amended location.

Fence S. 89° 52' E.
 660 To Cor. No. 18
 A lime stone 26 x 8 x 10 ins set 18 ins in the ground with mound

Feet of stones, chiseled $1/2368$. Identical with Cor. No. 21 of the amended location.

Hence $S. 0^{\circ} 8' W.$

660 To Cor. No. 19

A granite stone, $28 \times 6 \times 8$ ins set 18 ins in the ground with mound of stones, chiseled $1/2368$ identical with Cor. No. 22 of the amended location.

Hence $S 89^{\circ} 52' E.$

~~900 Bottom of Suley Course $N. 60^{\circ} E.$~~

660 To Cor. No. 20

A lime stone $30 \times 10 \times 8$ ins set 18 ins in the ground with mound of stones, chiseled $20/2368$ where Cor. No. 1 of the amended location bears $S 89^{\circ} 52' E$ 660 ft.

Hence $N. 0^{\circ} 8' E.$

500 Bottom of Suley Course $N. 50^{\circ} E.$

1320 To Cor. No. 21

A lime stone $28 \times 10 \times 12$ ins set 18 ins in the ground with mound of stones, chiseled $21/2368$, where Cor. No. 2 of the amended location bears $S 89^{\circ} 52' E$ 660 ft.

Hence $N. 89^{\circ} 52' W.$

660 To Cor. No. 22,

A granite stone $28 \times 6 \times 8$ ins set 18 ins in the ground with mound of stones, chiseled $22/2368$. Identical with Cor. No. 3 of the amended location.

Hence $N. 0^{\circ} 8' E.$

660 To Cor. No. 1 the place of beginning.

Variation at all corners $12^{\circ} 30' E$

Area
Containing 140 acres.

Location.

This claim is located on unsurveyed lands mining district unknown, Cochise Co. Arizona, in approximately $S. 14^{\circ} N. 29^{\circ} E.$ of $S. P. Bear$ meridian

Expenditure of five hundred Dollars.

I certify that the value of the labor and improvements upon the claims placed thereon by the claimants and their grantors is not less than five hundred dollars and that said improvements consist of:

- No. 1: A tunnel 6 x 7 ft. 20 ft. long, course from north S. 20° E. the mouth of which bears from Cor. No. 14 N. 70° W. 410 ft. Value \$300⁰⁰
- No. 2: An open cut 70 ft. long 6 ft. wide 10 ft. face, course from north S. 20° E. the center of which bears from Cor. No. 14 N. 66° W. 400 ft. Value \$750⁰⁰
- No. 3: An open cut or quarry 30 ft long 10 ft wide 10 ft deep course of long side N. 30° E. the center of which bears from Cor. No. 16 N. 25° W. 150 ft. Value = \$250⁰⁰
- No. 4: An open cut 10 ft wide 15 ft. long 10 ft face course from north North the center of which bears from Cor. No. 22 S. 58° W. 330 ft. Value = \$200⁰⁰

Other Improvements.

A dwelling house 40 x 25 ft. course of long side N. 75° E. the S.E. corner of which bears from Cor. No. 3 S. 64° 20' W. 850 ft.

A barn 30 x 20 ft. course of long side N. 75° E. the S.E. corner of which bears S. 68° W. 785 ft. from Cor. No. 3 These improvements belong to J. H. Lawton.

Instrument
This survey was made with a

Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with steel tapes.

Note:

The difference between these field notes and the amended location certificate as to the course of the boundary lines is due to an error of 8' in the latter.

There are no known adjoining claims

U.S.L.M. 2368. ✓

U.S.L.M. 2368 consists of a cedar post 6 in square 6 ft long set on bed rock scribed U.S.L.M. 2368. On the rock at the base of the post is chiseled U.S.L.M. 2368. The monument is surrounded by mound of stones 4 ft high and 6 ft in diameter.

From U.S.L.M. 2368 Helens Dome bears $S 9^{\circ} 01' W$; Emigrant Peak bears $S 64^{\circ} 2' E$; Tom Riggs Ranch House bears $S 79^{\circ} 16' E$; Eagles Nest Mt. bears $S 20^{\circ} 44' E$ and R.R. Depot at Saw Simow bears $N 61^{\circ} 14' E$.

A cedar tree 18 in dia. blazed and scribed B.T. U.S.L.M. 2368 bears $S 74^{\circ} 6' W$ and X. U.S.L.M. 2368 B.R. chiseled on a quartzite ledge 2 ft high bears $N 26^{\circ} 54' W$ 11 ft.

U.S.L.M. 2368 is situated in Cochise Co. Arizona, on unsurveyed lands and is approximately in the S.W. corner of T. 14 S. R. 29 E. Gila and Salt Riv. Meridians. It is about 12 miles in a South Eastern direction from the town of Leviston. There is no corner of the public survey within two miles.

In Dec. 26, 1905, U.S.L.M. 2368, see field approved

April 14, 1907

As witness, hand of Charles H. ...

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. C. Rabbitt

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of John G. Kerr

William Schaper et al

known as the Siena Placer

and showing the respective capacities in which they acted.

Antice Dickson, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

I, Antice Dickson

and, do solemnly swear that ~~we~~ ^I assisted E. C. Rabbitt

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of John G. Kerr,

William Schaper et al

known as the Siena Placer

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

Antice Dickson, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of December, 1906

L. Kearney

Notary Public

My com. Expro, Nov. 10, 1909.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E. C. Babbitt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated December 4 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John G. Keer, William Schaefer et al, known as the Sierra Placer, situate in Unknown Mining District, Cochise County, Arizona, in Section _____, Township No. _____, Range No. _____ and designated as Survey No. 2368, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. C. Babbitt

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt
U. S. Deputy Mineral Surveyor, before me Charles A. Smith, a Notary Public in and for the City & Co. of Denver this 16th day of February 1907,
State of Colorado

My Commission Expires Feb. 17th 1910.

Charles A. Smith
Notary Public

(4-694.)

TITLE PAGE TO REPORT UNDER CIRCULAR "N" OF SEPTEMBER 23, 1882.

REPORT

Under General Land Office Circular "N" of September 23, 1882, upon the Placer Mining

Claim known as the *Sierra Placer*

John S. Kerr, claimed by *William Schaefer et al*

situate in *(unknown)* Mining District,
Cochise County, *Arizona*, embracing
140 acres.

in Sec. _____, Town. *14 S*, Range *29 E. G. & S. P. Meridian*

Examination made *Dec 15*, 1906,

By *E. C. Rabbitt*
U. S. Deputy Mineral Surveyor.

Sur. No 2368
Sierra Place.

a The soil embraced in this claim consists of decomposed lime and marble. The ground is mountainous and covered with a scant growth of grass and cactus.

b There is also a scant growth of jack pines on the ground. The only stream on the claim comes from the the spring which bears from Cor. No. 14 $N70^{\circ}W$ 420 ft. and known as Goodwin Spring. This flows about thirty gals of water. This stream flows in a north easterly direction and is about 2 ft wide.

A dwelling house 40 x 25 ft course of long side $N.75^{\circ}E.$ the S.E. corner of which bears from Cor. No. 3 $S.64^{\circ}20'W.$ 850 ft.

c The surface and underground workings on this claim consist of a ^{Dis.} Tunnel 6 x 7 ft 20 ft long course from mouth $S.20^{\circ}E.$ the mouth of which bears from Cor. No. 14 $N70^{\circ}W$ 410 ft.

An open cut or quarry 10 ft long 6 ft wide 10 ft face course from mouth $S.20^{\circ}E.$ the center of which bears from Cor. No. 14 $N66^{\circ}W$ 400 ft.

An open cut or quarry 30 ft long 10 ft wide 10 ft deep course of long side $N.30^{\circ}E.$ the center of which bears from Cor. No. 16 $N.25^{\circ}W.$ 150 ft.

An open cut 10 ft wide 15 ft long 10 ft face course from mouth north the center of which bears from Cor. No. 22 $S.58^{\circ}W.$ 330 ft.

d The nearest post office is

Jeviston a small railroad town on the Southern Pacific R.R. about 12 miles N.W. Jeviston is also the nearest railroad station.

e The nearest system of locks is at Tombstone about 45 miles southwestly. The nearest individual mine is the Hooker about 4 miles south westly.

f This claim is underlain throughout is almost ^{its} entire extent with marble and lime stone. The marble is of first class quality and valuable for building purposes. The marble can be quarried in large blocks without unusual expense and can be readily transported by wagon to the railroad at Jeviston.

g The works and expenditures made by the claimants for the development of the claim consist of workings described under paragraph c. of this report.

h There are no mines, salt licks, salt springs or mill seats upon this claim.

OATH OF U. S. DEPUTY MINERAL SURVEYOR

Under General Land Office Circular "N" of September 23, 1882.

I, E. C. Babbitt, U. S. Deputy Mineral

Surveyor, do solemnly swear that in pursuance of an order received from the U. S.

Surveyor General for Arizona dated Dec 4

1906, I have made, under the provisions of General Land Office Circular "N," approved September 23, 1882, a personal and thorough examination, upon the premises,

of the placer mining claim of John G. Keir, William Shaf
er et al

known as the Sierra Placer

situate in _____ Mining District,

Cochise County, Arizona, embracing

140 acres

in Township No. 14 S, Range No. 29 E 7th SR BM, and that my report of such examination, hereto attached, is specific and in detail, and is a full and true statement of the facts upon all the points specified in said Circular.

E. C. Babbitt
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt

_____, U. S. Deputy Mineral Surveyor,

before me Charles A. Smith a Notary Public

this 18th day of February, 1907

My Commission Expires Feb. 17th 1910.

Charles A. Smith
Notary Public

CORROBORATIVE AFFIDAVIT UNDER GENERAL LAND OFFICE
CIRCULAR "N" OF SEPTEMBER 23, 1882.

Territory of Arizona }
County of Cochise } ss:

James E. Dickson and J. J. Riggs

being first duly sworn, severally depose and say that he is personally and well acquainted

with the placer-mining claim of John S. Lee, William Schaffer et al., known as the Siena Placer

....., situate in

..... Mining District,

Cochise County, Arizona, embracing

140 acres

....., in Township No. 14 S

Range No. 29 E. & S. P. B. M.; and also with the character of all the land included

in said claim, and has been so acquainted for two years last

past; that his knowledge of said claim and land is derived from having

frequently been on the same

..... and is such as to enable him to

testify understandingly with regard thereto; that he has carefully read the foregoing

report of E. C. Rabbit, U. S. Deputy Mineral

Surveyor, and that to his own personal knowledge said report is in all respects true and

accurate.

James E. Dickson
J. J. Riggs

Subscribed and sworn to by the above-named persons before me

this 17th day of December, 1886

J. W. Warren
Justice of the Peace

TERRITORY OF ARIZONA,)
:SS.
County of Cochise.)

I, Frank Hare, County Recorder of the County of Cochise, Territory of Arizona, do hereby certify that J.W. Walker, whose name is subscribed to the annexed instrument was, at the date of the same, and is now, a Justice of the Peace in and for said Cochise County, Precinct No. 7, duly commissioned and qualified and authorized by law to administer oaths and take acknowledgments of instruments, and as such full faith and credit are due to all his official acts.

IN Witness Whereof, I have hereunto set my hand and affixed the seal of the said County Recorder, at my office, in the County of Cochise, this 19th day of December 1906.

Frank Hare

County Recorder of Cochise County.

DEC 3-17 1895

Amended Location notice of the SIENA Placer Mining Claim
Without Waiver of any rights accruing under Original
Location Notice.

To all whom it may concern:-

This placer mining claim, the name of which is the
Siena Placer Mining Claim, situate on lands belonging to the United
States of America, and being a form of ^{valuable} mineral deposit other than
in veins or lodes of quartz or other rock in place, was entered
upon for the purpose of exploration and purchase by William Schafer,
Joseph Schafer, J.H. Lawhon, J.G. Kerr, Walter Thomson, Thomas Shepard
H.A. Rohe and William McPherson, citizens of the United States,
the undersigned, on the 14th day of November 1906.

We claim 160 acres thereof, and have marked the same as

follows: Beginning at Corner #1
Thence north 1320 feet to corner #2
Thence west 1320 feet to corner #3
Thence north 660 feet to corner #4
Thence west 1320 feet to corner #5
Thence north 660 feet to corner #6
Thence west 1320 feet to corner #7
Thence north 660 feet to corner #8
Thence west 1320 feet to corner #9
Thence north 660 feet to corner #10
Thence west 1320 feet to corner #11
Thence south 660 feet to corner #12
Thence east 660 feet to corner #13
Thence south 660 feet to corner #14
Thence east 1320 feet to corner #15
Thence south 660 feet to corner #16
Thence east 1320 feet to corner #17
Thence south 660 feet to corner #18
Thence east 1320 feet to corner #19
Thence south 660 feet to corner #20
Thence east 660 feet to corner #21
Thence south 660 feet to corner #22
Thence east 1320 feet to corner #1 the place of beginning, con-

taining 160 acres. From corner #9, a cedar tree 10 inches in
dia. blazed and marked "b/s/cor. No/9", Siena Placer bears N/6° 37'
west 7.4 feet. This claim is situated about 12 miles in a south
easterly direction from the town of Reviston. The corners of
this claim are mounds of stone three feet high. A copy of this
notice is placed in a mound of stone which bears n. 71° W. 410
feet from corner #17. All in the County of Cochise, in the Territory
of Arizona, mining district unknown.

All done under the provisions of Chapter Six, of Title XXXII of
the Revised Statutes of the United States, and of an Act of the
general Assembly of Arizona, entitled, "An Act to Revise and Codify

the Laws of the Territory of Arizona" approved March 16th, 1901.
William Schafer J.G. Kerr H.A. Rohe
Joseph Schafer Walter Thomson William McPherson
J.H. Lawhon Thomas Sheppard

Filed and recorded at request of JNo.G.werr Dec. 1, 1906 at 1 P.M.
 Book 25 record of Mines pages 592-4

Territory of Arizona)
 :SS
 County of Cochise)

I, Frank Hare County Recorder in and for said
 county hereby certify that I have compared the foregoing copy
 with the amended Location notice of the Siena mining claim
 filed and recorded in my office Dec. 1st, 1906 in Book 25 Record
 of Mines Page 592-4 and that the same is a full, true and correct
 copy of such original and of the whole thereof.

Witness my hand and official seal this 1st day of Dec. 1906

Frank Hare
 County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 9, 1907

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of John G. Kerr, William Schafer et al

known as the Sierra Placer

situate in unknown

Mining District, Cochise County, Arizona

in Section, Township No., Range No., and

designated as Survey No. 2368, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or their grantors, and that said improvements consist of 1 tunnel and 3 cuts, valued at \$900.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

April 9, 1907.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of John G. Kerr, William Schafer et al

known as the Siena Placer

situate in unknown Mining District, Cochise County, Arizona

in Section, Township No., Range No., designated as Survey No. 2368

executed by E. C. Babbitt, U. S. Deputy Mineral Surveyor, Dec. 6-20, 1906, under my instructions dated

Dec. 4, 1906, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Handwritten signature of Frank A. Scales

U. S. Surveyor-General for Arizona.

MAP