(4-683.)

Mineral Survey No. 2384

Lot No.....

Arizona Land District.

FIELD NOTES

Superior and Boston Copper Company.

KNOWN AS THE

GLOBITE

Globe

Globe

Globe

County,

Arizona

Section 17 Township 1 N. Range 16 E. (Uns.)

Surveyed under instructions dated January 28, ... 1 907.

by

Luxury J. Luxury Mineral Surveyor

Claim located January 26, ... 1 907.

Survey commenced Fabruary 8, ... 1 907.

Survey completed February 10, ... 1 907.

0 6-100

Address of claimant's attorney;

Geo. R. Hill,

Globe, Arizona.

Mineral Survey No. 2384.

Globite lode.

Feet

Beginning at Cor. No. 1, whence the N. W. Cor. of the location bears S. 67°-00' W. 308.0 ft.

A. pine post, 4 ft. long, 4 ins. sq., set 12 ins. in the ground, to bed rock, with mound of stone, scribed 1 - 2384, whence

The quarter section corner between Section 13, Township 1 N., R. 15 E. (Surveyed) and Section 18, Township 1 N., R. 16 E. (Unsurveyed,) G. & S. R. B. & M. bears N. 87°-44' W. 6505.5 ft.

Cor. No. 1, Iron King lode, Sur. 2297 bears S. 38°-11' W. 427.96 ft.

A cross on limestone in place about which is chisled B. R. 1 - 2384 bears N. 37°-38' W. 14.4 ft.

No other bearings available.

Thence S. 23°-00' E.

300.0

To the S. W. End Center, a monument of stone, whence the monument of location bears S. 670-00' W. 308.0 ft.

At intersection of line 2-3, Red Oxide lode, Sur. 2295 with line 4-1, Iron King lode, Sur. 2297, being N. 54°-34' E. 474.0 ft. from Cor. No. 2 and S. 54°-34' W. 1026.1 ft. from Cor. No. 3 of said Red Oxide lode and S. 81°-02' W. 1113.3 from Cor. No. 4 and N. 81°-02' E. 386.5 ft. from Cor. No. 1 of the said Iron King lode. To Cor. No. 2, whence the S. W. Cor. monument of the location bears S. 67°-00' W. 308.0 ft.

600.0

A. pine post 4 ft. long, 4 ins. sq., set 10 ins. in the ground, to bed rock, with mound of stone, scribed 2 - 2384, whence

Cor. No. 2, Red Oxide lode, Sur. 2296 bears N. 89°-51' W. 503.43 ft.

Cor. No. 3, Black Oxide lode, Sur. 2297 bears
N. 83°-52' W. 537.8.

Cor. No. 4, Japan lode, Sur. 2297 bears N. 80°-25' W. 486.35 feet.

Feet.

A cross on limestone in place about which is chisled B. R. 2 - 2384 bears N. $78^{\circ}-17^{\circ}$ W. 20.6 ft.

No other bearings available.

Thence N. 67°-00' E.

- 1074.92 Intersect line 3-4, Iron King lode, Sur. 2297 at S. 13°-16' E. 30.48 ft. from Cor. No. 4.
 - 1191.7 To Cor. No. 3, identical with the S. E. Cor. of the location.

A pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of stone, scribed 3 - 2384, whence

Cor. 4, Iron King lode, Sur. 2297 bears S. 820-04' W. 115.6 ft.

No. other bearings available.

Thence N. 23°-00' W.

- 300.0 To the N. E. End Center, identical with monument of the location.
- 600.0 To Cor. No. 4, identical with the N. E. Cor. of the location.

A pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of stone, scribed 4-2384, whence Cor. No. 3, Red Oxide lode, Sur. 2296 bears S. 440-22' W. 205.0 ft.

The N. W. Cor. of Shaft No. 2 bears S. 07°-55' E.

No other bearings available.

228.6 ft.

Thence S. 67°-00' W.

- 216.95 Intersect line 3-4, Red Oxide lode, Sur. 2296 at N. 42°-03' W. 83.65 ft. from Cor. No. 3.
- 1191.7 To Cor. No. 1, the place of beginning.

Mean Magnetic Var. at all Corners 13°-45' E.

Lode Line

As near as can be determined from present development, the vein of this claim extends N. 67°-00' E. 98.0 ft.

and S.67°-00' W. 1093.7 ft. from the point of discovery.

Area.

Total area of Globite lode

16.415 Acres.

Less conflict with Iron King lode, Sur. No. 2297..... 4.101

Less conflict with Red Oxide lode, Sur. 2296................. 4.335 8.436

Net area of Globite lode...... 7.979 Acres.

Adjoining and conflicting claims.

On the north, the Red Oxide, Survey 2296, The Globe and Arizona Development Company, claimants, and unknown claim; on the east, unknown claims; on the south, unknown claim and Iron King lode, Survey 2297, Globe and Arizona Development Company, claimants, and on the west by both the Red Oxide and Iron King lodes above mentioned.

This claim is located on unsurveyed land, partially in the N. W. $\frac{1}{4}$ and partially in the S. W. $\frac{1}{4}$ of what would be Section 17, Township 1 N., Range 16 E., Gila and Salt River Base and Meridian, when surveyed.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1, the discovery shaft, 4 X 6 X 10 feet, the center of which is on the lode line at S. 67°-00' W. 98.0 ft. from the N. E. End center. Value \$40.00.

No. 2, a shaft, 4 X 6 X 69 feet, the N. W. Cor. of which bears S. 07°-55' E. 228.6 ft. from Cor. No. 4.

Value \$600.00. Total Value of improvements \$640.00

Instrument.

This survey was made with a 6th inch Buff & Berger Ingineer's transit. The courses were deflected from to

the true meridian as determined by direct Solar and Polaris observations. The distances were measured with 150 and 300 foot steel tapes.

Note: The disagreement between the notes of this survey and line 2-3 and 3-4, Red Oxide lode; Survey 2296 and line 3-4 and 4-1, Iron King lode, Survey 2297 is due to errors in the latter.

Globe, Arizona, Oct. 22,1907.

Odions I. U.S.D.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of Superior and
Boston Copper Company
known as the Globate
and showing the respective capacities in which they acted. Say a grant Consul 2, Chainman. Chainman. Axman. Flagman.
FINAL OATHS OF ASSISTANTS.
We, Dayton Ennes
and D. S. Tovey , do solemnly swear that we assisted Edwin T.
Stewart , United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Superior and Boston Copper Company
known as the Globite
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona.
furnished by the United States Surveyor-General for Arizona. Day For Ecrose , Chainman. Ohainman. Axman.
, Flagman.
Subscribed and sworn to by the above-named persons before me this 22nd
day of October , 1907,
E. C. Server

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart	U. S. Deputy Mineral
	suance of instructions received from the United
States Surveyor General for	Arizona , dated
	, I have, in strict conformity to the laws of the
	d instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of Superior and	Boston Copper Company
	known as the
	E,
situate in Globe	Mining District,
Gila	County, Arizona, in Section
17 , Township No. 1 N. , F	Range No. 16 E. (Unsurveyed)
	2384 , as represented
	ately show the boundaries of said mining claim
as distinctly marked by monuments on t	the ground, and described in the attached copy
of the location certificate, which was re	ceived by me from the Surveyor General with
said instructions, and that all the corners	s of said survey have been established and per-
petuated in strict accordance with the la	aw, official regulations and instructions there-
under; and I do further solemnly swear	r that the foregoing are the true and original
field notes of said survey and my repo	ort therein, and that the labor expended and
improvements made upon said mining cl	laim by claimant or their its grantors
	e character, extent, location and itemized value
thereof are specified therein with partic	cularity and full detail, and that no portion of
said labor or improvements so credited to	o this claim has been included in the estimate
of expenditures upon any other claim.	
	Edwin J. Stewart
	U. S. Deputy Mineral Surveyor.
	0 -1.
Subscribed and sworn to by the sai	d Edwin I Strivast
U.S. Deputy Mineral Surveyor,	Quella 1
a Notary Public	
day of October 19	01
,	1 Omire a al
	JII Tuterotth
Com Est 2/9-1910.	(1 Nolary Public
0 3/154	7

Affidavit of Five Hundred Dollars Improvements.

We	Dayton Ennes		and	D. S	. Tovey	254 255 244 25 25 25 25 25 25 25 25 25 25 25 25 25
	e, being first duly					
$acquainted$ ι	vith the	Globite		TRESCRIPTA CONFERENCE	mi	ning claim,
situate in	Globe		ining d	listrict,	Gila	County,
Arizona Teri	ritory, for which	Superior	and Bo	ston Cop	per Compan	у
hasmade	ipplication for sui	vey prior to ap	plication	on for pate	ent under th	e provisions
of the act of	Congress, approve	d May 10, 187		l that the i	labor done a	nd improve-
ments made	thereon by the ap	plicant and	their	grantor	s_cxceed Fi	ve Hundred
Dollars in v	alue, and further	that we are n	ot pers	onally inte	rested in sa	id mine.
		ť	7	Low	Curre	2
			a	l S. 9	Tovey	2 1
TERRIA County of	TORY OF ARIZO				U	
		Sworn to and	subscr	ribed before	e me, this	22nd
<u>************************************</u>	한한숙성 \L. (유 작약수정	day of	Octo	ber	, 1907.	
14396b400-8-04			6.0	T Stew	rant.	200000000000000000000000000000000000000
			Not	ary Publ:	ic, Gila Co	o., Arizona.

My Commission expires December 24, 1910.

AMENDED

Motice of Mining Location

To	HII	Whom	IIt	May	Concern	:
----	-----	------	-----	-----	---------	---

	e name of which is the Laring to	averre.
re valuable mineral deposits	nds belonging to the United States of America, and in which the s, was entered upon and located for the purpose of exploration a	nd
8	ELONGO CONTACT AX, a con or cho. or miz	
ocator must insert either "a citizen of	the United States," or, "who has declared his intention to become a citizen of the United State	s.'')
ne undersigned, on the	ស់ <u>ប៉ា day of បីកា បាក់ក្</u> រ 190 7 •	
The length of this clai	im is	eet,
nd it claims	1410	eet,
a woonerly	direction and	
	eet in a <u>equierly</u> direction for shaft, at which this notice is posted, lengthwise of the claim, toget	
vith500	feet in width of the surface grounds, on e	ach
	aim. The general course of the lode deposit and premises is from	
	and located in the Globa Mining District	
	County, in the Territory of Arizona, about 11.00 11103	
na Golbardy i 10. orthus for or the I of partial orthor	BOOG TATRECTION FOR SULL LAR VENIENLY HOLD THE SECTION TO SULL AS A LOCAL LOCA	Sh.
at a point in a	direction 90 feet	
	wich this notice is posted.) being in the center of the CONTO	
	ich this notice is posted,) being in the center of the CENTO	
end line of said claim; the	ence Southerly 500 feet to a Monday	
end line of said claim; the	ence Southerly 500 teet to a Holice of claim; to being the Southerly corner of said claim; to	hence
end line of said claim; the	ence Southerly 500 teet to a Holician; to being the South October 500 teet to a Holician; to being the South October 500 teet to a Holician; to being the south October 500 teet to a Holician; to being the south October 500 teet to a Holician; to being a	hence t the
end line of said claim; the	ence Southerly 500 feet to a Holmont corner of said claim; the corner of said claim; the corner of said claim; the corner of said claim; thence A.A. 500 to 500.	hence t the feet
end line of said claim; the ເມດແຮ້ S. 66° 50°W ກວມສີ Webt to a ກວນ E 03	ence Southerly 500 teet to a Holician; to being the South October 500 teet to a Holician; to being the South October 500 teet to a Holician; to being the south October 500 teet to a Holician; to being the south October 500 teet to a Holician; to being a	hence t the feet laim;
end line of said claim; the ENOUGE S. 66° 50° VI ROLLINGLE to a POLL OF thence N.34° UO'VI	ence Southerly 500 feet to a Monday feet	hence t thefeet laim; t the
end line of said claim; the LICHT S. 66° 50° W LOUTH MENT to a MONE OF thence W.34° UC' W	ence Southerly 500 feet to a Holician; the corner of said claim; thence H. 34° 50° Feet to a the center of the MOSO end of said claim; the corner of said claim; thence at the center of the MOSO end of said claim; the corner of said claim; thence at the center of the MOSO end of said claim; the center of the MOSO end of said clai	hence t the feet laim; t the
thence I all thence I all done under the p the United States, and of	ence Southerly 500 feet to a College of the said claim; the corner of said claim; the corner of said claim; the corner of said claim; thence II. 24° 50° 50° 50° 50° 50° 50° 50° 50° 50° 50	hence t thefeet laim; t the laim;
thence I al United States, and of and Codify the Laws of the This is an Amended	ence Southerly 500 feet to a College of the said claim; to being the Southerly 500 corner of said claim; to 500 feet to a Corner of said claim; the corner of said claim; thence 1.24° 50° to 5	hence t thefeet laim; t the laim; es of
thence I and claim; the continue of said claim; the continue of the United States, and of and Codify the Laws of the This is an Amended Mining Claim, located by	ence Southerly 500 feet to a Holacion's corner of said claim; to being the Bouri Occio corner of said claim; to being the Bouri Occio corner of said claim; to being a corner of said claim; thence Bouri corner of said claim; thence at the center of the Word end of said come corner of said claim; thence Good being a corner of said claim; thence Good to being a corner of said claim; thence Good to corner of said come corner of said claim; thence Good to corner of said come corner of said claim; thence Good to the place of beginning. The corner of the General Assembly of Arizona, entitled "An Act to be the Territory of Arizona," approved March 16, 1901. Location Notice of the Good to corner of the Corner of the Good to corner of the Corner of t	hence t thefeet laim; t the laim;
to a POLL OF thence Poll of thence Poll of the United States, and of and Codify the Laws of the This is an Amended Mining Claim, located by	ence Southerly 500 feet to a location; the corner of said claim; the feet to a location; thence I alocation at the center of the VOST end of said continues of said claim; thence I alocation at the location; thence I alocation corner of said claim; thence I alocation at the location of the Revised Statute and Act of the General Assembly of Arizona, entitled "An Act to the Territory of Arizona," approved March 16, 1901. Location Notice of the location on the location of the General Statute of the I alocation is a contribution of the location of	hence t thefeet laim; t the Revise
thence 1.34° UC'S All done under the p the United States, and of and Codify the Laws of th This is an Amended Mining Claim, located by 1 page 1.5, in the office of to which reference is here	ence Southerly 500 feet to a corner of said claim; the center of the Southerly 500 feet to a corner of said claim; thence southerly 500 feet to a corner of said claim; thence southerly 500 feet to a corner of said claim; thence southerly 600 feet to a corner of the Word end of said corner of said claim; thence feet to a feet to the place of beginning. The feet to the place of beginning for ordinary of Arizona, entitled "An Act to be feet to the General Assembly of Arizona, entitled "An Act to be feet to the southerly feet feet feet feet feet feet feet fee	hence t the feet laim; t the laim; ay of
thence I all one under the p the United States, and of and Codify the Laws of the This is an Amended Mining Claim, located by 1 page 15, in the office of to which reference is here correct errors in the description	ence Southerly 500 feet to a Lolling of the corner of said claim; the corner of said claim; the corner of said claim; thence Lolling of the corner of said claim; thence Lolling of the corner of said claim; thence Lolling of the corner of said claim; thence the lolling of the lolling of the corner of said claim; thence the lolling of the lolling of the corner of said claim; thence the lolling of the lolling of the corner of said claim; thence the lolling of the lolling of the corner of said claim; thence the lolling of the lollin	hence t the feet laim; t the laim; ay of es, a
thence I all one under the p the United States, and of and Codify the Laws of the This is an Amended Mining Claim, located by 1 page 15, in the office of to which reference is here correct errors in the description	ence Southerly 500 feet to a corner of said claim; the center of the Southerly 500 feet to a corner of said claim; thence southerly 500 feet to a corner of said claim; thence southerly 500 feet to a corner of said claim; thence southerly 600 feet to a corner of the Word end of said corner of said claim; thence feet to a feet to the place of beginning. The feet to the place of beginning for ordinary of Arizona, entitled "An Act to be feet to the General Assembly of Arizona, entitled "An Act to be feet to the southerly feet feet feet feet feet feet feet fee	hence t the feet laim; t the laim; es of Revise ay of es, a

Filed and recorded at the request of Geo. R. Hill January 26 A.D. 1907 at 4:00 o'clock P.M.

Filed and recorded at the request of Geo. R. Hill January 26 A.D. 1907 at 4:00 o'clock P.M.

E.T. Stewart County Recorder By Belle Maldonado Deputy Recorder TERRITORY OF ARIZONA, COUNTY OF GILA I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above Amended and foregoing contain and constitute a full, true and correct copy of Location Notice of ... the Globite mining claim as the same appears of record in my office in Book...... 8 .. Records of ... Mines at page; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof. January , A. D. 190.7... By Belle Maldonado

TERRITORY (OF ARIZONA,		(A) (B)			
County of	}	SS.	W 10			
<i>I</i> ,		••••••	Coum	v Recorder in	and family as	
Territory aforesaid,	do hereby certify tha	t the within instrume	eut was filed for mon	ond -	and for the Co	ounty and
on this	don d	.r	me was filed for rece	ora at	o'clock,	M.,
of	day o	//	190, an	d duly recorde	ed in Book No.	•••••
07	Rec	ords of		County, Arizon	ıa, at pages	
	WITNESS my har	nd and official seal th	e day and year first	above writter	n.	
	1	******			······ <u>·</u> ······	•••••
	**			•	County Rec	corder.
•				М.	1 1.	I _ N
Location SLAIM.		.190.	190.		County Recorder	Deputy Recorder.
Atí,		Recorded at Request	D.		Reco	Reco
, S		Rec	A.		ınty	outy
DEI	2				Cou	Dep
AMENDED Of ILO	13					W
AN	20	(000)				
Motice	03	S \$400 11 CORP.				
lot	CVZ.	and				
	77	rted			S	
11			1 1	- 3	2.	30

Corner Discovery Shaft **B** 500 feet **ED** End End Monument 1991 0001 300 ft. Corner Monument Corner Monument

Dated..

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Pages.

By

Book

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	December 2, 190 7
I, U. S. Surveyor-Gen	oral for District of Arizona
do hereby certify that the	pregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	
Si	perior and Boston Copper Company
known as the	GLOBITE
situate in	Globe
Mining District,	Gila County, Ariaona
in Section 17	Township No. 1 H., Range No. 16 E., Unsur, and
designated as Survey No.	2384 , has been correctly copied from the originals on file in
this office; that said Field	Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent	serve fully to identify the premises, and that such reference is made therein
to natural objects or perma	nent monuments as will perpetuate and fix the locus thereof.
And I further certify	that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mir	ng claim by claimant orits grantors, and that said improvements
consist of 2 shafts	, value \$640.
***************************************	***************************************

***************************************	***************************************
and that no portion of sai	labor or improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify that	he plat thereof, filed in the U.S. Land Office at Phoenix,
<u>Arizona</u>	is correct and in conformity with the foregoing Field Notes.
	Frank S. Ingalls
7861b5m3-03	United States Surveyor-General for <u>Arizona.</u>

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

9	Phoenix, Arizona,
	December 2, , 1907.
I, U. S. Surveyor-General for Distri	ct of Arizona
do hereby certify that the foregoing and hereto attached	Field Notes and Return of the Survey of the
Mining Claim of	
Superior and Boston Coppe	r Company
	, known as the
GLOBITE	
situate in Globe	Mining District,
Gila County,	Arizona
in Section	N., Range No. 16 E., Unsur.
designated as Survey No	2384
executed byEdwin T. Stewart	, U. S. Deputy Mineral
Surveyor, February 8 - 10	, 190 7, under my instructions dated
January 28, , , , 1907., have	been critically examined and the necessary
corrections and explanations made, and the said Field No	tes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the le	cation certificate filed by the applicant- for
survey is included in the field notes.	and A Inga of
77	S. Surgeyor-General ton Ari 70119

21811b3m2-06

REDONDE. Sur. 2296 To. E. la Gor Sec. 13, Trup. IN. P. 15 E. N. 87° - AB'W. 6506.6 BLACK OXIDE. Sur. 2297 JAPAN, 5ur. 2297