4 - 683.

### Mineral Survey No. 2387

Lot No.
Crizona Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
Glob Consolidated Copper Co
<i>O</i>
KNOWN AS THE
Ohio Boy No. 5
Globe Mining District,
- ·
Gila County, Augora  Section 25 , Township / N , Range 15 & G V S. 17 B r M
Section Rouge, Township 7.70, Range 200 9 VO. 7). 18 V 7.4
Surveyed under instructions dated Jan 29, 1907  by Robert R. Boyd,
by Utobert UY. U.S. Deputy Mineral Surveyor
Claim located See location notice, 1
Survey commenced Feb 2d . 1907
Survey completed Fel. 2d , 1907
Got office address of claimants attorney
Seth E. Hazzard. Bisbee. aug.
Bisbee.
arg,

SY W

Beginning at cor No. 1, the N W cor, identical with location, situated on line 1-2 Trail Lode, Survey No. 2386, at S 21° 44' E 34.6 ft from cor No. 1, a pine post 4 in square and 4 ft long, set 18 in. in the ground in a mound of stone and scribed 1-2387-0 B No 5 L, whence N 1/4 cor Sec 25 T 1 N, R 15 E, G & S R B & M, bears N 32° 49' W 725.5 ft.

No bearing monuments available.

Thence N 89° 42' E

to the original location for the N E C

same bearing to cor No. 2, identical with location, with
cor No. 3, Ohio Boy No. 4 Lode, Survey No. 2318, situated
on the west end line of the Lime Rock Lode unsurveyed,
a pine post 4 in square and 4 ft Mg., set 18 in. in the
ground in a mound of stone and scribed 2-2387-0 B No. 5 L,
whence an Outcrop of Lime 4 ft square and 5 ft high,
chiseled X-B R - 2387, bears S 67° 23' E 64.4 ft.

Thence S 0° 01' E

31.9 to cor No. 3, identical with the S W cor of Lime Rock
Lode unsurveyed, situated on line 4-/ of Chio Boy
Lode Survey No. 2328, a pine post 4 in square and 4 ft
long, set 18 in. in the ground in a mound of stone and
scribed 3-2387-0 B No. 5 L, whence an Outcrop of Quartzite
8 in. high, chiseled X-B R-2387, bears N 89° 05' W
16.9 ft.

Thence S 69° 06' W

22.0 along-tline 4-116 line of Ohio Boy Lode, Survey No.
2328, to cor No. 4, identical with cor No. 4 Ohio Boy
Lode Survey No. 2328, a pine post 4 in square and 4 ft
begin, set 18 in. in the ground in a mound of stone and
scribed 4-2387-0 B No 5 L, whence an
Outcrop of Quartzite 1 ft x 1 ft x 6 in. out of the
ground, chiseled X-B R - 2387, bears S 39° 30' E 33.03
ft.

Thence S 11° 49' E

607.5 along 11në 3-4 of Ohio Boy Lode Survey No. 2328
to cor No. 3, Ohio Boy Lode Survey No. 2328, and cor No.
4 Ohio Boy No. 3 Lode Survey No. 23.2,

681.3 same bearing to cor No. 5, a pine post 4 in square and
4 ft long, set 18 in. in the ground in a mound of stone
and scribed 5-2387-0 B No. 5 L, whence the
Original Location for the S E cor bears N 89° 42' E

162.4 ft.
No bearing monuments available.

Thence S 89° 42' W

63.1 to the original location for the S E C,

same bearing to cor No. 6, identical with location, a pine post 4 in square and 4 ft long set 18 in. in the ground in a mound of stone and scribed 6-2387-0 B No. 5 L.

No Bearing Monuments available.

Thence N 21° 44' W

424.5 along the east end line of the Carbon Mine Lode unsurveyed to cor No. 2 of the Trail Lode Survey No. 2386,

732.7 same bearing to the intersection of line 3-4 Ohio Boy No. 4 Lode, Survey No. 2318, at S 86° 54' W 516.2 ft from cor No. 3,

759.8 same bearing to cor No. 1, the place of beginning.

LEDGE
The presumed course of the vein on this claim is from the N E C of location S 21° 44' E 759.8 ft.

LOCATION

This claim is located in Section 25, Township 1 North, Range 15 East, G & S R B & M, Globe Mining District,

Gila County, Arizona, about 3/4 of a mile in a north-easterly direction from the business section of the town

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements on this claim, placed thereon by the claimant or its grantor, is not less than \$500 and said improvements consist of the following:

Discovery Shaft 4 x 6 x 10 ft deep, the center of which bears from the N E C of location No. 1 S 21° 44' E 160.0 ft.

Shaft 4 x 6 x 50 ft deep, timbered for the first 20 ft, the center of which bears from the center of the discovery shaft due west 60 ft. No. 2

60 ft.

520 00 \$570 00

\$50 00

Total value of improvements

North

ADJOINING CLAIMS Ohio Boy No. 4 Lode, Survey No. 2318, John J. Cramer owner,

East

Lime Rock Lode unsurveyed, Wm. Rollings et al owners, Ohio Boy Lode, Survey No. 2328, John J. Cramer owner, Ohio Boy No. 3 Lode, Survey No. 2342, John J. Cramer owner,

South West

Unknown

Carbon Mine, unsurveyed, E. P. Shanley estate, owner, Trail Lode, Survey No. 2386, Globe Consolidated Copper Company, owner.

AREA.

Total Area Ohio Boy No. 5 Lode 7.000 acres LessArea in conflict Ohio Boy No. 4

Lode Survey No. 2318 0.152 Net area Ohio Boy No. 5 Lode

6.848 acres /

#### INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 5194 Complete Mining Transit. The distances were measured with a 300 ft. steel tape. The courses were deflected from the true meridian, as determined by direct Solar observation, checked by an observation on Polaris. Magnetic variation 13° 35' E at all corners.

> Robert R S. Deputy Mineral Surveyor.

Dated at Globe, Arizona, 3rd February, 1907.

### FINAL OATHS FOR SURVEYS.

LIST OF	
A list of the names of the individuals employed by	Robert R Boyd
United States Deputy Mineral Surveyor, to assist in ru	
boundaries described in the foregoing field notes of the surplication which was the line of the surplication of the surplicati	
and showing the respective capacities in which they acted	l
	Edgar & Barker, Chainman. K-H. Pearson, Chainman.
	, Axman.
	, Flagman.
	9
FINAL OATHS O We, Edgar E. Barker	
and K. H. Planson, do so	
	lineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of.  Globa Consolidated known as the Ohio Boy M	
represented in the foregoing field notes as having been su	rveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monum	ents established according to law and the instructions
furnished by the United States Surveyor-General for	anizona.
	Edgar & Backer Chainman.
	MEasson, Chainman.
KC	, Axman.
	Flagman.
Subscribed and sworn to by the	above-named persons before me this 5th
Subscribed and sworn to by the	
day of Non Pull	1907.
ing commiss	sion expires anuary 13 , 1910
14224b5m8-04	G. J. Wodge, Notary Lubi

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Robert R. Boyd, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
January 29th 1997, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Globe Consolidated Copper Co.
Claim of Globe Consolidated Copper Co., known as the
Ohio Boy No 5, situate in Globs Mining District,
situate in Qlove Mining District,
County Quarta in Section
25, Township No. N., Range No. 15E G - & R. B + M.
and designated as Survey No. 2387, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Orotest Or Boxel
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said. Lokent R. Boyd
Subscribed and sworn to by the said where the said to
U. S. Deputy Mineral Surveyor, before me S. J. Wodge  Notary Public this 5-th
day of February, 1907.
J. J. Wodge,
expires January Lor The County of
estives famines
the for me country of
13-1910. Gila Verritory of
arisona.

### Affidavit of Five Hundred Dollars Improvements.

Wr. Edgar E. Barker, and II. H. Pearson
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Chio Boy No 5 mining claim,
situate in Globa Mining district, Gela County, Arizona Territory, for which Globa Consolidated Copper Co
ha. A. made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant andilograntor = exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Edgar E. Barker
SHREarson
TERRITORY OF ARIZONA,
County of Lila Ses:
Sworn to and subscribed before me, this 5
day of February, 1907  My commission expires January 13th, 1910.
My commission expires January 13-, 1910.
St. Wodge,
Robery Public in and for Gila County Theritary of
arizona,
urvjena,

Filed and recorded at the request of R. R. Boyd on the 15 day of January A. D. 1907 at 5 o'clock P. M.

E. T. Stewart County Recorder. By L. M. Brookner Deputy.

TERRITORY OF ARIZONA, COUNTY OF GILA


I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of
the Ohio Boy No. 5, Mining Claim,
as the same appears of record in my office in Book 8, Records of Mines,
at page. 426 ; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office this
January , A. D. 190.7.
E. J. Stewart

### AMENDED

# Motice of Mining Location

This Mining Claim the name of	which is the Ohio Boy 1/2 5
Mining Claim, situate on lands belongs	ing to the United States of America, and in which then ered upon and located for the purpose of exploration an
	well dated Coffee Co.
	(/ /
	tes," or, "who has declared his intention to become a citizen of the United States.
	ay of 190.7
The length of this claim is	
and We claim /60	
in a N 2/144 W	direction and 579.
	direction from this notice is posted, lengthwise of the claim, together
	escale of feet in width of the surface grounds, on each
side of the center of said claim. The g	eneral course of the lode deposit and premises is from the
	to the
	in the Globe Mining District,
	, in the Territory of Arizona, about
	direction from the dela Company
have of from the	and about 800 to south
easterly from the	N/4 cor of Sec. 25
	im are marked upon the ground as follows: Beginning
a commission of	t of strace
at a point in a N 2 , 2 4 4' W	direction feet fro
the discovery shaft (at which this notice	ce is posted,) being in the center of the
end line of said claim; thence	24047: E 220 Steet to a proce fort
, being th	e Nail Cast corner of said claim; then
5214445 759 8	feet to a being at t
	of said claim; thence US 29042'W 225 See
	at the center of the end of said claim
	· · · · · · · · · · · · · · · · · · ·
South West corne	er of said claim; thence WZIZYW 759.
feet to a formation in	at the Nact West corner of said claim
thence N 8 9042 = 300	
All done under the provisions of	Chapter Six, of Title XXXII, of the Revised Statutes
the United States, and of an Act of the	e General Assembly of Arizona, entitled "An Act to Rev of Arizona," approved March 16, 1901.
	tice of the Chia Bry N= 5
Mining Claim located by 77	to have been been a second
	on the 19 d day
Jumany 1906, and re	ecorded in Book of Records of Mines,
to which reference is hereby made, an	Recorder of the aforesaid County of July and posted this amended Location Notice is made and posted
correct errors in the description in the	this day of January 190
Dated and posted on the ground	Globa Consol dated Coppel Co
thesa	$O_{\sim}$
	Seth E. Horroad atte
H. Pearson	Dein - 100 its atty.

TERRITORY OF  County of	ss.			
I,			, County Recor	der in and for the County and
Territory aforesaid, do	hereby certify that the	within instrument	was filed for record at	o'clock,
on this	day of		190, and duly	recorded in Book No
of	Records	of	County,	Arizona, at pages
	WITNESS my hand an	d official seal the d	ay and year first above	written.
				County Recorder.
			*	
		190	D. 190	rder.
mended of Location.		Request	D	County Recorder. Deputy Recorder.
				ount)
DEC		d at		$\mathcal{C}$
AMENDED: Of ILO		Recorded at		
II 🚧 ()		84 410		
tíc		and		
Motice L		rted		ok
•		7		0 00 .



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Pages

By

Book

DIRECTIONS.—1. Carry out the area in acres to three decimals, and all other calculations to two decimals only.

2. In balancing Lat. and Dep. do not obliterate or change the original figures:

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest hundredth. In calculations of N. and S. areas drop all after second decimal. Deputies are cautioned not to use tables that do not give results exact to the decimal specified.

TABLING AND CALCULATIONS OF Chio Boy Nos US Ones Bay No 4 (2318), SURVEY No. 2387									
No. COURSE.	DISTANCE. —	LATITUDES.		DEPARTURES.		DOLLOT DE LA COMPANIA			
		North.	South.	East.	West.	OUBLE M. D.	N. AREAS.	S. AREAS.	
	N89°42'E	5255	275		02549	+	52549	144569	
	S 8605-4'W	5/62		2792		01545+	53553		1495199
į	N 210 44 W	271	2517			1007+	1004_	25270	
			2792	2792	525 49	52549		169779	1495199
1									169779
)									1/325420
1					A	A	1	,	662710 88 f8
1			Ocea	in c	couflic	t with 4	Oheo 13d	y NO 4 0.1.	52 acres V
		No. COURSE.  NO. COURSE.  NO. COURSE.	No. COURSE. DISTANCE  No. COURSE. DISTANCE  NO. COURSE. DISTANCE  NO. COURSE. DISTANCE	No. COURSE. DISTANCE. LATITUI  No. COURSE. DISTANCE.  NORTH.  NORTH.  NORTH.  NORTH.  275  NORTH.  NORTH.  275  NORTH.  275  NORTH.  275  NORTH.  275  NORTH.  275  NORTH.  275  275  275  275  277  2792	No. COURSE. DISTANCE. LATITUDES.  NO. COURSE. DISTANCE. NORTH. SOUTH.  NORTH. SOUTH.  NORTH. SOUTH.  2792 2792 2792	No. COURSE. DISTANCE.    North   South   East	No. COURSE. DISTANCE.    DISTANCE.   DISTANCE.   DEPARTURES.   DEPARTURE	No. COURSE. DISTANCE. $\frac{\text{LATITUDES.}}{\text{NORTH.}} \frac{\text{DEPARTURES.}}{\text{SOUTH.}} \frac{\text{DOUBLE M. D.}}{\text{WEST.}}$ $\frac{N89^{\circ}42'E}{\text{$\circ$}5255} \frac{5255}{275} \frac{275}{2792} \frac{52549}{57545 + 53553}$ $\frac{N21044'W}{271} \frac{2517}{2792} \frac{1007}{2792} \frac{1007}{52549}$	No. COURSE. DISTANCE.    LATITUDES.   DEPARTURES.   DOUBLE M. D.   N. AREAS.

1	000

TRAVERSE SHEET.

Survey No.

Claim ......

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix	, Arizona,	r.d.
		March 12	, 190.7
I, U. S. Surveyor-Gen	neral for Mistrict	of Arizona	<u> </u>
do hereby certify that the	foregoing transcript of t	he Field Notes, return and appro-	val of the survey
of the mining claim of	lobe Consolidat	od Jopper Co.	EHERACISTÄTETESAASTAANIKK
антаром-голост пол поставо не начатальная	(b) Manden och konstant and stätet som sensi		
known as the Oliio Bo	y No. 5		
situate in	Globe	***************************************	
Mining District,		a County, Arizon	a
in Section 2.5	, Township No1.N.	, Range No. 15 E.	, and
designated as Survey No	, ha	as been correctly copied from the o	riginals on file in
this office; that said Field	l Notes furnish such an	accurate description of said minin	g claim as will, if
incorporated into a patent	s, serve fully to identify t	he premises, and that such reference	e is made therein
to natural objects or perma	anent monuments as wil	l perpetuate and fix the locus there	of.
And I further certify	that five hundred doll	ars' worth of labor has been expe	ended or improve-
ments made upon said mir	ning claim by claimant	orit3 grantors, and that sa	aid improvements
consist of 2 shafts	, valued at \$57		
			***************************************
******************************		***************************************	
***************************************			***************
			111,4027-07-17-08-77-17-17-17-17-17-17-17-17-17-17-17-17-
***************************************	***************************************	***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
######################################			
and that no portion of said	d labor or improvements	s has been included in the estimate	of expenditures
upon any other claim.			
I further certify that	the plat thereof, filed in	the U.S. Land Office atPinos	nix, Arizona
		onformity with the foregoing Field	
	F	rank S. Ingalls,	
	United States Survey	or-General for AT120	lla.

7361b5m3-03


## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U. S. Surveyor-General,

12779b5m4-04

# SURUEY Nº2387



Seale 1"=200'