4 Les 50

(4-683.)

## Mineral Survey No. 2400

Lot No	
Hot 110	
(a)	
·	
Arizona	Land District.
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
J. C. Gatti	
•	
KNOWN AS THE	
Vary	
KELY	
Copper Mountein	Mining District.
-	,
Grahem County, Arizon	
Sections 32-4, Townships 3-4, S., F	
Surveyed under instructions dated March 18th	, 1907,
<b>1</b>	T
•	b. Tr.
•	U.S. Deputy Mineral Surveyor.
Claim located See location notice	, 1
Survey commenced	, 1907
Survey completed March 20th,	<b>, 19</b> 07
о 6—160	

of in

Address of Claimants Atty.

J. R. Hampton

Clifton, ciriyona.

Feet

## Survey No. 2400

Kay Lode

Beginning at Cor. No. 1

On line 1-2 La Candeleria lode, Survey No. 1229, at N. 17° 16' E. 926.55 ft. from Cor. No. 1

A pine post, 4 ins. square, 4.5 ft. long, set on bed rock surrounded by mound of stone, scribed 1-2400, whence

U.S. L. M. No. 2 bears N. 33° 58' E. 5896.5 ft.
A cross (X) and B.R. 1-2400 chiseled on porphyry
point 2.5 ft. high, bears N. 77° 49' W. 2.7 ft.

Thence N. 77' 49' W.

300 North East End Center lode

600 To Cor. No. 2.

A cross (x) at Corner point and 2-2400 chiseled on quartzite rock in place showing 6 x 12 x 24 ins. above general surface, whence

A cross (x) and B.R. 2-2400 chiseled 3 ft. above general surface on quartzite bluff facing east, bears N. 77° 49' W. 3.1 ft.

Thence S. 13° 19' W.

790 Cross Gulch, course from Northwest to Southeast. 866.17 To Cor. No. 3.

Identical with Cor. No. 2 Lady Washington lode, Survey No. 1539, which is a pine post 4 ins. square surrounded by mound of stone, scribed 2-1539- N.W.C. Lady Washington.

A pine post, 4.5 ft. long, in place, scribed 3-2400, whence

A cross (x) and B.F. chiseled on conglomerate point, 3 ft. high, 1 ft. on top, bears N. 63° 37' W. 7 ft.

- 180 Cross Gulch, course from Northwest to South.
  - 240 South West End Center of lode.
  - 540 To Cor. No. 4.

Identical with Cor. No. 3 Lady Washington lode, Survey No. 1539, which is a 4 x 4 pine post, surrounded by mound of stone, scribed 3-1539-N.E.C. Lady Washington.

A pine post, 4.5 ft. long, 4 ins. square in place, surrounded by mound of stone, scribed 4-2400, whence A cross (x) and B.R. 4-2400 chiseled on conglomerate face exposed 6 x 6 ft. bears N. 77° 49' W. 10.8 ft.

Cor. No. 1-2 La Candeleria and Chi\_huahua No. 2 lodes respectively, bears S. 17° 16' W. 57.15 ft., which is a 4 x 6 post, surrounded by mound of stone, scribed 1-2-1229-S.W.C. La Candeleria, N.W.C. Chihuahua No. 2.

Thence N. 17° 16' E.

869.4 To Cor. No. 1, the place of beginning.

Variations at all corners of the Survey 13° E.

Area.

Total and Net area Kay lode

11.332 Acres

The Survey of the May lode is identical with its location.

The Center of the ledge of the Kay lode coincides with the center of the lode as surveyed, and but from S.C. L. N. 17016' E. 869.4 ft.

This claim is located in Sec. 33, T. 3 S., R. 29 E. and Sec. 4, T. 4 S., R. 29 E., of the G. and S. R. P.M., unsurveyed.

Expenditure of five hundred dollars.

I centify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and

that said improvements consist of:

The discovery haft of the Kay lode, the center of which bears from Cor. No. 3, N. 60° 33' E. 226.3 ft. 4 x 6 ft. 7 ft. deep. This shaft was probably deeper but is now filled to the depth given.

Value

\$75.00

An open cut and tunnel, the face of tunnel bears from Cor. No. 3 N. 43° 10' E. 123.6 ft., 12 ft. open cut, 5 ft. tunnel, 4.5 ft. wide.

Value \$100.00

A tunnel, the face of which bears from a point on line 4-1, 137.5 ft. from Cor. No. 1, N. 71° 37' W. 5.5 x 6.5 ft., running N. 71° 37' W. 27 ft. to breast.

Value

\$300.00

An open cut which begins at a point on line 4-1

138 ft. from Cor. No. 1, thence N. 72° W. 25 ft.

thence Northeasterly to a point which bears from Cor.

No. 1, S. 52° 23' N. 43 ft., 25 ft. wide, 120 ft. long

and face of cut 15 ft.

Value

\$200.00

## Other Improvements

A two story frame building, 30 x 24 ft., the long side of which is on line 4-1, nearest corner of building 107.5 ft. from Cor. No. 1.

A frame building 30.5 x 40 ft., the South and West corners bear from a point on line 4-1, 93 ft. from Gor. No. 1, N. 25° 23' E. 12.5 ft. and N. 31°37' W. 45.6 ft. respectively.

### Instrument

This Survey was made with a Berger Light "ountain Transit. The courses were deflected from the true

Meridian as determined by Polaris observations. The distances were measured with 200 ft. and 500 ft. steel tapes.

Note: The disagreements between these field notes and the location certificate, also Surveys 1229 and 1539 are due to errors in the latter.

This claim is bounded on the North by the Copper Eelt lode No. 3, unsurveyed, J. Leszynsky Claimant: on the East by the La Candeleria lode, Survey No. 1229, Shannon Copper Company, Claimant: on the South by the Lady Washington lode, Survey No. 1539, Detroit Copper Mining Company Claimant: and on the West by the Gray Eagle lode, unsurveyed, Chas. E. and I. N. Stevens, claimants.

# FINAL OATHS FOR SURVEYS.

	LIST OF	F NAMES.
A list of the names of t	the individuals employed by	y Laccostable.
United States Denuty Mine	eral Surveyor to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the	foregoing field notes of the	e survey of the mining claim of
known as the	Tay	,
and showing the respective of	capacities in which they ac	eted.
		J. L. Erwin
		J. L. Erwin , Chainman Javine L. M. Layton Chainman Inch
		J. M. daylor, Chainman Jack
		Axman.
		Flagman.
		, ragman.
		Marie Anna Arian Anna Anna Anna Anna Anna Anna Anna A
FII	NAL OATHS	OF ASSISTANTS.
M. L. Eru	in	o solemnly swear that we assisted Laures labely
We, I for	<i>I</i> <sub>0</sub>	a salemnly swear that we assisted Lacros abh
and di M. oug	, do	o solemnly swear that we assisted
	United States Deputy	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining	g claim of	C. Gatti
	,	
known as the	ay	
represented in the foregoing	field notes as having been	surveyed by said deputy mineral surveyor and under his
direction: and that said sur	evev has been in all respect	ts, to the best of our knowledge and belief, faithfully and
R		
correctly executed, and the	corner and boundary monu	uments established according to law and the instructions
furnished by the United Stat	es Surveyor-General for	Mison
		Wil Energy Chainman. Var me
		L.M. Laylo, Thainman. Form
		Chainman. Park, Chainman.
		, Axman.
		, Flagman.
		234
Su		he above-named persons before me this
	day of March	190.7
		John Restaus von
risc.	commission	I motoria (P. Ila)
14224b5m8-01 My	Townession	n for on y construction
- the	us ang 1, 1.	y V

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, decease & Bos., U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for ,, dated March 18 ,1907, I have, in strict conformity to the laws of the	
March 18 ,1907, I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General faithfully and correctly executed the survey of the Mining	
Claim of J. C. Gatti	
, known as the	
Fay,	
situate in Copeper Mace Xacce Mining District,	
Galacce County, Frequence, in Sections	aj
Situate in Cofeper Mocco Xecic Mining District,  Gradacce County, Freder, in Section 5 of the American Section 5 of the Am	
and designated as Survey No. 2400 , as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
saiid instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
P 1 . 1	
Lacces fold	
U. S. Deputy Mineral Surveyor.	
Subscribed and sworn to by the said	
U.S. Deputy Mineral Surveyor, before me , Troisen Surveyor	
a Notary Pulue this 232	
day of March 1907.	
20 1 10	
Thomas Vinita	
Notare Pullo	,
0	

# Affidavit of Five Hundred Dollars Improvements.

We, Las E Stevens, and L. M. Laylon
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the fay mining claim,
situate in Cofefier Manutain Mining district, Graham County,
Arizona Territory, for which J. Gatti
ha A made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Lis grantor sexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Chas E. Sterres
Chas & Sterres. 2. M. Laylon
TERRITORY OF ARIZONA,  County of
Sworn to and subscribed before me, this
Johnston Espires Johnston Every Son
Light 1, 1907,

# POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

9

CHIL

Carried the section of

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

anco not my home of the first o


County of groteen the sections of Arthons.

# Motice of Mining Location

To All Whom It May Concern:
This Mining Claim, the name of which is the ay
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and to the purpose of exploration and
are valuable mineral deposits, was entered upon and tocated for the purpose of exploration and
purchase by J. C. gatte
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 12th day of March 1907
The length of this claim is 869.4 feet,
The length of this claim is
and claim 869,4 feet,
in a north Easterly direction and
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
withfeet in width of the surface grounds, on each
side of the center of said elaim. The general course of the love deposit and premises is from the
north East to the Douth West
The claim is situated and located in the look few Manual Mining District, in
Mrahau County, in the Territory of Arizona, about
From the North east corner of this claim. U. S. L. M. Mo. 2. bears. N. 33° 58'DE. 5896,5 ft.
From the North east corner of this clause . D.
L. M. No. 2. bears. N. 33° 5806. 5896,5 f
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Monument of stone
at a point in a direction direction feet from
He discovery shall (at which this notice is posted,) being in the center of the South westerly
end line of said claim; thence 8.77.49' 6. 300 leet to a Time Cash
, being the South Gast corner of said claim; thence
M. 17°16' 6. 869. 4 feet to a Pine Park, being at the
North East corner of said claim; thence n. 77.49' 1. 300 feet
to a Monument of stone being at the center of the March Casterly end of said claim;
to a // minutes of pure veries at the center of the / pull dastery end of said claim;
thence n. 77049' W. 300 S seet to a Pine Gast, being at the
Morth Itest corner of said claim; thence S. 130 19 1. 866.17
feet to a Quie Call at the South These corner of said claim;
at the source corner of said claim;
thence S. 77°49' 6, 240 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Kay. Mining Claim, located by Jaac N. Stevens So harles 6. Stevens ay Lee
Browhay or Burshay (Lee Broshearon the 2 day of
Defor 1901, and recorded in Book 14 of Records of Mines, at
page 4.35, in the office of the County Recorder of the aforesaid County of
to which reference is hereby made, and this amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice,
Dated and posted on the ground this 12th day of March 1905
Of Datt'
J.S. Jaine
By Hawar loob, fr.
Filed and recorded at request of Lamar bobb. It. meh. 14-1907 at 9. a.m.
No. 109. AMENDED NOTICE OF LOCATION OF LODE SLAIM.—The H. H. Mcgeil Company's Red-Line Blanks, Phognix, Arizona.
NO. 109 AMENDED NOTICE OF LOCATION OF LODE SLAIM The H. H. McKeil Company's Red-Line Blanks, Phoghix, Arizona.
Book 18 - toach 500 Ween del 20'

TERRITORY OF .			. "	
		••••	, County Recorder	in and for the County an
Territory aforesaid, do	hereby certify that the	within instrument wa	s filed for record at	o'clock,M
on this	day of		190, and duly reco	orded in Book No
of	Records	of	County, Ar	zona, at pages
			and year first above wri	
				County Recorder.
			· · · ·	
nc.		190 t of	A. D. 190	rder.
MENDED  of Location.		dues	D	County Recorder.
Ö. Ö.		t Re		ounty
AMENDED Of LO		ed a		ČČ
of of		sorde		
े अ <sup>च</sup>		Rea		
Motice		and		
<b>4</b>		Dated Filed and Recorded at Request	1	£S
U ¥		Dan	at	Pages By

,



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

By .....

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pnoenix, Arizona	
	May 7	, 190. 7
I, U. S. Surveyor-General for	District of Arizona	
do hereby certify that the foregoing	transcript of the Field Notes, return and approval	of the survey
of the mining claim of	3	
	J. J. Gatti	
known as the	К Л Ү	**************
situate in	Copper Mountain	
Mining District, Graham	m County, Arizo	ona
	nip No, Range No	
designated as Survey No. 24	On the original opied from the opied	ginals on file in
-	urnish such an accurate description of said mining	
	lly to identify the premises, and that such reference	
	numents as will perpetuate and fix the <i>locus</i> thereof.	
	e hundred dollars' worth of labor has been expend	
	n by claimant or nis grantors, and that said	-
	tunnels and 2 cuts, valued at \$67	-
	***************************************	
***************************************		
	***************************************	**************
	or improvements has been included in the estimate of	of expenditures
upon any other claim.		
A A	thereof, filed in the U.S. Land Office atPnoe	
Arizona is	correct and in conformity with the foregoing Field I	Votes.
	Frank S. Ingalls,	
2011		1900.P.0.T.0.T.0.T.O.T.
$II_n$	ited States Surveyor-General for Arizona	

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U. S. Surveyor-General,

	Pnoenix, Arizona
	May 7, 190.7
I, U. S. Surveyor-General for	District of Arizona
do hereby certify that the foregoing and hereto a	attached Field Notes and Return of the Survey of the
Mining Claim of	
J.	C. Gatti
	, known as the
	КАУ
situate in Copper	Mountain Mining District,
Graham Co	unty,Arizona
in Section S. approx. 33-34 Township No.	3-4 S., Range No. 29 E. unsur.
, designated as Survey No	2400
executed by Lamar Col	U. S. Deputy Mineral
Surveyor, March 20,	, 1907, under my instructions dated
March 19, , , 190.7,	have been critically examined and the necessary cor-
rections and explanations made, and the said Fi	eld Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy	of the location certificate filed by the applicant for
survey is included in the field notes.	
Cha	ul Dengalle
	U. S. Surveyor-General for Arizona

12779b5m4-04

## DEPARTMENT OF THE INTERIOR

Office of U.S. Surveyor General,

Phoenix, Arizona, June 18, 1907.

I hereby certify that the report hereto attached, executed by Lamar Cobb, Jr., U. S. Deputy Mineral Surveyor, dated June 11, 1907, and supplemental to his field notes of Mineral Survey No. 2400, May lode, dated March 20, 1907, is a true and correct copy of the original on file in this office, and that the discovery shaft therein reported is on the ledge as reported at the time of survey.

Frank S. Ingalls
U. S. Surveyor General.

## KAY LODE

Survey No. 2400

## Supplementary Field Notes

A discovery cut 12 ft. long, 4.5 ft. wide by 8 ft. face bears from Cor. No. 4, N. 68°32' W. 300.3 ft.

Value

\$30.00

U. S. Dep. Min. Surveyor.

June 11, 1907.