JIII 22 1907

4-683.

Mineral Survey No. 2402

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM O

R. P. O'Connor,	
	Q L
KNOWN AS THE JOE WHEELER, WINNEBAGO CHIEF, Ivanhoe,	
Patagonia Mining District	•
Santa Cruz County, ARIZONA	
Section, Township 24 S. , Range 16 E. Unsur April 2, 1907. Surveyed under instructions dated, 1 ,	
by Charles E. Perkins	
U. S. Deputy Mineral Surveyor	
Claim located See location notices . 1 Survey commenced April 13, 1907	
Survey completed, 1	
o 6—160	

Address of Claimant's agent,

Stephen O'connor,

Nogales, Ariz.

OK Fred 22

SURVEY No. 2402

Feet

Joe Wheeler Lode.
Beginning at corner No. I.

Identical with cor. No. I. Sur. No. 2034, Lead King lode, Duquesne Mining and Reduction Co. claimants, also adjacent to Lot No. 38A, Belmont lode, same claimants, also south-east corner of this location.

A pine post 4-4 ins., 2-I/2 ft. above ground surrounded by a substantial mound of stone and earth, marked with a cross at exact corner point and L. K.-I-2034, whence,

. An oak 6 ins. diam. blazed and marked L.K.-I-2034-B. T. bears N. Isa W. 93 ft.

An oak 6 ins. diam. blazed and marked L.K.-I-2034-B. T. bears North 57.5 ft.

I mark J.W.-I-2402 on side of post facing this claim and J.W.-I-2402-B.T. on each bearing tree.

At this corner, latitude 31°-22'-20" N., longitude IIO°-43' W. on April I3, I907 at 9 a.m., l.m.t. I level the transit plates and the main telescope, and after pointing the object end approximately towards the north, set off 31°-22'-20" on the vertical arc by depressing the object end of the main telescope, then in this plane level the solar telescope towards the south. I then set off 8°-48' more on the vertical arc by further depressing the object end of the main telescope and determine a true meridian by observation of the sun.

From this corner U.S.M.M. No. I., Patagonia Mining District, (which is an oak post 7-7 ins., 5 ft. above ground surrounded by a mound of stone 3 ft. high, whence, a dead oak tree stump 20 ins. diam. blazed and marked U.S.M.M. No.I B.-T. bears N.59°E. 42 ft., an oak I6 ins diam. blazed but marks grown over bears N.25°E. 62 ft.

The post is marked U.S.M.M. No. I.), bears N.80-3'E. 887.7 ft.

Thence N. 35°-20' W. Variation I2°-I5' E.

Feet

Over rolling granite boulders.

750.00 East side center monument of this location, a mound of stone somewhat scattered.

T500.00 To corner No. 2.

Identical with corner No.2, Sur. No. 2037, Contact lode, Duquesne Mining and Reduction Co. claimants, also corner No.I, Survey No. 2037, Monteguma lode, same claim ants, also N.W. corner Lot No. 38A, Belmont lode, also N.E. corner of this location.

A granite stone 20 by 20 ins. I2 ins above ground marked with a cross at exact corner point and C-2-2037 M-I-2037 and B-II, with a conical mound of stone I-I/2 ft. high 2-I/2 ft. base alongside.

An oak I8 ins. diam. blazed and marked I-2-2037-B-T bears 5.20° E. 62.2 ft.

An oak I2 ins. diam. blazed and marked I-2-2037-B-T. bears S.80 H. 6I.4 ft.

An oak IO ins.diam. blazed but grown over, bears S.20 E. 52 ft.

I mark J-W-2-2402 on side of granite stone facing this claim and J-W-2402-B-T on each of the two bearing troos.

Thence S. 549-40' W.

Variation I2º-T6' E.

Over rolling granite boulders.

300.00 N. and center monument of this location, a mound of stone 4 ft. high.

600.00 To corner No. 3.

Identical with corner No2, Sur. No. 2037, Montezuma lode, Duquesne Mining and Reduction Co. claimants, also the N.W. corner of this location.

A granite stone I2 by I2 ins. 8 ins. above ground marked with a cross at exact corner point and M.-2-2037 with a conical mound of stone I-I/2 ft. high 2 ft. base alongside, whence,

An oak 20 ins. diam. blazed and marked M-2-2037-B-T bears S.I3º -40'E. 43 ft.

Feet

An oak 20 ins. diam. blazed and marked M-2-2037-B-T. bears N.68° W. 84 ft.

Î mark J-W-3-2402 on the side of the granite stone facing this claim and J-W-3-2402-B-T. on each of the bearing trees.

Thence S.35°-20' E. Variation I2°-15' E.

Descending over rolling granite boulders.

750.00 The west side center monument of this location, a mound of stone three feet high.

I500.00 To corner No. 4.

Identical with corner No. 2, Sur. No. 2034, Lead King lode, Duquesne Mining and Reduction Co. claimants, also the south-west corner of this location.

A pine post 4-4 ins., I ft. above a substantial mound of stone and earth surrounding it, marked with a nail at the exact corner point and 2-2034, whence,

An oak 7 ins. diam. blazed and marked L.K.-2-2034-B-T. bears N/80° W. 4I.5 ft.

An oak I2 ins. diam. blazed and marked L-K-2-2034-B-T. bears S.4° E. 20.5 ft.

I mark J-W-2402 on the side of the post facing this claim and J-W-4-2402-B-T. on each of the bearing trees.

Thence N.549 -40' E.

Variation I2º-I6' E.

Descending eastern slope of porphyry hill.

300.00 South end center monument- a mound of stone three ft. high- of this location, from which the location shaft bears N. 350-20'W. 500 ft.

400.00 Ravine 20 ft. wide course N.W. to S.E.

500.00 To corner No. I the place of beginning.

Feet.

WINNEBAGO CHIEF LODE.

Beginning at corner No. I.

Identical with corner No. 2, Sur. No. 2034, Lead King lode, Duquesne Mining and Reduction Co. claimants, heretofore described also with corner No. 4, Joe Wheeler lode of this survey,

I mark W-C-I-2402 on the side of the corner post facing this claim and W-C-I-2402-B-T. on each of the bearing trees.

From this corner U.S.M.M. No.I, P.M.D. bears N.260-36' = -- E. I3771.7 ft.

Thence S. 690 -36 W.

Variation I2 - I5' E.

Descend rocky western slope of porphyry hill.

600.00 Ravine 20 ft. wide, course N.W. to S.E. Over rolling land.

I500.00 To corner No. 2.

Identical with north-west corner of this location which is a mound of stone 3 ft. high.

A cross at the exact corner point and W-C-2-2402 chiseled on a granite rock in place 3 by 4 ft. 6 ins. above ground, whence,

An oak I8 ins. diam. blazed and marked W-C-2-2402-B-T. bears S.870 W., 3I ft.

An oak IO, ins. diam. blazed and marked W-C-2-2402 B-T. bears S570 E., 45 ft.

Thence S. 350 -20' E.

Variation I2º-I5' E.

Over rolling granite boulders.

300.00 West center monument of this location, a mound of stone three ft. high.

600.00 To corner No. 3.

Identical with the south-west corner of this location a mound of stone three feet high.

A granite stone 8-I4-30 ins. set 20ins. in the ground, chiseled with a + at the exact corner point and W.C.3-2402 on side facing this claim, a conical mound of stone I-I/2 ft. high, 2 ft. base alongside, Feet. whence,

An oak 8 ins. diam. blazed and marked W-C-3-2402-B-T bears N.12° W.,86 ft.

An oak I2 ins. diam. blazed and marked W-C-3-2402-B-T. bears N.58° W. 69 ft.

Thence N.699-36' E.

Variation I2º +16' E.

Over broken granite boulders.

I500.00 To corner No. 4 at intersection with line 2-3 of Lead King lode, Survey No. 2034

Identical with the south-east corner of this location a mound of stone three ft. high.

A granite stone I2-I2-30 ins. set 20 ins. in the ground, chiseled with a + at the exact corner point and W-C-4-2402 on side facing this claim, whence,

An oak I6 ins. diam. blazed and marked W-C-4-2402-B-T. bears \$57°W., 29 ft.

An oak IO in s. diam. blazed and macked W-C-4-2402-B-T. bears S.85°E., I9 ft.

Thence N.350-20'W.

Variation I2º -T5' E.

Ascend southern slope of porphyry hill.

300.00 East center monument of this location, a mound of stone three ft. high.

600.00 To corner No. I the place of beginning.

IVANHOE LODE.

Beginning at corner No. I.

Identical with corner No. 2, Sur. No. 2034, Lead King lode, Duquesne Mining and Reduction Co. claimants, also with corner No. 4 Joe Wheeler lode this survey, also with corner No. I, Winnebago Chief lode of this survey, and the south-east corner of this amended location.

I mark I-I-2402- on the side of the corner post facing this claim and I-I-2402-B-T on each of the bearing trees.

Feet.

From this cornerU.S.M.M. No. I, P.M.D. bears N.26. - 36'-- E. 1371.7 ft.

Thence N.35°-20' W. Variathon I2°-16'E.

Over rolling granite boulders.

I500.00 To corner No. 2.

Identical with corner No. 2, Sur. No. 2037,

Montezuma lode, Duquesne Mining and Reduction Co. claimants, also with corner No. 3, Joe Wheeler lode this
survey, also the north-east corner of this location.

I cut I-2-2402 on the side of the granite stone facing this claim and I-2-2402-B-T. on each of the bearing trees.

Thence S.54°-40' W. Variation I2°-I5'E.

Over rolling granite boulders.

300.00 North center monument of this location, a mound of stone three ft. high.

600.00 To corner No. 3.

Identical with north-west corner of this location, which is a mound of stone three feet high.

A cross at the exact corner point and I-3-2402 chiseled on a flat granite rock in place, whence,

An oak I2 ins. diam. blazed and marked I-3-2402-B-T. bears S.45° E., I8 ft.

Mt. Washington bears N.210 -30'E.

Thence S.35.-20'E.

Variation I2°-15'E.

Over broken granite boulders.

1339.99 Intersect line I-2 Winnebago Chief Lode of this survey at S.690-36'W.,62I.02 ft. from corner No. I.

1500.00 To corner No.4.

Identical with south-west corner of this amended location, a mound of stone three ft. high.

A cross at the exact corner point and I-4-2402 chiseled on a granite rock in place 4-IO ft. 3 ft.

Feet. above ground, whence,

An oak I2 ins. diam. blazed and marked I-4-2402-B-T. bears N.24° E., 42 ft.

An oak I4 ins. diam. blazed and marked I-4-2402-B-T bears S.20°E., 3I ft.

Thence N. 540 -40'E.

Variation I2º -I5'E.

40.00 Ravine 20 ft. wide, course N.W to S.E.

Ascend porphyry hill

300.00 South center monument of this location, a mound of stone 3 ft. high, from which the discovery shaft bears N.35° 20' W., 500. ft.

500.00 To corner No. I the place of beginning.

ADJOINING CLAIMS.

The Joe Wheeler lode is bounded on the north by the Montezuma lode, Sur. No. 2037, on the east by the Belmont lode, Lot No. 38, on the south by the Lead King lode Sur. No. 2034, and on the west by the Ivanhoe lode of this survey.

The Ivanhoe lode is bounded on the east by the Joe Wheeler lode of this survey and on the south by the Winnebago Chief lode of this survey.

The Winnsbago Chief lode is partly bounded on the north by the Ivanhoe lode of this survey and on the east by the Lead King lode, Sur. No. 2034.

LOCATION.

These claims are situated on unsurveyed public land in the Patagonia Mining District, Arizona, in what will be T.24S.R.IGE., when covered by the U.S. Public Land Survey, and is within the Muachuca Forest Reserve.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements upon these three claims, placed thereon by the claimant

and his grantor, is not less than fifteen hundred dollars, and the said improvements consist of:

On the Joe Wheeler Lode

No.I. The discovery shaft 8-8 ft.,40 ft. deep in rock, which bears from corner No. I N.66°-I8'W.,583.I ft.

No. 2. A shaft 6-8 ft., 20 ft. deep in rock, which bears from corner No. I, N.41 W., I56 ft., Value --- \$ 160.00

On the Winnebago Chief Lode,

No. I. The discovery shaft 6-6 ft., IO ft. deep in rock, which bears from corner No.3, N-35° 09'E., 512.5 ft.

On the Ivanhoe Lode,

Mo.I. The discovery shaft 6-8 ft., I6 ft. in rock with one drift 4-6 ft., Oft. long running south from the bottom of the shaft, and another drift 4-6 ft., I2 ft. long running north from the bottom of the shaft, which bears from corner No. I., N-67°W., 568 ft. Value---450.00

2. A shaft 6-6 ft., 40 ft. deep in rock, which bears from corner No. I. N-86°-I0'W.,6I0.4 ft.Value \$330.00

3. A shaft 6-6 ft., I0 ft. deep in rock, which bears from corner No.I., N-43°-38'W.,525.2 ft. Value \$60.00

4. A shaft 6-6 ft., I0 ft. deep in rock, which bears from corner No.I., N-43°-38'W., 424 ft.Value \$70.00

INSTRUMENT.

This survey was made with a W. and L. E. Gurley light mountain transit with a Saegmuller solar attachment.

The courses were deflected from a true meridian as determined by solar observation. The distances were measured with a two hundred foot steel tape.

AREAS.

LEDGE.

The ledge of the Joe Wheeler lode bears from the discovery shaft N-35°-20'W. and S-35°-20'E. the full length of the claim

The ledge of the Winnebago Chief lode bears from the discovery shaft S-69°-36'W/ andN-69°-36'E. the full length of the claim.

The ledge of the Ivanhoe lode bears from the discovery shaft N-35°-20'W. and S-35°-20'E. the full length of the claim.

TERRITORY OF ARIZONA. SS. County of Santa Cruz. Alien T. Bird Clerk of the District Court Seconf of the Indicial District of the Territory of Arizona, which is a Court of Record in and for said County, do hereby certify: That W. A. O'Connor Esq., whose name is subscribed to the certificate of proof or acknowledgment of the annexed instrument and thereon written, was, at the time of taking such proof or acknowledgment, a Notary Public in and tor said County, residing in the said County, duly authorized to take the same; that I am well acquainted with the handwriting of said officer, and verily believe that the signature to the said certificate of proof or acknowledgment is genuine: and that the said instrument is executed and acknowledged according to the Laws of this Territory. IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the seal of the said District Court, at Nogales, A. T., this 30 day/81 June 1907

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	821
A list of the names of the individuals employed by	antes Claramo
United States Deputy Mineral Surveyor, to assist in running	g, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey	of the mining claim of TP. P. C. Common
` (a(-r o c	0 6 6
known as the Winnelago Chief, Iwanhoe	Joe Whicher
and showing the respective capacities in which they acted.	280 90
Hans	5 977. Larson, Chainman.
	, Chainman.
	Burno, Axman.
	, Flagman.
FINAL OATHS OF	ASSISTANTS.
We, Hans m. Laroon	
and John Burno, do solemn	
	l Surveyor, in marking the corners and surveying
the boundaries of the mining claim of P. P. C. Can	nor
known as the Tramelago Chieg, Frankoe	Joe Wheeler
represented in the foregoing field notes as having been surveyed	
direction; and that said survey has been in all respects, to the	best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments es	stablished according to law and the instructions
furnished by the United States Surveyor-General for	gena
yeo	me M Garse Khainman.
	, Chainman.
10	ohn Bungan.
	, Flagman.
Subscribed and sworn to by the above-	named persons before me this
day of Copril	190 7
	as the
10 T	ry, vocamor
m. Car	Molony Vubl
17287b5m3-05 / 14 6 manssey	,

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Charles E. Perkins	, U. S. Deputy Mineral
	nance of instructions received from the United
	, dated
Anril 2 TOO7	I have, in strict conformity to the laws of the
	instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claims of R.P.O'Connor	11
	known as the
Joe Wheeler, Winnebago Chief,	Ivanhoe ,
situate in Patagonia	Mining District,
Santa Cruz	County,, in Section
++++++++++++++++++++++++++++++++++++++	Mining District, County, Arizona , in Section ange No. 16 W. Uns. ,
	, as represented
	ely show the boundaries of said mining claim
	e ground, and described in the attached copy
	eived by me from the Surveyor General with
said instructions, and that all the corners of	of said survey have been established and per-
petuated in strict accordance with the law	, official regulations and instructions there-
under; and I do further solemnly swear	that the foregoing are the true and original
field notes of said survey and my repor	t therein, and that the labor expended and
improvements made upon said mining cla	im by claimant or his grantors
are as therein fully stated, and that the	character, extent, location and itemized value
thereof are specified therein with particu	larity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim.	
	Charles Merkens U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	Charles R. Parkins 1/2
U. S. Deputy Mineral Surveyor, b	THE VENT
Clerk District Court, Second Judicial District of Arisoma,	
day of June 1907	ety.
day or a control (1911)	, in the same of
* *	tillen Did
	Cherk District Court,
o 3—154	Second Judicial District of Arisona. Santa Cruz County.

72.	TERRITORY OF ARIZONA,
	County of Santa Cruz.
	Second I. Allen T. Bird
	proof or acknowledgment, a
1	IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the seal of the said
	District Court, at Nogales, A. T., this day of 1907 Clerk.
1	ByDeputy
- #	

Affidavit of Five Hundred Dollars Improvements.

×).	1 19)	m	XII	
We	hn Gu	ons,	and	1) V X	ungan
of lawful age, bein	g first duly sw	orn accordin	ng to law, depo	se and say:	That we are
acquainted with th	ne Joe Wheele	r, Ivanhoe	and Winneba	go Chief m	vining claim ³ ,
situate in	agonia		ning district,	Santa Crus	County,
Arizona Territory,					
of Nogales	, Arizona,				
<u> </u>	· · ·			***************************************	***************************************
ha made applica	ition for survey	prior to app	lication for pa	tent under t	he provisions
of the act of Congr	ess, approved J	May 10, 1872	; and that the		and improve- teen
ments made thereo	on by the applic	cant and	h is granto	r $_{-}$ $^{-$	ive Hundred
Dellare in sector	7 6 47 47	, N	77		:
Dollars in value, o	ina juriner ind	at we are not	personally in	terestea in se	ua mine.
el .	V V	-	John	n Bi	in
(III)		9			
en en	*		mtt Ico	mýun	
	,	*		5	
TERRITORY	OF ARIZONA	1			8
County of Jan	ta Cruz	88:			
e se e a Î	Su	vorn to and	subscribed before	re me, this	lot.
**************************************	£	day of	June	, 190	1
14396b400-8-04		, , , ,	Assa	Man.	land,
5 17	đ	1		Molary	. Oubles

NOTICE OF MINING LOCATION

QUARTZ CLAIM

Hotel a chatal abole tell

TO ALL WHOM IT MAY CONCERN :-

This mining claim, the name of which is the JOE WHEEL-ER Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by me the undersigned, on the 23rd. day of June 1900, The lenght of this claim is 1500 feet, and I claim 500 feet in a southerly direction and 1000 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lenghtwise of the claim together with 300 feet in width of the surface ground, on each side of the center of said claim. The general course of the lode deposite and premises is Northerly & Southerly!

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, Territory of Arizona, about 3/4 mile in a South westerly direction from Washington Mining Camp & 3/4 mile in a Westerly direction from Duquesne M.&.R. Co. The claim runs parallel to a adjoins the North Belmont claim the whole 1500 feet the N.E. and S.E. corners of JOE WHEELER being at the S.W. & N.W. corners of Belmont claim & it also adjoins the Lead King claim on its North end line.

The surface boundaries of the claim are marked upn the ground as follows: beginning at a monument at a point in a Southerly direction 500 feet fom the discovery shaft:

(At which this notice is posted), being in the center of the south end line of said claim: thence \$60 feet to a monument, being the south east corner of said claim: thence 750 feet to a monument at the center of the east side line of said claim, thence 750 feet to a monument being at the north east corner of said claim: thence 300 feet to a monument at the center of the north end of said claim? thence 300 feet to a monument, being at the N.W. corner of said claim: thence 750 feet to a monument being at the center of the west side line of said claim: thence 750 feet to a monument at the south west corner of said claim: thence 300 feet to the place of beginning. All done under the provisions of chapter six of Title XXXII, of the Revised Statutes of the United States, of an act of the general Assembly of Arizona entitled "An act concering mines," approved March 20th. 1895. Dated and posted on the ground this 23rd, day of June, 1900.

LOCATOR WITNESS

STEPHEN O'COMMOR F. O. STOW

Filed and recorded at request of D. Coughlin, Sept. 3rd.A.D. 1900 at 9 A.M. W.N. Cummings, County Recorder, by Louis Hudgin, Deputy Recorder

Territory of Arizona,)
: ss.
County of Santa Cruz.)

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of the JOE WHEELER mining claim, as the same appears of record in my office in Book 1 of Mining Locations at page 619 et seq.

IN WITNESS WHEREOF, I have hereun to set my hand and affixed my official seal this 29th day of January, A. D. 1907.

County Recorder.

LODE CLAIM

TO ALL WHOM IT MAY CONCERN: This Mining Claim the name of which is the Winnebago Chief Mining Claim, situate on lands belonging to the United States of America: and on which there are valuable mineral deposits, was entered upon and located for the purposes of explroration and purchase by a citizen of the United States the undersigned on the 20" day of March 1906. The length of this claim is 1500 feet and I claim 1000 feet in an Easterly direction and 500 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim, The general course of the lode deposit and premises is from the Easterly to the Westerly

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 12 miles in a Westerly direction from the Duquesne Hoist Works. The surface boundaries of the claim are marked upon the ground as follows: Beginning at a point in an Easterly direction 1000 feet from the discovery shaft (at which this notice is posted, being in the center of the East end line of said claim; thence 300 feet to a monument, being the North East corner of said claim; thence 1500 feet to a mon ument being at the Northwest corner of said claim; thence 300 feet to a monument at the center of the West end of said claim thence 300 feet to a monume mt being at the Southwest corner of said claim; thence 1500 feet to a monument at the South east corner of said claim; thence 300 feet to the place of begin-The East end of this claim joins onto the West side line of the Lead King Claim. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the general Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" aproved March 16, 1901.

Dated and posted on the ground this 20 day of March 1906

STEPHEN O"CONNOR LOCATOR

Witness William Schuster

Filed and Recorded at the request of Stephen O'Connor Mch 29 A.D. 1906 at 11 30 A.M.

PHIL HEROLD County Recorder

#287



Territory of Arizona,)
: ss.
County of Santa Cruz.)

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing are full, true and correct copies of original location and amended location of the WINNEBAGO CHIEF mining claim, as the same appear of record in my office, viz; original location in Book 3 of Ming Locations at pages 157 et seq; amended location in Book 6 of Mining Locations at pahes 236 et seq.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 29th day of January, A. D. 1907.

ount & Recorder

LODE CLAIM

Halletelletelletelletell

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Ivanhoe Mining claim, situate of lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by STEPHEN O'CONNOR a citizen of the United States the undersigned, on the 3dr day of January 1902. The length of thigs claim is I500 feet, and I claim 500 feet, in a Southerly direction and 1000 feet and in a Northerly direction from the center of the discovery Shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

grounds, on each side of the center of said claim.

The general course of the lode is from the Northerly to the Southerly. The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about one mile in a Westerly direction from Duquesne Post Office. The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a Southerly direction 500 feet from the discove ry shaft(at which this notice is posted), being in the center of the South end line of said claim: thence 300 feet to a monument, being the southeast corner of said claim: thence 1500 feet to a monument being at the Northeast corner of said claim: thence 300 feet to a monument at the center of the Nor th end of said claim: thence 300 feet to a monument being at the Northwest corner of said claim: thence I500 feet to a monument at the Southwest corner of said claim: thence 300 feet to the place of beginning. All done under the provisinos of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona" ans approved March 16, 1901.

Dated and paosted on the ground this 28" day of January 1907.

STEPHEN O"CONNOR LOCATOR

Territory of Arizona,)
: ss.
County of Santa Cruz.)

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that I have compared the foregoing copy with the original amended notice of location of the IVANHOE mining claim, filed and recorded in my office on the 28th day of January, A. D. 1907, in Book 7 of Mining Locations at pages _____ et seq. and that the same is a full, true and correct copy of such original and of the whole there of.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 29th day of January, A. D. 1907.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoeni	x, Arizona,	227228000000000000000000000000000000000
		*******	Septem	ber 17,
I, U. S. Surveyor-C	General for	Distr	rict of Ariz	ona
do hereby certify that t	he foregoing transcrip	ot of the Fie	ld Notes, return a	and approval of the survey
of the mining claim of				
	R	. P. Q'C	onnor	
known as the	Joe Wheeler	, Ivanho	e and Winne	bago Chief
situate in		Patago	mia	
Mining District,	Santa Cruz		County,	<u> Arizon</u> a
in Section	, Township No	24 S.	, Range No.	16 E. Unsur; and
designated as Survey N	o. 2402	, has been	correctly copied f	from the originals on file in
this office; that said Fi	ield Notes furnish suc	ch an accura	te description of s	aid mining claim as will, if
incorporated into a pat	ent, serve fully to ider	atify the pres	nises, and that suc	h reference is made therein
to natural objects or pe	rmanent monuments	as will perpe	tuate and fix the l	locus thereof.
ments made upon said	f mining claim ⁵ by clain	aant. or!	nis grantors, a	been expended or improve-
consist of 9.8	naits and 22 1	rt. or a	riits, tota	1 value \$2250.00

		*************	*****	
				•••••••••••••••••••••••••••••••••••••••
	***************************************	******************	****************	

and that no portion of a	said labor or improve	ements has b	een included in th	ne estimate of expenditures
I further certify that	at the plat thereof, fil	ed in the U.	S. Land Office at	Phoenix, Arizona
***************************************	is correct an	d in conform	nity with the foreg	oing Field Notes.
		***************************************	Frank S.	. Ingalls,
	United States	Samaranon-Com	anal fam	\rizona.

7361b5m3-03

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona,
September 17, 1907.
I, U. S. Surveyor General for <u>District of Arizona</u> ,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of
R. P. O'Connor
, known as the
Joe Wheeler, Ivanhoe and Winnebago Chief
situate in mining district,
Santa Cruz County, Arizona ,
in Section, Township No. 24 S., Range No. 16 F., Unsur.
, designated as Survey No. 2402
executed by Chas. E. Perkins, U. S. Deputy Mineral
Surveyor,April 13,, 1907 , under my instructions dated
April 2 , 1907 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the location
certificate filed by the applicant for survey is included in the field notes.
Thank I Ingalle
U. S. Surveyor General for Arizona.