

MS
-

0

2

4

1

6

Mh. 12 1007

(4-683.)

Mineral Survey No. 2416

Lot No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Albert Steinfeld et al

KNOWN AS THE

Victoria

Stanley Butte

Mining District,

Graham

County,

Arizona

Section Approx., Township 45, Range 20 E. Uns

Surveyed under instructions dated April 29, 1907.

by Philip Contzen

U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced April 29, 1907.

Survey completed April 30, 1907.

6-100

Address Chas. Blennan,

Attorney,

Tucson, Ariz.

File out
this
Essey
area
see report

SURVEY NO. 2416.

VICTORIA LODE.

Beginning at Cor. ^{No.}1, identical with the location, which is a mound of stone 3 ft. base, $2\frac{1}{2}$ ft. high.
 Set a quartzite stone 24 x 12 x 12 ins., 12 ins. in the ground, and raise a mound of stone alongside.
 Chisel stone 1-2416 on N. E. face, whence
 A pinon tree 6 ins. diam. blazed and scribed 1-2416 B T
 brs. S. $23^{\circ} 15'$ W. 39 ft. dist.
 19th mile cor. of the Amended Southern Boundary of the White Mountain or San Carlos Indian Reservation in Arizona, brs. S. $16^{\circ} 33'$ W. 1010 ft. dist.

Thence N. $0^{\circ} 10'$ W.
 Var. $12^{\circ} 50'$ E.

- 35 Intersect line 3-4 of the Nettie Lode and line 1-2 of the Will Ryan Lode, both of Survey No. 2372, whence Cor. 3 of the Nettie Lode and Cor. 2 of the Will Ryan Lode brs N. $46^{\circ} W.$ 518.8 ft. dist.
- 300 Gulch, course N. E.
- 779.6 Intersect boundary line of White Mountain Apache Indian Reservation as established by an Act of Congress, approved March 2, 1901. *and line 1-3 Will Ryan Lode at S. 44° W. 65.8 ft. from cor. No. 13.*
- 1388.6 Cor. 2, which is a mound of stone 3 ft. base, $2\frac{1}{2}$ ft. high Set a limestone 12 x 12 x 24 ins., 12 ins. in the ground, and raise a mound of stone alongside.
 Chisel stone 2-2416 on S. E. face, whence
 A pinon tree 8 ins. diam. blazed and scribed 2-2416 B T
 brs. S. $7^{\circ} E.$ 17.7 ft. dist.
 Old location cor. ^{which is a mound of stones 3 ft. base, $2\frac{1}{2}$ ft. high} brs. N. $0^{\circ} 10'$ W. 112 ft. dist.
- Thence N. $89^{\circ} E.$
 Var. $12^{\circ} 50'$ E.
- 300 N. end center, which is a mound of stone 3 ft. base, $2\frac{1}{2}$ ft. High, whence old location monument ^{which is a mound of stones 3 ft. base, $2\frac{1}{2}$ ft. high.} brs. N. $0^{\circ} 30'$ E. 112 ft. dist.
- 600 Cor. 3, which is a mound of stone 3 ft. base, $2\frac{1}{2}$ ft. high. at which point intersect boundary line of White Mountain Apache Indian Reservation as established by an Act of Congress approved March 2, 1901.
 Set a quartzite stone 24 x 16 x 12 ins., 12 ins. in the ground, and raise a mound of stone alongside.
 Chisel stone ~~3-2416~~ on S. W. face, whence
 A pinon tree 10 ins. diam. blazed and scribed 3-2416 B T
 brs. N. $6^{\circ} 9'$ E. 60.7 ft. dist.
 Mt. Turnbull brs. S. $73^{\circ} 45'$ E.
 Old location cor. ^{which is a mound of stones 3 ft. base, $2\frac{1}{2}$ ft. high.} brs. N. $2^{\circ} 50'$ E. 112 ft. dist.
 Cor. 3 of the Erie Lode, Survey No. 2372. brs. S. $44^{\circ} W.$ 194.7 ft. dist.

Thence S. $0^{\circ} 8'$ E.
 Var. $12^{\circ} 50'$ E.

- 271.3 Intersect line 1-2 of the Kelley Lode and line 3-4 of the Erie Lode, both of Survey No. 2372, whence Cor. 2 of the Kelley Lode and Cor. 3 of the Erie Lode, br. N. $46^{\circ} W.$ 188.9 ft. dist.
- 1006 Gulch, course N. E.
- 1107.2 Intersect line 1-2 of the Erie Lode and line 3-4 of the Will Ryan Lode, both of survey No. 2372., whence Cor. 1 of the Erie Lode and Cor. 4 of the Will Ryan Lode br. S. $46^{\circ} E.$ 729 ft. dist.
- 1388.6 Cor. 4, identical with the location, which is a mound of stone 3 ft. base, $2\frac{1}{2}$ ft. high.
 Set a limestone 24 x 12 x 12 ins., 12 ins. in the ground and raise a mound of stone alongside.
 Chisel stone 4-2416 on N. W. face, whence
 A pinon tree 12 ins. diam. blazed and scribed 4-2416 B T
 brs. N. $50^{\circ} W.$ 2.5 ft. dist.

A cross (x) and 4-2416 B R chiseled on a limestone 3 x 6 ft. x 6 ins. above the ground, brs. S. 18° E. 3.1 ft. dist.

Thence S. 89° W.
Var. 12° 50' E.

- 30 Gulch, course N.
- 299.5 S. end center, ~~identical with the location~~, which is a mound of stone 3 ft. base, 2½ ft. high, whence Old location monument brs. S. 2.3 ft. dist.
- 563.4 Intersect line 1-2 of the Will Ryan Lode and line 3-4 of the Nettie Lode, both of Survey No. 2372, whence Cor. 2 of the Will Ryan Lode and Cor. 3 of the Nettie Lode br. N. 46° W. ~~381.8~~ ^{380.6} ft. dist.
- 599 Cor. 1, the place of beginning.

A R E A .

Total Area.....19.108 Acres.
 Less Conflict with White Mt.
 Indian Reservation..... 4.193 "
 Net Area.....14.915 "

L O C A T I O N .

This claim is located between the 18½ mile and 19 mile corner monuments of the Amended Southern Boundary of the White Mountain or San Carlos Indian Reservation, about 8 miles South of the San Carlos Indian Agency, near Kelley Gulch, in Graham County, Territory of Arizona.
in Stanley Butte Mining district

A D J O I N I N G C L A I M S .

This claim is bounded on the West by the Will Ryan and Nettie Lodes, of Survey No. 2372, on the South by the same lodes, on the East by the Erie and Kelley Lodes of Survey No. 2572, and on the North by the White Mountain Indian Reservation.

(Note) The areas of the Nettie, Will Ryan, Erie and Kelley Lodes, Survey No. 2372, in conflict with the Victoria Lode, ^{are claimed} under this location, ^{as the Victoria Lode is a} prior location.

C O U R S E O F V E I N .

The presumed course of vein is from the South end center to the North end center, N. 0° 9' W. 1388.6 ft.

E X P E N D I T U R E O F F I V E H U N D R E D D O L L A R S .

I hereby certify that the value of the labor and improvements upon this claim placed thereon by the claimants and their grantors, is not less than \$500.00 and that said improvements consist of the following;

- From the E. end center;
- Discovery shaft No. 1, 4 x 6 ft., 30 ft. deep, brs. N. 0° 15' E. 193.7 ft. dist. Value \$ 300.00
- Shaft No. 2, 4 x 6 ft., 13 ft. deep, brs. N. 20° E. 182 ft. dist. Value \$ 100.00
- Cut No. 3, 4 x 8 ft., 7 ft. long, brs. N. 8° 30' W. 208 ft. dist. Value \$ 100.00

I N S T R U M E N T .

This survey was made with a W. & L. E. Gurley light mountain transit with solar attachment. The courses were deflected from the true meridian as

determined by direct observations, and checked on the lines of Survey No. 2372 and the Amended Southern Boundary of the White Mountain Indian Reservation, which agreed. The distances were measured with a one hundred foot steel tape.

Philip Conzen

U. S. Deputy Mineral Surveyor.

[Faint, illegible text]

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Philip Contzen
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of Albert
Steinfeld et al
 known as the "Victoria"
 and showing the respective capacities in which they acted.

W. L. Marcy , *Chainman.*
George A. Hawley , *Chainman.*
George A. Hawley. , *Arman.*
W. L. Marcy , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, W. L. Marcy
 and George A. Hawley , do solemnly swear that we assisted Philip Contzen
 , United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Albert Steinfeld, et al

 known as the "Victoria"
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

W. L. Marcy , *Chainman.*
G. A. Hawley , *Chainman.*
G. A. Hawley , *Arman.*
W. L. Marcy , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 6th

day of May , 1907.

W. G. Power
 Notary Public, Pima County, Arizona Terr.
 My Commission Expires April 27th, 1908.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Philip Contzen, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 29th, 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Albert Steinfeld et al, known as the "Victoria", situate in Stanley Butte Mining District, Graham County, Arizona, in Section Approx., Township No. 4S., Range No. 20E. Uns., and designated as Survey No. 2416, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Philip Contzen
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Philip Contzen
U. S. Deputy Mineral Surveyor, before me W. G. Power
this 6th
day of May, 1907

W. G. Power
Notary Public, Pima County, Arizona Territory
My Commission Expires April 21th, 1908.

Copy.

Notice of Mining Location.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Victoria

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

Andrew Cronly & W.S. Dewolf

the undersigned, on the 11th day of March 1901

The length of this claim is 1500 feet and we claim 200 feet

in a South Easterly direction and 1300 feet in a North Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of

said claim. The general course of the lode deposit and premises is from the North Westerly to the and South Easterly

The claim is situated and located in the Stanley Butte Mining District, in Graham County, in the Territory of Arizona, about $\frac{1}{4}$ of a mile west of Kelley Gulch (direction from) Mon No 18 & No 19 of the amended South boundary of the White Mt Indian Reservation

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Mon of Stone

at a point in a S. Easterly direction 200 feet from

the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a Mon of Stone, being the S. E. corner of said claim; thence

North westerly 750 feet to a Mon of Stone at the center of the Easterly side line of said claim; thence North Westerly 750 feet to a Mon of Stone being at the N. E. corner of said claim; thence Westerly 300 feet to a Mon of stone

the center of the Northerly end of said claim; thence Westerly 300 feet to a Mon of stone, being at the N. W. corner of said claim; thence South Easterly 750 feet to a Mon of stone

being at the center of the Westerly side of said claim; thence South Easterly 750 feet to a Mon of stone at the S. W. corner of said claim; thence Easterly 300

feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895; and amended March 2nd, 1899.

Dated and posted on the ground this 11th day of March 1901

Witness
G. A. Hawley

Andrew Cronly
W. S. De Wolf

An Act Concerning Mines.

Be it Enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. Every notice of location of a mining claim shall contain: First, the name of the claim located; second, the name of the locator; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim; fifth, the general course of the lode deposit or premises located; sixth, the locality of the claim with reference to some natural object, or permanent monument, as will identify the claim.

SECTION 2. All mining locations hereafter located, the certificate of location of which shall not contain: First, the name of the lode or premises; second, the name of the locator or locators; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim; fifth, the general course of the lode or premises, as near as may be; sixth, the locality of the claim with reference to some natural object, or permanent monument, as will identify the claim, shall be void.

SECTION 3. Before filing such location certificate with the County Recorder of the proper County, the discoverer shall locate his claim by: First, sinking a discovery shaft upon the premises so claimed, to a depth of at least ten feet from the lowest part of the rim of such shaft at the surface and deeper if necessary, until there is shown by such work a lode deposit of mineral in place; second, by posting at the point of discovery, on the surface, a plain sign or notice substantially conforming to the location certificate; third, by marking such claim or premises on the ground so that its boundaries can be readily traced.

SECTION 4. Such surface boundaries shall be marked by Eight substantial Posts projecting at least Three Feet Above the Surface of the Ground, or by substantial Stone Monuments at least Three Feet High, to wit: One at each corner of said claim, and one at the center of each end and side line thereof.

SECTION 5. Any open-cut, cross-cut, adit or tunnel which shall be made as above provided for, as a part of the location of a mining claim, and which shall be equal in amount of work to a shaft ten feet deep and four feet wide by six feet long, and which shall cut a lode or mineral in place at the depth of ten feet from the surface, shall be equivalent, as a discovery work, to a shaft sunk from the surface.

SECTION 6. The discoverer shall have ninety days from the date of discovering the lode and the posting of the notice thereon, to perform said discovery work thereon.

SECTION 7. If at any time the locator of any mining claim heretofore or hereafter located, or his assigns, shall learn that his original certificate was defective, or that the requirements of the law had not been complied with before filing, or shall be desirous of changing his surface boundaries, or of taking in any additional ground which is subject to location, or in case the original certificate was made prior to the passage of this law, and he shall be desirous of securing the benefits of this Act, such locator or his assigns, may file an amended certificate of location subject to the provisions of this Act, regarding the making of new locations.

SECTION 8. The amount of assessment, or representation, work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same, shall be as provided by the laws of the United States.

SECTION 9. Within three months after the expiration of the period of time fixed for the performance of annual labor or the making of improvements upon any mining claims or premises, the person on whose behalf such work or improvement was made, or some person for him, knowing the facts, may make and record in the office of the County Recorder of the county wherein such claim is situated an affidavit in substance as follows:

TERRITORY OF ARIZONA, }
 County, } ss

..... being duly sworn deposes and says, that he is a citizen of the United States, and more than 21 years of age, and resides at County, Arizona Territory, and is personally acquainted with the mining claim and premises located and known as mining claim or lode, situated in Mining District, County of Arizona Territory, the notice of location of which premises is recorded in the office of the County Recorder of said county, in Book of Records of Mines, at page; that between the day of A. D. 189..... and the day of A. D. 189..... at least dollars worth of work and improvements were done and performed upon said premises or lode, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said premises for the purpose of complying with the law of the United States pertaining to assessments or annual work, and (here name the miners or men who worked upon the claim in doing the work) were the men employed by said owner and who labored upon said premises and who did said work and improvements, and said work so done upon said premises is described as follows, to-wit: (Here describe the work done.)

Subscribed and sworn to before me..... this..... day of 189..... (Signature)


.....
 Notary Public.

[SEAL]
SECTION 10. Such affidavit when so recorded shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit after it has been recorded, or a certified copy of record of same, shall be received as evidence accordingly by all the Courts of this Territory.

SECTION 11. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing new boundaries in the same manner and to same extent as is required in making a new location; or the relocater may sink the original discovery shaft ten feet deeper than it was at date of commencement of such relocation, and shall erect new or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location certificate shall state if the whole or any part of the new location is located as abandoned property.

SECTION 12. This Act shall take effect and be in force from and after July 1st. 1895.

SECTION 13. All Acts and parts of Acts in conflict with this Act are hereby repealed.



The above diagram is to give the locator a general idea of plan of location under the new law. Your discovery shaft can be in the center of claim or any distance from from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TERRITORY OF ARIZONA, }
 County of..... } ss

..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....
 County Recorder.

4-524

Notice of Location.

QUARTZ CLAIM.
 Victoria
 Stanley Butte
 Mining District

DATED: March 11 1901

Filed and recorded at request of
 G. A. Newley
 Recorder
 May 14 1901
 at 9 o'clock a. m.

Book 111 Records of Mines
 Pages 87
 Thomas Smith
 County Recorder.

By.....
 Deputy Recorder.

NO. 110. HEERMANS STATIONERY CO., TUCSON, ARIZONA

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

August 20, 1907.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Albert Steinfeld et al

known as the VICTORIA

situate in Stanley Butte

Mining District, Graham County, Arizona

in Section APPROX., Township No. 4 S., Range No. 20 E. Unsur., and

designated as Survey No. 2416, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 2 shafts and 1 cut, value \$500.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

August 20, 1907.

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of

Albert Steinfeld et al

, known as the

VICTORIA

situate in Stanley Butte mining district,

Graham County, Arizona

in Section Approx., Township No. 4 S., Range No. 20 E. Unsur.

, designated as Survey No. 2416

executed by Philip Contzen U. S. Deputy Mineral

Surveyor, April 29 - 30, 1907, under my instructions dated

April 29, 1907, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.



U. S. Surveyor General for Arizona

MAP