S

Mineral Survey No. 24/8

Lot No.
Arizona Land District.
· FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
F. K. O'Brin
KNOWN AS THE
Lawren W.H. Brage, In Hold Homester Blue Jand Mining District.
Garapai County, Anyona
Section approx, Township 8 M., Range 3 M., Unsur.
Surveyed under instructions dated May 2
1904 U. S. Deputy Mineral Surveyor
Claim located Devil
Survey commenced fine 11th 1907
Survey completed 16 th 190?
o 6—197
Norris Y Ross Allys
Percott Asigona

(1)

Feet. Beginning at Cor.No.1 Identical with the loc.and with Cor.No.2 W.H.Burrage lode of this sur.

A Granite stone 8XloX24 ins.set 12 ins.in the ground chiseled A-C-1.W-H-B-2-2418, with post 4X4 ins.X 4 ft.in mound of stones. Whence:

U.S.L.N.No.1477 brs N 80°.49'E 5767.87 ft.

No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

Thence N7°.06'W

1209 To Cor. No. 2.

Identical with the loc.

A Granite stone 5X10X24 ins.set 12 ins.in the ground. with mound of stones chiseled A-C-2-2418.

No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thence S 87°.00'W Va.14°.E

300 N.C. End.

375 To Cor. No. 5.

A Granite stone 2X8X24 ins.set 12 ins.in the ground with mound of stones chiseled A-C-3-2418.No bearings available.Loc.cor.a.mon.of stones 2X3 ft.brs.S 87°.30'W 200 ft.

Thence S 3°.33'W

1213.83 To Cor. No. 4.

Identical with the loc. and with Cor. No. 3 W. H. Burrage lode of this sur.

Granite stone 8X10X24 ins.set 12 ins.in the ground chiseled A-C-4.W-H-B-3-2418 with post 4X4 ins X4 ft.in mound of stones.Loc.cor.post 4X4 ins.X 4ft.in mound of stones.

Thence N 87°.00 E

300

J.C. End.

600 To Cor. No, 1 the place of beginning.

W.H. BURRAGE LODE.

	Feet.	Beginning at cor. No. 1. Identical with the lod.
		Granite stone 4X8X24 ins. set 12 ins. in the ground ,with
		mound of stones, chiseled W-H-B-1-2418. Whence:
and the same of the same of	120	U.S.L.M.No.1477 brs.N 69432'E 6012.44 ft.
And in comment of the last		No bearings available.Loc.cor.mon.of stones 3X3 ft.
-		
		Thence N 3°.00 W Va.14°.E
	52.4	7 Intersect line 1-2 Nogi lode of this sur.at S 26°.45'E
		123.25 ft.from cor.No.2
	131.0	
		from cor, No.2
	1183.	To Cor.No.2
		Identical with the loc.and with cor.No.1 Amalgamated
		Copper lode of this sur hereinbefore described.
	¢0	Thence S 87°.00'W
	3 00	N.C. End.
	600	To Cor.No.3 Identical with the loc.and with cor.No.4
		Amalgamated Copper lode of this sur hereinbefore described.
		Thence S 3°,00°E
		Va.14°.E
	184,12	Intersect line 1-2 Scorpion lode of this sur.at
		N 36°.26'4 998.88 ft from cor No.1
	1183	To Cor. No. 4. Identical with the loc.
		Granitestone 6X6X24 ins.set 12 ins.in the ground with
		mound of stones, chiseled W-H-B-4-2418. No bearings available.
		Loc.cor.mon.of stones 3X3 ft.
		Thence N 87°00 .E
•	30 0	Va.14°E S.C.End.Intersect line 4-1 Scorpion lode of this sur.
		Identical with line 3-2 Nogi lode of this sur.at.
		S 53°34 W 300 ft.from Cor.No.1 Scorpion lode.
į	408.13	Intersect line 2-3 Batholdi lode of this sur.atw 52°.40'E
		85.95 ft.from cor.No. 1
	600	To Cor. No. 1 the place of beginning.

Beginning at Cor. No. 1 Feet

> Identical with the loc. and with Cor. No. 2 Nogi lode of this sur.

Granite stone 4X10X26 ins. set 14 ins. in the ground with mound of stones ohiseled S-1.N-2-3418. Whence: U.S.L.M.No.1477 brs.N 71°.11'E 6010.35 ft. No bearings available.Loc.cor.mon.of stomes 3X3 ft.

> Thence N 36°26'X Va. 14° . E

998.88 Intersect line 3-4 WH. Burrage lode of this sur. at

S 3°.00'E 184.12 ft.from Cor.No.3 1500 To Cor. No. 2.

> Identical with the loc. and with cor. No. 1 Lawson lode of this sur.

Granite stone 8X8X26 ins. set 14 ins. in the ground, with mound of stones chiseled S-2.L-1-2418. No bearings available.Loc.Cor.mon.of stones 3X3.

> Thence S 53°.34'W Va.14° E

300 N.C. End.

600 To Cor. No. 3.

> Identical with the loc.and with cor.No.2 Lawson and Cor. No. 1 01d Homestead lodes of this sur.

Granite stone 7X10X24 ins. set 12 ins. in the ground with mound of stones chiseled S-3.L-2.0-H-1-2418. Loc.cor.mon.of stones 3X3 ft.No bearings available.

> Thence S 36°.26'E Va.14° .E

1500 To Cor. No. 4.

> Identical with the loc. and with cor. No. 3 Mogi lode of this survey.

A Quartz stone 6X8X26 ins. set 14 ins. in the ground , with mound of stones chiseled S-4.W-3-2418

Loc.cor.ror.of stones 3%3 ft.No bearings available.

Thence N 53°.34'E Va.14°.E

S.C.End.Intersect line 4-1 W.H.Burrage lode of this sur. at N 87°.E 300 feet mm Cor.No.4
To Cor.No.1 the stace of beginning. 600

300.

1

(4)

Survey No. 2418 LAWSON LODE.

Feet

Beginning at cor No.1

Identical with the loc. and with Cor. No. 2 Scorpion lode of this survey hereinbefore described. Whence:

U.S.L.M.No.1477 brs.N 83°39'E 6621.64 ft.

S 53°.34°W Va.14°.E

300 S.C.End

600

To Cor.No.2

Identical with the loc. and with Cor. No. 1 Old Homestand and No. 3 Scorpion lodes of this survey hereinbefore described.

Thence N 40°.06'W Va.14°.E

1476

To Cor. No. 3

Identical with the loc.and with cor.No.2 Old Homestead lode of this survey.

A post 4X4 ins.X 4 ft. set 2 ft.in the groundwith mound of stones. scribed L-3.0-H-2-2418. Loc.Cor.mon. of stones. 3X3 ft. No bearings available.

Thence N 53°.34°E Va.14°E

300

To Cor. No. 4.

Identical with the loc.

A Post 4X4 ins.X 4 ft.set 18 ins.in the ground surrounded with mound of stones, scribed I-4-2418.Loc.cor.post 4X4 ins. X 4 ft.in mound of stones. No bearings available.

Thence S 65°.00'E Va. 14°.E

711.2

To Cor. No. 5.

Identical with the loc.

X-L-5-2418 chiseled on granite rock in place showing 18 X 24 X 14 ins. above the ground, with mound of stones. Loc.cor.mon.of atones 3X3 ft. No bearings available.

Thence S 40°.06'E

850

To Cor. No. 1 the place of beginning.

(5)

Feet. Beginning at Cor. No. 1.

Identical with the loc.and with Cor.No.3 Scorpion and Cor.No.2 Lawson lodes of this survey hereinbefore described Whence: U.S.L.M.No.1477 brs.N 81°.14°E 7147.18 feet.

Thence N 40°.06'W

1476 To Cor. No. 2

Identical with the loc.and with cor.No.3 Lawson lode of this sur.hereinbefore described.

Thence S 53°.34°W Va.14°.E

300 N.C. End.

600 To Cor.No.3.

Identical with the loc.

With mound of stomes, chiseled 0-H-3-2418 . No bearings awa available. Loc. cor. mon. of stomes 3X3 ft.

Thence S 40°.06'E Va.14°.E

1476 To Cor. No. 4.

Identical with the loc.

Granite stone 12X 14 X 26 ins.set. 14. ins.in the ground with mound of stones, chiseled 0-H-4-2418. Wo bearings available.Loc.cor.mon.of stones 2X3 ft.

Thence N 53°.34'E

300

S.C. End.

600

To Cor. No. 1 the place of beginning.

NOGI LODE.

Beginning at Cor. No. 1

Minimum transfer with the management

Identical with the loc.and with Cor.No.2 Meter Hill lode of this sur.

Granite stone 6X12X26 ins.set 14 ins.in the ground with mound of stones, chiseled N-1, M-H-2-2418. Whence: U.S.L.M.No, 1477 brs.N 57°.48'E 5981.37 feet.

No bearings available.Loc.cor.mon.of stones 2X3 ft.

Thence N 26°.45'W Va.14°.E

519.48

STRICT Intersect line 3-4 Batholdi lode of this sur.at S 46°.52'E 817.73 Lt. rom cor.No.3

1273.75 Intersect line 1-2 W.H.Burrage at N 3°.00'W 52*.47feet from cor.No.1

1339.77 Intersect line 2-3 Batholdi lode of fhis sur.at N 52°46'E
286.ll ft.from Cor.No.3

1397 To Cor.No.2

Identical with the los.and with Cor.No.1 Scorpion lode of this survey hereinbefore described.

Thence S 53°.34°W Va.14°.E

N.C.End at intersection of line 4-1 W.H.Burrage, at N 87°E

600 To Cor. No. . 3.

Identical with the loc.and with cor.No.4 Scorpion lode of this survey hereinbefore described.

Thence S 26°.45°E Va.14°.E

1397 To, Cor. No. 4.

Identical with the loc. and with cor.No.3 Meter Hill lode of this survey.

Granite stone 10 X10 X24 ins.set 12 ins.in the ground with mound of stones chiseled N-4.M-H-3-2418.

No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thence N 53°34'E Va.14°.E

300 S. CEnd.

600 To Cor. No. 1 the place of beginning.

METER HILL LODE.

B Beginning at cor.No.1.

Identical with the loc.

Granite stone 8X8X24 ins.set 12 ins.in the ground with mound of stones chiseled M-H-1-2418. Whence:

brs.

U.S.L:M.No.1477 'N 43°.39'E 6131.95 feet. X-B-R-M-H-1-2418 ohiseled on rock in place brs.562°.58'W6.3 ft No bearings available. Loc.cor.mon.of stones 3X3 ft.

> Thence N 33°.33°W va.14°.E

1500

To Cor. No. 2

Identical with the loc. and with cor. No. 1 Nogi lode of this survey hereinbefore described.

Thence S 53°34'W

360

N.C. End.

600

To Cor. No. 3.

Identical with the loc.and with cor.No.4 Nogi lode of this survey hereinbefore describes.

Thence S 33°33'E Va.14°.E

1500

To Cor. No. 4

Identical with the loc.

Granite XX stone 8X12X24 ins.set 12 ins.in the ground with mound of stones, chiseled M-H-4-2418 No.bearings available.Loc.cor.mon.of stones3X3 ft.

Thence N 53°34'E Va.14°.E

30.

S.C. End.

600

To cor. No. 1 the place of beginning.

BATHOLDI LODE.

Beginning at cor. No. 1

Identical with the loc.and with Cor.No.2 Chadwick lode of this survey.

With mound of stones chiseled B-1.C-2-2418. Whence:

N58°02'E

U.S.L.M.No.1477 brs.5190.11 Loc.cor.mon.of stones3X5 ft.

No bearings available.

Thence N 46°52'W Va.14°.E

1336

To Cor. No. 2.

Identical with the loo.

A Granite stone 8X8X24 ins.set 12 ins.in the ground with mound of stones chiseled B-2-2418.No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thènce S 52°.40'W Va.14°.E

281.7 Intersect line1-2 W.H.Burrage lode of this survey at

N 3°.00'W 131.05' ft.f7 m cor 1.

300 N.C.End. 313.89 Intersect line 1-2 Nogi lode of this survey at S 26°45'E

57.23 ft.from Cor.No.2

514.05 Intersect line 4-1 W.H.Burrage lode of this survey at

#269143XE S 87°.W 191.87 ft.from Cor.No.1

600 To Cor. No. 3.

Identical with the loc.

Granite stone 8X8X24 ins.set 12 ins.in the ground with mound of stones chiseled B-3-2418.No bearings available Loc.cor.mon.of stones 3X3 ft.

Thence S 46°.52'E

Va.14°.E

S. 26°45.W

817.52

519.43 ft.from cor.No. * 2.

1386 To Cor. No. 4

Identical with the loc. and with cor. No. 3 Chadwick lode of this survey.

A Granite stone 6X10X30 ins set 16 ins.in the ground with mound of stones, chiseled B-4.C-3-2418.No bearings available.Loc.cor.mon.of stones.3X3 ft.

Thence N 52°.40'E Va.14°.E

300

600

S. CEnd.

To Cor. No. 1 the place of beginning

CHADWICK LODE.

Beginning at Cor.No.1

Identical with the loo,

A Granite stone 10X12X24 ins.set 12 ins.in the ground With mound of stones chiseled C-1-2418 Whence:
U.S.L.M.No.1477 brs.N 41°33'E 5266.03 ft.

No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thence N 37°.20'W

Va.14°.E Cor.No.3 Montai Nill lode of this survey.

1500 To Cor. No. 2.

1420

Identical with the loc. and with Cor. No. 1 Batholdi lode of this survey hereinbefore described.

Thence S 52°.40'W

300 N.C. End.

500 To Cor. No. 3.

Identical with the loc.and with cor.No.4 Ratholdi lode of this survey hereinbefore described.

Thence S 37°.20'E

1500 To Cor. No. 4.

Identical with the loc.

A Granite stone 6X8X24 ins.set 12 ins.in the ground with mound of stones chiseled C-4-2418.No bearings available.Loc.cor.mon.of stones 3X3 ft.

Thence N 52°.40'E. Va.14°.E

300 S.C. End.

600 To Cor. No. 1 the place of beginning.

MONTAL HILL LODE.

Beginning at Cor.No.1

Identical with theloc.

A Granite stone 6X6X24 ins.set 12 ins.in the ground, chiseled M-H-1-2418.with post 4X4 ins.X 4ft.set in moun. of stones. Whence:

U.S.L.M.No.1477 brs. N39°34'E4832.97 feet

No bearings available.Loc.cor.post 4X4 ins.X4ft.in mound of stones.

ro)		Survey No. 2416
	**	Thence N37°20'W Va.14°.E
	1383.88	Intersect line 4-1 Accident lode of this survey.at
		N 84°.23°W 160,88 ft.from cor.No.1
	1500.	To Cor.No.2.
		Identical with the loc.
		A Granite stone 4X8X 22 ins set 12 ins.in the ground
		Chiseled M-H-2-2418, with post 4X4 ins. set in mound of s
		stones. No bearings available. Loc cor. post 4X4 ins. X4 ft
		in mound of stones.
V	124.75	Thence S 52°.40°W Va.14°.E Intersect line 1-4 Accident lode of this survey at
		S 84°.23°E 208.69 ft.from cor.No.4
	300	M . GEnd.
	460	To Cor. No. 3
		Identical with the loo.
		A Granite stone 8X8X24 ins.set 12 ins.in the ground
		with mound of stones, chiseled M-H-3-2418. No bearings
		available-Loc.cor.mon.of stones 3X3 ft.
		Thence S 27°20'E
	1420	Va.14°.E Cor.No.1 Chadwick lode of this survey.
	1500	To Cor. No.4.
	.2.,50	Identical with the loc.
	.09	A Granite stone 8X12X26 ins. set 14 ins. in the ground
		with mound of stones chiseled M-H-4-2418. Whence :
		X-B-R-M-H-4-2418 chiseled on rock in place brs.
		N 13°.45'E 6.1 feet. No other bearings available.
		Loc.cor.Mon.of stones 2X3 ft.high.
		Thence N 52°.40°E Va.14°.E
	160	S.C.End.
	460	To Cor. No. 1 the place of beginning.
6	×	The Accident Lode.
		Reginning at Cor.No.1

Identical with the loc.

Feet. A Granite stone 8X8X23 ins.set 12 ins.in the ground with mound of stones, chiseled A-1-2418. Whence:

U. S.J. M. No. 1477 brs. N 54°54'E 4592.8 feet

No bearings available.Loo.cor.mon.of stones 3X3 ft.

Thence N 5°.37'E Va.14.°E

1357 To Cor.No.3

Identical with the loc.

A Granite stone 10 X10 X30 ins. set 15 ins. in the ground with mound of stones chiseled A-2-2418. No bearings available.

Loc.cor.mon.of stones 3 X3 ft.

Thence N 84°.23'W Va.14°.E

N.C.End.

540 To cor. No. 3.

Identical with the loc.

A Granite stone 4X12X24 ins.set 12 ins.in the ground with mound of stones, surrounding post 4X4 ins.X 4 ft., chiseled A-3-2418.No beraings available.Loc cor.post 4X4 ins.X 4 ft.in mound of stones.

Thence S 5°.37'W Va.14°.E

1357 To Cor. No. 4.

Identical with the loc.

A quartz stone 8X10X30 ins.set 16 ins.in the ground with mound of stones chiseled A-4-2413.No bearings available.

Loc cor.mon.of stones 3X3 ft.

Thence S 84°.23'E Va.14°.E

208.69 Intersect line 2-3 Montai Hill lode of thes survey at S 52°.40'W 124.75 ft.from cor.No.2

300 S.C.End.

379.12 Intersect line 1-2 Montai Hill lode of this survey at S 37°.20'E 116.12 ft.from cor.No.2

To Cor. No. 1 the place of beginning.

AREA.

survey 6.879 acres.

OLD HOMESTEAD LODE. Total and net area...20.289.acres

LAWSON " " " "18.137 "

SCORPION . " " " "20.661 "

AMALGAMATED COPPER lode" " "13.495 "

W.H.BURAGE LODE total area.16.295 acres.

Less area in conflict with Scorpion lode of this

Less area in conflict with Nogi lode of this survey

Less area in conflict with Nogi lode of this sur.

not in conflict with W.H.Burage lode.2.383 acres

Less area in conflict with Nogi and W.H.Burage lodes

of this survey 0.265 acres.

Total net area of lode claim .. 190.312 acres /

This claim is located on unsurveyed land approximately in Twp. 8 N.R.3.W. Blue Tank Mining District Yavapai County, Arizona.

This claim is bounded on all sides by U.S.Land.

Ammigamated Copper ledge brs.from S.C.End N 7°.06'W 1209ft.

W.H.Burrage ledge brs.from S.C.End N 3°.00'W 1183 ft.

Scorpion ledge brs.from S.C.End N 36°26'W 1500 ft.

Lawson ledge brs.from S.C.End.N40°.06'W 1476 ft.

Old Homestead ledge brs.from S.C.End.N 40°.06'W 1476 ft.

Nogi ledge brs.from S.C.End N 26°.45'W 1397 ft.

Meter Hill ledge brs.from N.C.End S53°.33'E 1500 ft.

Batholdi ledge brs.from S.C.End.N 46°.52'W 1386 ft.

Chadwick ledge brs.from S.C.End.N37°.20'W 1500 ft.

Montai Hill ledge brs.from S.C.End N 37°.20'W 1500 ft.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars for each lode, and that said improvements consist of:

AMALGAMATED COPPER LODE.

No.1 dis.cut which brs.froms.C.End N 7°.06'W 500 ft.

4X30X12 ft....value.....\$100100

No.2 Tunnel which brs.from NC.E. 3535'.15'E 85 ft.

5X7X10 ft.a cut leading to the tunnel is4X35X15/t

course of tunnel and cut S 28°.30'W value \$200.00

W.H.BURKAGE LODE.

No.1 dis.shaft which brs.from S.C.End N 3°.W 678 ft. 4X6X10 ft. Value\$100.00

SCORPION LODE

No.1 dis.tunnel which brs.from S.C.End N 36°26'W 135 ft. 5X7X25 ft.course S 36°.00'E value \$200.00

LAWSON LODE.

OLD HOMESTEAD LODE

No.1 dis shaft which brs.from S.C. End N40°.06'W 25 ft.

4X6X10 ft.value.\$50.00 No.2 shaft which brs from cor.No.2 S 20°.00'E 520 ft. 4X6X10 ft.value.\$50.00

NOGI LODE

METER HILL LODE.

No.1 dis.cut.which brs.from N.C.End S 33°33'E, 335ff.

'4X35X12 ft.....value......\$100.00

BATHOLDI LODE.

No.1 dis.shaft which brs.from S.C.End N 46°.52'W 290 ft. 4X6X10 ft.value.....\$100.

CHADWICK LODE.

No.1 dis.shaft which brs.from SoC.End N 37°.30'W742 ft. 4X6X10 ft. value.....\$100.00

MONTAL HILL HODE. .

No.1 dis.shaft which brs.fromS.C.End N37° 20'W 510 ft. 4X6X10 ft. value.......\$100.00

7 TO ACCIDENT LODE

No.1 dis.cut which brs.from S.C. End. N 5°.37'E 210 ft. 4X20X12 ft...... value \$50.00

Note \$450.00 worth of the work in No.2 shaft Nogi lode is credited to each lode of the claim.

This survey was made with a Gurley light mountain solar transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft and 500-ft. steel tapes.

Note: -It is the intention of the claimant to work these c

. William & Merrit

U.S. Dep. Mineral Surveyor

make in the

claims as a group.

Tidary Public

Mym

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

111.00.
I, William & Murut , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Aryma, dated may 2 1907, I have, in strict conformity to the laws of the
may 2 1907, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of A Comment of the Comment of the Robbinson of the Comment
known as the
Bottle houself or g co farmed South of the Gled with
situate in Olive Sank Mining District,
Garahar County, Aryona, in Section
approx., Township No. 8 M., Range No. 3 M., Unsur,
and designated as Survey No. 21418, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
or expenditures upon any other claim.
11/00 41/2- 44
Ulliant Hunt
C. S. Dopwing Little at Surveyor.
Subscribed and sworn to by the said William H Menity
21: -10
U.S. Deputy Mineral Surveyor, before me this 27th
day of luly ast 1907
JUNE NOST ESS
Not all 1
0 8-154 More
Com remaining the Dame & 1000

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

el! 00 2/1 v	
A list of the names of the individuals employed by Callan & hum	
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lin	ies, corners, and
known as the Bathadurin Kong Ser Amal Coll South South Share Ser Amal Coll South South Share State Sta	full
and showing the respective capacities in which they acted.	
Stanley Hayerard	, Chainman.
J	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS OF ASSISTANTS.	
and do solemnly swear that me assisted We	
Wayware Stanley Hayware	
and, do solemnly swear that we assisted	llean
H merrif, United States Deputy Mineral Surveyor, in marking the corners	and surveying
known as the Bolow Well And Son Hold Will Man Son Son Man Son Man Son Man Son Son Man Man Son Man Man Son Man Man Man Man Man Man Man Man Man Ma	Hull
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor	and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief	of, faithfully and
correctly executed, and the corner and boundary monuments established according to law and	the instructions
furnished by the United States Surveyor-General for Anguna	2
Stauley Hay ward	, Chainman.
•	, Chainman.
***************************************	, Axman.
2 [23-8-1 14-1-1	Flaaman
Subscribed and sworn to by the above-named persons before me this	27
day of August, 1907	
WH Mernt	+
my buty 7 th, 1909 Notary Souble	i <u>e</u>

Affidavit of Five Hundred Dollars Improvements.

We, Pell Bayler, and M. Hutchinson
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the state of the second of law, depose and say: That we are
situate in Blue Trank Mining district, Marghai County,
Arizona Territory, for which Con X O Brein
hadmade application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
OPM Bagton
Mittelchinson
TERRITORY OF ARIZONA,
County of Maricopa
Sworn to and subscribed before me, this 3.4.
SEAL BEAL AND SEAL AN
14396b400-8-04 Mary a, Goayd
My commission expires. Nov. 28th 1908.
Nov. 28th 1908.

o Mil Conom it litay Concern:	•		
This Mining Claim, the name of which	is the		
ining Claim, situate on lands belonging to t	the United States of Amer	ica, and in which there	e are valuable min-
al deposits, was entered upon and located for			
.W.Baxter a citizen of t	he U.S.		*************
(Locator must insert either "a citizen of the United St	ates." or. "who has declared his	intention to become a citizen	of the United States."
e undersigned, on the 13 day			
The length of this claim is 15			feet.
nd I claim 750			
a southerly			
afeet in a			
e center of the discovery shaft, at which the			
	feet in width		
nter of said claim. The general course of			
South			
The claim is situated and located in the			
Соил			
asoutherly	direction from Ci.	Lbert station.	and joins
Chadwick claim on the Nor	th and Mogicla	aim on east, a	ind abandoned
t a point in a southerly	direction	750	feet from
the discovery shaft (at which this notice is	posted), being in the cent	er of the south	
and line of said claim; thence 300	fee	to a monument	of stones
, being the	southeast	corner	of said claim; thenc
1500 fee	t to a monument of	stone	, being at th
north east corner	r of said claim; thence	300	fee
oa monument of stones	at the center of t	he north	end of said claim
thence 300	feet to a _monu	ment of stone	being at th
North west corne	r of said claim; thence _	1500	
feet to a monument of stones			
thence 300			
All done under the provisions of Chap			s of the United State
and of an Act of the General Assembly of	Arizona, entitled "An Act	to Revise and Codify	the Laws of the Terr
tory of Arizona," approved March 16, 1901			
Dated and posted on the ground this.	13 day of	Dec.	190 ⁴ -
F C. Orozco witness	*	R.W. Baxter	
Filed and D.1905 at 12:10 o'clock, F vapai County, Arizona.		f Mines, Page	511, Records
I A.Mosher Deputy Recorder.	(Seal)	Roland	Josher ounty Recorde

Co Mi Colom is may Concern:	01	- J. d ole	
This Mining Claim, the name of which	ch is the Ch	adwick	
Mining Claim, situate on lands belonging to			
eral deposits, was entered upon and locate			
R.W Baxter a citizen o			
, (Locator must insert either "a citizen of the Unite	d States," or, "who has decla	red his intention to become a citizen	of the United States."
the undersigned, on the 13	day of December		
The length of this claim is	1500		feet,
and I claim	750		feet,
in a southerly		direction and	
750 feet in a			
the center of the discovery shaft, at which	SANTON PARAMETERS IN THE PROPERTY		
300	feet in	width of the surface ground	s, on each side of the
center of said claim. The general course	of the lode deposit and	premises is from the	
South	to the	North	
The claim is situated and located in		(4)2	
in Yavapai C			
in a southerly		The state of the s	
Meter-Hill-mining-claim-	on-the-east-,	this-is abandoned	l-property-known
as the Burage property.			

The surface boundaries of the claim	are marked upon the t	ground as follows: Beginning	ng at
a monument of stone			
		750	
the discovery shaft (at which this notice			
end line of said claim; thence 300			
being the			
1500	feet to a monument	t of stone	, being at the
north east con	rner of said claim; the	nce300	feet
to a monument of stone	at the center	of the north	end of said claim;
thence3QQ	feet to a	monument of ston	g, being at the
North west con			
feet to a monument of stone			
thence 300			corner or said claim,
All done under the provisions of C			of the United States
and of an Act of the General Assembly			
tory of Arizona," approved March 16, 1		•	
Dated and posted on the ground th	is 13	lay of Dec.	1904
F C.Orozco witness		R.W.Baxter	
Filed and recorded at recolock P M., Book 72 of M. Arizona.	uest of R. W. ines, Page 512	Barter Jan: 264 / , Records of Yava	A:D:-1905-at-12:10 apai County,
Dr. T. A. 76	(Seal)		
By I.A. Mosher COUNTER PRINT Deputy Recond	J c m	County	Recorder.

Co All Whom it May Concern:	5 4 4 5 4	
This Mining Claim, the name of which is	the Meter Hill	
Mining Claim, situate on lands belonging to the	e United States of America, and in which thei	
eral deposits, was entered upon and located for		
R.W Baxter a citizen o	of the U.S.	
22		
,	es," or, "who has declared his intention to become a citizet	of the United States."
the undersigned, on the 13 day		63
	500	
and I claim 120		
in a. S. easterly	direction and	
300 feet in a	N.Wosterly	direction from
the center of the discovery shaft, at which thi	s notice is posted, lengthwise of the claim, to	gether with,
300	feet in width of the surface ground	is, on each side of the
center of said claim. The general course of the	ne lode deposit and premises is from the	
Southerly	to the Northerly	
<u> </u>	Blue Tank	
in Yavapai County		
in a. So easterly		
mile in a southerly direct		
as abandoned property form	rly known as the Burage p	roperty.

The surface boundaries of the claim are	marked upon the ground as follows: Beginning	ng at
monument of stone		
	1200	
at a point in a S.eastorly		
the discovery shaft (at which this notice is pos		
end line of said claim; thence 300		
, being the Sout		
1500 feet to	a monument of stone	, being at the
North easterly corner of	said claim; thence 300	feet
to a monument of stone	at the center of the N. Westerly	end of said claim;
thence 300	feet to a monument of stone	being at the
N Westerly corner of	said claim; thence 1500	
feet to a monument of stone		
thence 300		or being them,
	Six, of Title XXXII, of the Revised Statutes	of the United States.
and of an Act of the General Assembly of Ariz		
tory of Arizona," approved March 16, 1901.		
Dated and posted on the ground this	13 Dec.	1904
F C Orozco	R.W.Baxter	
witness		
12:10 o'clock, P M., Book 72	equest of R.W Baxter Jan. 2 of Mines Page 513. Record	io" A.D. 1905 als of Vavanai
County, Arizona.		
Ry T A Maghan	(Seal) Roland Mosher	
By I.A.Mosher Deputy Recorder.		Recorder.
COURIER PRINT DE DUCY RECOLUEY.		

era.		im, the name of whi	to the United Co.	of America and in	which there are value	
					which there are valua urchase by	
	30-5 SCD				endantanen en energerananen.	1
incom.	Locator must insert eit	her 'a citizen of the Unite	d States," or, "who has	declared his intention to be	come a citizen of the United S	States."
		ne 13				
						feet,
and						
					and	
					direc	
					e claim, together with	
					face grounds, on each s	
2000	5/53/2/53				n the	
cen					· · · · · · · · · · · · · · · · · · ·	
					Mining	
					ut.1-1/2miles.	
in a	Southerl	ly	direction fro	mGilbarts.	station and a	djoin
Me	ter-Hill-cl	lais:-on-nortl	1. Located	as-abandone	i-property-for	merly
kr	own as Bu	rage property	Y- a			
					*50 (00000000000000000000000000000000000	
at a				750		feet from
	a point in a south	i <mark>crly</mark>	direction		south	
the	a point in a South discovery shaft (a	nerly at which this notice	direction disposited), being in	the center of the		
the end	a point in a Soutl discovery shaft (a l line of said claim	nerly at which this notice in the control of the c	direction dis posted), being in	the center of thefeet to a _moni	south	
the end	a point in a SOUtl discovery shaft (a l line of said claim	nerly at which this notice a; thence 300 being the	direction is posted), being in south east	the center of thefeet to a. MOXII	south ment of stone	 п; thence
the end	a point in a South discovery shaft (a l line of said claim	nerly at which this notice a; thence 300 being the	direction is posted), being in south east eet to a monum	the center of the feet to a. monu	south ment of stone corner of said claim be	n; thence
the end	a point in a South discovery shaft (a line of said claim 1500 North east	nerly at which this notice in thence 300, thence for the corn	direction is posted), being in south east eet to a monumer of said claim;	the center of the monument of stone thence 300	south ment of stone corner of said clain be.	n; thence
the end	a point in a South discovery shaft (a line of said claim 1500 North east a monument	nerly at which this notice in themce 300 in the stone corn	direction is posted), being in south east eet to a monum ner of said claim; at the cen	the center of the feet to a morn on of stone thence 300 ster of the Mor	south ment of stone corner of said clain be th end of sa	n; thence ing at thefeet id claim;
the end	a point in a South discovery shaft (a line of said claim 1500 North east a monument	nerly at which this notice a; thence 300 being the for corn of stone	direction is posted), being in south east eet to a monum ner of said claim; at the cen	the center of the feet to a morn ent of stone thence 300 morn feet the Mor	south ment of stone corner of said claim be th end of sa stone , be	n; thence ing at thefeet id claim; ing at the
the end	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west	nerly at which this notice a; thence 300 being the for corn corn	direction is posted), being in south east eet to a monum ner of said claim; feet to a ner of said claim;	the center of the feet to a morn of stone thence 300 monument of thement of thement of the feet thence 1.	south ment of stone corner of said claim be th end of sa stone , be	n; thence ing at thefeet id claim; ing at the
the end to a the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen	nerly at which this notice in thence 300, being the form of stone corners of stone	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the cha	the center of the feet to a monument of stone thence 300 monument of themce 1. South west	south ment of stone corner of said claim be th end of sa stone , be	n; thence ing at thefeet id claim; ing at the
the end to a the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen	nerly at which this notice in the series is thence in the series is the series in the	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the	the center of the feet to a morn of stone thence 300 monument of monument of thence 1. South west place of beginning.	south ment of stone corner of said claim be th end of sa stone , be corner of sa	n; thence ing at thefeet id claim; ing at the
the end to a the fee the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monument ence 300 All done under the	nerly at which this notice in thence 300, being the form of stone corner the provisions of Charles	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a mer of said claim; at the	the center of the feet to a morn of stone thence 300 monument of thence 1. South west place of beginning.	south ment of stone corner of said claim be th end of sa stone , be	n; thence ing at thefeet id claim; ing at theid claim;
the end to a the the and	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen ence 300 All done under a d of an Act of the	nerly at which this notice in thence 300, being the form of stone corner the provisions of Charles	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the feet to the apter Six, of Title f Arizona, entitled	the center of the feet to a morn of stone thence 300 monument of thence 1. South west place of beginning.	south ment of stone corner of said claim be th end of sa stone be corner of sa corner of sa	n; thence ing at thefeet id claim; ing at theid claim;
the end to a the the and	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen t to a monumen ance 300 All done under the of an Act of the ory of Arizona," app	nerly at which this notice in thence 300, being the form of stone corn of stone the provisions of Charles are the provisions	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the feet to the apter Six, of Title f Arizona, entitled	the center of the feet to a monument of stone thence 300 monument of thence 1. South wost place of beginning. XXXII, of the Revise and the stone and the st	south ment of stone corner of said claim be th end of sa stone be corner of sa corner of sa	n; thence ing at thefeet id claim; ing at theid claim;
the end to a the the the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen t to a monumen ance 300 All done under the of an Act of the ory of Arizona," app	nerly at which this notice in thence 300, being the form of stone corn of stone the provisions of Charles are the provisions	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the feet to the apter Six, of Title f Arizona, entitled 01.	the center of the feet to a monter of stone thence 300 monument of thence 1. South wost place of beginning. XXXII, of the Revise and day of Dec	south ment of stone corner of said claim be. th end of sa stone be. corner of said claim th end of sa stone be. corner of said	n; thence ing at the feet id claim; ing at the id claim; ed States, the Terri-
the end to a the the the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen t to a monumen di of an Act of the cry of Arizona," app	at which this notice in thence 300 is thence in the stone is corner to find the provisions of Charles are the provisions of Ch	direction is posted), being in south east eet to a monumer of said claim; at the center of said claim; at the center of said claim; at the center of said claim; at the said claim;	the center of the feet to a monter of stone thence 300 monument of monument of thence 1. South west place of beginning. XXXII, of the Revise and day of Dec R.W Baxte	south ment of stone corner of said claim be. th end of sa stone be. corner of sa d Statutes of the United Codify the Laws of the	n; thence ing at the feet id claim; ing at the did claim; the Terri-
the end to a the the the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monument once 300 All done under a d of an Act of the ency of Arizona," app Dated and poste C.Orozco witness 0.1905 at 12	at which this notice in thence 300, being the form of stone corn of stone the provisions of Charles and the ground this series of clock.	direction is posted), being in south east eet to a monum ner of said claim; at the cen feet to a ner of said claim; at the feet to the apter Six, of Title f Arizona, entitled ol. 13	the center of the feet to a monter of stone thence 300 mer of the More monument of thence 1. South west place of beginning. XXXII, of the Revise and day of Dec R.W Baxted at reque	south ment of stone corner of said claim be. th end of sa stone be. corner of said claim th end of sa stone be. corner of said	n; thence ing at the ing at the id claim; ing at the id claim; id claim;
the end to a the the the	a point in a South discovery shaft (a line of said claim 1500 North east a monument ence 300 North west t to a monumen t to a monumen di of an Act of the cry of Arizona," app Dated and poste C.Orozco witness	at which this notice in thence 300, being the form of stone corn of stone the provisions of Charles and the ground this series of clock.	direction is posted), being in south east eet to a monumer of said claim; at the center of said claim; at the feet to a feet to the apter Six, of Title f Arizona, entitled of. 13	the center of the feet to a monter of stone thence 300 mer of the More monument of thence 1. South west place of beginning. XXXII, of the Revise and day of Dec R.W Baxted at reque	south ment of stone corner of said claim be. th end of sa stone be. corner of sa ed Statutes of the United Codify the Laws of the sate of of the s	n; thence ing at the ing at the id claim; ing at the id claim; id claim;

LODE CLAIM.

-		
Co All Whom it May Concern:		
This Mining Claim, the name of	which is theScorpic	on
	and the second s	a, and in which there are valuable min- ion and purchase by
(Locator must insert either "a citizen of the	United States," or, "who has declared his int	tention to become a citizen of the United States."
		feet,
		feet,
·		direction and direction from
	<u> </u>	rise of the claim, together with
•		f the surface grounds, on each side of the
		es is from the
		orth
	•	Mining District,
inYavapai	County, in the Territory of Aria	zona, about 1-1/2 miles
in a souttherla	direction from Gilb	ert stations and joins Noci
_claim on North and abar	idoned property forme	rly known as the Burage
at a point in a southerly	direction 45	Ofeet from
the discovery shaft (at which this no	otice is posted), being in the center of	of the South
end line of said claim; thence	300 feet to	a monument of stone
being th	he south east	
		stone , being at the
		300feet
		Northend of said claim;
		ent of stone , being at the
		1500
		est corner of said claim:
thence 300		•
		the Revised Statutes of the United States,
	oly of Arizona, entitled "An Act to	Revise and Codify the Laws of the Terri-
		Dec. 190 4
	Company of the control of the contr	SHATARING CONTRACTOR STATES AND SAME AND SAME AND SAME AND SAME AND SAME SHAPE THE TOTAL SAME SAME THE TOTAL SAME SAME SAME SAME SAME SAME SAME SAME
F C.Orozco witness		R.W.Baxter
A.D.1905 at 12:10 of of Yavapai County, A	clock, P M:, Book 72	request of R.W.Baxter. Jan 2 of Mines, Page 515, Records

(Seal) Roland Mosher County Recorder.

By I.A Mosher
COURIER PRINT Deput

Deputy Recorder.

This Mining Claim, the name of	which is the Amalg	gamated Copper.	
Mining Claim, situate on lands belong	ing to the United States of	f America, and in which there are	valuable min-
ral deposits, was entered upon and lo			
R.W.Baxter a ci	tizen of the U.S	3	

(Locator must insert either "a citizen of the			United States."
he undersigned, on the 17			
and I claim			
in a southerly			
750 feet			
the center of the discovery shaft, at			
300	feet i	in width of the surface grounds, or	n each side of the
center of said claim. The general co			
South			
		lank .	
in Yavapai	County, in the Territo	ory of Arizona, about $1-1/4$	miles
in a southerly	direction from	. Gilberts store and	L joins Bura
mining claim on the 1	North and abando	oned property formerl	y known as
Burage property.			
		ne ground as follows: Beginning a	
a monument of s	tone	*********	
at a point in a Southerly	direction	7.50	feet from
the discovery shaft (at which this			
end line of said claim; thence	300	feet to a monument of	stone
, being	the south eas	t corner of	said claim; thence
1500	feet to a monume	nt of stone	, being at the
North east	corner of said claim; t	thence 300	feet
to a monument of stone	at the cen	ter of the North	end of said claim;
thence 300	feet to a	monument of stone	, being at the
North west	corner of said claim;	thence 1500	******
feet to a monument of st			
thence 300			,
		XXXII, of the Revised Statutes of	the United States.
and of an Act of the General Asser			
tory of Arizona," approved March		TR.	
Dated and posted on the grou	ind this17	day of Dec.	1904
F C.Orozco witness	*****	R.V.Baxter	
Filed and recorded a 12:10 o'clock, P M. Coutny, Arizona.	, Book 72 of Min	nes, Page 516, Recor	D: 1905-at- ds of Yavapa
By I.A.Mosher	(Seal)	Roland Mosher County Re	corder.

Co All Whom it May Concern:		
This Mining Claim, the name of wh	nich is theLawson	
Mining Claim, situate on lands belonging	to the United States of America, an	nd in which there are valuable min-
ral deposits, was entered upon and local		
R.W.Baxter a citizen of		()
(Locator must insert either "a citizen of the Uni	ted States," or, "who has declared his intention	on to become a citizen of the United States."
he undersigned, on the 17	_day of Dec	190_4.
The length of this claim is 15.00)	feet,
and I claim 750	********************************	feet,
na southerly	dire	ction and 750
feet in	a northerly	direction from
the center of the discovery shaft, at wh		
300	feet in width of th	e surface grounds, on each side of the
center of said claim. The general cours		
		Mining District,
in		
in a southerly		
scorpion on north end		×
known as the Burage pr	operty.	
************		O TITO ABING STILDING SELECT STEELS SELECT
The surface boundaries of the class	im are marked upon the ground as f	ollows: Beginning at
a monument of stone		
at a point in a southerly		
the discovery shaft (at which this noti		
end line of said claim; thence 3.00		
being the		
		one , being at the
		feet
		north end of said claim;
		t of stone , being at the
		0
feet to a monument of ston	e at the south wes	tcorner of said claim;
thence 300	feet to the place of begin	nning.
		Revised Statutes of the United States
tory of Arizona," approved March 16,		evise and Codify the Laws of the Terri-
,		100 4
varea and posted on the ground		C
		R.W.Baxter
Filed and recorded at	request of R.W Baxte	r Jan 26" A.D.1905
at 13:10 o'clock P M.	,Book 72 of Mines,Pag	ge 517, Records of Yavapa
County, Arizona.	(SFAL)	Roland Mosher
		County Dogondon

This Mining Claim, the name	of which is the W H Ruraca.	
		and in which there are valuable min-
		on and purchase by
14	40	
(Locator must insert either "a citizen of	the United States," or, "who has declared his inter	ntion to become a citizen of the United States.")
	day of December	(A)
		feet,
		feet,
		irection and 7.5.0
		direction from
		ise of the claim, together with
		the surface grounds, on each side of the
		es is from the South
	to the North	
The claim is situated and lo	cated in the Blue Tank	Mining District,
Yayapai	County, in the Territory of Ariz	zona, about /// miles
a southerly	direction from Gilb	erts station and joins
	and abandoned property	LaC
Burage property	*******************	
	direction 750	feet from
6		
		of the South
		a monument of stone
		corner of said claim; thence
1500	feet to a Monument of s	stone, being at the
north east	corner of said claim; thence30	00'fee
to a monument of stor	at the center of the	North end of said claim
thence 300	feet to a monume	ent of stone , being at th
THE CONTROL WATER TO THE CONTROL OF		50.0
		est corner of said clain
		5)
	feet to the place of be	ginning. the Revised Statutes of the United State
		Revise and Codify the Laws of the Terr
tory of Arizona," approved Man		Action and cours the Laws of the Itil
		Dec 100
Dated and posted on the or		
Dated and posted on the g. F.C. Orozco		
F.C.Orozeo witness Filed and record	ed at requestnof R.W Ra	R.W Baxter xter Jan.26 A.D.1905 at e 530, Records of Yavapai
F.C.Orozeo witness Filed and record	ed at requestnof R.W Ra	R.W Baxter xter Jan.26 A.D.1905 at e 530, Records of Yavapai
F.C. Orozco witness Filed and record 13:10 o'clock P	ed at requestnof R.W Ra M., Book 73 of Mines, Pag	R.W Baxter xter Jan.26 A.D.1905 at

Co All Whom It May Concern:	the The Accident					
	he .The Accident					
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable min- eral deposits, was entered upon and located for the purposes of exploration and purchase by						
F.X.O'Brien & R.W.Baxter ci	tizens of the U.S.	*****				
(Locator must insert either "a citizen of the United States.	or, "who has declared his intention to become a citizen of the United States	s.'')				
the undersigned, on the 39day of						
		feet.				
•						
	direction and IIOO					
	ctherly direction					
	notice is posted, lengthwise of the claim, together with					
	feet in width of the surface grounds, on each side					
	lode deposit and premises is from the North					
	to the South					
The claim is situated and located in the I	Blue Tank Mining Dis	strict,				
	in the Territory of Arizona, about 4000 ft					
in a southerly	direction from Gilberts store adjoins Bar	rter				
group on north Located as a	abandoned ground					
a mnoument of stone	narked upon the ground as follows: Beginning at	****				
at a point in a southerly	direction 400 fee	t from				
the discovery shaft (at which this notice is pos	ted), being in the center of the south					
end line of said claim; thence 300	feet to a monument of stone					
, being the sout	n_eastcorner of said claim;	thence				
1500 feet to	a monument of stone , being	at the				
north east corner of	said claim; thence 300	feet				
to a monument of stone	at the center of the north end of said	claim ;				
	feet to a monument of stone being					
	said claim; thence 1500					
	at the South west corner of said					
thence 300		ciaim;				
	Six, of Title XXXII, of the Revised Statutes of the United	States				
	cona, entitled "An Act to Revise and Codify the Laws of the					
tory of Arizona," approved March 16, 1901.						
	29. day of Dec	1904.				
0.W.Jennings witness	F.X.O'Brien					
MT 911900		(·				
Titles and manager	R.W.Baxter					
	equest of R.W.Baxter Jan 36" A.D.190					
Taller II	73 of Mines, Page 531, Records of Yav					
County, Arizona.	(SEAL) Roland Mos					
COURIER PRINT BY I.A. MOSher Deruty	Recorder County Rec	:OLGEL				

"HORTAT EILL"

AMENDED NOTICE OF WINING LOCATION -Lode Claim-

TO ALL RHOW IT WAY CONCERN, This Mining Claim, the name of which is MONTAL HILL Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable sineral deposits, was entered and located for the purpose of exploration and purchase by F. X. O'Prien, a citizen of the United States, the undersigned, on the 26 day of April. A. D. 1907.

The length of this claim is 1500 feet, and I claim 750 feet in a northerly and 750 feet in a southerly direction from the center of the discovery shaft. at which this notice is posted, lengthwise of the clair, together with 800 feet in width of surface ground on each side of the center of the vein. The general direction of the lode deposit and premises is from south to north.

The claim is situated and located in the Blue Tank Mining District. in Yayapai County, Arizona, about one mile in a southerly direction from Gilbert' Station, and joins the CHATWICK claim on the East. This claim is located as abandoned property, and was formerly known as the Surrage property.

The surface boundaries of the claim are marked upon the ground as follows: Esginning at a monument of stones at a point in a southerly direction 750 feet from the discovery shaft (at which this notice is posted), being the center of the south and line of said clair; the nor 200 feet to a convent of stones. being the south east corner of said claim, thence portherly 1500 feet to a sone ment of stones, being the north-east corner of said claim; thence westerly 300 feet to a monument of stones, boing the center of the north end line of said claim: thence, on the same course, 300 feet to a sonument of stones, being the porth-west corner of said claim; thence southerly 1500 feet to a monument of stones, being the south-west corner of said plain; thence easterly 300 feet to the place of beginning.

This is an accordant of the original notice of location as made and given by R. W. Baxter, posted on said claim December 17th, 1904, and now of record in Book 72 of Vines, page 3.18, and is sade to correct errors in the description of boundaries of said claim in said original notice.

All done under the provisions of Chapter Six. Title XXXII of the Revised Statutes of the United States, and legislation supplemental thereto.

Dated and posted on the ground this April ____ A. D. 1907.

Sitness: R. W. Baxler

Locator

AMENDED NOTICE OF MINING LOCATION Lode Claim.

TO ALL MMON IT MAY CONCERN:

This Mining Claim, the name of which is the "OLD HOMESTEAD" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by F. X. O'Brien, a citizen of the United States, the undersigned, on the 26 day of April, 1907,

The length of this claim is 1500 feet, and I claim 750 feet in a northerly direction and 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface ground on each side of the center of the vein. The general direction of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Blue Pank Mining District, in Yavapai County in the Territory of Arizona, about one mike in a southerly direction from Gilbert Station, and joins the Lawson Claim on the west, and is located as abandoned ground, having been formerly known as the Burrage property.

The surface boundaries of the claim are marked upon the ground as follo Beginning at a monument of stones at a point in a southerly direction 750 feet from the Discovery shaft (where this notice is posted), being the cen ter of the south end line of said claim; thence easterly 300 feet to a mo ument of stones being the south east corner of said claim; thence norther 1500 feet to a monument of stones being the north-east corner of said cla thence westerly 300 feet to a monument of stones at the center of the nort end of said claim; thence westerly 300 feet to a monument of stones, being the north-west corner of said claim; thence southerly 1500 feet to a monu ment of stones, being the south-west corner of said claim; thence easterl 300 feet to the place of beginning.

This is an amendment of the original notice of location of said claim, a made and given by A. W. Baxter, posted on said claim December 17th. 1904. and now of record in Book 72 of Mines, page 5.19.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of legislation supplemental thereto.

eroto.

Dated and posted on the ground this 26 day of April, 1907.

France Locator.

Bitness: R.WBaxter

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

of C Bradbury

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,		
20	October 18,	, 1907.	
I, U. S. Surveyor G	eneral for Arizona,	•••••••••••••••••••••••••••••••••••••••	
do hereby certify that th	he foregoing transcript of the Field Notes, return	and approval	
•	ining claim of F. X. O'Brien,		
	s the Batholdi, Chadwick, Meter Hill, No r, Lawson, W. H. Burage, The Accident, C , situate in Blue Tank	±1/1	
Mini	ng District, Yayapai	County,	
Arizona,	, in Section Approx. , Townsl	hip No. 8 N.,	
Range No.	W., and design	ated as Survey	
No. 2418	, has been correctly copied from the	ne originals on	
	said Field Notes furnish such an accurate desc		
mining claim as will, if	incorporated into a patent, serve fully to identify	y the premises,	
and that such reference	is made therein to natural objects or permanent	monuments as	
will perpetuate and fix t	the locus thereof.		
And I further cert	ify that five hundred dollars' worth of labor has	been expended	
or for or improvements made	each of upon said mining claim by claimant or his	grantors, and	
	consist of 9 shafts, 5 cuts and 2 tur		
	haft No. 2 on the Nogi lode being a		
	1/11 interest therein, valued at \$45		
	lode		
•			
	said labor or improvements has been included in		
I further certify the	at the plat thereof, filed in the U.S. Land Office at	Phoenix,	
Arizona,	is correct and in conformity with the foregoing F	ield Notes.	
	Frank S. Ingalls,	22-23-1-2	

United States Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General, Phoenix, Arizona, October 18, 1907. I, U. S. Surveyor-General for. Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of F. X. O'Brien, Batholdi, Chadwick, Meter Hill, Nogi, Scorpion, Amalgamated Copper, Lawson, W. H. Burage, The Accident, Old Homestead & Montai Hill, situate in Blue Tank Mining District, Yavapai County, Arizona, in Section Approx., Township No. 8 N., Range No. 3 W. designated as Survey No. 2418, executed by William H. Merritt, U. S. Deputy Mineral Surveyor, June 11-16, 1907, 190, under my instructions dated May 2nd, 190.7, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for survey is included in the field notes. Mant Dingalle

12779b5m4-04

U. S. Surveyor-General for Arizona.