

M
S

0

2

4

2

2

(4-683.)

Mineral Survey No. 2422

Lot No. _____

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W. H. Butler

KNOWN AS THE

Upper notch
Globe

Mining District.

Gila County, Arizona

Section 18, Township N., Range 16 E Uns

Surveyed under instructions dated May 24th, 1907

by Robert R. Boyd
U. S. Deputy Mineral Surveyor

Claim located See location notes, 1

Survey commenced June 1st, 1907

Survey completed June 3^d, 1907

6-173

P. O. Address of claimants attorney

Seth E. Hazzard

Bisbee
Ariz

*The
copy
is
over*

Feet

Survey No. 2422

Upper Notch Lode Mining Claim.

Beginning at corner No. 1 the S.W. corner identical with location a pine post 4" square and 4' long set 18" in the ground in a mound of stone and scribed 1-2422-U N L, whence an outcrop of quartzite 4' x 3' x 3' high chiseled X B R -2422 bears S. 29 degrees 16 minutes W. 16.74 feet, and the E. 1/4 corner of section 24, T. 1N-R. 15E. G & S R B & M bears S. 54 degrees 59 minutes W. 1674.6 feet.

Thence

N. 27 degrees 36 minutes W.

302.8 to the original location for the S.W. end center.

605.6 same bearing to corner No. 2 identical with location situated on the intersection of lines 2-3 Arizona Lode Survey No. 2313 and 5-6 Hogeys Lode Survey No. 1106 at S. 86 degrees 6 minutes W. 915.0 feet from corner No. 3 Arizona Lode Survey No. 2313; a pine post 4" square and 4' long set 18" in the ground in a mound of stone and scribed 2-2422 U N L, whence an outcrop of quartzite 2' x 3' x 6" above the surface of the ground chiseled X B R-2422 bears S. 66 degrees and 52 minutes E. 15.84'.

Thence

N. 54 degrees 32 minutes E.

1085.8 along the line 6-5 Hogeys Lode Survey No. 1106 to corner No. 3, identical with corner No. 5 Hogeys Lode Survey No. 1106; *and Cr No. 4 Buckeye, Sec. No. 1106* a cedar post 4" in diameter and 4' long set 18" in the ground in a mound of stone and scribed 3-2422 U N L, no bearing monuments available;

Thence

N. 43 degrees 37 minutes E.

10.8 along the south side line Buckeye Lode Survey No. 1106 to corner No. 4, identical with location; a pine post 4" square and 4' long set 18" in the ground in a mound of stone and scribed 4-2422 U N L, whence an outcrop of quartzite 2' x 6' x 6" above the surface of the ground chiseled X B R-2422 bears N. 43 degrees and 50 minutes

2 Feet

W. 7.92 feet.

Thence

S. 27 degrees 36 minutes E.

302.8 to the original location for the N.E. end center.

342.9 same bearing to the intersection of the N. side line of Kingston Lode unsurveyed at N. 59 degrees 40 minutes E. 7.8 feet from the N.W. corner.

605.6 same bearing to corner No. 5, identical with location, a pine post 4" square and 4' long set 18" in the ground in a mound of stone and scribed 5-2422 U N L, whence an outcrop of quartzite 2' x 1' x 6" above the surface of the ground chiseled X B R-2422, bears N. 2 degrees 45 minutes E. 12.68'.

Thence

S. 54 degrees 25 minutes W.

30.6 to the intersection of W. end line of Kingston Lode unsurveyed at S. 22 degrees 46 minutes E. 267.5 feet from the N.W. corner.

317.9 to the intersection of line 3-4 Arizona Lode Survey No. 2313 at S. 0 degrees 23 minutes E. 145.8 feet from corner No. 3.

472.5 same bearing to the intersection of line 1-2 Stonewall Lode Survey No. 1123, at N. 75 degrees 18 minutes E. 27.9 feet from corner No. 1.

500.2 same bearing to intersection of line 1-4 Stonewall Lode Survey No. 1123 at S. 26 degrees 14 minutes E. 10.1 feet from corner No. 1.

1096.6 same bearing to corner No. 1 the place of the beginning.

Ledge

The presumed course of the vein on this claim is from the N.E. end center S. 54 degrees 25 minutes W. 1096.6'.

Note

The line 5-6 Hogeve Lode Survey No. 1106 N. 54 degrees 32 minutes E. 1500' as reported in that survey is in error. Line 1-2 Stonewall Lode Survey No. 1123 N. 74 degrees and 46 minutes E. and line 4-1 of the same survey N. 26 degrees and 31 minutes W. are in error.

Area

Total area of Upper Notch Lode	15.071 acres
Area in conflict with Arizona Lode Survey No. 2313	6.889
Area in conflict with Kingston Lode unsurveyed	0.115
Area in conflict with Stonewall Lode Survey No. 1123	0.003
Less Total area in conflict	<u>7.007</u>
Net area of Upper Notch	8.064

IMPROVEMENTS

I certify that the value of labor and improvements on this claim placed thereon by the claimant, or his grantors, is less than \$500.00, and said improvements consist of the following:

- No. 1 Discovery shaft 4' x 6' x 25' deep the center of which bears from the N.E. end center of location S. 54 degrees 25 minutes W. 30', value \$250.00
 - No. 2 Shaft 4' x 6' x 12' deep in solid quartzite, the center of which bears from corner No. 1 N. 16 degrees 15 minutes E. 711', value 100.00
 - No. 3 Open cut 4' x 15' x 10' face, the center of the mouth of which bears from corner No. 2 N. 65 degrees E. 73', value 60.00
- Total value of improvements \$410.00

Complete affidavit of \$500.00 improvements will be furnished prior to the expiration of the period of publication.

LOCATION

This claim is located in Sec. 18, T. 1 N. R. 16 E. unsurveyed G & S R B & M, in the Globe Mining District, Gila County, Arizona, about three miles in a northeasterly direction from the Town of Globe.

ADJOINING CLAIMS.

- N. W. Hogeye Lode Survey No. 1106, Buckeye Lode Survey No. 1106, United Globe Mines, owners.
- N. E. Badger Lode unsurveyed, Kingston Lode unsurveyed

William Rollings et al owners.

S.E.

Carlos Lode unsurveyed, Globe Consolidated Cop-
per Company, owners. Stonewall Lode Survey No. 1123
United Globe Mines, owners. Arizona Lode Survey No.
2313, owned by applicant herein.

S.W.

Arizona Lode Survey No. 2313, owned by appli-
cant herein.

INSTRUMENT.

This Survey was made with a C. L. Berger & Sons
No. 5194 Complete Mining Transit. The courses were
deflected from the true meridian, as determined by
direct Solar observation, checked by an observation
on Polaris. Distances were measured with a 300 ft
steel tape. Magnetic variation 13° 45' E at all
corners.

Robert R. Boyd

U.S. Deputy Mineral Surveyor

Dated 3rd June, 1907,
Globe, Arizona.

SURVEY NO. 2422

Onkpu Natchi lode.

IMPROVEMENTS

I certify that the value of labor and improvements on this claim placed thereon by the claimant, or his grantors, is not less than \$500.00, and said improvements consist of the following:

- No. 1 Discovery shaft 4' x 6' x 40' deep the center of which bears from the N.E. end center of location S. 54 degrees 25 minutes W. 30', value \$400.00
This shaft has been sunk 15 feet deeper since making the survey.
 - No. 2 Shaft 4' x 6' x 12' deep in solid quartzite, the center of which bears from corner No. 1 N. 16 degrees 15 minutes E. 711', value 100.00
 - No. 3 Open cut 4' x 15' x 10' face, the center of the mouth of which bears from corner No. 2 N. 65 degrees E. 73', value 60.00
- Total value of improvements \$560.00

Robert R. Boyd
U.S. Deputy Mineral Surveyor

Dated June 17, 1907,
Globe, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Robert R. Boyd

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

W. H. Butler

known as the Upper Notch

and showing the respective capacities in which they acted.

K. H. Pearson, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

^{We}
~~We~~, K. H. Pearson

and _____, do solemnly swear that ^I~~we~~ assisted Robert R

Boyd

_____, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of W. H. Butler

known as the Upper Notch

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

K. H. Pearson, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 2nd

day of June, 1907

My commission expires January 13th, 1910

G. F. Dodge
Notary Public in and for
the County of Gila, Territory
of Arizona

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Robert R. Boyd, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 24th 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. F. Butler

....., known as the Upper notch, situate in Globe Mining District, Gila County, Arizona, in Section 18, Township No. 12, Range No. 16 E. G. & S. R. 3 & 4 N. 1/2 and designated as Survey No. 2422, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

and complete affidavit of \$500.00 improvements will be furnished prior to the expiration of the period of publication

Robert R. Boyd
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Robert R. Boyd, U. S. Deputy Mineral Surveyor, before me G. F. Dodge -
Notary Public this 2nd day of June - 1907,

My commission expires January 13th 1910.

G. F. Dodge, Notary Public
in and for the County of Gila, Territory of Arizona.

Affidavit of Five Hundred Dollars Improvements.

We, E. E. Barker, and H. N. Pearson

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Upper notch mining claim,

situate in Globe Mining district, Gila County,

Arizona Territory, for which W. H. Butler

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

E. E. Barker

H. N. Pearson

TERRITORY OF ARIZONA,

County of Gila

} ss:

Sworn to and subscribed before me, this 17th

day of June, 1907

My commission expires January 13th, 1910.

L. F. Dodge



AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Upper Notch Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by W.H. Butler a citizen of the United States, the undersigned, on the 18 day of May 1907.

The length of this claim is Eleven Hundred (1100) feet, and I claim Thirty (30) feet, in a northeasterly direction and Ten hundred Seventy (1070) feet in a southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about $\frac{3}{4}$ Miles in an Easterly direction from The Grey Shaft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northeasterly direction 30 feet from the discovery shaft (at which this notice is posted), being in the center of the northeast end line of said claim; thence southeasterly 303.0 feet to a pine post in a monument of stones, being the southeast corner of said claim; thence southwesterly 1100 feet to a post and monument, being at the south west corner of said claim; thence northwesterly 303.0 feet to a monument at the center of the southwest end of said claim; thence northwesterly 303 feet to a post & monument, being at the northwest corner of said claim; thence northeasterly (1100) feet to a post and monument at the northeast corner of said claim; thence southeasterly 303 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Upper Notch Mining Claim, located by John H. Chambers on the 1st day of January 1904, and recorded in Book 9 of Records of Mines, at page 189, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18 day of May 1907.

W.H. Butler.

Witness;

K.H. Pearson.

Filed and recorded at the request of R.R. Boyd on the 18 day of May A.D. 1907 at 21 minutes past 2 o'clock P.M.,

E.T. Stewart, County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

July 26, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

W. H. Butler

known as the UPPER NOTCH

situate in Globe

Mining District, Gila County, Arizona

in Section 18, Township No. 1 N., Range No. 16 E. Uns., and

designated as Survey No. 2422, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 shafts and 1 cut, valued at \$560.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

July 26, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

W. H. Butler

, known as the

UPPER NOTCH

situate in Globe Mining District,

Gila County, Arizona

in Section 18, Township No. 1 N., Range No. 16 E., Uns.

, designated as Survey No. 2422

executed by Robert R. Boyd, U. S. Deputy Mineral

Surveyor, June 1 - 3, 1907, under my instructions dated

May 24, 1907, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona

SURVEY No 2422

