

5
0
2
4
2
8

(4-683.)

Mineral Survey No. 2428

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

George W. Murray

KNOWN AS THE

Iron Sides
Walker

Mining District.

Yavapai County, Arizona

Sections 34 3, Township 14 N. 13 N., Range 1 W.

Surveyed under instructions dated June 4th 1907
by William H. Burnett
U. S. Deputy Mineral Surveyor

Claim located See location notice 1 893
Survey commenced Sept 21st 1 907
Survey completed " " 1 907

Address of Claimant
George W. Murray
Prescott Arizona

*File
B...
A...
and
OK Oct 17*

SURVEY No. 2428 IRON SIDES LODE

<p>Feet</p>	<p>Beginning at Cor.No.1 Identical with the loc. A Granite stone 6X8X22 ins.set 12 ins.in the ground with mound of stones chiseled I.S-1-2428.Whence:- Cor.to secs.22,23,26 & 27.T.14.N.R.1.W brs. N 9°.45'E 9197.feet. No bearings available.Loc.cor.mon.of stones 3X3 ft.</p>
<p>1430</p>	<p>To Cor.No.2 Identical with the loc. A Granite stone 8X8X24 ins.set 12 ins.inthe ground with mound of stones, chiseled I.S-2-2428.No bearings available. Loc.cor.mon.of stones 3X3 ft.</p>
<p>300 50782 600</p>	<p>S.C.End. <i>Intersect South line of Sect 34. East 1301.72^{ft} to Sec cor & West 1338.25^{ft} to 1/4 Sec cor</i> To cor.No.3. Identical with the loc. A Granite stone 6X12X26 ins.set 14 ins.in the ground with mound of stones, chiseled I.S-3-2428.No bearings available. Loc.cor.mon.of stones 2X3 ft.high.</p>
<p>51.62 1450.</p>	<p><i>Intersect South line of Sect 34. East 1407.37' to Sec cor & West 1232.63 ft to 1/4 Sec cor</i> To Cor.No.4. Identical with the loc. A Granite stone 6X8X24 ins.set 12 ins.in the ground.with mound of stones, chiseled I.S-4-2428.No bearings available. Loc.cor.mon.of stones 2X3 ft.high.</p>
<p>300 600</p>	<p>N.C.End. To Cor.No.1 the place of beginning.</p>
<p>Area.</p>	<p>Total and net area of claim 19.697 acres. ✓ Ledge. The ledge brs.from N.C.End.S 29°.15'E 1430 feet. Adjoining Claims This claim is bounded on the North by Hidden Treasure lode <i>G.W.Murray claimant</i> unsurveyed, on the East & West by U.S.Land and on the South by Tonopah lode unsurveyed. <i>G.W.Murray & J.Murray claimants</i></p>

(2)

Location

This claim is located in S.E.1 / 4 sec 34 T.14 N.R.1 W.2
in the N.E.1 / 4 sec. 3 T.13.N.R.1.W. *Walker Mining District*
Yonahville Community

Improvements

I certify that the value of the labor and improvements
upon this claim, placed thereon by the claimant, is not less
than five hundred dollars, and that said improvements con-
sist of:

No. 1 dis. shaft which brs. from the N.C.E.S 29°.15'E 580 ft.

4X8X12 ft. value.....\$100.00

No. 2 shaft which brs. from cor. No. 1. S 14°.W 365 ft.

4X6X65 ft. value.... \$650.00

No. 3 Tunnel which brs. from cor. No. 1 S 23°.30'W 325 ft.

4X7X70 ft. course N 35°.W value\$420.00

Instrument.

This survey was made with a Gurley light mountain solar
transit. The courses were deflected from the true meridian
as determined by direct solar observations. The distances
were measured with 100-ft. and 500-ft. steel tapes.

Note: I could not find any corners on the south line of
section 34.

William H. Merritt
U.S. Dep. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

George W. Murray
Iron Sides

known as the

and showing the respective capacities in which they acted.

Stanley Hayward, Chairman.
_____, Chairman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Stanley Hayward

and _____, do solemnly swear that we assisted

William H. Merritt, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of George W. Murray

known as the Iron Sides

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Stanley Hayward, Chairman.
_____, Chairman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of September, 1907.

My commission expires
July 7th, 1909

W. H. Merritt
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H. Merritt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 4th 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of George W. Murray, known as the John Sigs Walker, situate in Yavapai County, Arizona, in Section 34, Township No. 14 N., Range No. 1 E., and designated as Survey No. 2428, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. Deputy Mineral Surveyor, before me a Notary Public in and for Yavapai County, Arizona this 24th
day of September 1907,

Ziba O. Brown
Notary Public

My Commission
Expires Nov. 1-1909.

Affidavit of Five Hundred Dollars Improvements.

We, W. J. Murphy, and Stanley Hayward

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Iron Sides mining claim,

situate in Walker Mining district, Yavapai County,

Arizona Territory, for which George W. Murray


has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and ^{his grantors} ~~grantor~~ exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

W. J. Murphy
Stanley Hayward

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 24th

day of September, 1907



W. J. Murritt
Notary Public

14396; 100-8-04

Notary Commission
Expires July 7th 1909

IRON SIDES.

NOTICE OF LOCATION.

Know all men by these presents: That I, the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at this monument and notice and running 300 feet in an North Easterly direction to monument at N. E. corner, Thence ~~Thence~~ in a southerly direction, parallel with the ledge 1500 feet to monument at S. E. corner, Thence at right angles across the ledge in a westerly direction 600 feet to monument at S. W. corner, Thence parallel with the lode in a northerly direction 1500 feet to monument at N. W. corner, Thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Lynx Lynx Creek Walker Mining District Yavapai County Arizona, and may be more generally described as situated about 1-1/2 miles east from Lynx Creek and its the South East extension of the H. T. Andrews Mine located by Smith & Tyler in 1893, and shall be known as the Iron Sides Mining Claim.

Dated on the ground this 5th day of January, 1893.

Geo. W. Murray.

Recorded at request of Geo. W. Murray Feby 14th A. D. 1893, at 9 o'clock A. M., in Book 35 of Mines, pages 570 & 571, Records of Yavapai County, Arizona.

By E. E. Kirkland, Deputy. (L. S.) Alex O. Brodie, County Recorder.

TERRITORY OF ARIZONA,)
County of Yavapai.) SS:

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "IRON SIDES" Mining Claim, as the same appears from the records of my said office in Book 35 of Mines, pages 570-571, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 9th day of November, A. D. 1906.

Roland Mosher
County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

October 26, 190

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

George W. Murray

known as the IRON SIDES

situate in Walker

Mining District, Yavapai County, Arizona

in Section 34, Township No. 14 N, Range No. 1 W., and

designated as Survey No. 2428, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 shafts and 1 tunnel, total value \$1170.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 26, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

George W. Murray

, known as the

IRON SIDES

situate in Walker Mining District,

Yavapai County, Arizona

in Section 34, Township No. 14 N., Range No. 1 W.

3

13 N.

, designated as Survey No. 2428

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, September 21, 1907, under my instructions dated

June 4, 1907, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for


survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

HIDDEN TREASURE
Unsurveyed.

Con. to Secs. 22, 23, 26 & 27
T. 14, N. R. 1, W.
Brs. 9° 45' E 9197. ft.



SURVEY No 2428

Scale 200ft to One Inch

TONOPAH. 150472
Unsurveyed.

1232.13
1150'

72.18