Jan. 20/09

4-683.

Mineral Survey No. 2431

Lot	No		
		/	
	Andreas	Tamal District	

FIELD NOTES

Survey commenced September 2, 1907

ENOWN AS THE

Christmas Hidlen Beauty 201 and Hidlen

Pleasure 202 and Hidlen

Resource 202 and Hidlen

Section appares Township 1921. Range 1920. Range

U.S. Deputy Mineral Surveyor

Claim located See Section certificates 1

Survey commenced September 2, 1907

Survey completed September 5, 1907

Address of claimant's agent:

o 6—160

Mr. C. Cabot, 427 Chamber of Commerce Bldg.,

Los Angeles, Cal.

ok.

Feet

SURVEY NO. 2431.

Hidden Treasure No. 1 Lode.

Beginning at Cor. No. 1, the N. W. Cor., a malpais stone 48 x 12 x 4 ins., set 36 ins. in the ground, stone marked H.T.No. 1-1-2431 on S.E. face, with X on top from which original location cor. bears N. 46° W. 54 feet.

A cross (X) on a rock ledge marked B.R. H.T. 1-1-2431, bears N. 86° 11' W. 23.25 ft. distant.

U.S.L.M. No. 1602 bears N. 62° 40° W. 3193.9 ft. No other bearings available.

Thence S. 21° 00' W.

- 300. To W. E. center, whence
 Original location mon. bears N. 63° 00' W. 32 ft.
- 558.9 To Cor. No. 2, a porphyry rock 26 x 10 x 4 ins., set

 18 ins. in the ground, stone marked H.T. No. 1-2-2431 on

 N.E. face and X on top, with mound of stone 2 ft. base

 and 2 ft. high alongside.

No bearings available.

Thence S. 69° 40' E.

- 590.41 Intersect line 5-1 of the Oversight lode, Survey No. 2122 at N. 73° Ol' W. 796.63 ft. from Cor. No. 5.
- 1376.4 Intersect line 4-5 of the Oversight lode, Survey No. 2122 at S. 31° 35' W. 47.46 ft. from Cor. No. 5.
- 1482.9 To Cor. No. 3, identical with location, a malpais stone 24 x 10 x 5 ins., set 18 ins. in the ground, stone marked H.T. No. 1-3-2431 on N. W. face with X on top and mound of stone 2 ft. base and 2 ft. high alongside.

 Cor. No. 5 Oversight lode, Survey No. 2122 bears N. 44° 05' W. 107.8 ft.

No other bearings available.

Thence N. 21° 00' E.

- 300. To E.E.C., identical with the location.
- 600. To Cor. No. 4, a malpais stone 30 x 10 x 5 ins., set 20

Feet

ins. in the ground, stone marked H.T. No. 1-4-2431 on S. W. face and C.-1-2431 on S. E. face for Cor. No. 1 of the Christmas lode with X on top and mound of stone 2 ft. base and 2 ft. high alongside, whence

Original location corner bears N. 21° 00' E. 3 ft.

Thence N. 77° 30' W.

963. To Cor. No. 5, a porphyry rock, 24 x 8 x 6 ins., marked H.T. No. 1-5-2431 on S. W. face with X on top and mound of stone 2 ft. base and 2 ft. high alongside.

No bearings available.

Thence N. 60° 00' W.

537. To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Hidden Treasure No. 1 lode is from the E.E.C. N. 77° 30' W. 963 ft., thence N. 60° W. 537 ft.

Christmas Lode.

Beginning at Cor. No. 1, the N. W. Cor., identical with Cor. No. 4 of the Hidden Treasure No. 1 lode, corner heretofore described, whence

Original location corner bears N. 21° 00' E. 3 ft. U.S.L.M. No. 1602 bears N. 65° 23' W. 4666.4 ft. No other bearings available.

Thence S. 21° 00' W.

- 200. To W.E.C., identical with the location.
- To Cor. No. 2, identical with the location, a quartz rock 28 x 8 x 8 ins., set 18 ins. in the ground, stone marked C. 2-2431 on N. E. face and H.T. No. 2-1-2431 on S.E. face for Cor. No. 1 of Treasure No. 2 lode of this survey with X on top and mound of stone 2 ft. base and 2 ft. high alongside.

No bearings available.

Feet

Thence S. 57° 09' W.

1441.4 To Cor. No. 3, identical with the location, a porphyry rock 24 x 12 x 5 ins., set 18 ins. in the ground, stone marked C. 3-2431 on N. W. face and H.T. No. 2-4-2431 on S.W. face for Cor. No. 4 of the Hidden Treasure No. 2 lode of this survey, with X on top and mound of stone 2 ft. base and 2 ft. high alongside.

No bearings available.

Thence N. 21° 00' E.

300. To E.E.C., location mon. bears S. 60° 00' E. 3 ft.

600. To Cor. No. 4, a porphyry rock 30 x 10 x 4 ins., set 20 ins. in the ground, stone marked C. 4-2431 on S. W. face with X on top with mound of stone 2 ft. base and 2 ft. high alongside.

No bearings available.

Thence N. 65° 06' W.

1411.4 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Christmas lode is from the E.E.C. N. 61° 06' W. 1426 ft.

40-46-46-40-46-46-40-40-40-40-40-40-40-40-

Hidden Treasure No. 2 Lode.

Beginning at Cor. No. 1, identical with the location and with Cor. No. 2 of the Christmas lode of this survey, corner heretofore described. Whence
U.S.L.M. No. 1602 bears N. 60° 31' 20" W. 4708.45 ft.
No bearings available.

Thence S. 21° 00' W.

86. To W.E.C., identical with the location.

No.I

- 205. To Cor. No. 3 of the Hidden Treasure, lode of this survey.
- 333.91 To intersect line 3-4 of the Oversight lode, Survey No. 2122 at S. 42° 09' E. 133.49 ft. from Cor. No. 4.
- 386. To Cor. No. 2, a malpais stone 24 x 10 x 4 ins., set 16

Feet ins. in the ground, stone marked H.T.No. 2-2-2431 on N.E. face with X on top and mound of stone 2 ft. base and 2 ft. high alongside, whence

Location corner bears N. 70° 00' W. 70 ft.

No bearings available.

Thence S. 49° 13' E.

- 414.03 To intersect line 3-4 of the Oversight lode, Survey No. 2122 at S. 42° 09' E. 570.16 ft. from Cor. No. 4.
- 1470. Center of road to Gold Roads, course Northerly and Southerly.
- 1500. To Cor. No. 3, a porphyry rock, 24 x 8 x 6 ins., set 16 ins. in the ground, stone marked H.T. No. 2-3-2431 on N. W. face with X on top and mound of stone 2 ft. base and 2 ft. high alongside, whence

 Location corner bears S. 7° 30' E. 49 ft.

 No bearings available.

Thence N. 21° 00' E.

- 174. Center of road to Gold Roads, course N.E. and S.W.
- 300. To E.C.E., location mon. bears S. 46° 00° E. 55 ft.
- 600. Fo Cor. No. 4, identical with the location and with Cor. No. 3 of the Christmas lode of this survey, corner here-tofore described.

No bearings available.

Thence N. 57° 09' W.

1441.4 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Hidden Treasure No. 2 lode is from E.C.E., N. 49° 13' W. 1500 ft.

Adjoining Claims.

This survey is bounded on the south by the Oversight lode, Survey No. 2122, and the Virginia lode, Survey No. 2243, claimants unknown; on the north, east

and west by unsurveyed claims, claimants unknown.

45 45 45 45 45 45 45 45 45 45 45 45 46 46 46 46 46

Improvements.

I hereby certify that not less than five hundred dollars' worth of labor has been expended or improvements made upon each claim embraced in this survey, and that said improvements consist of:

Hidden Treasure No. 1 lode.

No. 1, discovery tunnel, 5 x 3 ft., running S. 65° E. 28 ft. to upraise, 4 x $6\frac{1}{2}$ ft. x 9 ft. to surface, thence, same course, 38 ft. to face of tunnel. The mouth of tunnel brs. from W.E.C. S. 60° E. 520 ft.

Value, \$300.00

No. 2, a cut, 5 ft. long, 4 ft. wide, 4 ft. face, which brs. from E.E.C. N. 77° 30' W. 265 ft.

Value, \$ 10.00

No. 3, shaft 8 x 5 ft., 20 ft. deep, which brs. from Cor. No. 5, S. 7° 17' E. 354 ft.

Value, \$240.00

No. 4, shaft 4 x 4 ft., 2 ft. deep, which brs. from Cor. No. 5, S. 4° W. 328 ft.

Value. \$ 10.00

No. 5, shaft $4\frac{1}{2}$ x 6 ft., x 5 ft. deep, which brs. from Cor. No. 5, S. 12° 50' W. 320 ft.

Value, \$ 50.00

No. 6, a cut 5 ft. long, 4 ft. wide, 3 ft. face, which brs. from W.E.C. S. 60° E. 347 ft.

Value. \$ 25.00

No. 7, shaft $3\frac{1}{E} \times 6\frac{1}{E} \times 10$ ft. deep, which brs. from W.E.C. S. 60° E. 275 ft. Value, \$100.00

No. 8, shaft, 15 x 5 ft., 12 ft. deep, which brs. from W.E.C. S. 53° 54' E. 134 ft. Value, \$240.00

A cut 17 ft. long, 4 ft. wide, 9 ft. face, which brs. from W.E.C. S. 60° E. 125 ft. This cut is not claimed by claimant herein.

Christmas Lode.

No. 1, discovery shaft, 4 x 7 ft., 16 ft. deep, which brs. from E.E.C. N. 61° 6' W. 212 ft.

Value, \$160.00

No. 2, shaft 4 x 6 x 10 ft. deep, which brs. from E.E.C.

N. 61° 6' W. 30 ft.

Value, \$100.00

No. 3, shaft 4 x 6 ft., 10 ft. deep, which bears from Cor. No. 2, S. 82° 30° E. 813 ft.

hys. ?, Value, \$100.00

No. 4, shaft $4\frac{1}{6}$ x 9 ft., 9 ft. deep, which brs. from Cor. No. 2, S. 83° 54' E. 766 ft.

Value, \$100.00

No. 5, shaft $5 \times 6\frac{1}{2}$ ft., 18 ft. deep, which brs. from Cor. No. 2, S. 88° 36' E. 589 ft.

Value, \$200.00

No. 6, shaft $4\frac{1}{6} \times 6$ ft., 8 ft. deep, which brs. from Cor. No. 2, N. 74° 33' E. 331 ft.

Value, \$ 80.00

5. 4. 5

A cut $4\frac{1}{2}$ ft. wide, 23 ft. long, $9\frac{1}{2}$ ft. face, which brs. from E.F.C. N. 61° 6' W. 65 ft. This cut is not claimed by claimant herein.

Hidden Treasure No. 2 lode.

No. 1, discovery shaft, 4 x 6 ft., 10 ft. deep, which brs. from W.E.C. S. 49° 13' E. 650 ft.

Value, \$100.00

No. 2, cut, 3 ft. wide, 18 ft. long, 9 ft. face, which brs. from Cor. No. 4, S. 89° 55' W. 555 ft.

Value, \$100.00

No. 3, shaft $4\frac{1}{2}$ x 6 ft., 20 ft. deep, which bears from Cor. No. 4, N. 85° 22' W. 620 ft.

Value. \$200.00

No. 4, cut 4 ft. wide, 8 ft. long, 3 ft. face, which brs. from Cor. No. 4, N. 79° 48' W. 700 ft.

Value, \$ 25.00

No. 5, shaft 4 x 6 ft., 16 ft. deep, which brs. from

Cor. No. 1, S. 41° 45' E. 296 ft.

Value, \$160.00

A cut 4 ft. wide, 13 ft. long, 10 ft. face, which brs. from Cor. No. 1, S. 39° 2' E. 360 ft. This cut is not claimed by claimant herein.

Area.

Acres.
Total area Hidden Treasure No. 1 lode, 17.344

Less area in conflict with the Oversight lode, Sur. No. 2122,

419

Net area Hidden Treasure No. 1,

16.925

Total and net area Christmas lode,

16.192

Total area Hidden Treasure No. 2 lode, 15.965

Less area in conflict with the Oversight lode, Sur. No. 2122, .255

Net area Hidden Treasure No. 2,

Total net area of lode claim,

15.710

Location.

This claim is situated in the San Francisco Mining District, Mohave County, Arizona, in what will approximately be when surveyed, Tp. 19 N., R. 19 W., Gila and Salt River Base and Meridian.

Instrument.

This survey was made with a Young & Sons Light
Mountain Transit No. 7532, with solar attachment. The
distances were measured with a 300-ft. steel tape.
The variation at all corners is 16° 10° E.

John F. Hesse, U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the indi	ividuals employed by John J. Hesse
	arveyor, to assist in running, measuring, and marking the lines, corners, and
	ing field notes of the survey of the mining claim of Red W Bennet
nown as the Christina	s, Hidden Beasure No!, Hidden Beasure Vo:
nd showing the respective capacit	•
	Pred Harter, Chainman. James a. Warner, Chainman.
	James a. Warrer Chainman.
	, Axman.
	, $Flagman$.
FINAI	L OATHS OF ASSISTANTS.
We Fred Harter	and James a. Warner
	do solemnly swear that we assisted John J.
	Inited States Deputy Mineral Surveyor, in marking the corners and surveying
e boundaries of the mining claim	of Fred W. Bennett
	,
nown as the Christinas, He	idden Treasure No!, Hidden Treasure No 2_
presented in the foregoing field n	notes as having been surveyed by said deputy mineral surveyor and under hi
	s been in all respects, to the best of our knowledge and belief, faithfully and
	and boundary monuments established according to law and the instruction
rnished by the United States Sur	rveyor-General for Augora
	Gred Starke, Chainman.
	Tans a Muhaste Vanman.
	, Axman.
	, Flagman.
	-the
	d and sworn to by the above-named persons before me this.
day o	Sept 1 ,190.7 Word Wheeh Motary Public
	Will Wich
	Motary Public
17237b5m3-05	Expires apl 11"1908

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John H. Kesse, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Anyona , dated
June 8th, 1907, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Pred W. Bennett
, known as the
Christmas, Hidden Bessure No!, and Hidden Beasure No 2,
situate in San Prancisco Mining District,
Mohave County, Arizona, in Section
approx., Township No. 1911., Range No. 19 W. Grasser,
and designated as Survey No. 243/, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
John J. Hesse
U. S. Deputy Mineral Surveyor.
0.0 0.0 0.1
Subscribed and sworn to by the said John F. Hesse. U. S. Deputy Mineral Surveyor, before me M. L. Levenick.
U. S. Deputy Mineral Surveyor, before me Yll. V. Levesich
a notary public this 24 th
a notary public this 24 th day of January, 1908,
M. V. Leverich
Notury Public
My commission expires Mar. 29, 1910

Affidavit of Five Hundred Dollars Improvements.

We, Fred Harten, and James a Warner
, and
of lawful age, being first duly sworn according to law, depose and say: That we are
Christmas Hidden Beasure No!
acquainted with the and Hidden Preasure No 2 mining claim,
situate in San Prancisco Mining district, Mohave County,
Arizona Territory, for which Fred W. Bennett
has_made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Fred Hartes
James a Musull
County of County of Section 1988:
Sworn to and subscribed before me, this
3 SEAL. 2 day of 9, 190.
3 SEAL 2 day of
loms. le cest
14396b100-8-04 Meta
14396b100-8-04 Natary Public Expires apl 11" 19 og
y ·

ARIZONA, ss.

1, This. McMeely, Recorder or

phave County, Territory of Arizona, do hereby certify that I have compared the foregoing by Motice of Location of "Christmas" Quartz Olainza

and of the endorsements thereupon with the original records of the same on file in this office and

at the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this 22 day of March 1907,

Recorder of Monave County.

105. MI

d

NOTICE OF MINING LOCATION. QUARTZ GLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the "CHRISTMAS"Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by JAMES BOYD & FRED BENNETT the undersigned citizens of the United States on the 24th day of December 1900.

The length of this claim is 1500 feet, and we claim 650 feet in a Easterly direction, and 850 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 I/2 miles in a Northern direction from Boundary Cone and 3/4 of a mile South of the TOM

READ Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at-----at a point in a Western direction 850 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; Thence 300 feet to a monument, being the S. W. corner of said claim; thence 750 feet to a monument at the center of the South side line of said claim; thence 750 feet to a monument being at the S. E. corner of said claim; thence 300 feet to a monument at the center of the East end of said claim; thence 300 feet to a monument being at the N. E. corner of said claim; thence 750 feet to a monument being at the center of the North side line of said claim; thence 750 feet to a monument at the N. W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines, "approved March 20th, 1895.

Dated and posted on the ground this 24th day of December 1900.
Witness James Boyd

Wesley Frazec

Fred Bennett

15)
TERRITORY OF ARIZONA,)	
County of Mohave. Ss.	
County, Territory of Arizona do hereby certify that I have compared the foresting	e
A salabla, do hereby certify that I have combately the lareboning cons	TT
of Location notice of "Hidden Tressure No 1" Quarte Claim	
and of the endorsement thereupon with the original records of the same on the in this office	0
and that the same are correct transcripts therefrom and of the whole of said original records.	_
WITNESS my hand and the seal of said office this	S
22 nd day of March 1907	7
	/.
Thos. M-Reely	
Recorder of Mohave County.	-
Accorder of Monare gounty.	

NOTICE OF MINING LOCATION. QUARTZ CLAIM. Relocation.

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the "HIDDEN TREASURE NO I." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by James Boyd & Fred Bennett, Citizens of the United States, the undersigned, on the 26th day of January 1909.

The length of this claim is I500 feet, and we claim 914 feet in a Easterly direction, and 586 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 I/2 miles in a Northerly direction from Boundary Cone this claim is a relocation of what was known as the Almeseta located by Joe Goodwin, J. F. Phelan & C.W. Wilson located Sept 20th 1900.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at---at a point in a Western direction 586 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence 300 feet to a monument of stone, being the S. W. corner of said claim; thence 750 feet to a monument at the center of the South side line of said claim; thence 750 feet to a monument being at the S. E. corner of said claim; thence 300 feet to a monument at the center of the East end the of said claim; thence 300 feet to a monument being at the N. E. corner of said claim; thence 750 feet to monument being at the center of the North side line of said claim; thence 750 feet to a monument at the N. W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "AN ACT Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 26th day of January 1901.
Witness
Wesley Frazee

Tames Boyd
Fred Bennett

Filed amd Recorded at request of F.W. Bennett March 14th A. D. 1901 t 9 o'clock A. M. in Book "O" page 671.

Jno P. Feeny

County Recorder.

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	•
TERRITORY OF ARIZONA, Ss.	
County of Mohave	
I, Thos. M. Melly, Recorder of Mohav	·c
County, Territory of Arizona, do hereby certify that I have compared the foregoing cop	V
of Location Notice of Hidden Treasure No. 2" Quarty Claim	
and of the endorsement thereupon with the original records of the same on file in this office	e
and that the same are correct transcripts therefrom and of the whole of said original records.	
WITNESS my hand and the seal of said office this	,
day of March 1907	7
Thos. M. Meely	
Recorder of Mohave County.	

NOTICE OF MINING LOCATION QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "HIDDEN TREASURE NO 2. Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by James Boyd & Fred Bennett Citizens of the United States, the undersigned, on the 27th day of January 1901.

The length of this claim is I500 feet and we claim 875 feet in a Westerly direction and 625 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises

is from the Westerly to the Easterly.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 3 miles in a Northern direction from Boundary Cone and about 3/4 mile South of the TOM READ

Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at——at a point in a Easterly direction 625 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a monument, being the Northeast corner of said claim; thence 750 feet to a monument at the center of the North side line of said claim; thence 750 feet to a monument being at the North west corner of said claim; thence 300 feet to a monument at the center of the West end of said claim; thence 300 feet to a monument being at the center of the South side line of said claim; thence 750 feet to a monument being at the center of the South side line of said claim; thence 750 feet to a monument at the Southeast corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th,

I895.

Dated and posted on the ground this 27th day of January 1901.
Witness James Boyd
Wesley Frazee. Fred Bennett

Filed and Recorded at request of Fred W.Bennett April 2 A.D. at 4:20

'clock P'M' in Book "0" page 689.

Jno P. Feeny

County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
February 20, 190 8	
I, U. S. Surveyor-General for District of Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey	
of the mining claim of	
Fred W. Bennett	
known as the Christmas, Hidden Treasure No. 1 and Hidden Treasure	No.
situate in San Francisco	
Mining District, Mohave County, Arizona	
in Section Approx., Township No. 19 N., Range No. 19 W., Unsur., and	
designated as Survey No2431 , has been correctly copied from the originals on file in	
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if	
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein	
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant. or his grantors, and that said improvements	
consist of 1 tunnel & upraise, 4 cuts and 14 shafts, total value	
\$2300.00	
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,	
Arizonais correct and in conformity with the foregoing Field Notes.	
Frank S. Ingalls.	
United States Surveyor-General forArizona.	

7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES: AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of $U.\ S.\ Surveyor$ -General,
Phoenix, Arizona,
February 20,, 190 8.
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
Fred W. Bennett
, known as the
Christmas, Hidden Freasure No. 1, Hidden Freasure No. 2
situate in San FranciscoMining District,
Mohave County, Arizona
in Section Approx., Township No. 19 N., Range No. 19 W., Unsur.
designated as Survey No. 2431
executed by, U. S. Deputy Mineral
Surveyor, September 2 - 5 , under my instructions dated
June 8,, 1907., have been critically examined and the necessary
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes. Itanih Angalls

U. S. Surveyor-General for Arizona.

21811b3m2-06