SEP. 23 1907

Mineral Survey No.2432

Lot No
Crizona Land District.
FIELD NOTES
The Imperial Copper Co.
Hilda, and Frank B
SieuerBell Mining District, Circa County, Crignia
Section approx., Township 25, Range 8 = inneurney
Surveyed under instructions dated were 10,1907 by White April Surveyor U. S. Deputy Mineral Surveyor
Claim located Level Hotices, 1
Survey commenced ruly 28 . 1997 Survey completed ruly 0 . 1907
Address of Claimants attorney
Bur. Gardrich
In follows

anis

SURVEY NO. 2432. HILDA LODE.

Beginning at Cor. No. 1, identical with Cor. No. 4 Frank B. Lode of this survey, within the boundaries of the Hamilton Lode Survey No. 1928, a 2 X 4 post in mound of stone; set in its place a pine post 4 ins. sq., 4 ft. long, 8 ins. in ground to bedrock, in a mound of stone, scribed 1-2434 H,

Whence,

- 1) U. S. Mineral Monument No. 1 of Silver Bell District brs. S. 57 19' E., 1924.2 ft.
- 2) A cross (X) and B. R. 1-2432 chiseled on a granite rock, 18 X 18 X 1 ins. brs. S. 59 26' W., 17.7 ft.
- 3) A cross (X) and B. T. 1-2432 scribed on a paloverde tree 8 ins. in diameter brs. N. 27 15' W., 30.8 ft.

Thence S. 77° 41' W. Va. 14° E.

- 8.13 Intersect line 1-2 Hamilton lode survey No. 1928 at S. 16 40' E., 88.51 ft. from Cor. No. 2.
- N. center end Frank B lode of this suevey.
- 600 N. W. Corner Frank B. lode.
- 1500 To Cor. No. 2, chiseled a cross (X) on a granite bedrock; set thereon a pine post 4 ins. sq., 4 ft. long, in mound of stone, scribed 2-2432 H,

Whence:

- 1) A cross (X) and B. R.22432 chiseled on a granite reef brs. S. 34° 25' W., 9.1 ft.
- 2) A cross (X) and B. R. 2-2432 chiseled on a granite reef brs. S. 78 34' E., 23.8 ft.
- 3) Cor. of location, a 2 X 4 post in mound of stone brs. S. 21 52' E., 12.6 ft.

Thence N. 21' 52' W. Va. 14' E.

West center end, set a pine post 4 X 3 ins., 4 ft. long, 8 ins. in ground to bed rock, in a mound of stone, scribed N. C. E. - H. 2432,

whence location center end, a 2 X 4 in. mound of stone brs, S. 77° 44' W., 8.5 ft.

600 To Cor. No. 3 a pine post 4 ins. sq., 4 ft. long, set 8

ins. in ground to bedrock in mound of stone, scribed N. W. C. - H. 32432,

SHEET IN SAME

Whence:

- 1) A cross (X) and B. R. 3-2432 chiseled on a granite face/brs. S. 61 45' W., 23.3 ft.
- 2) A cross (X) and B. R. 3-2432 chieeled on a granite reef brs. S. 88 52 E., 6.55 ft.
- 3) Cor. of location a 2 X 4 post in a mound of stone brs. S. 77 41' W., 16.6 ft.

Thence N. 77° 41' E. Va. 14° E.

- 656.64 Intersect S. end line 28-25 Mount Hope lode survey No. 1208 A, at S 80° 25' W., 223.31 ft. from Cor. No. 24.
- vey No. 1208 A N. 27 25' W., 11.03 ft. from Cor.
 Nos. 24-25.
- 1445.71 Intersect west end line 4-3 Yankee Lode Survey No. 1817 at N. 27' 45' W., 522.26 ft. from Cor. No. 4, and 0.96 ft. from intersection with line 24-23 Bay State Lode Survey No. 1208 A
- To Cor. No. 4, identical with location and with Cor.

 No. 23 Bay State Lode Survey No. 1208 A, a redwood post
 4 ins. sq., 5 ft. above ground, in mound of stone,
 scribed M. S. 23-1202 A, and N. E. Cor. Hilda, to which
 add 4-2432,

Whence:

- 1) A cross (X) and B. R. 4-2432 chiseled on a porphyry rock, 20 X 15 X 4 ins., brs. N. 32 06' E., 15.9 ft.
- 2) A cross (X) and B. R. 4-2432 chiseled on a porphyry face 24 X 14 ins. brs. S. 29 10' W., 44.4 ft.
- 3) Cor.No.24 Bay State Lode Survey No. 1208 A brs. S. 76 42 W. 620.4 ft., and at 54.04 ft. this line intersects line 4-3 Yankee Lode Sur. No. 1817, at N. 27 45' W., 521.3 ft. from Cor. No. 4

Thence S. 21 52' E. Va. 14 E.

East center end a stone monument, set a pine post 4 X 3 ins. 4 ft. long, 10 ins. in ground, to bedrock, in

300

mound of stone, scribed E. C E - H 2432.

510.5 Cor. Nos.4 Yankee Lode Survey No. 1817 and 2 Hamilton Lode.
Survey No. 1928.

To Cor. No. 1, the place of beginning.

FRANK B. LODE.

Beginning at Cor. No. 1, within the boundaries of the Olympia lode Survey No. 2434, a pine post 4 ins. sq., 4 ft. long, set 8 ins. in ground, to bedrock, in a mound of stone, scribed S. E. C. - F. B. 1-2432,

Whence:

- 1) U.S. Mineral Monument No. 1 of Silver Bell District brs. N. 75 40' E. 1009.9 ft.
- 2) A cross (X) and B. R. 1-2432 chiseled on a granite rock 36 X 15 ins., 14 ins. high, brs. S. 45° 10' E., 14.4 ft.
- 3) A cross (X) and B. R. 1-2432 chiseled on a granite rock 24 X 14 ins. NXXX 4 ins. high, brs. S. 78 53 W. 21.05 ft.
- 4) Cor. of location, a 2 % 4 post scribed S. E. cor. F. B. brs. S. 71' 55' E., 94.6 ft.
- 5) Cor. No. 1 Detroit lode Sur. No. 1820 brs. N. 23° 32' W. 88.0 ft.,

South centere end, set a pine post 4 X 3 ins., 4 ft. long, 4 ins. in ground to bedrock, in a mound of stone, scribed S C E - F B 2432.

To Cor. No. 2, identical with Cor. No. 5 Olympia lode
Survey No. 2434, a pine post 4 ins. sq., 3 1/2 ft. long,
set 6 ins. in ground to bed rock, in a mound of stone,
scribed in addition to Olympia markings, S W C - F B
2-2432,

Whence:

300

.1) Cor. of location, a mound of stone brs. S. 10 W.

3.5 ft. the grade a professional te

- granite rock, 30 X 10 X 4 ins., brs. S. 47° 20' E., 2.85
- 3) A cross (X) and B. R. 2-2432 chiseled on a granite rock, 30 X 12 X 2 ins., brs. N. 39° 30' E., 28.05 ft.
- 4) Cor. No. 1 Olympia Lode of this survey brs. N. 56' 20' E., 599,7 ft., and at 180.71 ft. this line intersects line 4-1 Detroit Lode Sur. No. 1920, at S. 74' 51' W. 415.03 ft. from Cor. No. 1.

Thence N. 26° 26' W. Va. 13 50' E.

- 58.52 Intersect line 1-2 Detroit lode Sur. No. 1820, at S. 74

 51' W, 597.84 ft. from Cor. No. 1, and 182.81 ft. from
 intersection with line 5-1 Olympia lode of this survey

 480 Gulch 30 ft.wide; course E. S. E.
- 660.12 Intersect line 3-4 Detroit lode Sur. No.1820 at S. 74 44' W., 676.44 ft, from Cor. No. 4
- 1439.8 To cor. No. 3, identical with location, a 2 X 4 post in a mound of stone: Set in its place a pine post 4 ins. sq., 4 ft. long, 8 ins. in ground to bedrock, in mound of stone, scribed N W C-F B 3-2432,

Whence:

- 1) A cross(X) and B. R. 3-2432 chiseled on a granite face, 18 X 14 ins., brs. N. 0 45' W., 9.95 ft.

 Thence N. 77 41' E. Va. 14 E.
- North center end, a 2 X 4 post in a mound of stone; set in its place a pine post 4 X 3 ins., 4 ft. long, 6 ins. in ground to bedrock, in mound of stone, scribed N C E F B 2432.
- 591.87 Intersect line 1-2 Hamilton lode Sur. No. 1928, at N. 16 40' W., 452.09ft. from Cor. No. 1
- To Cor. No. 4, identical with location and with Cor.

 No. 1Hilda lode of this survey, heretofore described;

 in addition to the Hilda markins add 4-2432 F B.

.607 V

9.832

Thence S. 26' E. Va. 14' E.

- 432.79 Intersect line 1-4 Hamilton lode and 3-2 Sampson lode Sur. No. 1928, at N. 56° 20' E., 85.29 ft. from Cor. Nos. 1 & 3 respectively.
- 748.20 Intersect line 4-3 Detroit lode Sur. No.1820, at S.
 74° 44' W., 35!03 ft. from Cor. No. 4, and 74° 44' E.
 48.37 ft. from intersection with line 344 Sampson lode
 Sur. No. 1928
- 975 Gulch 30 ft. wide; course S W.
- 1116.24 Intersect line 3-4 Sampson lode at S. 33 36' E.

 678.0 ft. from Cor. No. 3 and 380.38 ft. from intersection with line 3-4 Detroit lode.
 - 1219.56 Intersect line 3-5 Olympia lode Sur. No. 2434 at S. 56' 20' 2. 12.86 ft. from Cor. No. 1
 - 1351.03 Intersect line 1-2 Detroit lode Sur. No. 1820, at S. 74'51' W. from Cor. No. 1
 - 1439.8 To cor. No. 1, the place of beginning.

AREA.

20.374 acres. Total area Hilda Lode Less area in conflict with Bay State Lode Sur. No.1208 A .027 / No. 1208 A Mt. Hope .313 No. 1817 Yankee No. 1928 .008 Hamilton Common conflict bet. Bay State and Yankee ---- Nominal .425 54 Net area Hilda lode Total Area Frank B Lode: D 19.22 Area in conflict with Hamilton lode Sur No. 1928 .462 V Sampson .663 V Detroit 1820 8.043 V Common conflict between Sampson and Detroit lodes .200 V Area in conflict with Olympia lode Sur No. 2434 1.471

Common conflict between Olympia and Detroit lodes

Net Area Frank B lode

9.389

Total net area lode claims

Location.

This claim is situated in Silver Bell mining district, Pima County, Arizona, in approximatelyTp 12 S R 8Eun surveyed. The presumed course of the ledges in each location is from center end to center end.

On the Hilda Lode.

From W.C.E. N 77° 41' E 1500 ft to E.C.E,

On the Frank B Lode.

From S.C.E. to N26° 26! W 1439.8 ft to N.C.E.

Adjoining Claims.

On the North,

Mt. Hope and Bay State lodes Sur No. 1208 A.

On the East, Cleveland Mining Co. Claimants.

Yankee Lode Sur No. 1817 Imperial Copper Co. Claimants

Hamilton and Sampson lodes Sur No. 1928

Detroit lode Sur No. 1920.

On the South, 1

Olympia lode Sur No. 2434

On the West,

Detroit lode Sur No. 1920

Improvements.

I certify that the value of labor and improvements upon this claim placed thereon by the claimants and their grantors, is not less than one thousand dollars and said improvements consist of:

From cor No. 4.

1) Cut and tunnel leading to discovery which consists of a large outcrop of ore extending both north and south of lode line. Mouth of cut bears S 58° 30' W - 368 ft:thence cut S 12° 30' E - 27.7 ft to portal and face of 12 ft: thence S 12° E tunnel 100 ft and turn of 90° eastward 24 ft and at 8 ft on this line turn 90° southward, 6 ft tunnel, also from line of tunnel 3 ft in from portal de flect left 60° and 22 ft tunnel. Also from mouth of cut mentioned S 29° 40' W 32 ft. is center of shaft in branch of same cut 6 x 4 ft, 10 ft deep. Average height of tunnel $6\frac{1}{2}$ ft, average width 5 ft value cut to portal Tunnel 152 ft at \$10 per ft. 1520 Value of ten foot shaft 100 1720

Total value of cut tunnel and shaft

- 2) A shaft which bears S 73° 20' W 329 ft shaft 6 x 4 ft; 8 ft deep value \$70.
- 3) A cut and tunnel the mouth of-cut bears S 64° 30' W 444.0 ft. Course of cut and tunnel S 17° 30' E . Cut 15 x 15 x 14 ft. Tunnel $6\frac{1}{2}$ x $4\frac{1}{2}$ ft 65 ft long .

Value of cut \$100 Value of tunnel 65 ft at \$10 per ft 650

On the Frank B. Lode.

From a point on line 4 - 1 at S 26° 26' E - 748.2 from cor No. 4 (Intersection with line 3 - 4 Detroit) 1) Discovery cut a point in which, 3%ft from face bears S 74° 44' W - 295 ft. Course of cut N.N.W. and S.S.E. cut 14 x 4.5 ft 8 ft face.

> Value of portion on Frank B lode not included in Detroit

2) A cut a point in which near the mouth bears S 74° 44° W - 242 ft. Course cut N.N.W. and S.S.E. cut 4 ft wide, to face 11 ft, face 8 ft. Value of portion cut on Frank B not includedin Detroit \$40.

From Cor No. 4.

3) A cut and tunnel the mouth of which bears S 27° 55' W - 244 ft course of cut and tunnel northerly. Cut 12 x 5 ft, 12 ft face. Tunnel $6\frac{1}{2}$ x $4\frac{1}{2}$ ft, 91 ft to face.

Value of cut

Value of tunnelat

\$10 per ft.

Value of cut and tunnel

\$1010

Instrument.

This survey was made with a Young & Sons mountain transit (No. 6855) provided with a Smith Solar attachment.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 500 and 50 ft. steel tapes.

Note: any discrepancies between the courses and distances of this survey and thoes of contigeous or adjoining surveys are due to discrepancies in the latter.

Tombstone, Arizona.

Aug 21 1907 John Charles Surveyor.

my sulado

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. allock feels A list of the names of the individuals employed by. United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries-described in the foregoing field notes of the survey of the mining claim of known as the and showing the respective capacities in which they acted. ..., Flagman. FINAL OATHS OF ASSISTANTS. O....., do solemnly swear that we assisted , United States Deputy Mineral Surveyor, in marking (b) corners and surveying the boundaries of the mining claim of -represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for. Flagman. Subscribed and sworn to by the above-named persons before me this Aff ublic

17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

U. S. Deputy Mineral	youn after Africa
uctions received from the United	, do solemnly swear that, in pursuance of instruc
, dated	urveyor General for My
ct conformity to the laws of the	Left fort, Phave, in strict
	tates, the official regulations and instructions th
cuted the survey of the Mining	Surveyor General, faithfylly and correctly execu
ac Copper	The Imperio
, known as the	ompany
	Hieda and Fran
Mining District,	SilverBue
	County,
	√., Township No. / 2 5, Range No. 8
as represented	gnated as Survey No. 2437
, -	regoing field notes, which accurately show the b
	ctly marked by monuments on the ground, and
· · · · · · · · · · · · · · · · · · ·	ocation certificate, which was received by me fr
-	ructions, and that all the corners of said survey l
ulations and instructions there-	in strict accordance with the law, official regul
egoing are the true and original	and I do further solemnly swear that the foreg
d that the labor expended and	es of said survey and my report therein, and
nt or its grantors	ments made upon said mining claim by claiman
tent, location and itemized value	nerein fully stated, and that the character, exte
ll detail, and that no portion of	are specified therein with particularity and full
•	or or improvements so credited to this claim has
	ditures upon any other claim.
	ditures upon any other claim.
and the same	
U. S. Deputy Mineral Surveyor.	John
O.S. Deputy Mineral Surveyor.	
A Karpball	
a confer oel	bscribed and sworn to by the said
rank Orbillare	U.S. Deputy Mineral Surveyor, before me
this 2/21	
7	
1 . 1	day of luguet ,190,
- Herein	day of linguist, 190,
nk (Willand	day of linguist, 190,
Molard Valland	Say
Willard Votary Public	Say
John Bulland Votary Public	My come expires Mar 2, 19

Affidavit of Five Hundred Dollars Improvements.

7
We, se Salciso, and strudoun
of lawful age, being first duly sworn according to law, depose and say: That we are
A/A
acquainted with the Nieda and Frank Brining claim,
situate in Silver Bell Mining district, County,
,
Arizona Territory, for which The Imperial
leopper Company
had made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicants and the grantor of exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
The Valcido
John Aran
Jo mer our
TERRITORY OF $ARIZONA$,
County of MMM
County of the transfer of the
Sworn to and subscribed before me, this
Sand the state of the sand the
day of
The second of th
14396b400-8-04

TERRITORY OF ARIZONA,
County of Pima, \square ss.
I, Chas a Mull County Recorder in and
for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
11. 7.01 1. 0 410 0 91 0 L.
The Wilda Mining Claim located by 11. Curtis on
It will a sold the state of the
the leth day of June 1899 situated in the selver
Bell mining of the of the of the
Bell Mining Bist in Pina Co. Dec. of areg.
appears of record now in my a control of Minutes 459
s appears of record now in my office in Book J. J. Record of Menus Pages 459
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
$\gamma \neq \gamma$
official seal, at my office in Tucson, this
May x of
of
Chara A Startiell
County Recorder of Pima County, Arizona.
w di M Milell de la test
I will alpuy

Motice of Mining Location quarty LODE CLAIM

To All Wilsom Ilt May Concern:
This Mining Claim, the name of which is the Holda
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by
J.n. Cartis
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the andersigned on the
the undersigned, on the 16 the day of final 1899. The length of this claim is 1500 feet,
and Singlaim 750 feet
in a north easterly direction and 7.50.
feet in a south westerly direction from
the center of the discovery shaft, at which this notice is posted, length dise of the claim, together with
claim. The general course of the lode deposit and premises is from the Worth Last
to the south west
The claim is situated and located in the Selvery Bell Mining District, in
Juna. County, in the Territory of Arizona, about 1/2 wells
in a mortherly direction from neclsen, Mr. S. C. Swelten
and adjoins the Bay State nine (patented) ourts east
sidellie
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a mornines of stories
at a point in a S. Weslesly direction 750 feet from
the discovery shaft (at which this notice is posted) being in the center of the South west
end line of said claim; thence & Basterly 3.00 feet to a mountainent of states
Lasto Di 750 Levt to a minimum being the Cat the and former of said claim; thence
the state of the s
Easterly 750 feet to a mounieur of stones at the center of full st side line of said claim; thence aid; W. Kasherley 750 feet to a mounieur of the line of said
corner of said claim; thence W.W. Collett, 3.00 feet
to a MASNULLILLY of Stouls at the center of the NV. C. a. Stouls end of said claim
to a MASMUMINT, of Stouls at the center of the NV. C. A.S. t. end of said claim thence. NV. W. esterly 3.00 feet to a MASMUMINE. being at the
to a MASMUMINT, of Stouls at the center of the NV. C. A.S. t. end of said claim thence. NV. W. esterly 3.00 feet to a MASMUMINE. being at the
to a MASULUMENT, of Stouls at the center of the NV. C. a.s.t. end of said claim thence. NV. W. esterly 3.00 feet to a MASULUMENT Stouls being at the solicy weing at the stought the renter of the wish side figure the Topot to a mountained stought the renter of the wish side figure the renter of said claim: thence of the to a mountained solicy weing at the corner of said claim.
to a MASUMMINATION STOULS at the center of the NV. GAST end of said claim thence NV. Westerly 300 feet to a MASUMMINE A STOULS being at the stouce of the NV. Batterly 75 feet to a mountain the stouce of the west scale fund of said claim; thence S. Hesterly 75 feet to a mountain structure of said claim; thence S. Hesterly 75 feet to a mountain structure of said claim thence so the place of beginning.
to a MASMUMMINT. Of Stouls at the center of the NV. C.A.S. end of said claim thence NV. W. LARRY 3.00 feet to a MASMUMMINT. It being at the stories weing ut the receiver of the wint side from the corner of said claim; thences, Hesterly 750 foot to a morning of the wint side from the corner of said claim; thence, which sold the corner of said claim thence, and sold the place of beginning. All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statues of the United
to a MASMILMINA, of ASSMILL at the center of the M. G.A. A. end of said claim thence. M. W. L. M. L. Starley 3.00 feet to a MASMILMINA, of the being at the starley west the corner of said claim; thence of the M. W. L. Starley of the west side fine of said claim; thence of the Massmith of the corner of said claim thence of the place of beginning. All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statues of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act of the General Assembly of Arizona, entitled "An Act of the Continued of the Laws of the Continued of the Laws of the Continued of the Laws of
to a MASONIAMINATION STORY of Said claim; thence No. N. N. LARRY 3.00
to a MADNILLAND States at the center of the N. C. A. S. C
to a MANNIAMINATION STATULAL at the center of the M. C. A. A
to a MADNILLAND States at the center of the N. C. A. S. C
to a MANNIAMINATION STATULAL at the center of the M. C. A. A
to a MANNIAMINATION STATULAL at the center of the M. C. A. A
to a MANNIAMINATION STATULAL at the center of the M. C. A. A
Collet
Characteristics of the ground this. Cold St.
Collet

TERRITORY OF ARIZONA,				13
County of Pima,	ss. Chap a de	I dell		
		annux,	County Recorde	er in and
for the County of Pima, do hereby A the Frank B M	ening Claim,	and foregoing is a located ly	full, true and corr	ect copy
Bell Mining Dis	rumber 1900 F. in Jina	Co. aris.	in the lep	LC.
as appears of record now in my office	in Book to the Reen	d of Minispages	290	······
	N WITNESS WHEREC			ixed my
6 Z	of Mary			day •
		County Recorder	of Pima County, Ari	zona.
		J'al	M. Chibel	L'depeter

Motice of Mining Location quarty LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Trank. B.
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by
J-N. Cartas
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the 18.4h. day of Moulember 190 a
The length of this claim is
and claim J.50.
in a southerly direction and
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
claim. The general course of the lode deposit and premises is from the
to the southeldy
The claim is situated and located in the Acluer Bell Mining District, in
in a north easterly direction from the manusath M. A.S.
Store + Swelten
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a surjust of stones
The state of the s
at a point in a substitutiff direction 750 feet from
the discovery shaft (at which this notice is posted) being in the center of the Mortherly
end line of said claim; thence easterly 300 feet to a moundient of
outlerly 750 feet to wincom in being the North east of the basterly seal line of said.
ann, hencesoutherly 7.50 feet to a snooneneed of storels being at the
southed sterly corner of said claim; thence neels terly 3.0.0 feet
to a renounce of Atoule at the center of the Southelaly
thence questerly 300 is seing at the northern 750 feet to a suspendent to stould being at the nuthwesterly corrier of special chains. Hence northern 750 feet to a information of stould produced by the stould furnitude of the stould stould fit out the morthwesterly corner of said claim easterly 300 feet to a at the morthwesterly corner of said claim
content the westerly she live of said corner of said claim thence mortherly .7.5.0
thence find feet to the place of beginning.
All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statues of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Cottify the Laws of
the Ferritory of Arizona, approved March 16, 1901 20th 1895
Dated and posted on the ground this
nitules Julius Volkert J. n. Curtis
Filed trecorded at request of albert steinfeld, Dec 27/900 at 1-45 0 ni
Tiled veroview at regices of albert accompleta, red a figure of all
the Ho page 290-291 County Recorder
No. 110,-Notice of Location of Lode ClaimF. E. A. Kimball, Stationer and Printer, Tucson, Arizona

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR=GENERAL,

	Phoenix, Arizona,			
	October 29, 1907.			
I, U. S. Survey	or-General for District of Arizona			
do hereby certify the	at the foregoing transcript of the Field Notes, return and approval of the survey			
of the mining claim	of			
	The Imperial Copper Company			
known as the	HILDA and FRANK B.			
situate in	Silver Bell			
Mining District,	Pima County, Arizona			
in Section Appr	OX., Township No. 12 S., Range No. 8 E., Unsur., and			
designated as Surve	y No2432 , has been correctly copied from the originals on file in			
this office; that said	Field Notes furnish such an accurate description of said mining claim as will, if			
incorporated into a	patent, serve fully to identify the premises, and that such reference is made therein			
to natural objects or	permanent monuments as will perpetuate and fix the locus thereof.			
each	certify that five hundred dollars' worth of labor has been expended or improved of Side and S			
consist of 5 CU	ts, 3 turnels and 2 shafts, total value \$3615.00			
and that no portion	of said labor or improvements has been included in the estimate of expenditures			
upon any other clair	a.			
I further certify	that the plat thereof, filed in the U.S. Land Office at Phoenix,			
	is correct and in conformity with the foregoing Field Notes.			
	. Frank S. Ingalls,			
,				
	United States Surveyor-General for Arizona.			

7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES: AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Office of \(\frac{1}{2}\)	U. S. Surveyor-Gen	eral,
		Phoenix, Ariz	zona.,
		October	29, , 1907.
I, U. S. Surveyor-General	forDistr	ict of Arizona	,
do hereby certify that the foreg	oing and hereto attached I	Field Notes and Return	of the Survey of the
Mining Claim of			
The	Imperial Copper	Company	
*			, known as the
I	HILDA and FRAŃK	B.•	
situate in	Silver Bell	<u> </u>	Mining District,
Pima	County,	Arizo	na
in SectionApprox.	., Township No12	S. Range No	8 E., Unsur.
, designated	as Survey No	2432	
executed by	ohn A. Rockfellow	΄, τ	J. S. Deputy Mineral
Surveyor, July 28 -	Aug. 10,	, 1907, under m	ny instructions dated
June 10,	, 190 <u>7</u> , have	been critically examine	ed and the necessary
corrections and explanations m	ade, and the said Field No	tes and Return, and the	Survey they describe,
are hereby approved. A true	copy of the copy of the lo	ocation certificate filed	by the applicant for
survey is included in the field	notes.	ant De	egath.
	U.	S. Surveyor-General for_	Arizona.

21811b3m2-06

