SEP. 23 190/

UCT. 15 1907

(4-683.)

Mineral Survey No. 2433

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF KNOWN AS THE Oul Mining District, County, Section approx. Township /25, Range / 8 & Music Surveyed under instructions dated (1997) U. S. Deputy Mineral Surveyor. Survey commenced July 19 , 100 Survey completed light, 1907

PRINCE OF WALKS LODE.

Beginning at Cor. No. 1, the S. W. Cor. of claim, within the boundaries of the Pope Lode Survey No. 1819 set a pine post 4 ins. sq., 4 ft. long, 6 ins. in ground to bed rock, in a monument of stone scribed S W C - P W 1-2433

Whence:

- 1) U.S. location monument No. 1204 brs. N. 71 6' W., 2966.8 ft.
- 2) A cross (X) and B. T. 1-2433 scribed on a Paloverde tree, 8 ins. diam. brs. S. 15 58 E., 14.0 ft.
- 3) A cross (X) and B. R. 1 2433 chiseled on a porphyry rock 24 X 16 X 8 ins. brs. N. 52 48 W., 28.0 ft.
- 4) Cor. of loc. a stone monument brs. S. 58 W., 25

Feet . Thence N. 19 01 W. Va. 14' E.

75 gulch, 60 ft. wide, course N. W.

3732 Intersect line 1-2 Peerless lode sur. No. 2436 at

S. 61° 56' W: 539.7 ft. from Cor. No. 2 and 229.1 ft.

from intersection with line 2-3 Ope lose Sur No. 18.19 and 310.9 ft. ft.

590 Center gulch 40 ft. wide, course N. N. E. Beele lise Sur No. 18.19

- 896.7 Center of track Arizona Southern R. R. brs. southerly and northerly on curve westerly
- 1343.75 Intersect line 3-4 Pope Lode Sur. No. 1819 at S. 78° 30' W., 226.6 ft. from Cor. No. 3.
- 1484.6 To Cor. No. 2. Set a pine post 4 ins. sq., 4 ft. long,
 7 ins. in ground to bed rock, in a mound of stone scribed
 N W C P W 2-2433,

e, e "astr "J.

· Whence:

- 1) Cor. No. 4 Pope lode survey No. 1819 brs. S. 52 27' W., 391.8 ft.
- 2) Cor. of location, a stone monument brs. N. 25° W.

- 3) A cross (X) and B. R. 2-2433 chiseled on a quartzite rock 36 X 15 X 10 ins. brs. N. 78 50' W. 6.55 ft.
 - 4) A cross (X) and B. R. 2-2433 chiseled on a quartzite reef brs. S. 28 05' W. 6.05 ft.
 - 5) A 4 X 4 post in a mound of stone scribed S E C E L T brs. S. 40° 22' W., 92.4 ft.
 - 6) A mound of stone brs. N. 19° 30' E. 18 ft.
 - 7) A 2 X 4 post in a mound of stone brs. N. 59 38' E. 60.5 ft.
- Feet Thence N. 70 59' E. Va. 13 50' E.
- 40.6 Center of R. R. Arizona Southern bears southerly and northerly on a curve westward.
- 213 Pt. whence N. 19 01' W., 9 ft. center of shaft,
- 219.7 Pt. whence N. 19° 01' W. 0.8 ft. post in a mound of stone contains notice of location of Centipede lode.
- 232.7 Intersect Sinside Columbia lode, unsurveyed, at N. 50

 06' W., 695.1 ft. from S. E. cor. and 304.6 ft from
 intersection with N side Rubylode unsurveyed

 300 falls in track Ariz. Southern R. R., hence set witness
 corner further along
- 301.8 Center of track, switch back, brs. Southerly and westerly on curve westward
- 344.2 Set a pine post 4 ins. sq., 4 ft. long, 18 ins. in N. E ground to bed rock, in a mound of stones scribed W C
- 352.8 2 X 4 post in mound of stone W. C. to center end of location.
- 380 Center of gulch, 50 ft. wide, course N. N. W., As 600 ft will fall upon a point not suitable for cor.
- 508 Establish witness cor. to Cor. No. 3. Set a pine post 4 ins. sq., 4 ft. long, 12 ins. in ground to bed rock in a mound of stone scribed W C N. E. C P. W 3-2433 Whence
 - 1) A cross (X) and B. R. 3-2433 chiseled on a quartzite rock R4X/8 X. 2 inc brs 175°40 W 12,0 ff

	2) a cross(x) and B.R. 3+2433
	chiseled on a quartiete
	rock 24 X 12 ins. brs. S. 11 57' W., 21.3 ft.
Feet ·	Variation of needle 13° 50' E.
540	Wagon road from Silver Bell northward brs, S. S. E.and
	N. N. W.
570	Center of shaft 8 ft. deep
600	Falls upon a dump of waste ore from nearby shaft of the
	Columbia lode. The cor. of location has disappeared.
	Much open stoping has been done about this corner.
	Thence S. 19° Ol'E.
16.8	Point on platform over shaft surmounted by gallows
,	frame,
	(Whence:
148.5	Point S. 70° 59' W., 6 ft. center of deep shaft of
, ,	Columbia lode.
293.0	Intersect N. side Ruby lode, ûnsûrvêyed, af N. 79° 43'
439 _• 9	E., 228.7 ft. from N. W. corner. and 2/2.58 from inters with S. side Columbia lode unsulveyed. Peak of roof of frame Building - warehouse, 24 ft. by 18 ft. (course of front (18 ft. 2 md.) N. 10 W.) 11
	ft. from westerly end of building.
592.8	Intersect E. end of Columbia lode, unsurveyed, at N.
	55° 04' E., 8.8 ft. from S. A. cor.
814.6	Intersect south side Ruby lode, unsurveyed, at N.
	81° 57' E. 322.6 ft. from S. W. corner, whence S. cor.
	Columbia lode unsurveyed, brs, N. 21° 14' W. 219.56 Pt From Said S. W. Cor Ruy lode, angle comer bro N/8°57 W 267.5 St. Thence to N W Cort Ruby lode N 2°39 E 244.8 St.
819.	
opening of the hands the house	17' E., 240 ft. from Cor. No. 4
1484.6	To Cor. No. 4, identical with location, a 2 it 4 post
	in a mound of stone. In its place set a pine post 4
	ins. sq., 4 ft. long, 6 ins. in ground to bed rock, in
	a mound of stones scribed S E C - P W 4-2433.
	Whence
	1) A cross (X) and B. R. 4-2433 chiseled on a quartz-
	ite rock 24 V 18 V 16 ing hra N 22° 10' F 25 05

V

2	2) A cross (X) and B. R. 4-2433 chiseled on a quartz-
	ite rock, 20 X 18 X 10 ins., brs \$1° 00' W. 20.45 ft.
2 2	3) Cor. No. 3 Peerless lode Sur. No. 2436 brs. S.
	8° 34' W., 160.0 ft.
,	Thence S. 70° 59' W. Va. 13° 55' E.
72.4	Intersect line 2-3 Peerless Lode Sur. No. 2436 at S. 18
	21' E. 458.2 ft. from Cor. No. 2.
281.6	Peak of roof of house brs. N.N.E and S.S.W. distant
	10.5 ft. to N. end 15.4 to S. end of roof of house,
	house 24 X 14.
300	S. center end. Set a pine post 4 ins. sq., 4 ft. long,
	10 ins. in ground to bed rock, in a mound of stone
377.2	d scribed S C E of P We 2433 20, 12 16.9 ft from lear ho. 2: There 393: ft. f Nyo 43: 30 415. There are started like for Center of road from Silverbell northward brs. N. N. to ea
38 8	Center of road from Silverbell northward brs. N. N. 200
	W. and S. S. R.
518	A local road brs. N. & S.
560	Center of gulch 40 ft. wide, course N. N. E.
600	To Cor. No. 1, the place of beginning.
	AREA.
	Total area Prince of Wales Lode 20.449
Less a	rea in conflict with Peerless Lode
۳,	Survey No. 2436,5.058 V
ex c Pee:	lusive of its conflict with rless Lode Sur. No. 2436, 4.923
	a in conflict with Ruby Lode, unsurveyed, 3.493
exc.	lusive of its conflict with Ruby Lode, 1.806 / 2. in conflict with Belle Lode Survey
	No. 1819 2.206 17.486 V
100	al net area of Prince of Wales Lode 2.963

	AREA.									
			Total a	rea P	RINCE of	Wales	Lode.			20.449
	Area	ln	conflict	with	PEERLES	S Lode	SUR.No	2436.	5.058	
	17	17	11	11	POPE Lo	ode	11 11	1819	6.955 V	
	11	**	17	"	RUBY Lo	ode	UMSURV	EYED	3.493	
	11	**	"	11	COLUMBI	IA Tode	**		2.567/	/
	11	17	11	11	BELLE I	lode	SUR.No	0.1819	4.869 /	
Commo	ı con	fli	ct POPE :	and PE	ERLESS D	Lodes	9	- 3.032√		
11		11	RUBY	and co	LUMBIA	11		.76I /		
11		11	BELLE	and F	EERLESS	17	1	2.663 /		
	Tota	l A	rea to b	e exci	luded					17.486
			Total n	et Ar	ea PRIMC	E of WA	LES Lo	de ,		2.963

MOTE.

Corners No I and 5 of POPE Lode are in good condition

Cor. NO.? in a wagon road, had dissapeared. I re-established by measuring from Cor. No. I, N. 7 II'W 184.8 ft. The

Course and Distance as determined by me in 1904 in SUR.

No. 1990.LESLIE Lode. At which time Post, Cor. No. 2 was standing. The theoretical Cor. No. 3 was re-established by running from Cor. No. 2 NI9 I W. 13173ft. Course and Dist. given in Official Notes. Original Cor. No. 3 was probably destroyed when Ariz So. R.R. was constructed, as point falls within the grade limits of switch-back.

LOCATION.

This claim is situated in Silver Bell Mining District, Pima County, Arizona, in approximately Township 12, S., Range &, E., unsurveyed.

The presumed course of the ledge is from center end to center end N. 19° 01' W. 762.6 ft., and S. 19' 01' E., 722.0 ft. from discovery.

ADJOINING CLAIMS:

ON THE NORTH:

Scorpion Lode, Percy Williams Claimant
Columbia Lode, Oxide Copper Co., Claimants.

ON THE EAST:

11:

Ruby Lode, Baker et al, Claimants, musurouped Belle Lode Survey No. 1819. Imperial Coppered

ON SOUTH AND WEST:

Peerless Lode Survey No. 2436, Pope Lode Survey No. 1819.

· Improvements.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than \$500.00, and said improvements consist of

From S. center end

1) Discovery cut and tunnel, the mouth of which brs. N. 19° 01' W. 722 ft. Course of cut and tunnel E. S. E. Cut 35 \ X 6 ft., face 20 ft. thence tunnel, 10 ft.

Value of cut . 200.

Tunnel 10 ft. at \$10. per ft. . 100.

Total value cut and tunnel \$300.

- 2) A cut, the mouth of which brs. N. 19° 50' W.,
 610 ft. Course of cut E. S. E. Cut 13 X 4 1/2
 ft., 10 ft. face. Value \$100.
- 3) A shaft, the center of which brs. N. 23° 58' W.,
 476 ft. Shaft 6 X 4 ft., now filled with debris,
 once 10 ft. deep (See affidavit of G.W.D.etz)

 Value 100.00
- 4) A shaft, the southerly edge of which bears from

boundaries of this loss S. 61' 56' E., 295 ft. N 26' 49'W 4/60ft Shaft covered with outhouse (See affidavit of G. W. Dietz attached).

Value of shaft on portion of this lode not excluded to Peerless Lode Sur. No. 2436, \$65.

5) A shaft under the house of Charles Lee, as described in affidavit of G. W. Dietz

Value \$100.00

OTHER IMPROVEMENTS.

- 1) A dwelling house and bakery, the S. W. cor. of which brs. from Cor. No. 2 Peerless lode Sur. No. 2436 within the boundaries of this claim, S. 61° \$56' W., 257.9 ft. House of lumber 24 ft. square, side approximately N. 1° W. and S. 59° W. Charlie Lee, claimant.
- 2) House described in topography of line 4-1 at S. 70' 59' W., 281.6 ft. Imperial Copper Co., claimants.
- building 56 ft. long, with wings, the center of W. side of main portion of which brs. N. 70° 59° E. 25 ft. from a point on line 1-2 N. 19° 01° W. 200 ft. from Cor. No. 1.

Several temporary structures are scattered on this claim, occupied by employees of the Imperial Copper Co.

INSTRUMENT.

This survey was made with a Young & Sons' Mountain Transit (No. 6855), provided with a Smith solar attachment.

The courses were deflected from true meridian as determined by direct solar observations; the distances were measured with 500 and 50 ft. steel tapes.

Note: Any discrepancies between the courses and distances of this survey and those of contiguous or adjoining surveys are due to discrepancies in the latter.

Tombstone, Arizona,

Aug 21/907

U. S. Dep. Min. Surveyor.

Territory of Arizona } ss.

Geo. W. Dietz, being duly sworn, deposes and says: That he is familiar with the Prince of Wales Mining Claim in Silver Bell District, Pima County, Arizona, recently surveyed by John A. Rockfellow, U. S. Deputy Mineral Surveyor and designated as Survey No. 2433.

That a certain shaft designated as No. 3 in official plat was measured by him when completed and was 6 x 4 feet and more than ten feet deep. Also that another chaft of sare dimensions as above was sunk by the claimants and on said mining location, which cannot be definitely platted, as it is situated under the house occupied by Charlie Lee. Also that another shaft of same dimensions and on said claim sunk by said claimants is now covered by an out house described in said plat and notes as Shaft No. 4.

Subscribed and sworn to before me, this 12th day of August, 1907

Justice of The Peace, Silverbell Precinct, Pima County, Arizona.

Public

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. na Rockfellow A list of the names of the individuals employed by. United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of known as the and showing the respective capacities in which they acted Chainman. Axman. ., Flagman. FINAL OATHS OF ASSISTANTS. do solemnly swear that we assisted, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of ... represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for... Flagman. Subscribed and sworn to by the above named persons before me this day of ...

17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, John M. Lickfellaw, U. S. Deputy Mineral	
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
	States Surveyor General for, dated	
/	frame 10 1907, I have, in strict conformity to the laws of the	
	/United States, the official regulations and instructions thereunder, and the instructions	
	of said Surveyor General, faithfully and correctly executed the survey of the Mining	
	Claim of The Superial Coppe	
	Company, known as the	
	- 1	
	situate in Oilean Aguel Mining District,	
	County, Class, in Section Cypprox, Township No. /2 J, Range No. & Lucion	
	Cipperox, Township No. / Range No. Turismin	ryro
	and designated as Survey No. 2 433, as represented	V
	in the foregoing field notes, which accurately show the boundaries of said mining claim	
	as distinctly marked by monuments on the ground, and described in the attached copy	
	of the location certificate, which was received by me from the Surveyor General with	
	said instructions, and that all the corners of said survey have been established and per-	
	petuated in strict accordance with the law, official regulations and instructions there-	
	under; and I do further solemnly swear that the foregoing are the true and original	
	field notes of said survey and my report therein, and that the labor expended and	
	improvements made upon said mining claim by claimant or frame grantors	
	are as therein fully stated, and that the character, extent, location and itemized value	
	thereof are specified therein with particularity and full detail, and that no portion of	
	said labor or improvements so credited to this claim has been included in the estimate	
	of expenditures upon any other claim.	
	Sohn Oleveklu	coro
•	U. S. Deputy Mineral Surveyor.	
	(////////////////////////////////////	
	Subscribed and sworn to by the said that at the fell of	
	U.S. Deputy Mineral Surveyor, before me Dank Collillar	d
	this 2/27	
	day of lugust ,190%	
	De blowing	
	Skill () Juli ()	
	Matary Tuble	
	Me, com expires Mar 2, 1910	

Affidavit of Five Hundred Dollars Improvements.

We, re Saleido, and John Soan
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Prince of Wall mining claim,
situate in Silver Bill Mining district, Prina County,
Arizona Territory, for which The Imperial
leapper Company
ha. I made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
its
ments made thereon by the applicant & and Flowing grantor Sexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Love Salaido
John Avan
$TERRITORY OF ARIZONA, $ $\}_{ss}$:
County of MMM.
Sworn to and subscribed before me, this
Manual Millian 7
SEAL. S.
They
14396b400-8-04

TERRITORY OF ARIZONA, Ss. County of Pima, I, County Recorder in and
for the Country of Pima, do hereby certify that the above and foregoing is a full, true and correct copy If the Minch of Males Mining claim, located by Percy Williams on the 3rd day of July- 1904 situated in Selverbell
Moning Dist in Cinia Co. Aris' IV. as appears of record now in my office in Book of Record of Mulls Pages 265 IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this
County Recorder of Pima County, Arizona. by A. M. Khivell, defeuty

Motice of Mining Location quartz kode claim

	To All Whom It May Concern:
	This Mining Claim, the name of which is the June of Wales
	Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
	mineral deposits, was entered upon and located for the purposes of exploration and purchase by
	Percy Williams and M. J. Staunton
	(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
ay	the undersigned, on the third day of telig 1904.
	The length of this claim is
	and We claim 710 feet
	in a southerly direction and T. 90
	feet in a Mortherly direction from
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
	claim. The general course of the lode deposit and premises is from the Austla
	The claim is situated and located in the Selves Belle
	in a mortherly direction from silver Belly Townsite and
	in a northerly direction from silver Belle Townsite and about 4800 Ift N.30°W from U.S. M. M. no. 1
	g Cara Cara Cara Cara Cara Cara Cara Car
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at
	the South fered center which is a 4x4x4 ft. past set in a
	mound of stone
	at a point in a southerly direction 7.10 feet from
	the discovery shaft (at which this notice is posted) being in the center of the South
	end line of said claim; thence A: 10-59 W 300 feet to a 2XXX ft foot
	being the doed the west corner of said claim; thence
	No. 19-01 W- 1500 feet to a 21 X 4 X 4 ft host being at the
	north West corner of said claim; thence no 70-596-300 feet
	to a 2x4x4 ft fost lessing the center of the North end of said claim
	thence W. 10-59 6. 300 feet to a 2x4x4 ft hosta being at the
	Morth Past corner of said claim; thence Se 19-0161500
	Life-59 # 300 feet to a 2 x 4 x 4 ft post the South tast corner of said claim
-	thence
	All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statues of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
	the Territory of Arizona," approved March 16, 1901.
	Dated and posted on the ground this 3111 and day of Febry 1904.
1/	10 1 PA 1 1 A 1 F 1/4 1 1 0 1 - A 1 1 1 1 VI A 4 1 1 /
	Percy Williams
	W.S. Staunton
	in Z
1	
T	led + recorded at request of Percy Williams, Febry 15"/904 at 9am.
79	chas a shibell
BI	of J page 265-266 County Recorder
	Ko. 110.—Notice of Location of Lode Claim.—F. E. A. Kimball, Stationer and Printer, Tucson, Arizona

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix	, Arizona,		-
			Decamber 2	9	, 190 7
I, U. S. Surveyor-Ger	neral for	Dist	rict of Ar	izona	
do hereby certify that the	foregoing transcrip	ot of the Fie	ld Notes, retur	n and approv	al of the survey
of the mining claim of					
	The Imper	cial Cop	per Compa	ıy	
known as the	PR:	INCE_OF	WALES		
situate in	(Silver B	ell.		
Mining District,	Pima		County,	Ari	zona
in Section Approx.	, Township No	12 S.	, Range No	8 E., I	Insur, and
designated as Survey No	. 2433	, has bee	n correctly copi	ed from the o	riginals on file in
this office; that said Fie	eld Notes furnish su	ich an accur	ate description o	of said mining	g claim as will, i
incorporated into a pate	nt, serve fully to ide	entify the pre	emises, and that	such referenc	e is made thereir
to natural objects or per	manent monuments	s as will perp	etuate and fix t	the <i>locus</i> there	of.
And I further certi	fy that five hundr	red dollars' v	vorth of labor l	has been expe	anded or improve-
ments made upon said n	nining claim by cla	imant or	its granto	rs, and that sa	aid improvements
consist ofl cut					
	· · · · · · · · · · · · · · · · · · ·				
21					
				· · · · · · · · · · · · · · · · · · ·	

7.17					
and that no portion of	said labor or impro	vements has	been included in	n the estimate	e of expenditures
upon any other claim.				101-	on i v
I further certify the					
Arizona	is correct :	and in confor	mity with the fo	oregoing Field	Notes.
			Frank S.	ingalls,	
	United Stat	es Surveyor-G	eneral for	Arizona.	
	Onnea Mai	ou sur voyor ar	JUI	mande - with the selection of the last - the	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES. AND SURVEY OF MINING CLAIM.

Department of the Interior,

		Office of U	J. S. Surveyo	r- $General$,	
		*****	Phoeni	k, Arizona,	
			Dece	mber 2,	190.7
I, U. S. Surv	reyor-General for	Distr	ict of Aria	zona	
do hereby certify	that the foregoing and	hereto attached F	ield Notes and R	eturn of the Surv	ey of the
Mining Claim of.					
	The In	perial Copp	er Company		
				, knov	wn as the
	Ţ				
	Pima ·	County,	Ari	izona	
in Section	pprox, Towns	hip No12	S, Range	e No8 E.,	Unsur.
	, designated as Surve	y No	2433		
executed by	John	A. Rockfell	QW	, U. S. Deputy	Mineral
Surveyor,	July 19 - Aug	<u>5. 10</u>	, 190.7, ur	ider my instructio	ns dated
J.	une 10,	, 1907, have	been critically ex	camined and the	necessary
corrections and e	xplanations made, and	the said Field Note	s and Return, an	d the Survey they	describe,
are hereby appro	ved. A true copy of the	he copy of the loca	ation certificate	filed by the appli	cant for
survey is include	d in the field notes.	Man	ud De	Sigalle	
		U. S.	Surveyor-General	forArizon	18

21811b3m2-06

