

M
S
.

0

2

4

4

5

AUG. 15. 1907
AUG. 28. 1907

(4-683.)

Mineral Survey No. 2445

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Gila Monster Consolidated Gold & Copper Co

KNOWN AS THE

Confidence No., 3.

Riverside Mining District.

Pinal County, Arizona,

~~Section~~ Approx. in., Township 4 S, Range 12 E. Unsurveyed

Surveyed under instructions dated July, 3rd, 1907.

by E. S. Stafford
U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced August 6th., 1907

Survey completed August 7th., 1907

6-173

Address of claimant's agent:

J. F. Meedin,

Florence, Arizona.

Feet,

Confidence No 3, Survey No 2445.

Beginning at the location monument, which is a mound of stones 2' high 2' base, one of which is marked X for place of begin^{ing}_X. Whence

A stone in place, 2'-4', 1½' above the ground marked X-B.R., bears N 85° 38'E, 53 feet.

A stone in place, 2½'-6', 2' above the ground marked X-B.R., bears N 57° 30'E, 75.5 feet.

Thence S 46° 00'W,

750.00

to the W.E Center,

Identical with the location corner,

Set a granite stone, 4"-1", 2' long marked A-C No 3-W.E.C.-2445, 12 inches in the ground with a mound of stone 1½' high, 2' base alongside.

No bearings available,

Thence N 44° 00'W,

300.00

to Cor No 1.

Identical with location corner.

Set a granite stone, 5"-11", 2' long marked X-C No 3-1-2445, 12 inches in the ground with a mound of stone 1½' high, 2' base alongside.

whence,

U.S.L.M. No 2445, bears N 87° 50'E, 244 feet

This bearing was taken on August 7th,

No other bearings available.

Thence N 46° 00'E,

1200.00

to wash 10' wide, course N.E.

1500.00

to Cor No 2,

Identical with location corner.

Set a granite stone, 6"-8", 2' long marked X-C No 3-2-2445, 12 inches in the ground with a mound of stone 1½' high, 2' base alongside.

No bearings available.

Thence S $44^{\circ}00'$ E.

300.0 To the E.E. Center,
 Identical with location corner,
 Set a granite stone 6"-8", 2' long marked
 X-C No 3-E.E.C.-2445, 12 inches in the ground
 with a mound of stone $1\frac{1}{2}'$ high, 2' base alongside.
 No bearings available.

600.0 to Cor No 3,
 Identical with location corner.
 A granite stone in place, 4'-6', flush with
 the ground, marked X-C No 3-3-2445; set a mound
 of stone $1\frac{1}{2}'$ high, 2' base alongside, whence,
 A Sahuaro $1\frac{1}{2}'$ in diameter, 10' high, marked
 X-B.T., bears N $87^{\circ}18'$ W, 65 feet.
 No other bearings available,
 Thence S $46^{\circ}00'$ W,

420.0 to wash 4 feet wide, course N.W.

810.0 to wash 8 feet wide, course N.E.

1500.0 to Cor No 4,
 Identical with location corner,
 Set a granite stone, 6"-1", 2' long marked
 X-C No 3-4-2445,, 12 inches in the ground with a
 mound of stone $1\frac{1}{2}'$ high, 2' base alongside,
 whence,
 A stone in place, 4'-2", 2' above the ground
 marked X- B.R., bears N $6^{\circ}35'$ W, 8.6 feet.
 No other bearings available,
 Thence N $44^{\circ}00'$ W,

600.0 to Cor No 1.
 The place of beginning the traverse
 around the claim.
 Variation at all corners $12^{\circ}45'$ E.

AREA.

AREA.

Total area Confidence No 3.....20.661. A

LOCATION.

This claim is located in the Riverside mining district, Pinal County Arizona. This claim is on unsurveyed land *In approx. T 4 S, R. 12 E,* and lies about 7 miles in a South westerly direction from the mining town of Kelvin.

EXPENDITURES OF 500.00 DOLLARS.

No 1

The discovery shaft which bears from the location monument N 46-00'E, 75 feet, 4'-6', 10 feet deep,

Value..... \$50.00

No 2,

A tunnel 3 feet wide, 5 feet high, and 85 feet long, that bears from the location monument N 66-00'E, 359 feet. Back from the mouth of this tunnel 60 feet a drift, 4 feet wide, 6 feet high and 10 feet long, bears East. At 35 feet back from the mouth of tunnel a drift, 4 feet wide, 6 feet high, bears West 30 feet. At the end of this last drift there is a winz, 4 feet wide, 6 feet long, & 40 feet deep. Course of tunnel N.

Value of tunnel,,,\$560.00

" " 1st drift..... 70.00

" " 2nd drift..... 210.00

" " winz..... 480.00

Total, \$1320.00

No 3

An open cut that bears from the location monument N 59-09'E, 377 feet, 4 feet wide, 9

feet long, with an average depth of 3 feet.

Course N.

Value.....\$15.00.

No, 4.

A shaft that bears from the location monument N 20°-30'E, 130 feet, 4 feet wide, 6 feet long, and 10 feet deep,

Value.....\$50.00.

No 5.

A shaft that bears from corner No 3 of this survey N 79°-30'W, 95 feet, 3 feet wide, 6 feet long, and 4 feet deep,

Value.....\$16.00.

I certify that the value of labor and improvements upon this claim placed thereon by the claimants and its grantors, is not less than \$500.00 and that said improvements consist of the above named shafts, tunnels, cuts, and drifts.

Instruments.

This survey was made with a Gurley Light mountain Transit. The courses were deflected from the true meridian as determined by direct Solar observations. The distances were measured with an 100 ft steel tape.

The course of the vein as near as can be determined from the outcroppings and present developments is along the center line from end center to end center. ^{N. 46° E. 1500 ft.} Running from the W.E. center corner on the center line the vein crops out as follows:

At 150 feet it crops out for about 6 feet. At 250 feet it crops out for about 4 feet, at 945 feet it crops out for about 150 feet. The vein pitches apparently to the South.

Location U.S.L.M. No.,. 2445.

The claim Confidence No 3, survey No 2445, being more than two miles from the nearest U.S.L.M., I located on the 7th day of August, 1907, on a prominent peak visable from every direction for a long distance, U.S.L.M. No 2445.

It is a granite stone, 1' wide, 6" thick, and 30" long set half way in the ground, marked X-U.S.L.M.-No 2445, with a mound of stone 4 feet high, 6 foot base alongside, whence

A rock in place, 4'-6", 1 foot above the ground, marked X-B.R., bears N 29⁰-20'W, 24.3 feet.

A rock in place, 3'-4', 1½' above the ground, marked X-B.R., bears S 4⁰-35'W, 20.6 feet.

A peak that is well known in the county as Grays Peak, bears S 84⁰-45'W, distant about 2½ miles.

A wash 20' wide, course N. W., bears W., 760 feet.

A wash 8' wide, course N. E., bears E, 630 feet.

The Gila River is visable N 37⁰-00'E, distant about 3 miles.

The mining town of Kelvin is situated in a North easterly direction, distant about 7 miles.

U.S.L.M. NO 2395 bears S 4⁰-00'E, 13683 feet.

approximately in T. 4 S., R. 12 E. unsurveyed

The Instrument used in this location was a Gurley Light Mountain Transit. The bearings were deflected from the true meridian as determined by direct solar observation. Distances were measured with an 100 foot steel tape.

Variation 12⁰-45'E

E. A. Stafford
U.S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. S. Stafford

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of Gila

Monstey Gold & Copper Co

known as the Confidence No 3

and showing the respective capacities in which they acted.

J. M. Harris, Chainman.

R. J. Brady Jr, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, J. M. Harris

and R. J. Brady Jr, do solemnly swear that we assisted E. S.

Stafford, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Gila Monstey

and Copper Co

known as the Confidence No 3.

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

J. M. Harris, Chainman.

Richard J. Brady Jr, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 9th

day of August, 1907

My Commission Expires Jan 14th 1909.

W. J. Young
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E. Stafford, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 3, 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Gila Monster Consolidated Gold and Copper Co, known as the Confidence No 3, situate in Riverside Mining District, Pinal County, Arizona, in Section Approx, Township No. 4 S., Range No. 12 E. Unsur., and designated as Survey No. 2445, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. S. Stafford
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. S. Stafford
U. S. Deputy Mineral Surveyor, before me [Signature]
A Notary Public this 9th
day of August - 1907.

[Signature]
Notary Public

My Commission Expires July 14, 1909

NOTICE OF LOCATION.
- - - - -

Notice is hereby given that the CONFIDENCE NO.3 Mining claim, was located by Thos. Rutledge on this first day of Jan 1902, for mining purposes.

Said claim is 1500 feet in length along this vein or deposit of mineral-bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit, from end to end of said claim.

The general course of this claim is Easterly and Westerly, and it is situated in the Riverside Mining District, Pinal County, Arizona, about three and one half miles in a Westerly direction from the Ripsey Mill.

This claim runs from the discovery monument or stake upon which this notice is posted, 750 feet in a Easterly direction to the center end monument or stake, and 750 feet in a Westerly direction, from the aforesaid location monument or stake, to the center end monument or stake, and is also marked by two corner monuments or stakes, at each eand of said claim, one on each side of and 300 feet from the center end monuments or stakes, making the claim in the form of a parallelogram.

Thos. Rutledge.

Locator.

Filed and recorded at request of Thos. Rutledge
on the 7th day of April, A. D. 1902, at 9 A. M.

Thos. G. Peyton, Recorder.

by T. A. Lonergan, Deputy.

JUL 3-1907

Territory of Arizona, }
County of Pinal. } ss.

I, G. F. Watson, Recorder in and for said Pinal County, Arizona Territory, do hereby certify that the above and foregoing, Notice of Location of "CONFIDENCE NO.3" Mining Claim, is a full, true and correct copy of the original as the same appears of record in my office in Book No 19 of Records of Mines, at page 438 thereof.

Witness my hand and seal of office this 9th day of May, A. D. 1907.

G. F. Watson
Recorder, Pinal Co. A. T.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 10, 1907

I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Gila Monster Consolidated Gold & Copper Co.
known as the Confidence No. 3
situate in Riverside
Mining District, Pinal County, Arizona
in Section APPROX., Township No. 4 S., Range No. 12 E., Unsur., and
designated as Survey No. 2445, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 3 shafts, 1 cut and 1 tunnel with 2 drifts and 1 winz,
total value \$1451.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona
is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

October 10, 1907.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Gila Monster Consolidated Gold & Copper Co.
known as the
Confidence No. 3
situate in Riverside mining district,
Final County, Arizona
in Section Approx., Township No. 4 S., Range No. 12 E., Unsur.
2445, designated as Survey No. 2445
executed by E. S. Stafford, U. S. Deputy Mineral
Surveyor, August 6 - 7, 1907, under my instructions dated
July 3, 1907, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor General for Arizona.

MAR