(4-683.)

Mineral Survey No. 2446

Lot No. Uszona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Kewman Promes. Riverside Mining District. County, luzona. Section approx., Township 3 S., Range 14 E. Unsur. Surveyed under instructions dated July 9 , 1907. by Howard Hayne U. S. Deputy Mineral Surveyor Claim located Sept 1900 -Survey commenced..... Survey completed address:

(1)

NEWPORT LODE MINING CLAIM.

Beginning with corner No.1, the N.W. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 1-2446-N P, whence U.S. Mineral Location Monument No.1 Riverside Mining District, bears S. 68° 08' W., 644.4 ft. and from corner No.2 Homstake Lode, Survey No. 1621, bears S. 29° 49' E., 299.5 ft., whence Rock Croppings, chiseled X-2446-B-R bears S. 28° 35' W., 22.1 ft.

Thence S. 44° 25' E.

to the S.W.E.C., 325.0

same course to corner No.2, the S.W. corner, identical with location, a pine post, 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scrib-650.0 ed 2-2446-N P., No witness rocks available,

Thence N. 21° 05' E.

to corner No.1 Amended Well Lode, this survey, same course to a shaft 4 x 5 - 30 ft., 316.4

341.4

same course to corner No.3, the S.E. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scrib-1500.0 ed 3-2446-N P. No witness rocks available.

Thence N. 44° 25' W.

325.0 to N.E.E.C.,

same course to open cut. 350.0

same course to corner No.4, the N.E. corner, identical with location. a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scrib-650.0 ed 4-2446-N P. No witness rocks available.

Thence S. 21° 05' W. to corner No.1, the point of beginning. 1500.0

Variation 14° 00' E. at all corners.

LEDGE.

The presumed course of the vein on this claim is from the N.E.E.C. of location S. 21° 05' W., 1500.0 ft.. ta .5. W. E.C.

AMENDED WELL LODE MINING CLAIM.

Beginning at corner No.1, the N.W. corner, identical with location, and located on line 2-3 Newport Lode, this survey, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 1-2446-A W., whence U.S.Location Monument No.1, Riverside Mining District, bears S. 86° 29' W., 1169.0ft. Rock Croppings, chiseled Y-2446-B R bears N. 76° 55' E., 18.2 ft.

Thence S. 68° 55' E.

to S.W.E.C., same course to corner No.2, the S.W. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scrib-300.0 6.00.0 Rock Croppings, chiseled X-2446-B R., bears N. 48° 10' W., 61.1 ft..

Feet

Thence N. 21° 05' E. to corner No.3, the S.E. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 3-2446-A W., 1500.0 Rock Croppings, chiseled X-2446-B R., bears N. 56° 30' E., 52.2, ft.,

Thence N. 68° 55' W.

300.0 600.0

same course to corner No.4, the N.E. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 4-2446-A W., whence Rock Croppings, chiseled X-2446-B R., bears N. 2° 35' E., 14.6 ft.,

Thence S. 21° 05' W.

to corner No.3, Newport Lode, this survey, same course to shaft, 316.4

1475.0

1500.0 same course to corner No.1, the point of beginning.

Variation 13° 30' E. to 14° E. at all corners.

LEDGE.

The presumed course of the vein on this claim is from the N.E.E.C. of location S. 21° 05' W., 1500.0 ft.. to S.W. E. C.

ADJOINING CLAIMS.

Unlocated ground on all sides except on the N.W., where lies an adjacent claim, name unknown, owner R. Hammer.

AREAS.

acres. Newport Lode, Total and net area 20.367 Amended Well Lode, Total and net area 20.661 Total and net area of group

EXPENDITURES.

I hereby certify that the value of the labor and improvements on these claims, placed thereon by the claimant o or his grantors, is not less than \$500.00 for each claim and said improvements consist of the following: -

Newport Lode, Discovery shaft, 4 x 6 - 10 ft., bears from N.E.E.C. S. 21° 05' W., 205.0 ft. Value No.1 50.00 No.2 Open Cut, 4 x 6 - 10 ft., bears from N.E.E.C. Salo 30'-W., 148.0 ft. Yalu Shaft, 6 x 6 - 14 ft., bears from N.E.E.C. S. 31° 42' W., 295.0 ft. Yalu 25,00 No.3 Value 100.00 Shaft, 4 x 5 = 50 ft., bears from corner No.1

N. 29° 04' E., 540.0 ft.

Shaft, 4 x 5 = 30 ft., bears from corner No.2

N. 21° 05' E., 341.4 ft. Value, \$200.00. Being on both the Newport and Amended Well lodes, 2 is credited to each lode. No.4 No.5 Shaft, $5 \times 7 - 24$ ft., bears from corner No.3 S. 31° 55' W., 210.0 ft. No.6 250.00 Open Cut, 4 x 10 - 10 ft., bears from N.E.E.C. No.7 N. 44° 25' W., 25.0 ft.

Total Improvements,

9925.00

No.1	Amended Well Lode, Discovery shaft, 4 x 6 - 10 ft., bears	Value
	from N.E.B.C., S. 21° 05' W., 192.0 ft.	\$ 50.00
No.2	Open Cut, 4 x 8 - 10 ft., bears from N.E.E.C., S. 16° 50' W., 260.0 ft.	30.00
No.3	Open Cut, 4 x 6 - 35 ft., bears from corner No.3, S. 58° 37' W., 245.0 ft.	100.00
No.4	Open Cut, 4 x 8 - 18 ft., bears from corner No.3, S. 51° 07' W., 240.0 ft.	100.00
No.5	Shaft, 4 x 6 - 10.0 ft., bears from	100.00
	corner, No. 3 of Newport Lode, or a point on side line of Amended Well Lode, 316.4 ft.	
-J.	from corner No.4, S. 19° 56' E., 490.0 ft.	40.00
.™o.6	Shaft, 4 x 5 - 7 ft., bears from point	05.00
No.7	as above described, S. 20° 41' E., 585.0 ft. Shaft, 6 x 6 - 8 ft., bears from point	25.00
1.0 . /	as above described. S. 26° 05' E., 540.0 ft.	50.00
No.8	Shaft, 4 x 6 - 9 ft., bears from a point	
	on line 4-1, 1253.7 ft. from corner No.4, S. 70, 25' E., 150.0 ft.	50.00
No.9	S. 70° 25' E., 150.0 ft. which 1/50° Hewport Lode shaft(No.5), bears from	6
	corner No.1, N. 21° 05' E., 25.0 ft. Total value of improvements	100.00
	Total value of improvements on group	545.00
	TOTAL VELLE OF IMPLOVORENCE OF STORE	\$1470.00

LOCATION.

These claims are located in the Riverside Mining District, about one quarter of a mile east from the Troy-Manhatten office, in Troy, Arizona, in what will be when surveyed, approximately Tp.3, S.R. 14 E., G. & S. R. B. & M..

INSTRUMENT.

This survey was made with a W.& L.E.Gurley Mountain Transit, fitted with Burt's solar attachment by which the true meridian was obtained, checked on established courses. Measurements were made with a 500 ft. steel tape.

Dated Globe, Arizona,
March 11th, 1908.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Journal Hayne
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claimsof. J. Huw man.
known as the hew first and amended Well
and showing the respective capacities in which they acted.
Ben Town, Chainman.
Cichard Nammel , Chainman.
, Axman.
, $Flagman.$
FINAL OATHS OF ASSISTANTS.
We, Ben Fast and Richard Sammer
do solemnly swear that we assisted
la l
Wayne, United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundanies of the minima eleiment
the boundaries of the mining claimsof
known as the Lew part and mended Well
known as the Lew part and Imended Well represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
known as the Hew found and Immended Well represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
known as the <u>Security and lacended Well</u> represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions
known as the <u>Security and lacended Well</u> represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions
known as the Acus part and Manual III represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Richard Hammer, Chainman.
known as the <u>Security and lacended Well</u> represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions
known as the Acus part and Manual III represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Richard Hammer, Chainman.
known as the Acus part and and Mell represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. But Jan., Chainman.
known as the Actor pand and Methods as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. Axman. Flagman.
known as the Actor pand and Methods as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. Axman. Flagman.
known as the Actor pand and Methods as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. Axman. Flagman.
known as the Actor pand and Methods as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. Axman. Flagman.
known as the Actor pand and Methods as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona. Aichard Hammer, Chainman. Axman. Flagman.
known as the Hew food and Mell Mell represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arigona Mannei, Chainman. Arman. Arman. Flagman.

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Howard ! Hayne , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
July 9 1907, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of B. Bewman
situate in <u>Frances Riverside</u> Mining District,
situate in Riverside Mining District.
Penal County, Osis in Section
County, Chip, in Section Opprox., Township No. 3 &., Range No. 14 & Unsur., and designated as Survey No. 2446., as represented
and designated as Survey No. 2446
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate.
of expenditures upon any other claim.
Howard Hayne
U.S. Deputy Mineral Surveyor.
C. S. Dypung Little and Cogor.
Subscribed and sworn to by the said Howard J. Hayna.
U. S. Deputy Mineral Surveyor, before me of Celiax, notary Public in for Tila County, Arizona this 27 th day of December , 1907.
in the Gill to To this Start of
day of Atraca County, Stragas unis
day of, 190].
J. Yallier
0 8-154 Gila Bo. Arizona

Affidavit of Five Hundred Dollars Improvements.

We, Patrick Rose and Trank fill
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Lew port and amended Wellmining claim
situate in Riverside Mining district, Penal County
Arizona Territory, for which J. Sewman
hasmade application for survey prior to application for patent under the provision
of the act of Congress, approved May 10, 1872; and that the labor done and improve
ments made thereon by the applicant and fine grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Patrick Rose
Frank Gills
TERRITORY OF ARIZONA, County of See
Sworn to and subscribed before me, this 26
V.S. S.
SEAL De day of De cember , 190.7
14396b400-8-04
My Commission Experis Jan 21 1900

AMENDED

Motice of Mining Location

To	HII	Whom	11t	May	Concern:
----	-----	------	-----	-----	----------

This Mining Claim, the name of which is the NETPORT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. F. Nowann. A. Al. Citizong of the United States, (Locator must listed the "a dition of the Cuted States" ex "who has deduced his betention to become a citize of the United States.") the undersigned, on the Tenth. day of June. 1967. The length of this claim is 1500 feet, and. We claim Two hundred (200) feet, in a M. 17dog 201 (True bearing) E. direction and Thirtoon hundred. Ret in a S. 17dog 301 W. Thue Bearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Horth East to the Scuth West The claim is situated and located in the Flonger Mining District, in Pinal County, in the Territory of Arizona, about. 400 feet in a Nowth East direction from the Troy Store and is the North East extendion of the Wines at Mining Claim Patentod (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a home beat direction from the Troy Store and is the North East extending the Claim are marked upon the ground as follows: Beginning at a home of said claim; thence W. ASdog-OS! W. 300 feet to a Monument of Stone being the Courty S. Frage-Sol W. 1500 feet to a Homemont of Stone being at the Courth Nort corner of said claim; thence S. Addog-OS! W. 500 feet to a Monument of Stone at the Forth East corner of said claim; thence S. Addog-OS! W. 500 feet to a Monument of Stone at the Forth East corner of said claim; thence M. Addog-OS! W. 500 feet to a Monument of Stone at the Forth East corner of said claim; thence M. Addog-OS! W. 600 feet to a Monument of Stones at the Forth East	2	
the undersigned, on the Tenth day of June 1907. The length of this claim is 1500 feet, and We claim Two hundred (200) feet, in a M.17deg SC! (True bearing) E direction and Thirtson hundred. feet in a S.17deg 30! W. True Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three mandred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West The claim is situated and located in the Pichager Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a Morth East extension of the Hone-stake Mining Claim Patented (All bearings are True Rearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a M.17deg 30! E. direction Two Fundand (200) feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; thence M.45deg 08! W. 300 feet to a Morthment of Stone Stone Morthment of Stone Action of Stone Action of the Total County of Patents of Stone Action	Mining Claim, situate on land	ds belonging to the United States of America, and in which there
The length of this claim is 1500 feet, The length of this claim is 1500 feet in a N. 17dog 201 True boaring) feet in a S. 17dog 301 W. True Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West The claim is situated and located in the Pichoor Mining, about 400 feet In a North Paut direction from the Troy Store and is the North East extension of the 16me-stake Hining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N. 17dog-20! E. direction Two bundred (200) feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; thence N. 45dog-06! V. 300 feet to a Montment of Stone S. 17dog-20!V. 1800 feet to a Hormont of Stone being at the Couth Wort corner of said claim; thence A. 45dog-06!V. 300 feet to a Hormont of Stone at the center of the Vost can of said claim; thence S. 45dog-06!V. 300 feet to a Hormont of Stone being at the Couth Wort corner of said claim; thence N. 17dog-270!I. 1500 feet to a Hormont of Stone at the corner of said claim; thence N. 17dog-270!I. 1500 feet to a Hormont of Stone at the North Feet All done under the provisions of Chapters Sx, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Locati	purchase by J.B.Nowman	& Al Citizens of the United States,
The length of this claim is 1500 feet, and We claim Two hundred (200) feet, in a M.17deg 20t (True bearing) E. direction and Thirteen hundred. feet in a S.17deg 30t W. True Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the Ecuth West The claim is situated and located in the Pichest Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North East direction from the Troy Store and is the North East extension of the Hone-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone with a c post in same, at a point in a M.17deg-201 E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence M.45deg-061 W. 300 feet to a Monthment of Stone — being theNorth West — corner of said claim; thence S.\$7deg-501W.1500 feet to a Monthment of Stone — at the center of the West — end of said claim; thence C.45deg-061W. 300 feet to a Monthment of Stone — at the center of the West — end of said claim; thence M.45deg-061W. 300 feet to a Monthment of Stone — at the center of the West — end of said claim; thence M.45deg-061W. 300 feet to a Monthment of Stone — at the Center of the West — end of said claim; thence M.45deg-061W. 300 feet to a Monthment of Stone — at the North East — corner of said claim; thence M. 17deg-101L.1500 feet to a Monthment of Stone — at the North East — corner of said claim; thence M. 45deg-061W. 300 feet to a Monthment of Stone — at the North East — corner of said claim; thence M. 45deg-061W. 300 feet to a Monthment of Stone — feet to a Monthment of Stone — feet to a Monthment of Stone — feet to a Monthment of Stone	(Locator must insert either "a citizen of the	he United States," or, "who has declared his intention to become a citizen of the United States?")
and We claim Two hundred (200) feet, in a N. 17deg 201 (True bearing) P. direction and Thirteen hundred. Ret in a S. 17deg 201 W. True Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the Scuth West The claim is situated and located in the Pichest Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North East extension of the Hyne-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N. 17deg-20! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. 45deg-08! W. 200 feet to a Monument of Stone being theNorth West corner of said claim; thence S. 17deg-20!W. 1800 feet to a Monument of Stone feet to a Monument of Stone feet to a Monument of Stone at the center of the West end of said claim; thence N. 45deg-06!W. 200 feet to a Monument of Stone feet to a Monu	the undersigned, on the Ten:	th day of June 1907
and We claim Two hundred (200) feet, in a N. 17deg 201 (True bearing) P. direction and Thirteen hundred. Ret in a S. 17deg 201 W. True Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the Scuth West The claim is situated and located in the Pichest Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North East extension of the Hyne-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N. 17deg-20! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. 45deg-08! W. 200 feet to a Monument of Stone being theNorth West corner of said claim; thence S. 17deg-20!W. 1800 feet to a Monument of Stone feet to a Monument of Stone feet to a Monument of Stone at the center of the West end of said claim; thence N. 45deg-06!W. 200 feet to a Monument of Stone feet to a Monu	The length of this claim	is 1500 feet,
feet in a \$.17deg 30" W. This Pearing direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West The claim is situated and located in the Pioneer Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North Pact direction from the Troy Store and is the North East extension of the Hencestake Mining Claim Patented (All bearings are This Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone withs a post in same, at a point in a N.17deg 50! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. ABdog 60! Y. 300 feet to a Monument of Stone being the North West corner of said claim; thence S. 47deg 50! W. 1800 feet to a Honwhort of Stone feet to Routh Bast corner of said claim; thence N. 45deg 61! W. 500 feet to a Honwhort of Stone feet to Routh Bast corner of Stone feet to Routh Bast corner of Stone feet to Routh Bast corner of Stone feet to Routh Bast of Hone feet feet feet feet feet feet feet fe	and We claim Two	hundred (200) feet,
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Threo hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the Scuth West The claim is situated and located in the Plonger Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North East extension of the None-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a.M.17Geg-30! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence M.Addeg-08! W. 300 feet to a Monument of Stone with seet corner of said claim; thence S.17Geg-30!W.1500 feet to a Monument of Stone of said claim; thence S.17Geg-30!W.1500 feet to a Monument of Stone of Stone at the center of the West end of said claim; thence S.17Geg-30!W.300 feet to a Monument of Stone of said claim; thence S.17Geg-30!W.300 feet to a Monument of Stone of Stone at the Center of the West end of said claim; thence S.17Geg-06!W.300 feet to a Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 300 feet to a Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet to a Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet to a Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet to a Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet of Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet of Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 feet of Monument of Stones at the North East corner of said claim; thence M.17Geg-06!W. 600 fee	in a M.17deg 30 (True	bearing) E. direction and Thirteen hundred
side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West The claim is situated and located in the Pionegr Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North East direction from the Troy Store and is the Horth East extension of the Hone-stake Hining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N.17deg-20! B. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N.45deg-03! W. 300 feet to a Monument of Stone - being the Courth West corner of said claim; thence S.17deg-30!W.1500 feet to a Honument of Stone , being at the Courth West corner of said claim; thence S.45deg-03!W. 300 feet to a Honument of Stone , being at the South West corner of said claim; thence S.45deg-03!W. 300 feet to a Honument of Stone , being at the South Bast corner of said claim; thence N.17deg-70!L.1500 feet to a Honument of Stones at the Horth East corner of said claim; thence N.45deg-06!W. 300 feet to hone of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the NEWPORT on the Twonty seventh day of Soptimebor 1900, and recorded in Book Fighteen of Records of Mines, at page64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice. Dated and posted on the ground this Tanth day of June 1907	the center of the discovery sh	aft, at which this notice is posted, lengthwise of the claim, together
The claim is situated and located in the Pioneer Mining District, in Pinal County, in the Territory of Arizona, about 400 feet in a North Past direction from the Troy Store and is the North East extension of the Norme-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N.17deg-50! N. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the Past end line of said claim; thence N.45deg-08! N. 500 feet to a Montment of Stone height the Stone height	side of the center of said clair.	m. The general course of the lode deposit and premises is from the
Pinal County, in the Territory of Arizona, about 400 feet in a North East direction from the Troy Store and is the North East extension of the None-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same, at a point in a N. 1.7deg=50! E. direction Two bundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. 45deg=06! V. 300 feet to a Monument of Stone being the North West corner of said claim; thence S. 1.7deg=30!W.1500 feet to a Monument of Stone being at the East Corner of said claim; thence S. 1.7deg=30!W.1500 feet to a Monument of Stone feet feet feet feet feet feet feet fe		
in a North East direction from the Troy Store and is the North East extension of the Home-stake Mining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone with a post in same, at a point in a N.17deg-ZO! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N.45deg-Oc! V. 300 feet to a Monument of Stone, being at the East corner of said claim; thence S.47deg-ZO!V.1500 feet to a Monument of Stone, being at the East corner of said claim; thence S.45deg-Oc!V. 300 feet to a Monument of Stone , being at the East had a longument of Stone at the center of the Vest end of said claim; thence S.45deg-Oc!V. 300 feet to a Monument of Stone , being at the South East corner of said claim; thence N.17deg-TO!L.1500 feet to a Monument of Stone at the North East corner of said claim; thence N.45deg-Oc!V. feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the NEWPORT Mining Claim, located by Harry Sultan & Claud BatialTeur on the Twonty seventh day of September 1900, and recorded in Book Eighteen of Records of Mines, at page54, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice is made and posted to correct errors in the description in the said original Location Notice is made and posted to correct errors in the description in the said original Location Notice.		
North East extension of the Home-stake Hining Claim Patented (All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone within a post in same. at a point in a M. 17deg-30' E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence M. 45deg-02' V. 300 feet to a Monument of Stone S. 17deg-30' V. 1500 feet to a Monument of Stone S. 17deg-30' V. 1500 feet to a Homment of Stone of said claim; thence S. 45deg-02' V. 300 feet to a Homment of Stone feet to a Homment of Stone of said claim; thence S. 45deg-02' V. 300 feet to a Monument of Stone of said claim; thence S. 45deg-02' V. 300 feet to a Monument of Stone of said claim; thence S. 45deg-02' V. 300 feet to a Monument of Stone of Stone of Stone of Said claim; thence M. 45deg-02' V. 500 feet to a Monument of Stone of Said claim; thence M. 45deg-02' V. feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the MEMPORT Mining Claim, located by Harry Sultan & Claud BatialTeur on the Twonty seventh day of Septimeber 1900, and recorded in Book Eighteen of Records of Mines, at page64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Tanth day of June 1907		
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone withs a post in same, at a point in a N. 17deg 30! E. direction Two bundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. 45deg 02! V. 300 feet to a Monument of Stone ————————————————————————————————————	North East extensi	on of the H ^C me-stake Mining Claim Patented
at a point in a N. 17deg 50! E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence N. 45deg 61 V. 300 feet to a Monument of Ston ————————————————————————————————————	(All bearings are	True Bearings)
thence N. 45deg-06! W. feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the NEWPORT Mining Claim, located by Harry Sultan & Claud BatialTeur 2	end line of said claim; thence S. 17deg-30'W.1500 Couth West to a Monument of Stor thence S. 45deg-06'W. 36 South East	being the North West corner of said claim; thence feet to a Monument of Stone, being at the corner of said claim; thence 45dogos'w. 300 feet to a the center of the West end of said claim; thence of the West end of said claim; thence of the corner of said claim; thence of the corner of said claim; thence of said claim;
Mining Claim, located by Harry Sultan & Claud BatialTeur 2 on the Twonty seventh day of September 1900, and recorded in Book Eighteen of Records of Mines, at page 64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Tenth day of June 1907 J.B. NEWMAN	thence N. 45deg-06! W. All done under the prove the United States, and of an and Codify the Laws of the T	isions of Chapter Six, of Title XXXII, of the Revised Statutes of Act of the General Assembly of Arizona, entitled "An Act to Revise erritory of Arizona," approved March 16, 1901.
on the Twonty seventh day of September 1900, and recorded in Book Eighteen of Records of Mines, at page 64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Tenth day of June 1907 J.B. NEWMAN		
Septmeber 1900, and recorded in Book Eighteen of Records of Mines, at page 64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Tenth day of June 1907		
page 64, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Tenth day of June 1907. J.B. NEWMAN		
Dated and posted on the ground this Tenth day of June 1907 J.B. NEVMAN	page 64, in the office of the to which reference is hereby	County Recorder of the aforesaid County of Pinal made, and this amended Location Notice is made and posted to
J_B_NEVWAN	-	-
Vin Vin		

TEF :ITORY OF ARIZONA,		
County of Pinal		7
	n- County Recorder in	
Territory aforesaid, do hereby certify that the	within instrument was filed for record at9-	o'clock, A • M .
on this29th day of	- June- 1907, and duly recorde	d in Book No
of Mines Amended Records	of	a, at pages
	d official seal the day and year first above written	
		• Gounty Recorder.
D. D. D.		
By Deputy		
	X .	
<u> </u>	. 190	County Recorder
i,	uest P. A. A.	Reco Reco
TE 4	Reques A. D. Amend	County Lis- Deputy
Ded Location	th d at 111 es 1	и- Со О
OCIA COLA	10t orded Hil h	tson- C
AMENDED Of ICO LODE CLAIM	une loth 1 Recorded at Request R Hill 29th A. D. 1 'Clock A. Of Wines Amende	W WS
3 3	June 10th d Recorded a e R Hill 29th 0'Clock	. F
otí,	an 166 1.1	
Rotice Lo	Filed and George June - 6 ok -1- (ges
	File Ge Ju	Pages By

Monument

Monume

This diagram is to give locator a general idea of plan of location inderthe new law. The Discovers' Shaft can be in the center of claim of any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description—of earlim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description he careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona County of Pinal

I. G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the above Location Notice of the New Port Mining Claim, is a full, true, and correct copy of the original, as the same appears of record, in the office of the Recorder, of Pinal County, Arizona Territory, in Book 1 of Mines Amended at page .. 37. .. thereof Witness my hand and seal of office thin 29th day of June A. D. 1907

By N. N. Hells. Deputy

Recorder, Pinal County, Arizona.


AMENDED

Motice of Mining Location

To All Tabom It May Concern:

This Mining Claim, the name of which is the AMENDED WELL. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by J.B. NEWMAN. THOMAS KAVANOUGH, & CHAS H. CUTTING, CITIZENS
Of the United States. (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the tonth day of June 190 7
The length of this claim is Fifteen hundred feet,
and We claim Two hundred (200) feet,
in a N. 17deg 30 E. (True Bearing) direction and Thirteen hundre
(1300) feet in a South 17dog-30! West direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Notth East to the South West
The claim is situated and located in the Pionog Mining District, in Pinal County, in the Territory of Arizona, about 700 feet
in all Easterly direction from town of Troy & is the Parelel to the East side line of the Newport Mining Claim and adjacent
to same.
(All bearings are True Bearings) The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Inument of stone with a post in same,
at a point in a N. 17deg-30 E. direction Two hundred (200) feet from the discovery shaft (at which this notice is posted,) being in the center of the East
end line of said claim; thence N.73dog-30 W.300 feet to 410nument of stone
S.17deg-30 W. 1500 feet to a mommont of stone, being at the
South West corner of said claim; thence S. 72dog-30 E. 300 feet
to a Mommont of stone at the center of the West end of said claim;
thence S. 72 dog-30 E. 300 feet to allow ment of stones. , being at the
South East corner of said claim; thenceN.17deg-308E. 1500
feet to a Monument of stones at the North East corner of said claim;
thence N. 72dog 30 N. 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the AMENDED WELL.
Mining Claim, located by J.B. Nevman Thomas Kavanough & Chas H. Cutting,
January 1904, and recorded in Book twenty one of Records of Mines, at
page 227, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this Tonth day of June 190
J.B. NEWIAN
THOMAS KAVANOUGH
CHAS H. CUTTING

*,	} ss. F. Watson-			and for the County and
Territory aforesaid, do hereby	certify that the within i	nstrument was filed fo	or record at	o'clock, A M .
on this 29th	day of -June-	<u>1</u> 90	.7, and duly recorde	ed in Book No1
of Mines- Amended				
WITN	ESS my hand and official	seal the day and yea	r first above writter	7.
20 Table 1		•••••	6	·County Recorder.
By Deputy		غيرانا الخائد		
	سينسون سيف	way a be spin		
		Salate and Pro-	. e0134	
Motice of Docation. Lode Claim. Amended Weel	nted - June- 10th 190 7-	Filed and Recorded at Request of George R. Hill-	une- 29th- - (*9 0'Clock- A. M. D. 190 7- - (*9 0'Clock- A. M. M. D. 100k- A. M.	G. F. Watson- County Recorder. N. W. Wells- Deputy Recorder.



Dated

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Book -]

Pages...

June-

Territory of Arizona County of Pinal ss

Recorder, Pinal County, Arizona.

By Depuly n. n. Hells.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona
June 13, , 1908.
I, U. S. Surveyor General for District of Arizona ,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
J. B. Newman
, known as the NEWPORT and AMENDED WELL
, situate in Riverside
Mining District, Pinal County,
Arizona , in Section approx. , Township No. 3 S. ,
Range No. 14 E., Unsur, and designated as Survey
No. 2446 , has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 10 shafts and 5 cuts, total value \$1470.00
and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim. I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls
United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona
	June 13, , 1908_
I, U. S. Surveyor-General for. Distri	et of Arizona
do hereby certify that the foregoing and hereto attached	Field Notes and Return of the Survey of the
Mining Claim of	
J. B. Newman	<u>1</u>
	, known as the
NEWPORT and	AMENDED WELL
situate in Riverside	Mining District,
Pinal County,	Arizona
in Section approx., Township No. 3	S. Range No. 14 E., Unsur.
, designated as Survey No24	ł6
executed by Howard T. Wayne	, U. S. Deputy Mineral
Surveyor, Sentember 26, - 29,	, 1907, under my instructions dated
July 9, 190.7, hav	e been critically examined and the necessary
corrections and explanations made, and the said Field No	tes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the l	ocation certificate filed by the applicant for
survey is included in the field notes.	aul Angall
U.	S. Surveyor-General for_ Arizona.

21811b3m2-06