AUG 312907

(4-683.)

Mineral Survey No. 2455

Lot No.

Arizona Land	District.	

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	George H. Crosby	
	KNOWN AS THE	
	Laura, Laura No. 1, Loyal, Burro Shoe and Jack Robinson.	
	Mining D	istrict,
	Cochise County, Arizona.	
and	Section 18-19 , Township 23 S. , Range 25 E. approximately Tp. 23 S., R. 24 E. Unsur.	
	Surveyed under instructions dated Aug. 7th , 1907.	
	by D. E. Curry	
	U. S. Deputy Mineral S	urveyoi
	Claim located See Location Notices. , 1	
	Survey commenced August 9th . 1907	
	Survey completed August 12th, 1907	
	o 6—1 <i>0</i> 0	•

Postoffice address of Claimant's Agent, Chas. Fanning, Bisbee, Ariz.

Ties V

Survey No. 2455.

Laura et al lodes.

Feet.

LAURA LODE.

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with the S.W. Cor. of Wic Roy lode, unsurveyed, and situated on the east side line of William B. Moore lode, unsurveyed, a pine post 4 ft. long 4 in sq., set 18 in. in the ground in a mound of stones and scribed 1-2455 LL; whence a pine post of same dimensions and scribed B.P.1-2455 brs. S. 12° 27' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 84° 33' E. 50 ft., no bearing monuments available, and the S. W. Cor., Sec. 18, Tp. 23 S., R. 25 E. G. & S.R. B. & M. brs. S. 60° 35' E. 481.6 ft.

Thence S. 84° 33' E.

- 424.7 to the intersection of the west line of the S.W. 1 Sec. 18 Tp. 23 S. R. 25 E. G. & S.R. B. & M., at N. 0° 57! 30" E. 196.2 ft. from the S.W. Cor., and S. 0° 57! 30" W. 2450.8 ft from the N.W. Cor.
- 1498.0 same bearing to Cor. No. 2, the N. E. Cor., identical with location and with the S.E. Cor. of Vic Roy lode, unsurveyed, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2455 LL; whence a pine post of same dimensions and scribed EP 2-2455 brs. N. 84° 33' W. 50 ft., and a second pine post of same dimensions and scribing brs. S 12° 27' W. 50 ft., no bearing monuments available.

Thence S. 12° 27' W.

- 178.7 to the intersection of the S. line of the S.W. 4 Sec. 18

 Tp. 23 S., R. 25 E. G. & NS.R. B. & M. at S. 85° 33' 20"

 E. 1036.3 ft. from the S.W. Cor., and N. 85° 33' 20" W.

 1501.8 ft. from the S. E. Cor.
- 298.7 same bearing, to original location for E. E. C.
- 598.7 same bearing, to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 of Laura No. 1 lode of this survey, a pine post 4 ft. long, 4 in. sq.,

Feet. set 18 in. in the ground in a mound of stones and scribed 3-2455 LL; whence a pine post of same dimensions and scribed BP 2-3-2455, brs. N. 12° 27' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 12° 27' W. 50 ft., no bearing monuments available.

Thenge N. 84° 36' 30" W.

953.85 to the intersection of the west line of the N. W. 4

Sec. 19, Tp. 23 S., R. 25 E. G. & S.R. B. & M. at S.

1° 0' 30" W.401.05 ft. from the N. W. Cor., and N. 1°

O' 30" E. 2147.35 ft. from the S. W. Cor.

1498.2

same bearing to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 1, Laura No. 1 lode of this survey, and situated on the east side line of William B. Moore lode, unsurveyed, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 4-3455 LL; whence a pine post of same dimensions and scribed BP 1-4-2455, brs. S. 12° 27' W. 50 ft., and a second pine post of same dimensions and scribing brs. N. 12° 27' E. 50 ft., and the N. W. Cor. Sec. 19, Tp. 23 S., R. 25 E. G. & S.R.B. & M. brs. N. 57° 29' 30" E. 651.0 ft., no bearing monuments available.

Thence N. 12° 27' E.

300. to original location for W. E. C.

600.5 same bearing to Cor. No. 1, the place of beginning. LEDGE.

The presumed course of the vein on this claim is from the E. E. C. location N. 84° 36' 30" W. 1498.2 ft.

--- LAURA No.1 LODE.---

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4, Laura lode, of this survey, and situated on the east side line of William B. Moore lode, unsurveyed, a pire post 4 ft. long 4 in. square, set 18 in. in the ground in a mount of stones

Feet.

and scribed 1-2455 L No.1 L., whence a pine post of *
same dimensions and scribed BP 1-4-2455, brs. S. 12°
27' W. 50 ft., and a second pine post of same dimensions
and scribing brs. N. 12° 27' E. 50 ft. and the N. W.
Cor., Sec. 19, Tp. 23 S. R. 25 E. G. & S.R. B. & M.
brs. N. 57° 29' 30" E. 651.0 ft., no bearing monuments
available.

Thence S. 84° 36' 30" E.

- 544.35 to the intersection of the west line of the N. W. 1 Sec.

 19 Tp. 23 S. R. 25 E. G. & S.R. B. & M. at S. 1° 0' 30"

 W. 401.05 ft. from the N. W. Cor., and N. 1° 0' 30" E.

 2147.35 ft. from the S. W. Cor.
- 1498.2 same bearing, to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 Laura lode of this survey, a pine post scribed 2-2455 L No. 1 L. and etc.

 Thence S. 12° 27' W.
- 300.5 to original location for E. E. C.
- same bearing, to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 4 Loyal lode of this survey, a pine post 4 ft. long 4 in. square, set 18 in. in the ground in a mound of stones and scribed 3-2455 L. No. 1 L., whence a pine post of same dimensions and scribed BP 3-4-2455, brs. N. 12° 27' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 12° 27' W. 50 ft., no bearing monuments available.

 Thence N. 84° 27' W.
 - 834.55 to the intersection of the west line of the N. W. 1 Sec. 19, Tp. 23 S. R. 25 E. G. & S.R. B. & M. at S. 1 Of 30" W. 996.55 ft. from the N. W. Cor.; and N. 1 O' 30" E. 1551.85 ft. from the S.W. Cor.
- 1497.7 same bearing to Cor. No. 4, the S.W. Cor., identical with location and with Cor. No. 3 Loyal lode of this survey, and situated on the east side line of Wild Horse lode unsurveyed, a pine post 4 ft. long 4 in. sq. set 18 in. in the ground in a mound of stones and scribed

Fest.

4-2455 L. No. 1 L., whence a pine post of same dimensions and scribed BP 3-4-2455 brs. S. 12° 27' W. 50 ft. and a second pine post of same dimensions and scribing brs. N. 12° 27' E. 50 ft., no bearing monuments available.

Thence N. 12° 27' E.

300

to original location for W.E.C. identical with the S.E. and the N.E. Cors. respectively of William B. Moore and Wild Horse lodes, unsurveyed.

596.5

same bearing to Cor. No. 1, the place of beginning.

LEDGE.

The presumed course of the vein on this claim is from the E.E.C. location N. 84° 27' W. 1497.7 ft.

- - - - - LOYAL LODE. - - - -

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No. 4 Burro Shoe Lode, of this survey, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 1-2455 Lo. L., whence a pine post of same dimensions and scribed BP 1-4-2455 brs. N. 12° 27' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 12° 27' W. 50 ft., and the W. ‡ Cor. of Sec. 19, Tp. 23 S. R. 25 E. G. & S.R. B. & M. brs. S. 39° 29' W. 1146.3 ft., no bearing monuments available.

Thence N. 84° 23' W.

715.35 to the intersection of the west line of the N.W. 4 Sec.

19 Tp. 23 S. R. 25 E. G. & S.R. B. & M. at S. 1° 0'.30"

W. 1593.5 ft. from the N. W. Cor., and N. 1° 0' 30" E.

954.9 ft. from the S. W. Cor.

1497.6

same bearing, to Cor. No.2, the S. W. Cor., identical with location and with Cor. No. 3 Eurro Shoe lode of this survey, situated on the east side line of Wild Horse lode unsurveyed, a pine post 4 ft. long 4 in. sq. set 18 in. in the ground in a mound of stones and scribed 2-2455 Lo. L., whence a pine post of same dimen-

5

sions and scribed BP 2-3-2455, brs. S. 12° 27' W. 50 ft. Feet. and a second pine post of same dimensions and scribing brs. N. 120 27' E. 50 ft., no bearing monuments avail-

Thence N. 12° 27' E.

to original location for W.E.C.

598.5 same bearing to Cor. No. 3, the N.W. Cor., identical. with location and with Cor. No. 4 Laura No. 1 lode of this survey, and situated on the East side line of Wild Horse lode unsurveyed, a pine post scribed 3-2455 Lo. L. and etc.

Thence S. 84°27' E.

663.15 to the intersection of west line of the N. W. 1 Sec. 19 Tp. 23 S. R. 25 E. G. & S. R. B. & M. at S. 10 01 30" W. 996.55 ft. from the N. W. Cor., and N. 1° 0' 30" E. 1551.85 ft. from the S. W. Cor.

1497.7 same bearing to Cor. No. 4, the N. E. Cor., identical with location and with Cor. No. 3 Laura No. 1 lode of. this survey, a pine post scribed 4-2455 Lo. L. and ect. Thence S. 12° 27' W.

to original location for E.E.C.

600.0 same bearing to Cor. No. 1, the place of beginning. LEDGE.

> The presumed course of the vein on this claim is. from the E.E.C. location N. 84° 23' W. 1497.6 ft. Page - - - - - - - - - - BURRO, SHOE, LODE. - - - - -

Beginning at Cor. No. 1, the S. E. Cor., identical with location, a pine post 4 ft. long 4 in. sq. set 18 in. in the ground in a mound of stones and scribed 1-2455 BSL, whence a pine post of same dimensions and scribed BP 1-2455 brs. N. 12° 27' E. 50 ft., and a second pine post of same dimensions and scribing brs. N. 84º 16' W. 50 ft., no bearing monuments available, and the W. 1. Cor. Sec. 19, Tp. 23 S., R. 25 E. G. & S.R.B. & M. brs. S. 63° 45' W. 667.5 ft.

Feet. • Thence N. 84° 16' W. 301.3 to Cor. No. 1 Jack Robinson lode of this survey. 595.45 same bearing to the intersection of the west line of NW Sec. 19, Tp. 23 S. R. 25 E. G. & S.R. B. & M. at S. 1° 0' 30" W. 2193.6 ft. from the N. W. Cor., and N. 1° 0' 30" E. 354.8 ft. from the S.W. Cor. 1497.3 same bearing to Cor. No. 2, the S. W. Cor., identical with location and with the S.E. Cor. and Cor. No. 5 respectively of Wild Horse lode, unsurveyed, and Jack Robinson lode of this survey, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2455 BSL; whence a pine post of same dimensions and scribed BP 2-5-2455, brs. N. 12° 27' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 830 1 W. 50 ft., no bearing monuments available. Thence N. 12° 27' E. 301.7 to original location for W.E.C. 600.6 same bearing to Cor. No. 3, the N.W. Cor., identical with location and with Cor. No. 2 Loyal lode of this survey and situated on the east side line of Wild Horse · lode unsurveyed, a pine post scribed 3-2455 BSL and etc. Thence S. 84° 23' E. 782.25 to the intersection of the west side line of the N.W. 4 . Sec. 19, Tp. 23 S., R. 25 E. G. & S.R.B. & M. at S. 1° 0' 30" W. 1593.5 ft. from the N. W. Cor., and N. 1° 0' 30" E. 954.9 ft. from the S.W. Cor. 1497.6 same bearing to Cor. No. 4, the N.E. Cor., identical with location and with Cor. No. 1 Loyal lode of this survey, a pine post scribed 4-2455 BSL and etc. Thence S. 120 27! W. 301.8 to original location for E.E.C. 603.7 same bearing to Cor. No. 1, the place of beginning. LEDGE. The presumed course of the vein on this claim is

Weet.

from the E.E.C. location N. 84° 16! W. 1497.3 ft. .

- JACK ROBINSON LODE. - -

Beginning at Cor. No. 1, the N. E. Cor., identical with location and situated on line 1-2-Burro Shoe lode of this survey, a pine post 4 ft. long 4 in. sq. set 18 in. in the ground in a mound of stones and scribed 1-2455 JRL; whence a pine post of same dimensions and scribed BP 1-2455, brs. S. 84° 16' E,, 50 ft, and a second pine post of same dimensions and scribing brs. S. 5° 44' W. 50 ft., no bearing monuments available, and the W. ‡ Cor. Sec. 19, Tp. 23 S., R. 25 E. G. &

Thence S. 5° 44! W.

S.R. B. & M. brs. S. 42° 34' 30" W. 441.8 ft.

300.0 to original location for E.H.C.

with location, a pine post 4 ft. long 4 in. sq. set.

18 in. in the ground in a mound of stones and scribed
2-2455 JRL; whence a pine post of same dimensions and
scribed BP 2-2455 brs. N. 5° 44' E. 50 ft., and a
second pine post of same dimensions and scribing brs.

N. 83° 46' W. 50 ft., no bearing monuments available.

Thence N. 83° 46' W.

240.3

1491.9

600.0

to the intersection of the west side line of the S W. L. Sec. 19, Tp. 23 S. R. 25 E. G. & S. R. B. & H. at 245.6

S. 0° 0' 30" E., 250.2 ft. from the N. W. Cor., and 2458.7

N. 0° 0' 30" W. 2435.1 ft. from the S. W. Cor.

same bearing to Cor. No. 3, the S. W. Cor., identical with location, a pine 4 ft. long 4 in. sq. set 18 in. in the ground in a mound of stones and scribed 3-2455 JRL; whence a pine post of same dimensions and scribed BP 3-2455 brs. S. 83° 46' E. 50 ft., and a second pine post of same dimensions and scribing brs. N. 5° 44' E. 50 ft., no bearing monuments available.

Thence N. 5° 44' E.

300.0 to original location for W. E. C.

Feet.

520.0 same bearing to Cor. No. 4, the N. W. Cor., situated on the south end line of Wild Horse lode, unsurveyed, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 4-2455 JRL; whence a pine post of same dimensions and scribed BP 4-2455 brs.

S. 5° 44' W. 50 ft., and a second pine post of same dimensions and scribing brs. N. 83° 1' E. 50 ft., and original location for N. W. Cor. brs. N. 5° 44' E. 90 ft., no bearing monuments available.

Thence N. 83° L! E.

303.3 to Cor. No. 5, identical with the S. E. Cor. and Cor. No. 2 respectively of Wild Horse lode unsurveyed, and Burro Shoe lode of this survey, a pine post scribed 5-2455 JRL and etc.

. Thence S. 84° 16! E.

901.85 to the intersection of the west line of the N. W. \$\\delta\$ Sec. 19 Tp. 23 S., R. 25 E. G. & S. R. B. & M., at S. 1° 0' 30" W. 2193.6 ft. from the N. W. Cor., and N. 1° 0' 30" E. 354.8 ft. from the S. W. Cor.

1196.0 same bearing to Cor. No. 1, the place of beginning.

The presumed course of the vein on this claim is from the E.E.C. location N. 83° 46' W. 1491.9 ft.

AREAS.

Total and net area Laura lode 20:466 acres.

Total and net area of Laura No. 1 lode, 20:428 "

Total and net area of Loyal lode, 20:455 "

Total and net area of Burro Shoe lode, 20:555 "

Total and net area of Jack Robinson lode20:096 "

Total and net area of group, 102:000

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements on this group, placed thereon by claimant or his grantors, is not less than \$500.00 for each location thereof, and that said improvements are as follows:

LAURA LODE.

No. 1 discovery cut 4 x 10 x 16 ft., with tunnel at face 4 x 6 x 34 ft long, brg. S. 45° W., the mouth of open cut brs. from E . E.C. location N. 84° 36' 30" W. 355.0 ft. Value \$ 500.00 No. 2, cut 4 x 10 x 15 ft., with tunnel at face, 5. x 7 x 11 ft. long, brg. S. 39° W., the mouth of open cut bs. from Cor. No. 3 N. 59° 38' W. 558.0 ft. · · · Value ·

No. 3, cut 6 x 10 x 16 ft., the mouth of which brs. from Cor. No. 3 N. 60° Old W. 542.0 ft.

-Value <u>\$ 100.00</u>

Total improvements on claim, -LAURA NO.1 LODE.

\$ 810.00

No. 1, discovery shaft, 6 x 7 x 11 ft. deep, brs. from E.E.C. location N. 84° 27' W, 550 ft.

Value . \$ 100.00

No. 2, shaft 5 x 6 x 11 ft. deep, brs. from Cor. No. 2 S. 69° 9' W., 621 ft.

Value

\$ 100.00

No. 3, shaft 5 x 7 x 10 ft. deep, brs. from Cor. No. 2, S. 70° 24' W. 680 ft. .

-Value - \$ 100.00

. No. 4, cut 6 x 12 x 14 ft., brs. from Cor. No. 4 N. 66° 52' E. 507.1 ft.

Value \$ 100.00

No. 5, cut $7 \times 10 \times 13$ ft. with tunnel at face 5 x 7 x 7 ft. long, brg. N. 15° E. The mouth of cut brs. from Cor. No. 4 N. 39° E 356.4 ft. Value - \$ 170.00

No. 6, cut 5 x 11 x 12 ft., the mouth of which brs. from Cor. No. 4 N. 37° 30' E. 318.9 ft.

Value

\$ 100.00

Total improvements onclaim,

. 5 670.00

Feet.	
	No. 6, cut 5 x 10 x 15 ft., the mouth of which
	brs. from Cor. No. 2 N. 58° 9' H. 225 ft.
v	Value \$ 100.00
	No. 7, shaft 5 x 7 x 10 ft. deep, brs. from
	Cor. No. 2 N. 64° 0' E. 255.0 ft.
	Value \$ 100.00
	Total improvements on claim, - \$ 700.00
	JACK ROBINSON LODE.
	No. 1, discovery shaft 5 x 7 x ll ft. deep,
	brs. from E.E.C. location N. 83° 46! W. 200 ft.
	Value \$ 100.00
	No. 2, shaft 5 x 7 x 13 ft. deep, brs.
	from W.E.C. location S. 83° :46 E. 205 ft.
	. Velue \$ 130.00
	No. 3, out 5 x 10 x 14 ft., the mouth of
	which brs. from W.E.C. S. 88° 30' E. 215 ft.
	. Value \$ 100.00
	No. 4, cut 5 x 10 x 12 ft., the mouth of
	which brs. from WE.C. N. 89° 25' E. 220 ft.
	Value \$ 100.00
	No. 5, cut 5 x 10 x 14 ft., the mouth of
	which brs. from W.E.C. N. 75° 27' E. 240 ft.
٠	Value \$ 100.00
	No. 6, cut 5 x 10 x 14 ft., the mouth of which
	brs. from W.E.C. N. 66° 45' E. 235 ft.
	yalue \$ 100.00
	No. 7, cut 5 x 10 x 14 ft., the mouth of
	which brs. from W.E.C. N. 62° 11' E. 249 ft.
	No. 8, cut 4 x 10 x 12 ft, the mouth of
	Which brs. from W.E.C. N. 59° 2' E. 254 ft.
2	
	Total improvements on claim, \$830.00
	Total improvements on group, \$3610.00√

Feet.		
	No. 6, cut 5 x 10 x 15 ft., the mouth of which	
	brs. from Cor. No. 2 N. 58° 9' E. 225 ft.	
ı	Value \$ 100.00	
	No. 7, shaft 5 x 7 x 10 ft. deep, brs. from	
	Vor. No. 2 N. 64° 0' E. 255.0 ft.	
	. Value <u>\$ 100.00</u>	
	Total improvements on claim, - \$ 700.00	
	JACK ROBINSON LODE.	
	No. 1, discovery shaft 5 x 7 x 11 ft. deep,	
o	brs. from E.E.C. location N. 83° 46' W. 200 ft.	
	Value \$ 100.00	
	No. 2, shaft 5 x 7 x 13 ft. deep, brs.	
	from W.E.C. location S. 83° :46 E. 205 ft.	
	. Value \$ 130.00	
	No. 3, cut $5 \times 10 \times 14$ ft., the mouth of	
	which brs. from W.E.C. S. 88° 30' E. 215 ft.	
ü	Value \$ 100.00	
	No. 4, cut $5 \times 10 \times 12$ ft., the mouth of	
	which brs. from WE.C. N. 89° 25' E. 230 ft.	
	. Value \$ 100.00	
	No. 5, cut $5 \times 10 \times 14$ ft., the mouth of	
	which brs. from W.E.C. N. 75° 27' E. 240 ft.	
,	Value \$ 100.00	
	No. 6, cut $5 \times 10 \times 14$ ft., the mouth of which	
	brs. from W.E.C. N. 66° 45' E. 235 ft.	
	, Value \$ 100.00	The last the
	No. 7, cut $5 \times 10 \times 14$ ft., the mouth of	
v ,	which brs. from W.E.C. N. 62° 11' E. 249 ft.	
	Value \$ 100.00	
*	No. 8, cut 4 x 10 x 12 ft, the mouth of	
	which brs. from W.E.C. N. 59° 2' E. 254 ft.	
۰,	yalue <u>\$ 100.00</u>	
a	Total improvements on claim, \$830.00	
<u> </u>	Total improvements on group, \$3610.00v	/

ADJOINING CLAIMS.

North, Vic Roy lode, unsurveyed, owned by the applicant herein.

East, unsurveyed claims, claims and claimants unknown. South, unsurveyed claims, claims and claimants unknown West, William B. Moore and Wild Horse lodes, unsurveyed, owned by the applicant herein.

LOCATION.

This group is situated and located approximately in Tp. 23 S., R. 24 E., unsurveyed, and the S.W. ‡ of Sec, 18, and the N.W. and S.W. ‡ of Sec. 19, Tp. 23 S., R. 25 E., G. & S.R.B. & M., about 5 miles in an easterly direction from the city of Bisbee, Warren Mining District, Cochise County, Arizona.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons,
No. 1 C. Transit; the courses were deflected from the
true meridian as determined by a solar observation.
Checked by an observation on Polaris. The distances
were measured with a 300 foot steel tape. Magnetic
variation 12° 30' E. at all corners.

U.S. Deputy Mineral Surveyor.

Datted at Bisbee, Arizona,
August 26th, 1907.

Notes for the re-establishment of the N. $\frac{1}{4}$ Cor. Sec. 19, Tp. 23 S., R. 25 E. G. & S.R.B. & M.

Beginning at the N: W. Cor. Sec. 19, Tp. 23 S., R. 25 E., which is a sandstone 14 x 12x 8 ins.; marked 3 notches on the N. and S. edges, a traverse was run to the N. E. Cor. of Sec. 19, Tp. 23 S., R. 25 E., which is a rock in place 15 x 12 x 10 im., marked with a cross (X) and with

3 notches on S., 5 notches on E. edges.

The bearing and distance from the N.W. Cor. to the N.E. Cor. Sec. 19, Ep. 23 S., R. 25 E.? G. & S.R.B. & M. was found to be S. 85° 33' 20" E. 5120.1 ft.

No trace of the N. $\frac{1}{4}$ Cor. Sec. 19 was found.

The original notes for the N. line of Sec. 19 calls for the $\frac{1}{4}$ Cor. 39.32 chains from the N.W. Cor., and 40 chains from the N.E. Cor.

The true distance between the N.W. & N.E. Cors. of Sec. 19, was accordingly divided in the proportion of 39.32 is to 40.00.

The N. $\frac{1}{4}$ Cor. was then located S. 85° 33' 20" E. 2538.1 ft. from the N.W. Cor., and N. 85° 33' 20" W. 2582.0 ft. from the N.E. Cor., Sec. 19.

At this point a grantite stone 10 x 8 x 9 ins. was set 6 in. in the ground, marked $\frac{1}{4}$ on the W. face and a mound of stones raised alongside.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employe	ed by D. E. Curry	
United States Deputy Mineral Surveyor, to assis	t in running, measuring, and marking the lin	es, corners, and
boundaries described in the foregoing field notes of	f the survey of the mining claim of Geor	ge H.
Crosby		
known as the Laura, Laura No. 1, Loy	val, Burro Shoe and Jack Robin	son.
and showing the respective capacities in which the	ev acted.	
	J. P. Chiado	Chainman
	R. L. Motz	
		, Axman.
		, Flagman.
FINAL OATH	S OF ASSISTANTS.	
We, J. P. Chiado	*	
and R. L. Motz	, do solemnly swear that we assisted D	L. Curry
, United States De	eputy Mineral Surveyor, in marking the corners	and surveying
the boundaries of the mining claim of	George H. Crosby	
	-	
known as the Laura, Laura No. 1,		ů,
represented in the foregoing field notes as having b	been surveyed by said deputy mineral surveyor	and under his
direction; and that said survey has been in all res	spects, to the best of our knowledge and belief	f, faithfully and
correctly executed, and the corner and boundary n	monuments established according to law and t	the instructions
furnished by the United States Surveyor-General f	forArizona.	
	Jef. Chiado,	Chainman.
	R.L. Mots	Chainman.
	***************************************	Axman.
	,	Flagman.
Subscribed and sworn to l	by the above-named persons before me this	26th
day of Augus	st , 190_7	
	EM Reynot	26

Notary Public in and for the County of Cochise, Territory of Arizona.

My Commission expires Oct. 20th, 1909

17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, D. E. Curry	, U. S. Deputy Mineral
	rsuance of instructions received from the United
	Arizona , dated
	, I have, in strict conformity to the laws of the
United States, the official regulations an	d instructions thereunder, and the instructions
of said Surveyor General, faithfully an	d correctly executed the survey of the Mining
· Claim ofGeorge H.	Crosby
	, known as the
	o Shoe and Jack Robinson ,
situate inWa	rren Mining District,
Coclise	County, Arizona , in Section
18-19 , Township No.23 S. ,	Range No. 25 E. and approximately, 455 , as represented
and designated as Survey No. 2	Å55 å, as represented
in the foregoing field notes, which accur	rately show the boundaries of said mining claim
as distinctly marked by monuments on	the ground, and described in the attached copy
of the location certificate, which was r	eceived by me from the Surveyor General with
said instructions, and that all the corner	rs of said survey have been established and per-
petuated in strict accordance with the l	aw, official regulations and instructions there-
under; and I do further solemnly swea	r that the foregoing are the true and original
field notes of said survey and my rep	ort therein, and that the labor expended and
improvements made upon said mining of	laim by claimant or his grantors
are as therein fully stated, and that th	e character, extent, location and itemized value
thereof are specified therein with partic	cularity and full detail, and that no portion of
said labor or improvements so credited t	o this claim has been included in the estimate
of expenditures upon any other claim.	
	(60
	Molouny
	U. S. Deputy Mineral Surveyor.
	V
Subscribed and sworn to by the sa	idD. E. Curry
U.S. Deputy Mineral Surveyor,	before me C. I. McRcynolds
Notary Public	this 26th
day of August, 1907	,
	& Mc Reynolds
0.384	Notary Etiblic in and for the County
o 8—154	of Cochise, Territory of Arizona. My Commission expires Oct. 20th, 1909

Affidavit of Five Hundred Dollars Improvements.

We,	Chas. Fanning	, and R.	L. Motz
of lawful age,	being first duly sworn	according to law, dep	pose and say: That we are
acquainted wi	th theliaura, Laura No	Jac 1, Loyal, Burro Sh	k Robinson oe and mining claim,s
situate in	Warren	Mining district,	Cochise County,
${\it Arizona~Terri}$	tory, for which	George H. Crosh	У
has.made a)	oplication for survey pr	rior to application for j	vatent under the provisions
of the act of (Congress, approved Ma	y 10, 1872; and that t	he labor done and improve-
ments made t	hereon by the applican	t_and_his_gran	ntorcxceed Five Hundred
$Dollars\ in\ va$	r each location the lue, and further that t	ereof we are not personally	interested in said mine.
		Celias	January
		R.L.	Facility Mots
	ORY OF ARIZONA, Cochise	\right\{ ss:	
	Swor	n to and subscribed be	fore me, this 26th
````\ -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5	<u>ंकें के</u> हैं. है.	day of August	v.
14396b400-8-04		of Cochise,	Reynolds in and for the County Perritory of Arizona. expires: Oct, 20th, 1909

### AMENDED

# Motice of Mining Location

To All Tubom It May Con		aura No. 1	
Mining Claim, situate on lands	ne of which is thebelonging to the United Stat		
are valuable mineral deposits, wa	as entered upon and located t	for the purpose of a	exploration and
purchase by	George H. Crosby		
(Locator must insert either "a citizen of the Un	tizen of the United	States	
			of the United States.")
the undersigned, on the first			
	1500		
andclaim			
in a n easter	:⊥y dir	ection and9	50
feet in			
the center of the discovery shaft,			
with			
side of the center of said claim.	The general course of the lod	le deposit and prem	ises is from the
east			
	ocated in the War		
Cochise C	county, in the Territory of Ar	rizona, about	1 1/2 mire
in a north-easterly	direction from	the Warren sh	art
and is bounded on the	North by the Laura, C	on the south b	y die noyar
and on the west by the	WIIIIAM B. HOOFS SHO	r one ward nor	500
at a point in a n 023 the discovery shaft (at which the			
end line of said claim; thence	southerly 300	teet to a Post	and monumer
, be			
westerly 1500			
3. ¥			
to a post and monument			
thence northerly 300	doct to a DOST	t and monument	or said claim;
N. W.			
feet to a post and monur			of said claim;
thence southerly 300	feet to the place of ins of Chapter Six, of Title X	beginning. XXXII of the Revi	sed Statules of
the United States, and of an Act and Codify the Laws of the Terr	of the General Assembly of A	Arizona, entitled "A	n Act to Revise
	on Notice of the		
Mining Claim, located by			
T. O. a.	on ti	be 12th	day of
December 1902,	and recorded in Book 23	of Record	ds of Mines, at
page 397 in the office of the Conto which reference is hereby made correct errors in the description is	unty Recorder of the aforesaid de, and this amended Location	County of Coc on Notice is made	- m - cu - cu
Devision of the control of the contr	u the said original Location i	Notice.	and posted to
Dated and posted on the gr	ound this <u>first</u> day of	Notice. of August	and posted to
Witness:	ound this first day	of August	and posted to
Witness:	ound this first day o	Notice.  of August	and posted to
Witness:  R. L. Moz	ound this first day	of August	and posted to

TERRITORY OF ARIZONA,  County of COUNTY Ss.  I, County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at
on thisday of ANG 2-1007 190, and duly recorded in Book No39
of Mining Records of County, Arizona, at pages #86
WITNESS my hand and official seal the day and year first above written.
County Recorder.

Hotice of Location.

Lode CLAIM.

Lode CLAIM.

Dated.

Pilled and Recorder at Request of M.

Book. 34 (M. A. D. 190.)


Pages.

Pages.

W. M. Amaald.

County Recorder.

By Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center lo Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

BISEEE, ARTZ

### AMENDED

## Motice of Mining Location

This Mining Claim, th		is the	Laura	
Mining Claim, situate on la				
are valuable mineral deposi				
purchase by	George	H. Crosby		
	a citizen of	the United	States	
(Locator must insert either "a citizen o	f the United States," or, "v	vho has declared his inte	ntion to become a ci	tizen of the United States.")
the undersigned, on the	first day of	August	1907.	
The length of this cla	im is	1500		feet,
andclaim		355		feet,
in a n east	orly	dire	ection and	1145
fe	-			
the center of the discovery				
with 300		feet in width	n of the surfac	e grounds, on each
side of the center of said cla				
east	1	to the	west	
The claim is situated a	and located in the	Warre	a	Mining District, in
Cochice				
in a north-easter				
and is bounded on t Laura No. 1, and on	the west by	the William	B. Moore	4.01.1. 19.y. 19.s.13
	3-23 4000 5 57			
at a point in a				
the discovery shaft (at whic				
end line of said claim; then				
				,
westerly				
S. W.				
to a post and monu				
thence northerly	300 <i>1ee</i>	t to a Post	and monume	nt , being at the
N. N				
feet to a post and non				
thence southerly				mer or bara crami,
All done under the pro	visions of Chapter	Six, of Title X	XXII, of the R	Revised Statutes of
the United States, and of an				
and Codify the Laws of the This is an Amended Lo				
This is an Amended Lo Mining Claim, located by	cation Notice of th	Fred. Johns	on and Vic	. Walling
,				day of
December 190	and recorded in	n Book83	of Re	ecords of Mines, at
page 396 in the office of the	e County Recorder of	of the aforesaid C	ounty of	Cochise
to which reference is hereby correct errors in the descript				ade and posted to
Dated and nosted on to	he ground this	first day or	c August	190 4
Dated and posted on to	0-24.4 tms		4/(	0
W. J	******	Olor (	ge / Y . ]	rostey
Witness:	*******		entinkishir isensi keterolij	
R. L. Mot				

MYAKED

Motice of Location.

LODE CLAIM.

AMENDED

ana
ına
М.,
ĵ
5
•••••
1

190....

Dated

Corner Corner Discovery Shaft End Monument End Monument 500 feet 200 Discovery Monument 300 ft. Corner Corner

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

A. D. 190.... Filed and Recorded at Request of Pages... Book at...

By

Deputy Recorder.

BISBER / PIL


### AMENDED

# Motice of Mining Location

To All Tubom It suday Concern:  This Mining Claim, the name of which	io the	Loval	
Mining Claim, the hame of which Mining Claim, situate on lands belonging tare valuable mineral deposits, was entered to	o the United Stat	es of America,	and in which there
purchase by George	H. Crosby		
a citizen c			
Locator must insert either "a citizen of the United States," or	"who has declared his int	tention to become a ci	tizen of the United States.")
the undersigned, on the first day o	f August	190.7	
The length of this claim is	1500		feet,
andclaim			
in an easterly			
feet in a			
the center of the discovery shaft, at which t			·
with 300	-		
side of the center of said claim. The genera			
east east			
The claim is situated and located in t			
County, in t	he Territory of $A$	rizona, about	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
in a north-eastorly dire			
nd is bounded on the north by :			
urro Shoe and on the west by the	ne Wild Horse	)	
at a point in a.n easterly the discovery shaft (at which this notice is			
end line of said claim; thence Sou			
being the, being the			
westerly 1500 feet t			
S. W. corner of sa			
to a post and monument a	at the center of the	ewest	end of said claim;
thence northerly 500  N. W. corner of			
feet to a post and monument a			
thence southerly 300 fe	eet to the place of	beginning.	
All done under the provisions of Chap	oter Six, of Title	XXXII, of the	
the United States, and of an Act of the Gen			
and Codify the Laws of the Territory of Ar This is an Amended Location Notice of	,		
Mining Claim, located by Chas. Fan	ning Fred	Johnson and	Vic Welling
December 1902, and record			•
page 399 in the office of the County Recorto which reference is hereby made, and the correct errors in the description in the said	der of the aforesaid	d County oftion Notice is	Cochise
Dated and posted on the ground this	first day	ofAll	rust 190 7
Vitness.	dev	rge 14.	Justy.
			U
R. L. Mot			

10

133								
	TERRITORY	OF ARIZONA,	)					
C	ounty of	cockus	The Por					•
	<i>I</i> ,	M.V.	112 1157	celity!		., County Recorder	in and for the Co	unty_and
an an		1 de homeby com	tify that the w	ithin instances	out was filed	for record at	30 delack	8 M
						90, and duly recor		
of	·	Variabilities	Records of.		1.447.3	County, Ariz	ona, at pages	40/
						ear first above writ		
			17-17	9.		panger		
				•••••		122777 4 7 114	County Rec	order.
							Ŧ	
								•
1								
1.26					\	И.		1
	글			190 of	4	190.	rder	Deputy Recorder
=	ded Location			eexded at Request	2	2. 0.5	Reco	Reco
	at			======================================	2	4 0 3	nty n	uty
	D 0 C			ut K	9	2	Con	Dep
	AMENDED  Of ILC	6.		p p	· A	1	88	
	<b>Z</b> . 0	1		жде	~ 7	7 0	27	
	AME Of	$\mathcal{Z}$		999	3	3 0 02	8 1	
	37	3		J. R.		7118	N. W.	



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery. Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Book 3

Pages ...

By


### AMENDED

## Motice of Mining Location

### LODE CLAIM

AND PORT AMOID IN	It May Conce	ern:		
		of which is the	Burro Shoe	
		onging to the United St		
are valuable minera	al deposits, was	entered upon and located	f for the purposes	s of exploration and
		George H. Crosb		
		on of the United  1 States," or, "who has declared his		tizen of the United States.")
-		day of August		
The length of	this claim is	1500		feet,
		600		
		.y		
	feet in a.	weste	rly	direction from
	- "	t which this notice is pos	_	
with	300	feet in w	idth of the surfac	ce grounds, on each
side of the center o	of said claim. I	The general course of the	lode deposit and	premises is from the
	east	to the	west	
The claim is s	situated and loca	ated in the	ren	Mining District, in
Cochise	Cou	unty, in the Territory of A	Arizona, about	l mile
d is bounded	on the nort	h by the Loyal,	on the south	by the Jack
Cochise County, in the Territory of Arizona, about 1 mile in a north-easterly direction from the Warren shaft and is bounded on the north by the Loyal, on the south by the Jack cobinson, and on the west by the Wild Horse.  The surface boundaries of the claim are marked upon the ground as follows: Beginning a monument direction 600 feet from				
at a point in a "	easterl	-Y direction	600	feet from
the discovery shaft	(at which this	notice is posted,) being i	n the center of th	
		notice is posted,) being i		e east
end line of said cla	nim; thence	notice is posted,) being i southerly 500 s the S. E.	feet to apo	e east st and monumer
end line of said cla	nim; thence, being	southerly 500 g the S. E feet to a post a	feet to a po corner of nd monument	e east st and monumer said claim; thence , being at the
weste	nim; thence, being	southerly 500 g the S. F. feet to a POST 8 ner of said claim; thence	feet to a po corner or nd monument norther	e east st and monumer said claim; thence being at the 1 y 300 feet
weste  weste to a post an	nim; thence, being arly 1500com d nonument	southerly 500 g the S. E feet to a DOST a ner of said claim; thence at the center of	feet to a po corner or nd monument norther the west	e east st and monumer said claim; thence being at the ly 300 feet end of said claim;
weste  weste  north	nim; thence, being orly 1500	southerly 500 g the S. E feet to a DOST a ner of said claim; thence at the center of t	feet to a portion of the control of	e east st and monumer said claim; thence , being at the ly 300 feet end of said claim; nt , being at the
weste S. W. to a post an thence north	nim; thence, being orly 1500corn dunnument serly 300	southerly 500.  g the S. E.  feet to a POST 8  mer of said claim; thence  at the center of set to a POST  feet to a POST  er of said claim; thence	feet to a porter or not monument norther the west tand monume easterly	e east st and monumer said claim; thence being at the ly 300 feet end of said claim; nt being at the
to a post an thence north	nim; thence, being orly 1500	southerly 500 g the S. E. feet to a DOST a mer of said claim; thence at the center of feet to a DOS er of said claim; thence at the	feet to a portion of monument norther the west tand monume easterly	st and monumer  said claim; thence  being at the  1y 300 feet  end of said claim;  nt being at the
weste  S. W.  to a post an  thence north  N. W  feet to a post an  thence Sout	nim; thence being the poly 1500 corner to the provisions of the provisions	southerly 500  g the S. E.  feet to a POST 8  mer of said claim; thence  at the center of set to a POST  er of said claim; thence  at the No.  feet to the place of sof Chapter Six, of Title	feet to a portion of beginning.  Corner of corner of monument norther west tand monument tand monume	st and monumer  f said claim; thence , being at the  ly 300 feet end of said claim; nt , being at the  1500  orner of said claim;
to a post an thence north  All done under the United States, a and Codify the Law	nim; thence, being rly 1500	southerly 500  g the S. E.  feet to a DOST a  mer of said claim; thence feet to a DOS  r of said claim; thence at the mer of said claim; thence feet to the place of sof Chapter Six, of Title f the General Assembly of ory of Arizona," approve	feet to a portion of monument morther the west and monume easterly  E	st and monumer  said claim; thence , being at the  1y 300 feet end of said claim; nt , being at the  1500  orner of said claim; Revised Statutes of "An Act to Revise 1.
weste  S. W.  to a post an  thence north  Meet to a post an  thence sout  All done under  the United States, a  and Codify the Law  This is an An	nim; thence, being orly 1500	g the S. E.  g the Post a post a mer of said claim; thence at the center of ser of said claim; thence at the mer of said claim; thence at the sof Chapter Six, of Title of the General Assembly of Notice of the	corner or not monument norther the west tand monume easterly  E	st and monumer  f said claim; thence , being at the  ly 300 feet  end of said claim;  nt , being at the  1500  orner of said claim;  Revised Statutes of "An Act to Revise 1.
weste  N. W.  to a post an  thence north  All done unde the United States, a and Codify the Law  This is an An	nim; thence, being rly 1500	feet to a POST and the center of said claim; thence at the center of said claim; thence at the matthe said claim; thence at the said claim; thence said claim; then	corner of monument norther the west tand monume easterly  E	st and monumer  f said claim; thence , being at the ly 300 feet end of said claim; nt , being at the 1500  priner of said claim; Revised Statutes of "An Act to Revise 1.  Vic Walling
to a post an thence north All done under the United States, a and Codify the Law Mining Claim, loca	nim; thence, being rely 1500	g the S. F.  g the S. F.  feet to a POSC S.  mer of said claim; thence.  at the center of set to a POSC  er of said claim; thence.  at the N.  feet to the place of sof Chapter Six, of Title of the General Assembly of ory of Arizona," approve Notice of the  Notice of the S. Fanning, Fred.	corner or not monument norther the west t and monume easterly  E	st and monumer  f said claim; thence , being at the ly 300 feet end of said claim; nt , being at the 1500  orner of said claim; Revised Statutes of "An Act to Revise 1.  Vic Walling 12th day of
to a post an thence north All done under the United States, a and Codify the Law This is an An Mining Claim, loca  December page 394, in the off	nim; thence, being crly 1500	g the S. F.  g the Post 8  her of said claim; thence 1  her of said claim;	corner or not monument norther west t and monume easterly  E	st and monumer  f said claim; thence , being at the ly 300 feet  end of said claim; nt , being at the 1500  orner of said claim; Revised Statutes of "An Act to Revise 1.  Vic Walling l2th day of Pecords of Mines, at Cochise
to a post and thence north  All done under the United States, a and Codify the Law This is an An Mining Claim, loca  December page 394, in the ofto which reference correct errors in the	thence	g the S. F.  g the Post 8  her of said claim; thence 1  her of said claim;	corner or not monument norther west tand monume easterly  E	st and monumer  f said claim; thence  , being at the  ly 300 feet  end of said claim;  nt , being at the  1500  orner of said claim;  Revised Statutes of  "An Act to Revise  1.  Vic Walling  l2th day of  records of Mines, at  Cochise  ade and posted to
to a post and thence north  All done under the United States, a and Codify the Law This is an An Mining Claim, loca  December page 394, in the ofto which reference correct errors in the	thence	g the S. F.  g the Post 8  her of said claim; thence 1  her of said claim;	corner or not monument norther west tand monume easterly  E	st and monumer  f said claim; thence  , being at the  ly 300 feet  end of said claim;  nt , being at the  1500  orner of said claim;  Revised Statutes of  "An Act to Revise  1.  Vic Walling  l2th day of  records of Mines, at  Cochise  ade and posted to
to a post and thence north  All done under the United States, a and Codify the Law This is an An Mining Claim, loca  December page 394, in the ofto which reference correct errors in the	thence	g the S. F.  g the Post 8  her of said claim; thence 1  her of said claim;	corner or not monument norther west tand monume easterly  E	st and monumer  f said claim; thence  , being at the  ly 300 feet  end of said claim;  nt , being at the  1500  orner of said claim;  Revised Statutes of  "An Act to Revise  1.  Vic Walling  l2th day of  records of Mines, at  Cochise  ade and posted to
to a post an thence north  All done under the United States, a and Codify the Law This is an An Mining Claim, loca  December page 394, in the ofto which reference correct errors in the	thence	g the S. F.  g the Post 8  her of said claim; thence 1  her of said claim;	corner or not monument norther west tand monume easterly  E	st and monumer  f said claim; thence  , being at the  ly 300 feet  end of said claim;  nt , being at the  1500  orner of said claim;  Revised Statutes of  "An Act to Revise  1.  Vic Walling  l2th day of  records of Mines, at  Cochise  ade and posted to

TERRITORY OF ARIZONA  County of COCHIE  I, Territory aforesaid, do hereby ce	ss.	n instrument was		1,30 o'clock	k,
on this	Records of	COCHISE	190, and duly re County, A nd year first above w	rizona, at pages	'o39 
			*:	County K	?ecorder.
Motice of Location. Lode Claim.	Dated190	Filed and Recorded at request of	at [:30 G M.	Pages 4 B 3 County Recorder.	By  Deputy Recorder.  The H. H. MONEIL CO., PRINTERS, PHENKY, ARL.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.


### AMENDED

## Motice of Mining Location

To All Tabom It A	day Concern:
-------------------	--------------

	Claim, the nam					
Mining Claim, sit are valuable mine	uate on lands b ral deposits, wa	elonging to the s entered upon	e United Star and located	tes of Ameri for the purp	ca, and in ose of exp	which there loration and
purchase by		George H	. Crosby			
(Locator must insert eith	a Citiz er "a citizen of the Uni	en of the Uted States," or, "who	Jnited St	ates tention to become	e a citizen of the	United States.'')
the undersigned,	on the first	day of	Augu	st 190	27	
The length of	of this claim is	1.500			*	feet,
and	laim	200	)			feet,
in a n easter	:1у		di.	rection and	130	0
	feet in	a	westerl	у	d	irection from
the center of the						_
with						
side of the center					_	
	s situated and le					
Cochis					_	
in a						
and is bound						
(2)2-		_		•		
at a point in an	-	di		200		feet from
end line of said of						
	, thence					
wester						
S.						
to a nost a	nd monument	of the	ann, thence	_ wes	t	reet
thence no						
thence						
feet to a DOS						
					corner o	f said claim;
thence	ider the provisions, and of an Act	ons of Chapter S t of the General	Six, of Title Assembly of	XXXII, of a	itled "An A	
	Amended Locati					
Mining Claim, l		N				
						-
page 402, In the	e office of the Co ce is hereby ma the description	ounty Recorder o	f the aforesaid nended Loca	d County of tion Notice	Cochie	S.C
Dated and	posted on the g	ground this	irst day	of Au	gust	190.7
Wi thouse	posted on the g	. (	Jon	a or A	(0)	h.
Witness:				700		J. J.
R.L.	7 . 4					V

T	TERRITORY OF ARIZO	Ss,  Certify that the v	AUG	strument was filed 2 - 1907	for record at	corded in Book No	См. ЗЯ
01	f. TIMING WITN			cal the day and ye			
	V				-	k	
COMPANIE	AMENDED  Thotice of Location.  LODE CLAIM.  Auk (Robinson		Dated 190	Filed and Recorded at Request of	AUG 2-1907  A. D. 190  at [, 230]  M.	Book Sa W.C. If IMPACE Pages & P. J. M. Again ald County Recorder.	By Deputy Recorder.



E

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

SISEEE, ARIZ

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior, office of u. s. surveyor-general,

	Phoe	enix, Arizo	na,	
		October	11,	, 1907
I, U. S. Surveyor-General for	Dist	trict of Ar	izona	
do hereby certify that the foregoing	$\mathfrak f$ transcript of the Fi $\epsilon$	eld Notes, return	and approval of	the survey
of the mining claim of				
	George H.	Crosby		
known as the LAURA, LAURA				
situate in	Warren			
Mining District, Coch	ise	County,	Arizona	
in Section 18 - 19 Townsl and Approx. Tp. 23 S. designated as Survey No. 24				
this office; that said Field Notes f	urnish such an accura	ate description of	said mining clair	m as will, if
incorporated into a patent, serve fu	lly to identify the pre	mises, and that su	ich reference is m	ade therein
to natural objects or permanent mo	onuments as will perp	etuate and fix the	locus thereof.	
And I further certify that five each of ments made upon said mining claim			_	_
consist of 20 cuts, 3 turn				
and that no portion of said labor o	r improvements has t	een included in t	he estimate of ex	penditures
upon any other claim.				
I further certify that the plat t	hereof, filed in the U.	S. Land Office a	Phoeni	x, Arizon
is o	correct and in conform	nity with the fore	going Field Notes	i <b>.</b>
	F	Frank S. Ing	galls,	
$II_{n}$	ited States Sugaranon Con		rizona.	

7361b5m3-03

## Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

## Department of the Interior,

Office of U.S. Surveyor General, Phoenix, Arizona, October 11, , 1 907. I, U. S. Surveyor General for <u>District of Arizona</u>, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of _____ George H. Crosby LAURA, LAURA NO. 1, BURRO SHOE, LOYAL and JACK ROBINSON, situate in _____ mining district, Cochise County, Arizona, in Sections 18 - 19, Township No. 23 S., Range No. 25 E. and Approx. Tp. 23 S., R. 24 E. Unsum , designated as Survey No. 2455 executed by D. E. Curry U. S. Deputy Mineral Surveyor, August 9 - 12 , 1907, under my instructions dated August 7th, , 1907 , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. March Dongalle

U. S. Surveyor General for Arizona.