M S

AUG 17.190. SEP.4-1907

(4-683.)

### Mineral Survey No. 2456

Lot No.

Engova Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

in a			Ì	
	KNOWN AS THE			
Rural No.	g	į.		
	Wallapai		Mining	District,
Mohave	County,Ar	izona.		
Surveyed under instru	octions dated August 9th.	c Cardell		,
Claim locatedJ	January 1st. 1901	,	1 .	
Survey commence	d August 12th. 1907.		1 ,	
Survey completed.	August 13th. 1907.		1	

Address of claimant;

E. F. Thompson,

Kingman, Arizona.

Robert Lo &

Kingman & Die

OK Aght 13

# POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

top one to to to to to to to to the survey No. 2456

RURAL No.2.

Beginning at Cor. No.1. AI x a . mosa ofiners '

ground, with mound of stone, chiseled 1-2456 cross (X)

A cross (X) and B.R. 1-2456 chiseled on a granite rock 1 ft. above the ground, bears N. 28° 20' W. 16.15 ft., no other bearing objects evailable, corner to sections 18, 19, 13 and 24 Tps. 23 N. Rs 17 and 18 W. bears S. 20° 28' 27" W. 4718.74 ft.

Thence N. 79° 30' W.

1498.7 To Cor. No.2. Deal wall of your fee out to

A granite stone, 8 X 16 X 20 ins., set 10 ins. in the ground, with mound of stone, chiseled 2-2456 cross (X) for corner point, whence

A cross (X) and B. R. 2-2456 chiseled on a granite rock 4ft. above the general surface, bears S. 8° 55' E. 46.33 ft., no other bearing objects available.

Thence N. 240 19 E.

all diver 160 000 E. I govern white

303.91 Intersect lode line whence discovery bears S.79°41'35"E.

605.6 To cor. No. 3.

100 AM . OC

A granite stone 8 X 10 X 16 ins., set 8 ins. in the ground, with mound of stone, chiseled 3-2456 cross (X) for corner point, whence

A cross (x) and B. R. 3-2456 chiseled on a granite rock 3 ft. move the general surface, bears N.560 33 E. 29.5 ft., no other bearing objects available.

. Audiod bombine V. 796 58 Ebrozz

the vorgal fre model out Va. 16° 05" E tell Tillton

1501.8 To Cor.No.4.

On line 6--l Survey No.1165, Buckeye Lode, at S.24° 19'V

A granite stone, 6 % 16 X 20 ins. set 10 ins. in the ground, with mound of stone, chiseled 4-2456 cross (X) for corner point, whence

A cross (X) and B. R. 4-2456 chiseled on a granite rock, 2 ft. above the general surface, bears S. 51° 08' W. 16. 8' ft. and a cross (X) and B. R. 4-2456 chiseled on a granite rock 2 ft. above the general surface, bears S. 11° 07' E. 7 ft.

Thence S. 240 19' W.

Va. 16° 06' E.

Along line 6-1 Survey No.1165 Buckeye Lode, 309.12 Intersect lode line whence discovery bears N.79°41'35"W.

575.91 Cor.1 Survey No.1165, Buckeye Lode,

618.24 To Cor. No.1 the place of beginning.

. aldeliave each to intre-distortion on ... at

Area =

"BE'Ihoer. ngeed un voo

20.446 acres

iffel. To Cor. Ho.A.

This survey is identical with the location.

Alt. above the general surface, beens 1. 90 66' L. 46.

### Location.

This claim is located in the Wallapai Mining District,
Mohave County, Ariz., on unsurveyed land, approximately
in Tp. 23 N. R.17 W., G. & S. R. B. & M.

not continue not tol

toos dimenty out but Ledge and . T . T in (1) word i

The course of the ledge from the east end of the claim is N.79° 4/35" w. 1500 ft. to the west end of the claim.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements

upon this claim, placed thereon by the claimant, is not less than five hundred dollars, and that said improvements consist of:

Shaft No.1, the discovery shaft, the center of which bears from Cor. No.1 N. 42° 06' W. 492. Ift., 4 X 6 X 10 ft. deep, in rock.

Shaft No.2, the center of which bears from Cor. No.1

N. 4° 00' W. 311 ft., 4 X 6 X 100 ft. deep, in rock,
timbered.

Value \$ 800

Shaft No.3, two copartment, the center of which bears from Cor. No.1 N. 10° 11' W. 320 ft., 4 X 12 X 200 ft. deep, in rock, timbered. Value \$ 2,400

A tunnel weath of which bears from Cor. No.1

N. 20° 35' W. 350.5 ft., running N. 79° 42' W. 115 ft.

4 X 6 ft. in rock, 10 ft. from the mouth of this tunnel is a winze, 4 X 6 X 50 ft. deep, in rock.

Value of the tunnel and winze \$ 1090 Other Improvements.

A blacksmith shop, the S. E. corner of which bears from Cor. No.1 N. 6° 12' W. 311 ft., 10 X 16 ft., course of long side N. 79° 42' W.

This survey was made with a Buff and Berger No.2 Transit. The courses were deflected from the true meridian as determined by direct solar observation, the distances were measured with 100 ft. and 500 ft. steel tapes.

Note- T find an error in the tie line from Cor.l Survey No.1165 to corner to sections 18, 19, 13 and 24 T. 23 N. Rs. 17 and 18 W. it is S. 20° 30' 30" W. 4761.0 ft. instead of S. 20°40' W. 4557.6 ft.

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employed	by Peter Mc Cardell	
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the	lines, corners, and
boundaries described in the foregoing field notes of t	the survey of the mining claim of E • F	T. Thopson
known as the Rural No.2		
and showing the respective capacities in which they	acted.	
	Lyon Yay	, Chainman.
		, Chainman.
	John Kay	, Axman.
		, Flagman.
		,
FINAL OATHS	S OF ASSISTANTS.	
We, Lyon Fay		
and John Kay	., do solemnly swear that we assisted	
Peter Mc Cardell , United States Dep	outy Mineral Surveyor, in marking the cor	ners and surveying
the boundaries of the mining claim of	F. Thompson	
known as the Rural No.2		
represented in the foregoing field notes as having be	een surveyed by said deputy mineral surve	eyor and under his
direction; and that said survey has been in all resp	pects, to the best of our knowledge and b	elief, faithfully and
correctly executed, and the corner and boundary m	nonuments established according to law as	nd the instructions
furnished by the United States Surveyor-General fo		
	Leffon Kan	2, Chainman.
	W / V/	, Chainman.
	Lolin Thay	, Axman.
Subscribed and sworn to b	by the above-named persons before me this	14th.
day ofAugust	, 1907	
	Ross H. Blakel	<b>y</b>
	Clerk of the Distri	ct Court of

the 4th. Judicial District of Arizona,

17287b5m3-05

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	Peter Mc Cardell	, U. S. Deputy Mineral
		uance of instructions received from the United
States St	urveyor General for Arizona	, dated
Augusi	t 9 th. 1907 , ,	I have, in strict conformity to the laws of the
United S	States, the official regulations and	instructions thereunder, and the instructions
of said S	Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of	f E. F. Thompson	
		, known as the
	Rural No.2	·;
situate in	n Wallapai	Mining District,
	Mohave	County, Arizona, in Section
18	, Township No. <u>23 N</u> , R	ange No. 17. W.
and desi	gnated as Survey No. 2456	, as represented
in the fo	oregoing field notes, which accura	tely show the boundaries of said mining claim
as distin	actly marked by monuments on th	ne ground, and described in the attached copy
of the le	ocation certificate, which was rec	eived by me from the Surveyor General with
said inst	tructions, and that all the corners	of said survey have been established and per-
petuated	l in strict accordance with the la	w, official regulations and instructions there-
under; a	and I do further solemnly swear	that the foregoing are the true and original
		rt therein, and that the labor expended and
		nim by claimant or his grantors
-	1	character, extent, location and itemized value
		alarity and full detail, and that no portion of
		this claim has been included in the estimate
	_	
or exper	iditures upon any other ciain	
		Peter McCardell
		U. S. Deputy Mineral Surveyor.
	_	
Su	abscribed and sworn to by the said	Peter Mc Cardell
		pefore me
	2. 2. 2 op and minoral barroyor, 1	this 15-14-
	day of August 1907.	_
	Con J Character Separation Management Advantagement	P. VBlacker S. S. VA
		7/17/2/3/1/8/1/8/1/8/1/8/1/8/1/8/1/8/1/8/1/8/1

0 8-154

# Affidavit of Five Hundred Dollars Improvements.

We,gomir.ay	andBaac_Qoura,y
of lawful age, being first duly sworn a	according to law, depose and say: That we are acquainted with the
Rural No.2	mining claim, situate in Wallapai
mining district Mohave	County, Arizona Territory, for which
mining district,	County, Arizona Territory, for which
E. F. Thompson	
ha.S made application for survey prio	r to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the	labor done and improvements made thereon by the applicant and
his grantor exceed five hun	ndred dollars in value, and further that we are not personally interested
in said mine.	Lohn Hay
	Lohn Hay Laas Conkey
TERRITORY OF ARIZONA,	
County of Liohave	
	Sworn to and subscribed before me this 14th. day
- 1-14 <sub>20</sub>	Annual Control of the
[SEAL.]	of August , 1907
	Ross H. Blakely
17171b400~3~05	Clerk of the District Court of the 4th
	Judicial District of Arizona, by
	Peter Mc Gardell Deputy

# Notice of Mining Location.

8

MINERAL LODE.

To All Whom It May Concern:  This mining claim, the name of	which is the Rural We I
	rging to the United States of America, and deposits, was entered upon and located for
the purpose of exploration and purch	
the purpose of exploration and purch	iuse og
	1
the undersigned, citizen of the Unit	ed States of America, on the
day of January 190	
The length of this claim is fiftee	n hundred (1500) feet, and declaim
1010	feet in a Northerly
direction and 490	feet in a Northerly direction from
	hich this notice is posted, lengthwise of the
	300) feet in width of the surface grounds,
	im. The general course of the lode deposit
and premises is from the North to th	e South. 91
The claim is situated and locate	ed in the Wallakar Mining
District, in VVI on ave	County, in the Territory of $Arizona$ , about
one and one half Marka I	1 E _ direction from
Mewerd Park	and formally
Known as the K	und mine
The countries have decise of the	line and all and are the fragge of an following
	laim are marked upon the ground as fol-
1 4	stone at a point in a Northerly direction $m$ the discovery shaft (at which this notice
	North end line of said claim; thence $East$ ,
	nent of stone, being the Northeast corner of
· · · · · · · · · · · · · · · · · · ·	red and fifty (750) feet to a monument of
·	ine of said claim; thence South, seven hun-
•	•
	nent of stone being at the Southeast corner
	undred (300) feet to a monument of stone
	Colaim; thence West, three hundred (300)
	at the Southwest corner of said claim;
•	y (750) feet to a monument of stone, being
	said claim; thence North, seven hundred
	at of stone at the Northwest corner of said
claim; thence East, three hundred (&	
	Chapter Six, of Title XXXII, of the Revised
	an Act of the General Assembly of Arizona,
entitled "An Act Concerning Mines,"	approved March 2nd, 1899.
Datea and posted on the ground to	this day of James Py
190, at min. past 2	approved March 2nd, 1899. This / day of January o'clock A.M.
	& H Thompson
Ed Crein Mittren	/
JUL & TOUR D	

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	October 15, 1907
I, U. S. Surveyor-Gener	ral forDistrict of Arizona
do hereby certify that the fo	oregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	
	E. F. Thompson
known as the	RURAL NO. 2
situate in	Wallapai
Mining District,	haveCounty, Arizona
in Section Approx,	Township No. 23 N., Range No. 17 W., Unsur, and
designated as Survey No	2456 , has been correctly copied from the originals on file in
this office; that said Field	Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent,	serve fully to identify the premises, and that such reference is made therein
to natural objects or perman	nent monuments as will perpetuate and fix the locus thereof.
And I further certify	that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mini	ing claim by claimant orhis grantors, and that said improvements
consist of shaft	s and 1 tunnel with winz, total value \$4330.
***************************************	
and that no portion of said	labor or improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify that th	he plat thereof, filed in the U.S. Land Office at Phoenix, Ariz.
	is correct and in conformity with the foregoing Field Notes.
	Frank S. Ingalls,
	United States Surveyor-General forArizona.

### An Act Concerning Mines.

Be it enacted by the Legislative Assembly of the Territory of Arizona:

That Act No. 42 of the Eighteenth Legislative Assembly of the Territory of Arizona, approved March 5th, 1895, be amended so as to read as follows:

to read as follows:

Section 1. Every notice of location of a lode mining claim shall contain: First, the name of the claim located; second, the name of the locator; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim; fifth, the general course of the lode, deposit or premises located; sixth, the locality of the claim with reference to some natural object, or permanent monument, that will identify the claim; and shall be filed with the County Recorder for record within ninety (90) days after same shall have been located.

All lode mining locations hereafter located, the certificate of location of which shall not contain: First, the name of the lode or premises; second, the name of the locator or locators; third, the date of the location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim; fifth, the general course of the lode or premises as near as may be; sixth, the general locality of the claim with reference to some natural object or permanent monument that will identify the claim, shall be void.

Before filing such location certificate with the County Recorder of the proper County, the discoverer shall locate his lode claim by: First, sinking a discovery shaft upon the premises so claimed, to a depth of at least ten feet from the lowest part of the rim of said shaft at the surface, and deeper if necessary, until there is shown by such work a lode deposit or mineral in place; second, by posting at the point of discovery on the surface, a plain sign, or notice, substantially conforming to the location certificate; third, by marking such claim or premises on the ground so that its boundaries can be readily traced.

Such surface boundaries shall be marked by eight substantial posts projecting at least three feet above the surface of the ground, or by substantial stone monumen

side line thereof.

Any open cut, adit or tunnel, which shall be made as above provided for, as a part of the location of a lode mining claim, and which shall be equal in amount of work to a shaft ten feet deep and four feet wide by six feet long, and which shall cut a lode or mineral in place at a depth of ten feet from the surface, shall be equivalent as a discovery work, to a shaft sunk from the surface.

The discoverer shall have ninety days from the date of discovering the lode and the posting of the notice thereon, to perform said discovery

work thereon.

work thereon.

If at any time the locator of any mining claim heretofore or hereafter located, or his assigns, shall learn that his original certificate was defective, or that the requirements of the law had not been complied with before filing, or shall be desirous of changing his surface boundaries or of taking in any additional ground which is subject to location, or in case the original certificate was made prior to the passage of this law, and he shall be desirous of securing the benefits of this Act, such locator or his assigns, may file an amended certificate of location subject to the provisions of this Act regarding the making of new locations.


The amount of assessment, or representation work, or improvements, to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

Within three months after the expiration of the period of the time fixed for the performance of annual labor or the making of improvements upon any lode mining claim or premises, the person on whose behalf such work or improvement was made, or some person for him, knowing the facts, may make and record in the office of the County Recorder of the County wherein such claim is situated an affidavit in substance as follows:


TERRITORY OF ARIZONA,

Ss.

..... (Signature.) .....A. D........ .....A. D...... ....Notary Public.



Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. general idea of plunder the new law.
Shaft can be in the or 19 to give location a



# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona,
October 15, 1907.
I, U. S. Surveyor General for
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of
E. F. Thompson
, known as the
RURAL NO. 2
situate in mining district,
Mohave County, Arizona,
in Section Approx., Township No. 23 N., Range No. 17 W., Unsur.
designated as Survey No. 2456
executed byPeter McCardell, U. S. Deputy Mineral
Surveyor, August 12 - 13 , 1907, under my instructions dated
, 1907 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. $\Lambda$ true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Trank & Ingall
U. S. Surveyor General for Arizona.

