

MS.

0

2

4

5

8

MINERAL SURVEY NO. 2458

Claims	M & B Desc. Pg.	Improvements Pg.	Loc. Notices Pg.
Alice	17	43	23
Billie	21	47	20
Chance	28	44	3
Chicago	29	45	17
Climax	6	48	10
Clinton	7	41	17
Dorothy	22	47	17
Edith	16	44	22
Esther	32	46	21
Fair View	2	40	11
Fraction	24	41	1
Handy	18	46	7
Hawke Eye	31	45	10
Highland	15	43	4
Home	12	42	12
Humbot	10	49	1
Iowa	20	47	18
Iron	13	42	7
Mame	27	48	2
Mary Mine	4	39	5
Monarch	1	39	15
Sampson	9	42	13
Starr	25	41	6

10871750:1907
SEP 30 1907
1

(4-683.)

Mineral Survey No. 2458

Lot No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Great Western Copper Co.

KNOWN AS THE
Mary Mine, Monarch, Fair View, Fraction, Starr, Mame, Chance, Chicago,
Hawke Eye, Esther, Climax, Humbolt, Clinton, Sampson, Home, Iron,
Highland, Handy, Iowa, Billie, Dorothy, Edith and Alice.

Tuquoise Mining District.

Cochise County, Arizona

Section Approx., Township 19 S, Range 25 E. unsurveyed

Surveyed under instructions dated Aug 21, 1907

by John A. Rockefeller
U. S. Deputy Mineral Surveyor

Claim located Su Notice . 1

Survey commenced August 29 . 1907

Survey completed Sept 24 . 1907

6-129

Attorneys for claimants
Pickett and Bowman
Tombstone
Ariz.

SEP 30 1907

Monarch Lode

Feet.

Beginning at Cor. NO. 1. the South East Cor. of Location within the boundary of the Climax lode of this survey, a 2x4 post in a mound of stone. Set a pine post 4 inches sq. 4 ft long, 6 inches in ground to bed rock, in a mound of stone, scribed SEC-M -1-2458 whence;

1) U. S. M. M. NO. 2 Turquoise District. bears

N 2° 29' E 604.9 ft

2) A cross (X) and BR 1- 2458 chiseled on a granite rock 24 X 24 X 18 inches bears S. 89° 3' W. 17.3 ft.

A cross (X) and BR. 1- 2458 chiseled on a porphyry 6X 8 X 4 Inches brs. *N 19° 00' E.* 11.5 ft.

Thence: *N 89° 42' W.* Va. *13° E*

293.8 S. Center end, set a pine post 4 inches sq. 3 1/2 ft long 4 inches in ground of bed rock, in a mound of stone, scribed SCE-M - 2458

5894 ~~xSxxWxxEbrx~~ To Cor NO. 2. -A 2X4 Post in a mound of stone;

Set a Pine post 4 in. Sq. 3 1/2 ft. long, 8 inches inches ~~xxxxstonxxxxinxxxxmoundxxxxbedxxxxrockxx~~ in ground to bed rock, in a mound of stone, scribed SWC - M. 2458

Whence:

1) a Cross (X) and BR. 2- 2458 chiseled on a granite rock 18X36X6 inches Brs S. 25° 46' E 705 ft.

2) A cross (X) and BR. 2- 2458 chiseled on a granite rock 14X12X10 inches brs S. 89° 07' W. 21.55 ft.

Thence: N. 00° 49' W. - Va. *13° E*

5.7 ft. Intersectline ~~##~~ 4-1 Climax Lode of this survey at S. 89° 35' E. 747.2 ft. from Cor. No. 4.

1162.3 To Cor. NO. 3 a 2x4 Post in a mound of stone
 set a Pine post 4 inches sq. 3 1-2 ft. long
 5 inches in th ground to bedrock, in a mound of
 stone scribed NWC-M - 3-2458.

Whence:

³⁻²⁴⁵⁸
 A cross (X) and BR chiseled on a lime stone
 12x10x2 inches Brs S. 57° 13' W. 10.65 ft.
 no otherbearings available.

Thence S. 89° 42' E.

Va. 12° 55' E

132 gulch 6 ft wide N. W.

296.4 N. Center end set a pine post 4 inches sq.
 3 1-2 ft long 7 in. in ground to bedrock, scribed,
 NCE-M 2458

596.4 To cor. NO. 4. a 2x4 post in a mound of stone ;
 Set a pine post 4 in. sq. 3-1-2 ft. long 5 in.
 of ground to bedroc., in a mound of stone scribed
 HEC-M scribed ~~24x24x58~~ 4-2458.

Whence:

- 1) A Cross (X) and BR ⁴⁻²⁴⁵⁸ ~~2458~~ chiseled on a
 a limestone reef bears S. 51° 17' W. 32.95 ft.
- 2) A Cross (X) and Br. 4-2458 chiseled on a lime
 stone 24x 24x 24 inches bears N. 34° 28' W.
 21.52 ft.

Thence

Va. 13° E

S. 00° 29' E.

1157.6 Intersect line 41 Climax Lode of this survey
 at S. 89° 35' E. 1336.5 ft from Cor NO 4.

11621 To Corner No. 1 Place of beginning.

Fair View Lode.

Beginning at Cor. NO. 1. identical with Cor NO.
 2 Monarch Lode of this Survey, heretofore de-
 scribed. To marking add SEC-F 1- 2458.

Whence: U.S.M.M. No. 2. Turquoise district bears
N 45° 40' 30" E 860.45 ft

Thence: S. 89° 07' W. Va. 13° E.

285.2 S. Center End: Set a Pine post 4 in. sq. 3 1-2 ft long
6 in. in ground of bedrock, scribed SCE-F 2458.

585.2 To Cor. No. 2. A 2x4 Post in a mound of Stone.:
Set a Pine post 4 in. sq. 1-2 ft. long 4 in. in
ground to bedrock, in a mound of stone, scribed
S.WC - F 2-2458

Whence A Cross (X) and BR. 2 - 2458 Chiseled on a
porphyry rock 15x 12x 10 inches bears S
58° 00' E. 29.6 ft.

2) Whence a Cross (X) and BR. 2-2458 Chiseled on a
porphyry rock 12x8x6 inches bears N. 30° 00' E.
distance 23.5 ft.

Thence: ~~A Cross (X) and BR. 2-2458~~ N. 1° 00' W.
Va. 13° E

19.0 Intersect line 4-1 Climax Lode of this survey at
S. 39° 35' E. 161.9 ft. from Cor. No. 4.

759.7 Corner No. 1. Fraction Lode of this Survey.
841.6 Intersect Line 2-3 Head Center Lode, Surv. No. 1610 at S. 46° 10' W 18.3 ft from Cor. No. 2
879.5 Intersect Line 1-2 Head Center Lode, Surv. No. 1610, at N. 30° 44' W 28.5 from Cor. No. 2

1040.0 Gulch 6 ft. wide. Nourse N. E.

1458.8 To Cor. NO. 3, a 2x4 post in a mound of stone:
Set a Pine Post 4 in. sq. 3 1-2 ft. ,long 5 in. in
ground to bedrock, in a mound of stone, scribed NWC-F
3-2458 Whence:

1) A Cross (X) and BR. 3-2458 Chiseled on a lime
stone 18x12x10 in. Bears N. 46° 53' E. 9.8 ft.

2) A Cross (X) and Br. 3-2458 chiseled on a lime stone
reef bears N. 43° 47' W. 101 ft.

Thence: N. 89° 07' E. Va. 12° 55' E.

292.9 North Center end Set a pine post 4 in. sq. 3 1-2ft.
long 8 in. in the ground to Bedrock in a mound of
stone, scribed NCE-F 2458.

526 Gulch 10 ft. wide N. E.

592.3

- 592.3 To Cor. NO. 4. identical with Cor NO. 3. Mary Mine Lode of this Survey, a 2x4 post in a Mound of stone ~~is~~: Set a Post of Pine 4 in. sq. 3 1-2 ft. long 6 in. in ground ~~to~~ bedrock, in a mound of stone, scribed NEC-F 4-2458. Whence:
 Whence; A Cross (X) and BR. 4-3- 2458 chiseled on lime stone bedrock Bears S. 30° 18' E. 9.2 ft.
 2) Across (X) and BR. 4-3- 2458 chiseled on a lime stone rock 12x12x4 in. Bears S. 71° 49' W. 4.7 ft.
 Thence: S. 00° 23' E. Va. 12' 50" E
- 306.5 To Cor. No. 5. identical with Cor. No. 3 Monarch Lode of this Survey heretofore described add to markings 5- 2458
 Thence: S. 00° 49' E. Va. 12' 55" E
- 1156.6 Intersect line 4-1 Climax Lode of this Survey at S. 81° 35' E. 747.2 ft, from Cor. No. 4.
- 1162.3 To Cor. NO. 1. place of beginning.

MARY MINE LODE.

Beginning at corner No. 1, the S. E. corner of location, identical with Cor. No. 4 Monarch Lode of this survey, heretofore described. To marking add 1-2458.

Whence: U. S. M. M. No. 2 of Turquoise District brs. S 3° 41' E 558.9 ft

Thence N. 89° 42' W. Va. 12' 55" E

- 300.0 S. center end, identical with north center end Monarch Lode of this survey heretofore described. To marking add S C E - M 2458.
- 596.4 To corner No. 2, identical with Cor. No. 3 Monarch Lode of this Survey, and Cor. No. 5 Fair View Lode of this survey, heretofore described. To marking add S-W C - M 2-2458.

306.5 Thence N. $0^{\circ} 23' W.$ Va. $12^{\circ} 50' E.$
to Cor. No. 3, identical with Cor. No. 4 Fair View
Lode of this survey heretofore described. To marking
add 3-2458 M.

175 Thence N. $0^{\circ} 43' W.$ Va. $12^{\circ} 50' E.$
Center of gulch 10 ft. wide; course N. N. E.
1049.9 To cor. No. 4, a 2 X 4 post in a mound of stone. Set
a pine post 4 ins. sq., 3 1/2 ft. long, 10 ins. in
ground to bed rock, in a mound of stone, scribed N W C -
M 4-2458.

Whence:

- 1) A cross (X) and B. R. 4-2458 chiseled on a conglom-
erate rock 10 X 5 X 3 ins., brs. N. $82^{\circ} 22' E.$ 6.4 ft.
- 2) A cross (X) and B. R. 4-2458 chiseled on a con-
glomerate rock 8 X 6 X 3 ins. brs. S. $6^{\circ} 30' E.$ 3.35 ft.

299.2 Thence S. $89^{\circ} 42' E.$ Va. $12^{\circ} 30' E.$
North center end; set a pine post 4 ins. sq. 3 1/2
ft. long, 6 ins. in ground to bed rock, in a mound of
stone, scribed N C E - M 2458.

478 Center of gulch 30 ft. wide; course S. E.

598. To corner No. 5, a 2 X 4 post in a mound of stone; set
pine post 4 ins. sq. 3 1/2 ft. long, 8 ins. in ground,
to bed rock, in a mound of stone, scribed N E C - M
5-2458.

Whence:

A cross (X) and B. R. 5-2458 chiseled on limestone bed
rock brs. N. $68^{\circ} 50' W.$ 5.9 ft. No other bearings
available.

169 Thence S. $0^{\circ} 35' E.$ Va. $12^{\circ} 45' E.$
Gulch 30 ft. wide; course south east.
.876 Gulch 5 ft. wide; course east.
1356.6 to Cor. No. 1, the place of beginning.

OLIMAX LODGE.

Feet Beginning at Cor. No. 1, the ^{N. E.} corner of location, a 2 X 4 post in a mound of stone. Set pine post 4 ins. sq., 4 ft. long, 10 ins. in ground to bed rock, in a mound of stone, scribed N E C - C 1-2458,

Whence:

1) A cross (X) and B. R. 1-2458 chiseled on a porphyry reef brs. N. 30° 45' E., 15.4 ft.

2) A cross (X) and B. R. 1-2458 chiseled on a porphyry rock 24 X 12 X 15 ins., brs. north 79° 15' W., 9.8 ft.

3) U. S. M. M. No. **R** Turquoise Dist., brs. *N 12° 12' W 614.8 ft*

Thence S. 1° 22' E. Va. 13° E.

300 East center end: Set a pine post 4 ins. sq., 4 ft. long, 10 ins. in ground to bed rock, in mound of stone, scribed E C E - C 2458,

600 to cor. No. 2, a 2 X 4 post in a mound of stone. Set pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bed rock, in a mound of stone, scribed S E C - C 2-2458.

Whence:

1) A cross (X) and B. R. 2-2458 chiseled on a porphyry reef, brs. north 69° 41' E.,

2) A cross (X) and B. R. 2-2458 chiseled on a porphyry rock, 40 X 36 X 15 ins., brs. north 25° 10' W., 23.9 ft.

Thence north 89° 35' West. Va. 13° east.

256.4 to Cor. No. 1, Clinton Lode of this survey.

555.3 North center end Clinton lode.

853.5 Corner Nos. 4 Clinton and 1 Sampson Lodes of this survey.

1151.2 North center end Sampson Lode

1451.2 Corner Nos. 4 Sampson and 1 Home Lodes of this survey.

1492.6 to Cor. No. 3, identical with Cor. No. 2 Humbot Lode, ^{if this survey}
a 2 X 4 post in a mound of stone: Set pine post 4 ins. sq., 4 ft. long, 10 ins. in ground, to bed rock, in a mound of stone, scribed, S W C - C 3-2458.

Whence:

- 1) A cross (X) and B. R. 3- 2- 2458, chiseled on porphyry rock 18 X 14 X 12 ins., brs. south $34^{\circ} 09'$ E., 86.5 ft.,
- 2) A cross (X) and B. R. (not space for more), chiseled on a porphyry rock 12 X 4 X 4 ins., brs. N. $65^{\circ} 30'$ E., 13.5 ft.

Thence N. $1^{\circ} 22'$ W. Va. 13° E.

300 West center end: Set pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bed rock, in mound of stone, scribed W C E - C 2458.

600 to Cor. No. 4, identical with Cor. No. 1 Humbolt Lode of this survey, a 2 X 4 post in a mound of stone: Set a pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bed rock, in a mound of stone, scribed N W C - C 4-2458,

Whence:

- 1) A cross (X) and B. R. 4-1 - 2458, chiseled on porphyry rock 36 X 14 X 4 ins., brs. S. $38^{\circ} 23'$ E., 10.75 ft.
- 2) A cross (X) and B. R. 4-1-2458, chiseled on a porphyry rock 30 X 15 X 4 ins., brs. N. $51^{\circ} 34'$ E., 11.35 feet.

Thence S. $89^{\circ} 35'$ E. Va. 13° E.

1492.6 to cor. No. 1, the place of beginning.

CLINTON LODE.

Beginning at Cor. No. 1, the N. E. corner of location, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed N E C - C ^{Add} 1-2458

Whence/U. S. M. M. No. 2 ¹⁾ ^{of Turquoise Dist} brs. $N 5^{\circ} 21' E.$ 1204.1 ft.

2) A cross (X) and B. R. 1- 2458 chiseled on a granite rock 24 X 24 X 24 ins., brs N. $84^{\circ} 17'$ W., 29.0 ft.

3) Cor. No. 2 Climax Lode of this survey brs. S. $89^{\circ} 35'$ E., 256.4

Thence S. $1^{\circ} 44'$ W. Va. 13° E.

Feet

1484.4⁴ to cor. No. 2, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed, S E C - C; add 2-2458,

Whence:

A cross (X) and B. R., chiseled on porphyry rock, 10 X 6 X 2 ins., brs. N. 47° 40' W., 44.3 ft. (Not space for more). No other bearings available.

Thence N. 89° 35' W. Va. 13° E.

194 Wagon road Gleeson to Leadville brs. north west and south east.

300 South center end, a pint post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed S C E - C/ 2458.

475. Center of gulch 80 ft. wide; course south east.

598.6 to cor. No. 3, a pine post 4 ins. sq., 2 feet above ground in a mound of stone, scribed S W C - C; add 3-2458.

Whence:

1) A cross (X) and B. R. 3-2458 chiseled on limestone 14 X 12 X 6 ins., brs. N. 77° 10' E., 22.5 ft.

2) A cross (X) and B. T. 3-2458 scribed on a blaze on a mesquite tree 4 ins. in diam. brs. north 84° 30' W., 6.6 ft.

Thence N. 1° 47' E. Va. 13° E.

0.4 Cor. No. 2, Sampson lode of this survey.

150 Gulch 30 ft. wide; course S. W.

285 Center of road Gleeson to Leadville brs. N. W. and S. E.

1484.5 to Cor. No. 4, identical with Cor. No. 1. Sampson Lode of this survey, and on line 2-3 Climax Lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed N W C - C; add 4/2458

Whence:

Cor. Nos. 3 Climax, 2 Humbot Lodes of this survey, heretofore described, brs. N. 89° 35' W., 639.1 ft.

Thence S. 89° 35' W. Va. 13 E.

298.9 North center end, a pine post 4 ins. sq., 2 1/2 ft. above ground in a mound of stone, scribed, N C E - C; add 2458.

X

010

Feet

597.1 To Cor. NO. 1. Place of beginning.

~~The~~ Sampson Lode.

Beginning at Cor. NO. 1. The N. E. Cor. of
Location identical with Cor. NO. 4, ~~Sampson~~ *Clinton* Lode of
this survey heretofore described ~~to me~~

To marking add NEC-S 1-2458 Whence: USMM NO. 2

Turquoise District Brs. *N. 30° 42' E 1389.2 ft.*

Thence S. 1° 47' W. Va. 13° E.

Along line 4-3 Clinton Lode

1484.1 To Cor. NO. 2. A Mound of stone. Set Pine post 4 in
sq. 3 1-2 ft. long 10 ins. in ground to bedrock.

in a mound of stone, scribed S E C - S 2-2458

Whence:

Cor NO. 3 Clinton Lode of this survey heretofore
described brs S. 1° 47' W. 0.4 ~~of a~~ ft.

Thence N. 89° 35' W. Va. 13° E.

296.1 S. Center end Set Pine post 4 ins. sq. 3 1-2 ft.

long 6 ins. in ground to bedrock. In a mound of
stone, scribed S C E - S. 2458.

595.0 To Cor NO. 3. A 2x4 post in a mound of stone:
identical with Cor NO. 2 ~~in~~ Home Lode of this survey.
Set a Pine Post 4 ins. sq. 3 1-2 ft long 4 ins.

in the ground. to bed rock in a mound of stone,
scribed , S W C - S 32458.

Whence:

A Cross (X) and BR (Not space for more) Chiseled
on Porphyry rock 8x6x2 ins. Brs S. 20° 20' W.

11.1-10 ft. No more nearby bearings available

Thence N. 1° 41' E. Va. 13° E.

689 Center of Road Gleason to Leadville brs. N. W. and
S. E.

1089 Center of Gulch 10 ft. wide Course S. E.

1484.0 To Cor. NO. 4 identical with Cor. NO. 1 Home
Lode of this survey A 2x4 Post in a mound of *stone*

Feet

Set a Pine post 4 ins. sq. 3 1-2 ft. long 8 ins in ground to bedrock in a mound of stone, scribed NWC-S 4-2458.

Whence:

1) A Cross (X) and BR 4-1 - 2458 Chiseled on a porphyry reef brs N. $27^{\circ} 45'$ E. 65.2 ft.

2) A Cross (X) and BR. 4-1- 2458 Chiseled on porphyry reef brs $53^{\circ} 25'$ E. 59.85 ft

Thence S. $89^{\circ} 35'$ E. Va. 13° E.

300 N. Center end a 2X4 post in a mound of stone; Set pine post 4 ins. s. 3 1-2 ft long .6 ins. in the ground to bedrock, scribed NCE-S 2458.

597.7 To cor. NO. 1. place of beginning.

Humbot Lode.

Beginning at Cor. NO. 1. N. E. Cor of location identical with Cor. NO. 4 Climax Lode of this survey heretofore described.

To marking add 1-2458 and NEC-H

Whence:

USMM NO. 2 of Turquoise District brs. $N66^{\circ} 35' E$ 1485 ft

Thence S. $1^{\circ} 22'$ E. Va. 13° E.

300 E. Center end identical with W. Center Climax Lode of this survey heretofore described.

To marking add E. C. E. - H 2458.

600 To COR. NO. 2 identical with Cor. NO. 3 Climax Lode of this survey heretofore described. To marking add S E C - H 2-2458.

Thence N. $89^{\circ} 35'$ W. Va. 13° E.

213.0 Road in gulch brs N.W and SE: Gulch 20 ft wide course SE.
257.7 N. Center end Home Lode of this survey

555.4 Cor Numbers 4 Home and 1 Iron Lodes of this survey.

Feet

- 835.1 N. Center end Iron Lode
 995 Gulch 20 ft wide course S.E.
 1088.9 Cor. Numbers 4 Iron and 1 Highland Lodes of this survey.
- 1246.5 Center of Cut or open stope brs S. E. ~~2~~ N. W.
- 1352.9 N. Center end Highland Lode
- 1494.4 To Cor. NO. 3. A 2x4 post in a mound of stone. Set a pine post 4 ins. sq. 3 1-2 ft long 9 ins. in ground to bedrock. in a mound of stone, scribed S W C-H 3- 2458.

Whence:

1) A Cross (X) and BR 3- 2458 chiseled on a porphyry rock 24x10x12 ins. brs S. $11^{\circ} 35'$ W. 15.55 ft.

2) A Cross (X) and BR 3-2458 chiseled on a quartzite rock 11x10x6 ins brs N. $85^{\circ} 45'$ E. 7.4 ft.

Thence N. $1^{\circ} 22'$ W. Va $13^{\circ} 15'$ E.

80 Gulch 30 ft. wide course easterly,

253.9 W. Center end; Set a pine post 4 ins. sq. 2 1-2 ft long on the head of a bolt driven in ground in a mound of stone, scribed W C E - H 2458.

512.1 To Cor. NO. 4 identical with Cor. NO. 2 Mame Lode of this survey a 2x4 post in a mound of stone. Set a pine post 4 ins. sq. 4 ft. long 10 ins in ground to bedrock in a mound of stone, scribed N W C - H 4-2458 .

Whence:

1) A Cross (X) and BR 4-2458 chiseled on Limestone 14x8x6 ins. brs ^N $4^{\circ} 18'$ W. 19.2 ft.

2) A Cross (X) and BR 4- 2458 Chiseled on Limestone 18x12x12 ins. brs S. $74^{\circ} 2'$ E. 19.6 ft.

Thence N. $87^{\circ} 03'$ E. Va 13° E.

Feet.

293

S. Center ^{End} Mame Lode

581.5 Corner Numbers / Mame and 2 Star Lodes of this survey .

705 Gulch 10 ft wide course S. E.

762 Road Gleason to Leadville brs N. W. & S. E.

881.5 S. Center Star Lode

1181.5 To Cor numbers 1 Star 4 Fraction Lodes of this survey

1494.4 To Cor NO. 1. place of beginning.

Home Lode

Beginning at Cor NO. 1. N. E. Cor. of Location.

identical with Cor. NO. 4 Sampson Lode of this

survey, heretofore described. To marking add N E C-H

1- 2458.

Whence:

U S M M NO. 2 Turquoise District brs

N 47° 40' 30" E 1767.7 ft.

Thence S. 1° 41' W. along line 4-3 Sampson Lode of this survey. Va. 13° E.

1484.0

To Cor. NO. 2 identical with Cor. NO. 3. Sampson Lode. of this survey, heretofore described.

To marking add S E C - H 2-2458.

Thence N. 89° 35' W. Va. 13° E.

300

S. Center end Set a Pine post 4 ins. sq. 3 1-2 ft long 6 ins. in ground to bedrock, scribed S C E - H 2458.

600

To Cor. NO. 3 identical with Cor. NO. 2 Edith Lode of this survey. A 2x4 post in a mound of stone. Set a pine post 4 ins. sq. 8 ins. in ground to bedrock in a mound of stone, scribed S W C - H 3-2458 .

Feet

No nearby bearings

Available.

Thence N. 1° 48' E. Va. 13° E.

367.6 Cor Numbers 1 Edith & 2 Iron Lodes of this Survey.

1294 *Guich 20 ft wide course S.E.*

1484.1 To Cor. NO. 4 identical with Cor NO. 1 Iron Lode and

on line 2-3 Humbot Survey Lode all this survey.

A 2x4 post in a mound of stone. Set a pine post 4 ins.

sq. 3 1-2 ft. long 5 inches in the ground to bedrock

in a mound of stone, scribed N W C - H 4-2458.

Whence:

A Cross (X) and BR 4- 1- 2458. Chiseled on a quartzite rock 12x10x 2 inches. brs S. 68° 10' W. 3295 ft.

2) A Cross (X) and BR (not space for more) chiseled on quartzite rock 10X 8X 5 ins. brs S 41° 30' E. 6.45 ft.

Thence S. 89° 35' E. Va. 13° E.

Along line 2-3 Humbot Lode of this survey.

297.7 N. Center end Set a pine post 4 ins. sq. 3 1-2 ft.

long 8 ins. in ground to bedrock in a mound of stone, scribed N C E - H 2458.

555.4 Cor. Numbers 2 Humbot 3 Climax Lodes of this survey

596.8 To Cor NO. 1 place of beginning.

Iron Lode.

Beginning at Cor NO. 1, N. E. cor of Location identical with Cor. NO. 4 Home Lode of this Survey, heretofore described . To making add N E C - I 1-2458 .

Whence:

U S M M NO. 2. of Turquoise District brs. *N 58° 05' E 2242.9 ft.*

Thence S. 1° 48' W. Along line 4-3 Home Lode of this survey.

1116.5 To Cor. NO. 2 A 2X4 post in a mound of stone

Feet.

Set a Pine post 4 ins. sq. 3 1-2 ft long 6 ins. in ground to bedrock in a mound of stone, scribed
S E C - I-2- 2458

Whence:

1) Across (X) and BR 2-1-2458 chiseled on quartzite

rock 12x4x6 ins brs N. 3° 15' W. 8.1 ft.

2) a Cross (X) and BR 2-2-2458 BR 2-1-2458 on a

quartzite rock 8x8x3 ins. brs S. 65° 15' W. 6.85 ft

Thence N. 89.35 W. Va. 13° E.

295.3 S. Center end Set a Pine post 4 ins. sq. 4 ft. long 8 ins. in ground to bedrock in a mound

of stone, scribed. S C E - I 2458

594.4 To Cor. NO. 3. identical with Cor. Numbers 2

Highland 1 Alice and 5 Edith Lodes of this survey.

A 2X4 post in a mound of stone. Set a pine post 4 ins.

sq. 4 ft. long 6 ins in the ground to bedrock in a

mound of stone scribed, S W C - I .3-2458.

Whence:

1) A Cross (X) and BR 3-2458 chiseled on a quartzite rock 16X12X3 ins. brs S. 22° 20' W. 5.5 ft.

2) A Cross (X) and BR (not space for more) ~~chiseled~~

chiseled on a quartzite rock 10X5X1 in. brs N.

41° 26' E. 32.0 ft.

Thence:

N. 4° 55' E. Va. 13° E.

740. Gulch 10 ft. wide course ~~S. W.~~ N. E.

1120.2 To Cor. NO. 4 identical with Cor. NO. 1 Highland

Lode of this survey. A 2X4 post in a mound of stone.

Set a Pine post 4 ins sq. 4 ft. long 5 ins in ~~in~~

ground to bedrock. in a mound of stone, scribed

N W C - I 4-2458.

Whence:

1) A cross (X) and BR 4-1-2458 chiseled on a

quartzite rock 18x10x4 ins brs 573° 20' W. 17.45 ft

Feet.

2) A Cross (X) and BR 4-1-2458 chiseled on a quartzite rock 12X12X6 ins. brs N. 15° 15' E. 21.6 ft.

Thence:

S. 89° 35' E. Va. 13° 10' E.

253.8 N. Center end; Set a pine post 4 ins. sq. 3 1-2 ft long 6 ins. in ground to bedrock in a mound of stone, scribed N C E - I 2458.

333.5 To Cor. NO. 1. place of beginning.

Highland Lode.

Beginning at Cor. NO. 1 N. E. Cor. of location. identical with Cor. NO. 4 Iron Lode of this survey, heretofore described. To marking add N E C - H. 1-2458.

Whence:

U S M M NO. 2. Turquoise District brs N 64° 08' 30" E 2708.4 ft

Thence S. 4° 55' W. along line 4-3 Iron Lode of this survey.

1120.2 To Cor NO. 2 identical with Cor. NOS. 3 Iron 5 Edith and Alice Lodes of this survey; heretofore described. To marking add S E C - H 2-2458.

Thence:

N. 89° 35' W. Va. 13° E.

300 S. Center end Set a pine post 4 ins. sq. 4 ft. long 7 ins. in ground to bedrock in a mound of stone, scribed S C E - H. 2458.

315 Gulch 10 ft. wide course N. E.

589.0 To Cor NO. 3 identical with Cor. NO. 4 Alice Lode of this survey a 2X4 post in a mound of stone. Set a pine post 4 ins. sq. 14 ft. long 6 ins. in ground to bedrock in a mound of stone, scribed S W C - H 3 - 2458.

Whence:

Feet

1) A Cross (X) and BR. 3- 4 2458 chiseled on a quartzite rock 10X8X6 ins. brs N. 55° 12' W. 19.2 ft

2) A cross (X) and BR. chiseled on ~~axxxxxxxxxxxxx~~ a porphyry reef brs.. N. 68° 43' E. 27.7 ft.

Thence N. 6° 27' E. ~~.....~~ Va. 13° E.

1123.1 To Cor NO. 4. identical with Cor., NO. 1 Handy Lode of this survey a 2x4 post in a mound of stone, Set a pine post 4 ins sq. 4 ft. long 12 ins. in ground to bedrock in a mound of stone, scribed N W C - H

4-2458

Whence:

1) A Cross (X) and BR. 4-1- 2458, chiseled on limestone bedrock brs S. 53° 40' E. 32.7 ft. - No other nearby bearings available.

Thence S. 89° 35' E. Va. 13° E.

153.7 Cor Nos 1 Chance 3 Humbot Lodes of this survey

295.2 N. Center end; Set a pine post 4 ins. sq 3 1-2 ft long 4 ins in the ground to bedrock in a mound of stone, scribed N C E - H. 2458.

559.2 To Cor. NO. 1. place of beginning, Edith Lode.

Beginning at Cor. NO. 1. N. E. COR. location identical with Cor NO. 12 Iron Lode of this survey, heretofore described To marking add N, E C - E 1-2458.

Whence:

NO. 2 U S M M Turquoise District brs. *N 40° 06' 30" E. 3009.5 ft.*

Thence S. 1° 48' W. Va. 13° E.

367.6 To Cor NO. 2 identical with Cor. NO. 3 Home Lode of this survey, heretofore described. To marking add 2-2458. E.

Thence S. 1° 28' W. Va 13° E.

118 Gulch 5 ft wide course Easterly

1028.3 Cor NO. 3 a 2X4 post in a mound of stone; Set pine post 4 ins. sq. 3 1-2 ft long 6 ins in ground to bedrock, in a mound of stone, scribed S E C E 3-2458

Feet

Whence:

A cross (X) and B. R. 3-2458 chiseled on a quartzite rock, 18 X 12 X 6 ins. brs. S. 88° 14' E., 36.3 ft.

2) A cross (X) and B. R. 3-2458 chiseled on a quartzite rock 8 X 6 X 4 ins., brs. N. 28° 10' W., 22.35 ft.

Thence N. 89° 35' W. Va. 13° E.

294.2 South center end; set a pine post 4 ins. sq. 3 1/2 ft. long, 5 ins. in ground to bedrock, in a mound of stone, scribed, S C E - E 2458.

584.2 to Cor. No. 4, identical with cor. No. 2 Alice lode of this survey, a 2 X 4 post in a mound of stone; set pine post 4 ins. sq. 3 1/2 ft. long, 6 ins. in ground to bedrock, in a mound of stone, scribed S W C - E 4-2458.

Whence:

1) A cross (X) and B. R. 4-2- 2458 chiseled on a quartzite rock, 18 X 12 X 6 ins., brs. N. 9° 30' E., 33.75 ft.

2) A cross (X) and B R 4 - 2 - 2458 chiseled on a quartzite rock 18 X 18 X 12 ins., brs. N. 77° 54' W., 49.9 ft.

Thence N. 1° 08' E. Va. 13° E.

616 Gulch 5 ft. wide; course easterly.

1395.9 to Cor. No. 5, identical with Cor. Nos. 1 Alice, 2 Highland, 3 Iron lodes of this survey heretofore described: To marking add N W C - E 5-2458.

Thence S 89° 35' E. Va. 13° E.

Along line 5-2 Iron lode of this survey.

299.1 North center end, identical with south center end. Iron lode of this survey: Add to marking N C E - E 2458

594.4 to Cor. No. 1 the place of beginning.

ALICE LODGE.

Beginning at Cor. No. 1, the northeast corner of location, identical with Cor. Nos. 2 Highland, 3 Iron, 5 Edith lodes of this survey heretofore described: To marking add N E C - A 1-2458.

Whence U. S. M. M. No. 2 of Turquoise District
brs. $N 47^{\circ} 48' E. 3419.8 A$

Thence S. $1^{\circ} 08' W. Va. 13^{\circ} E.$

Along line 5-4 Edith lode of this survey

1395.9 to Cor. No. 2, identical with Cor. No. 4 Edith lode
of this survey heretofore described. *To marking*

add 2-2458 S.E.C - A

Thence N. $89^{\circ} 35' W. Va. 13^{\circ} E.$

290.7 South center end; set a pine post, 4 ins. sq., $3 \frac{1}{2}$ ft.
long, 6 ins. in ground to bedrock, in a mound of stone,
scribed S C E - A 2458.

576.4 to corner No. 3, a 2 X 4 post in mound of stone: Set a
pine post 4 ins. sq., $3 \frac{1}{2}$ ft. long, 7 ins. in ground
to bedrock, in a mound of stone, scribed S W C - A 3-2458.

Whence

1) A cross (X) and B. R. 3-2458 chiseled on a quartzite
rock, 36 X 36 X 18 ins., brs. N. $57^{\circ} 0' W.$, 22.9 ft.

2) A cross (X) and B. R. 3-2458 chiseled on a quartz-
ite bluff, 15 X 8 ft., brs. S. $47^{\circ} 35' W.$, 12.6 ft.

Thence N. $0^{\circ} 37' E. Va. 13^{\circ} E.$

1029.4 to Cor. No. 3 Handy lode of this survey.

1395.9 to Cor. No. 4, identical with Cor. Nos. 3 Highland and
2 Handy lodes of this survey heretofore described: To
marking add N W C - A 4-2458.

Thence S. $89^{\circ} 35' E. Va. 13^{\circ} E.$

Along line 3-2 Highland lode of this survey,

289.0 North center end, identical with south center end Highland
lode of this survey, heretofore described: To marking
add N C E - A 2458.

589.0 to Cor. No. 1, the place of beginning.

HANDY LODE.

Beginning at Cor. No. 1, the northeast corner
of location, identical with Cor. No. 4 Highland lode
of this survey heretofore described: To marking add

Feet N E C - H 1-2458.
 Whence U. S. M. M. No. 2 of Turquoise District
 brs. *N 68° 33' E 3219.3 ft*
 Thence S. 6° 27' W. Va. 13^{10'}/E.

1123.1 Along line 4-3 Highland lode of this survey,
 to corner No. 2, ~~identical with~~ *Identical with* Cor. Nos. 3 Highland,
 4 Alice lodes of this survey heretofore described. To
 marking add 2-2458 H.

Thence S 0° 37' W. Va. 13 E.

366.5 Along line 4-3 Alice lode of this survey,
 to Cor. No. 3, a 4 X 4 pine post, 8 ft. above ground in
 mound of stone, scribed S E C - H. Add 3-2458.

Whence:

- 1) A cross (X) and B. R. 3 - 2458 chiseled on a quartzite rock, 14 X 10 X 6 ins., brs. S. 24 52' E., 28.8 ft. No other near-by bearings available.

Thence N. 89° 35' W. Va. 13 E.

300 South center end; set pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bedrock, in a mound of stone, scribed S C E - H 2458.

600 to Cor. No. 4, identical with Cor. No. 2 Iowa lode of this survey, a 4 X 4 post, in mound of stone, (poorly set) scribed S W C - H and S E C - I. Add 3-2458.

Reset post 6 ins in ground to bedrock in a mound of stone

Whence:

- 1) A cross (X) and B. R. 3-2-2458 chiseled on perpendicular surface of quartzite reef, brs. S. 43° W. 4.3 ft.
- 2) A cross (X) and B. R. 3-2-2458 chiseled on quartzite reef (on horizontal portion) brs. N. 85° E., 3.0 ft.

Thence N 5° 30' E. Va. 13 E.

1489.3 to Cor. No. 5, identical with Cor. No. 1 Iowa lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed, N-W C - H and N. E C - I: Add 5-2458.

Whence:

1) A cross (X) and B. R. 5-1-2458 chiseled on quartzite reef, brs. N. 4' 41" W., 11.8 ft.

2) A cross (X) and B. R. 5-1-2458 chiseled on a quartzite rock, 72 X 72 X 48 ins., brs. S. 58° 55' W., 42058ft.

Thence S. 89° 35' E. Va. 13 E

187.6 Corner Nos. 2 Chance, 1 Chicago lodes of this survey,

291.8 North center end, a pine post 4 ins. sq., 2 1/2 ft.

above ground, in a mound of stone, scribed N C E - H:

Add 2458.

4796 South center end Chance lode,

587.5 to Cor. No. 1, the place of beginning,

IOWA LODE.

Beginning at Cor. No. 1, the N. E. corner of location, identical with Cor. No. 5 Handy lode of this survey; heretofore described: To marking add 1-2458.

Whence U. S. M. M. No. 2 Turquoise District brs.

N 71° 53' E 3771.0

Thence S 5° 30' W. Va. 13 E.

Along line 5-4 Handy lode of this survey,

1489.3 to Cor. No. 2, identical with Cor. No. 4 Handy lode of this survey heretofore described: To marking add 2-2458

Thence N. 89° 35' W. Va. 13 E.

295.8 South center end: Set ^{a pine post} 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bedrock, in a mound of stone, scribed

S C E - I 2458.

579.9 to Cor. No. 3, identical with Cor. No. 2 Billie lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in mound of stone, scribed S W C - I and S E C - B:

Add 3-2458.

Whence:

1) A cross (X) and B. R. 3-2-2458, chiseled on quartzite rock, 24 X 28 X 8 ins. brs. N. 36° 33' E., 7.9 ft.

2) A cross (X) and B. R. 3-2-2458, chiseled on quartzite bedrock, brs. N. $57^{\circ} 10'$ W., 14.5 ft.

Thence N. $5^{\circ} 46'$ E. Va. 13° E.

1489.9 to Cor. No. 4, identical with Cor. No. 1 Billie lode of this survey, a pine post 4 ins. sq., $2 \frac{1}{2}$ ^{ft} ins. above ground, in a mound of stone, scribed N W C - I and N E C - B: Add 4-2458.

Whence: . . .

1) A cross (X) and B. R. 4-1-2458, chiseled on quartzite rock, 24 X 24 X 6 ins., brs. N. $26^{\circ} 45'$ E., 13.6 ft.

2) A cross (X) and B. R. 4-1-2458, chiseled on a quartzite rock, 10 X 12 X 6 ins., brs. S. $61^{\circ} 35'$ E., 8.8 ft.

Thence S. $89^{\circ} 35'$ E. Va. 13° E.

176.2 Cor. Nos. 2 Chicago, 1 Hawkeye ^{Eye} lodes of this survey,
280.2 North center end, a pine post 4 ins. sq., $2 \frac{1}{2}$ ft. above ground, in mound of stone, scribed N C E - I : Add 2458.
462.8 South center end Chicago lode,
573.0 to Cor. No. 1, the place of beginning.

BILLIE LODE.

Beginning at Cor. No. 1, the N. E. Cor. of location, identical with Cor. No. 4 Iowa lode of this survey heretofore described; To marking add 1-2458,

Whence U.S. M. M. No. 2 of Turquoise District brs.
N $74^{\circ} 18'$ E 4318.0 ft.

Thence S. $5^{\circ} 46'$ W. Va. 13° E.

Along line 4-3 Iowa lode of this survey,
1489.9 to cor. No. 2, identical with Cor. No. 3 Iowa lode of this survey heretofore described: To marking add 2-2458.

Thence N. $89^{\circ} 35'$ W. Va. 13° E.

285.7 South center end, a pine post 4 ins. sq., $2 \frac{1}{2}$ ft. above ground, in mound of stone, scribed S C E - B: Add 2458.

574. to Cor. No. 3, identical with Cor. No. 2 Dorothy lode of this survey, a pine post 4 ins. sq., 3 1/2 ft. long, scribed S W C-B and S E C - D poorly set in a mound of stone. Reset post 6 ins. in ground to bedrock, in mound of stone. Add to marking 3-2458.

Whence:

A cross (X) and B. R. 3-2-2458 chiseled on a quartzite rock 60 X 36 X 18 ins., brs. N. 55° 20' E., 27.1 ft. (No other nearby bearings available).

Thence N. 5° 46' E. Va. 13° E.

1489.9 Corner No. 4, identical with Cor. No. 1 Dorothy lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in mound of stone, scribed N W C - B and N E C - D: Add 4-2458.

Whence:

1) A cross (X) and B. R. 4-1-2458 chiseled on quartzite bedrock, brs. N. 22° 35' E., 9.35 ft.

2) A cross (X) and B. R. 4-1-2458 chiseled on quartzite rock, 8 X 8 X 6 ins., brs. S. 20° 15' W., 9.9 ft.

Thence S. 89° 35' E. Va. 125° E.

180.5 Corner Nos. 2 Hawke^{Eye}, 1 Esther lodes of this survey

284.7 North center end, a post 4 ins. sq. 2 1/2 ft. above ground in a mound of stone, scribed N C E - B: Add 2458.

465.6 South center end Hawke^{Eye} lode

574.D To cor. No. 1, the place of beginning.

Oct. 12-07
DOROTHY LODGE.

Beginning at Cor. No. 1, N. E. corner of location, identical with Cor. No. 4 Billie lode of this survey heretofore described: To marking add 1-2458.

Whence U. S. M. M. No. 2 of Turquoise District
brs. N 76° 10' E 4872.1 ft

Feet

Thence S. $5^{\circ} 46'$ W. Va. $12^{\circ} 50'$ E.

Along line 4-3, Billie Lode of this Survey.
 1489.9 To COR. NO. 2 identical with Cor. NO. 3 Billie Lode
 of this survey, heretofore described. To marking
 add 2-2458

Thence N/ $89^{\circ} 35'$ W. Va. 13° E.

299.0 S. Center end, Pine post 4 ins sq. in a mound of
 stone 2 1-2 feet above ground, scribed S C E - D
 add 2458.

599.3 To Cor. NO. 3 a pine post 4 ins. sq. \times 3 1-2 ft.
 long (poorly set) in a mound of stone, scribed S W C - D
 reset post 4 ins. in ground to bedrock in a mound of
 stone, To marking add 3-2458.

Whence A Cross (X) and BR 3-2458 chiseled on a
 quartzite rock ~~12x4x~~ 12x12x4 ins brs N. $41^{\circ} 26'$ E.
 9.8 ft.

2) A cross (X) and BR 3-2458 chiseled on a
 quartzite rock 18x12x3 ins. brs N. $53^{\circ} 52'$ W.
 8.7 ft.

Thence N. $5^{\circ} 46'$ E. Va. 13° E

1489.9 To Cor NO/ 4, a pine post 4 ins. sq. 3 ft. above
 ground in a mound of stone, scribed N W C - D Add
 4-2458.

Whence:

1) A Cross (X) and BR. 4-2458 chiseled on an
 quartzite rock 5x4x2 ft. brs N. $15^{\circ} 56'$ E. 7.55 ft

2) A Cross (X) and BR 4-2458 chiseled on a
 quartzite rock 3x3x2 ft. brs S. $66^{\circ} 50'$ E. 4.75 ft.

Thence S. $89^{\circ} 35'$ E. Va. $12^{\circ} 50'$ E.

190.7 Corner No. 2 Esther Lode of this survey

300 N. Center end a pine post 4 ins sq. 2 1-2 ft above
 ground in a mound of stone, scribed N C E - D
 Add 2458.

489.4 To S. Center end Esther Lode

599.3 To Cor. No. 1. place of beginning.

Fraction Lode.

Feet

Beginning at Cor. No. 1. N. E. Cor. of location
and on line **2-3** Fair View Lode of this survey, A Pine
post 4 ins. sq. 3 ft. above ground in a mound of stone
scribed N E C - F Add 1-2458.

Whence:

1) A Cross (X) and BR 1-2458 chiseled on lime-
stone bedrock brs. S. $30^{\circ} 18'$ E. 9.2 ft.

2) A Cross (X) and BR 1-2458 chiseled on lime
stone rock 12x12x4 ins. brs S. $71^{\circ} 49'$ W. 4.7 ft.

3) U S M M ¹⁶² of Turquoise District brs **S $82^{\circ} 31' 30''$ E / 24.5 ft**
Thence S. $1^{\circ} 00'$ E. Va. 13° E.

750.7 Intersect line **4-1** Climax Lode of this survey
at S. $89^{\circ} 35'$ E. **167.9** ft. from Cor. No. 4.

769.7 To Cor NO. 2 identical with Cor NO. 2 Fairview Lode
of this survey heretofore described . To marking add
S E C - F 2-2458 .
Thence S. $87^{\circ} 05'$ W. Va. 13° E.

131.8 Intersect line **3-4** Climax Lode of this Survey
which is also line **2-1** Humbot Lode at S. $1^{\circ} 22'$ E.
28.4 ft. from Cor. Nos 4 and 1 respectively.

174.9 To Cor. No. 3 a pine post 4 ins sq. 3 1-2 ft. long
poorly set in a mound of stone , scribed S C E - F ;
reset post 6 ins. in ground to bedrock in a mound of
stone ~~xxxxxxx~~ To marking add 3-2458.

Whence:

1) A Cross (X) and BR 2-2458 chiseled on a porphyry
rock 36x36x18 ins. brs S. $32^{\circ} 30'$ E. 17.05 ft.
no more nearby bearings available.

Thence N. $87^{\circ} 30'$ W. Va 13° E.

300.4 To Cor. No. 4 on line **1-4** Humbot Lode of this survey
whence Cor. No. 1 Humbot brs N. $87^{\circ} 3'$ E. 312.9 ft.
identical with Cor No. 1 Starr Lode of this survey,
a pine post 4 ins sq. 2 1-2 ft. above ground
in a mound of st one , scribed S W C - F and S E C-S
add 4-2458.

Feet

Whence:

1) A Cross (X) and BR 4-1 -2458 chiseled on a lime stone reef brs. S. $55^{\circ} 28'$ W. 30.7 ft.

2) A Cross (X) and BR 4-1 -2458 chiseled on a lime stone reef brs. N. $58^{\circ} 37'$ W. 30.2 ft.

Thence N. $10^{\circ} 55'$ W. Va. 13° E.

733.5 Intersect line 3-4 Head Center Lode survey NO. 1610 at N. $30^{\circ} 40'$ W. 340.3 ft from Cor. NO. 3.

748.1 To Cor NO. 5. a pine post 4 ins. sq. 3 ft. above ground in a mound of stone, scribed N W C - F Add 5-2458.

Whence:

1) A Cross (X) and ⁵⁻²⁴⁵⁸ BT [^] scribed on a blaze on a Mesquite Tree 4 ins. in diameter brs N. 29° W. 5.1 ft.

Thence N. $87^{\circ} 5'$ E.

302.0 N. Center end Pine post 4 ins sq. 3 ft. above ground in a mound of stone, scribed N C E - F Add 2458.

523.5 Intersect line 3-2 Head Center Lode survey NO. 1610 at 45° 10' E. at 480.7 ft. from Cor. NO. 3.

604.0 To Cor. NO. 1. place of beginning .

Starr Lode.

Beginning at Cor NO/ 1 S. E. Cor of location.

identical with Cor NO. 4 Fraction Lode of this survey

heretofore described. To marking add 1-2458.

Whence U.S.M.M. No 2 Turquoise Dist to $70^{\circ} 06' E$ 1781.4 ft
Thence S. $87^{\circ} 03'$ W. Va. 13° E.

300 S. Center end set a pine post 4 ins sq. 3 1-2 ft long 5 ins in ground to bedrock in a mound of stone, scribed S C E - S. Add 2458.

420 Road Gleason to Leadville brs N. W. & S. E.

600 Cor NO. 2 identical with Cor. NO. 1 Mame Lode of this survey a 2x4 post in a mound of stone.

Feet	
	Set a pine post 4 ins. sq., 3 1/2 ft. long, 8 ins. in ground to bedrock, in a mound of stone, scribed, S W C - S and S E C - M. 2-2458.
	Whence: No bearings available.
	Thence N. 10° 50' W. Va. 13° E.
410	Road Gleeson to Leadville brs. N. W and S. E.
1252.1	to Cor. No. 3, identical with Cor. No. 4 Mame lode of this survey, a 2 X 4 post in mound of stone: Set pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bedrock, in a mound of stone, scribed N W C - S 3-2458,
	Whence:
	1) A cross (X) and B. R. 3-4-2458, chiseled on a limestone, 7 X 7 X 2 ins., brs. south 25° 5' E., 12.6 ft.
	2) A cross (X) and B. R. 3-4-2458 chiseled on a limestone 24 X 14 X 10 ins. brs. S. 87° 55' E., 37.6 ft.
	Thence N. 87° 03' E. Va. 13° E.
297.8	North center end, set a pine post 4 ins. sq., 3 1/2 ft. long, 8 ins. in ground to bedrock, in a mound of stone, scribed N C E - S 2458.
399.7	Intersect line 3-4 Head Center lode survey No. 1610 at north 30° 40' W., 920.8 ft. from Cor. No. 3.
597.6	to Cor. No. 4, a 2 X 4 post in mound of stone; set a pine post 4 ins. sq., 3 1/2 ft. long, 18 ins. in ground, in a mound of stone, scribed N E C - S 4-2458.
	Whence:
	A cross (X) and B. R. 4-2458, chiseled on a limestone, 12 X 6 X 1 ins. brs. N. 15° 53' W., 42.3 ft.
	(No other nearby bearings available).
	Thence S. 10° 56' E. Va. 13° E.
504.3	Corner No. 5 Fraction lode of this survey.
518.9	Intersect line 3-4 Head Center lode survey No. 1610 at north 30° 40' W. 340.3 ft. from Cor. No. 3.
1252.4	to Cor. No. 1, the place of beginning.

MAME LODE.

Beginning at Cor. No. 1, the S. E. corner of location, identical with Cor. No. 2 Starr lode of this survey, heretofore described: To marking add 1-2458.

Whence: U. S. M. M. No. 2 of Turquoise District
brs. $N 74^{\circ} 21' E$ 2361.7 *A*

Thence S. $87^{\circ} 03' W$. Va. $13^{\circ} E$.

288.5 South center end, set pine post 4 ins. sq., 3 1/2 ^{*A*} ~~ins.~~ long, 9 ins. in ground to bedrock, in a mound of stone, scribed S C E - M 2458.

581.5 to Cor. No. 2, identical with Cor. No. 4 Humbot lode of this survey heretofore described: To marking add S W C-M 2-2459.

Thence N. $11^{\circ} 06' W$. Va. $13^{\circ} E$.

1136.1 Intersect south end Leadville lode, unsurveyed, at north $63^{\circ} 57' 30'' E$., 4.65 ft. from S. W. corner.

1252.9 to Cor. No. 3, a 2 X 4 post in mound of stone; set a pine post 4 ins. sq., 3 1/2 ft. long, 5 ins. in ground to bedrock, in a mound of stone, scribed N W C - M 3-2458

Whence

1) A cross (X) and B. R. 3-2458 chiseled on a limestone rock, 12 X 6 X 8 ins., brs. N. $31^{\circ} 50' W$. 12.45 ft.

2) A cross (X) and B. R. 3-2458 chiseled on porphyry bedrock brs. N. $56^{\circ} 34' E$., 11.8 ft.

Thence N. $87^{\circ} 03' E$. Va. $12^{\circ} 45' E$.

287.7 Intersect south end Leadville lode, unsurveyed, at north $63^{\circ} 57' 30'' E$., 299.45 ft. from S. W. corner and South $63^{\circ} 57' 30'' W$. 0.55 ft. from south center end.

290.9 North center end, set pine post 4 ins. sq., 3 1/2 ft. long, 5 ins. in ground to bedrock, in a mound of stone, scribed N C E - M 2458.

545 Road Gleason to Leadville brs. N. N. W. and S. S. E

587.4 to Cor. No. 4, identical with Cor. No. 3 Starr lode of this survey, heretofore described: Add to marking 4-2458.

Feet

Thence S. $10^{\circ} 50'$ E. Va. 13° E.

Along line 3-2 Starr lode of this survey.

1252.1

to Cor. No. 1, the place of beginning.

CHANCE LODE.

Beginning at Cor. No. 1, the S. E. Corner of location, identical with Cor. No. 3 Humbot lode of this survey, heretofore described: To marking add S E C - C 1-2458.

Whence U. S. M. M. No. 2 of Turquoise District

brs. *N $67^{\circ} 29'$ E. 3077.2 ft.*Thence N $89^{\circ} 35'$ W. Va. $13^{\circ} 15'$ E.

153.7

Cor. Nos. 4 Highland, 1 Handy lodes of this survey

261.6

South center end, set a pine post 4 ins. sq., 3 1/2 ft. long, 7 ins. in ground to bedrock, in a mound of stone, scribed S C E - C 2458.

449.4

North center end Handy lode.

553.6

to Cor. No. 2, identical with cor. No. 1, Chicago lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground in mound of stone, scribed S W C - C and S E C - C: To marking add 2-2458.

Whence:

1) A cross (X) and B. R. 2-1 - 2458, chiseled on a ~~quartzite~~ quartzite rock, 18 X 15 X 6 ins., brs. S. $11^{\circ} 45'$ E., 7.2 ft.

2) A cross (X) and B. R. 2-1-2458 chiseled on a quartzite rock, 24 X 12 X 3 ins., brs. S. $72^{\circ} 10'$ W. 10.0 ft.

Thence N. ~~2~~ $17'$ W. Va. $13^{\circ} 5'$ E.

1470.7

to Cor. No. 3, identical with Cor. No. 4 Chicago lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in mound of stone, scribed, N W C. - C N E C - C: Add 3-2458.

Whence :

1) A cross (X) and B. R. 3-4-2458 chiseled on quartzite rock, ~~XXXXXXX~~ 18 X 18 X 6 ins., brs. ~~north~~

N. 35° 30' E., 8.2 ft.

2) A cross (X) and B. R. 3-4-2458 chiseled on a quartzite rock, 12 X 6 X 2 ins., brs. S. 18° 12' W., 6.1 ft.

Thence S. 89° 35' E. Va. 12° 40' E.

283.8 North center end, ~~XXXXXXXXXXXXXXXXXXXXXXXXXXXX~~ set a pine post 4 ins. sq., 3 1/2 ft. long, 6 ins. in ground to bedrock; in a mound of stone, scribed N C E - C 2458.

Whence north center end of location, a 2 X 4 post, in a mound of stone, brs. N. 4° 53' E., 14.0 ft.

412 Intersect line 2-3 Mame lode of this survey, at No 11° 06' W., 976.9 ft. from Cor. No. 2.

577.2 to Cor. No. 4, set a pine post 4 ins. sq., 3 1/2 ft. long, 5 ins. in ground to bedrock, in a mound of stone, scribed N E C - C 4-2458

Whence:

- 1) A cross (X) and B. R. 4-2458 chiseled on a quartzite rock 15 X 14 X 10 ins., brs. N. 65° 0' E., 4.4 ft.
- 2) A cross (X) and B. R. 4-2458 chiseled on a quartzite rock 20 X 15 X 8 ins., brs. N. 80° 53' W., 10.2 ft.
- 3) Corner of location, a 2 X 4 post in a mound of stone, brs. N. 1-22' W., 29.3 ft.
- 4) Post SE Cor. Turquoise King & SW Cor Leadville lodes brs N 52° 11' W 253.4 ft

Thence S. 1° 22' E. Va. 12° 40' E.

215 Center of shaft 6 X 4 ft., 17 ft. deep.

957.7 Corner Nos. 2 Mame, and 3 Humbot lodes of this survey.

1215.9 West center end Humbot, lode.

1469.8 to Cor. No.1, the place of beginning.

CHICAGO LODE.

Beginning at Cor. No. 1, the S. E. corner of location, identical with Nor. No. 2 Chance lode of this survey, heretofore described, To marking add 1-2458.

Whence U. S. M. M. No. 2 of Turquoise District

brs. N 70° 55' 30" E 3593.6 ft

Thence N. $89^{\circ} 35'$ W. Va. 13° E.

- 187.6 Cor. Nos. 5 Handy, / Iowa lodes of this survey.
- 297.8 South center end, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed N C E - C: Add 2458.
- 480.4 North center end Iowa lode.
- 584.4 to Cor. No. 2, identical with Cor. No. 1, Hawkeye lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed S W C - C S E C - H: Add 2-2458.

Whence:

- 1) A cross (X) and B. R. 2-1-2458 chiseled on quartzite rock, 48 X 36 X 12 ins., brs. N. 13° E., 9.0 ft.
- 2) A cross (X) and B. R. 2-1-2458 chiseled on a quartzite rock, 4 X 5 X 3 ft., brs. N. 72° W., 4.6 ft.

Thence N. $2^{\circ} 0'$ W. Va. 13° E.

- 1470.4 to Cor. No. 3, identical with Cor. 4 Hawkeye lode of this survey, a pine post 4 ins. sq., 2 1/2 ft. above ground, in a mound of stone, scribed N W C - C and N E C - H. *Add 3-2458*
- Whence

- 1) A cross (X) and B. R. 3-4-2458 chiseled on a quartzite rock, 36 X 24 X 18 ins., brs. N. $2^{\circ} 55'$ W., 4.95 ft.
- 2) A cross (X) and B. R. 3-4-2458, chiseled on a quartzite reef, brs. N. $59^{\circ} 25'$ E., 4.65 ft.

Thence S. $89^{\circ} 35'$ E. Va. $12^{\circ} 50'$ E.

- 288.8 North center end, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone, scribed N C E - C: Add 2458.
- 378.7 Intersect west side line Turquoise King lode, unsurveyed, at north $26^{\circ} 30'$ W., 118.0 ft. from south west corner.
- 576.9 to Cor. No. 4, identical with Cor. No. 3 Chance lode of this survey heretofore described: To marking add 4-2458.
- Thence S. $2^{\circ} 17'$ E. Va. $12^{\circ} 40'$ E.
- Along line 3-2 Chance lode of this survey.
- 32.7 Intersect south end line Turquoise King lode, unsurveyed,

Feet.

At N. 63° 57' 30" E. 163.45 ft. from S. W. corner. 1470.7 To Cor NO. 1 place of beginning.

Hawke Eye Lode.

Beginning at Cor NO. 1, S. E. Cor. of Location.

identical with Cor. NO. 2 Chicago Lode of this survey heretofore described. To marking add 1-2458.

Whence

U S M M NO. 2 Turquoise District brs.

N 73° 37' E 4149.1 ft

Thence N 89° 35' W. VA. 12° 50' E.

176.2 Cor. NOS. 4 Iowa and 1 Billie Lodes of this survey

281.3 S. Center end a pine post 4 ins sq. 2 1-2 ft. above

ground in a mound of stone, scribed S C E - H. Add 2458.

455.5 N. Center end Billie Lode

559.7 To Cor NO. 2 identical with Cor. NO. 1 Esther Lode of this survey a pine post 4 ins sq. 2 1-2 ft. above ground In a mound of stone scribed, S W C - H & S E C - E. Add 2-2458.

1) A Cross (X) and BR. 2-1-2458 chiseled on a quartzite rock 2x4x2 ft. brs S. 40° 45' W. 9.2 ft.

2) A Cross (X) and BR 2-1-2458 chiseled on a quartzite rock, 24x24x4 ins. brs N. 84° 30' W. 6.1 ft.

Thence: N. 2° 22' W. VA. 12° 30' E.

1470.8 To Cor. NO. 3 identical with Cor. NO. 4 Esther Lode of this survey. A Pine post 4 ins. sq. and 3 ft above ground in a mound of stone, scribed N W C- H and N E C- E Add 3- 2458.

Whence:

1) A Cross (X) and BR. 3-4-2458 chiseled on a quartzite bluff, face 12x4 ft brs S. 25° 45' E. 3.85 ft.

2) A Cross (X) and BR 3-4-2458 chiseled on a quartzite rock 18x12x10 ins. brs N. 70° 10' W. 8.7 ft.

Thence S. 89° 35' E. VA. 12° 45' E.

281.7 N. center end a pine post 4 ins sq. 2 1-2 ft. above ground in a mound of stone, scribed (N) C E- H.

Feet.

579.0 To Cor. NO. 4 identical with Cor NO. 3 Chicago Lode of this survey., heretofore described. To marking Add 4- 2458.

Thence S. 2° 00' E. Va. 12° 50' E. Along ~~to~~ *line* 3-2 Chicago Lode of this survey.

1470.4 To Cor. NO. 1 place of beginning. Esther Lode.

Beginning at Cor. NO. 1, S. E. Cor. of Location identical with Cor. NO. 2 Hawke Eye Lode of this survey hereto described. To Marking add 1-2458.

Whence: U S M. M NO. 2 of Turquoise District Brs.

N 75° 38' E 4697.3 ft.

Thence N. 89° 35' W. Va. 12° 30' E.

180.5 Cor NOS. 4 Billie and 1 Dorothy Lodes of this survey

290.4 S. Center end a pine post 4 ins sq. 2 1-2 ft above ground in a mound of stone , scribed S C E - E Add 2458

479.8 N. Center end of the Dorothy Lode *of this survey!*

589.1 To Cor NO. 2 a pine post 4 ins sq. 3 ft above ground in a mound of stone , scribed, S W C - E Add 2- 2458.

Whence:

1) A Cross (X) and BR. 2-2458 chiseled on a quartzite rock 3x4x4 ft . brs S 41° 55' E. 695 ft

2) A Cross (X) and BR 2-2458 chiseled on a quaetzite cliff face 3x3 ft. brs. N 65° 45' E.

4.75 ft.

Thence:

N 2° 18' W. Va. 12° 30' E.

1470.8 To Cor NO. 3 a pine post 4 ins sq. 2 1-2 ft above ground in a mound of stone scribed N W C - E. Add 3-2458

Whence:

1) A Cross (X) and BR 3 *2458 chiseled on a porphyry rock 18x12x12 ins brs N. 54° 10' E.

5.65 ft.

Feet

2) A Cross (X) and BR. 3-2458 chiseled on a quartzite rock 12x7x5 ins . brs S. 13° 00 W. 11.55 ft.

11.55 Thence S. 89° 35' E. VA. 12° 30' E.

292.3 N. Center end, a pine post 4 ins. sq. 2 1-2 ft above ground in a mound of stone , scribed N C E -E. Add 2458.

587.3 To Corner NO. 4 identical with Cor. NO. 3 Hawke Eye Lode of this survey heretofore described, to Marking Add 4-2458.

Thence S. 2° 22' E. Va. 12° 45' E.

a long line 3-2 Hawke Eye Lode of this survey.

14 70.8 To Cor NO. 1 the place of beginning.

V 12 38 E 12 45 E

This Survey is identical with Location excepting as to Cor. NO. 4. Chance Lode as appears in notes.

A R E A S

	Acres
Monarch lode	15.816 ✓
Less Area in conflict with Climax lode	<u>.069</u> ✓
Net area Monarch lode	15.747 ✓
Fair View lode	19.689 ✓
Less area in conflict with Climax lode	.165 ✓
Area in conflict with Head Center lode No. 1610	<u>0.006</u> ✓
Net area Fair View lode	19.518 ✓
Mary Mine lode	18.573 ✓
Climax lode	20.549 ✓
Clinton lode	20.367 ✓
Sampson lode	20.311 ✓
Humbot lode	19.067 ✓
Home lode	20.381 ✓
Iron lode	14.454 ✓
Highland lode	14.718 ✓
Edith lode	18.856 ✓
Alice lode	18.671 ✓
Handy lode	18.739 ✓
Iowa lode	19.631 ✓
Billie lode	19.547 ✓
Dorothy lode	20.409 ✓
Fraction lode	9.385 ✓
Less Area in conflict with Climax lode, this survey	.088 ✓
" " " " Humbot " " "	.106 ✓
Net area Fraction lode	9.191 ✓
Starr lode	17.049 ✓
Less Area in conflict with Head Center lode	
Sur No. 1610	<u>1.167</u> ✓
Net area Starr lode	15.882 ✓
Mame lode	16.641 ✓
Less Area in conflict with XXXXXX XXXXX XXXX	
with Leadville lode (unsurveyed)	<u>.382</u> ✓
Net area Mame lode	16.259 ✓
Chance lode	19.068 ✓
Less Area in conflict with Mame lode, this survey	1.815 ✓

	Acres
Net area Chance lode	17.253
Chicago lode	19.583 ✓
Less Area in conflict with Turquoise King (unsurveyed)	<u>.295 ✓</u>
Net area Chicago lode	19.288 ✓
Hawke Eye lode	19.369 ✓
Esther lode	<u>19.837 ✓</u>
Total net area lode claim	416.458
	.617

LOCATIONS.

This Claim is situated in Turquoise Mining District
Cochise County, Arizona. Approximately in Tp. 19 S.
R. 25 E. unsurveyed. The presumed Course of the Ledges
in each Location is as follows:

On the Monarch Lode

From S. Center end N. $00^{\circ} 46'$ W. 1162.3 ft. to N. Center
end. ~~On The Mary Mine Lode~~

On The Mary Mine Lode.

From S. Center end N. $00^{\circ} 32'$ W. 1356.6 ft. to N C E

On the Fair View Lode.

From S. Center end N. $1^{\circ} 16'$ W. 1468.8 ft to N. Center end.

On Climax Lode.

From W. Center end S. $89^{\circ} 35'$ E. 1492.6 ft. to E C E.

On The Clinton Lode

From S C E N. $1^{\circ} 48'$ E. 1484.5 ft. to N C E.

On The Sampson Lode.

From S. C. E N. $1^{\circ} 43'$ E. 1484.1 ft to N. C. E.

On the Home Lode.

From S. C. E. N. $1^{\circ} 43'$ E. 1484.00 ft. To N. C. E.

On Humbot Lode.

From W. C. E. N. $88^{\circ} 39'$ E. 1493.7 ft to E. C. E.

On The Iron Lode

From S. C. E. N. $2^{\circ} 36'$ E. 1117.0 ft. to N. C. E.

On The Highland Lode.

From S. C. E. N. $6^{\circ} 46'$ E. 1123.8 ft to N. C. E.

On ^{the} Edith Lode.

From S. C. E. N. $1^{\circ} 30'$ E. 1395.0 ft. to N. C. E.

On ^{the} Alice Lode.

From S. C. E. N. $00^{\circ} 46'$ E. 1396.2 ft. to N. C. E.

On The Handy Lode.

From the S. C. E. N. $5^{\circ} 11'$ E. 1488.6 ft to the N. C. E.

On The Iowa Lode.

From S. C. E. N. $5^{\circ} 37'$ E. 1489.6 ft to N. C. E.

On The Billie Lode.

From S. C. E. N. $5^{\circ} 38'$ E. 1489.6^{ft.} to N. C. E.

On The Dorothy Lode.
From S. C. E. N. 5° 45' E. 1489.9 ft. to N. C. E.

On The Fraction Lode.

From Cor. NO. 3 N. 10° 25' W. 775.9 to N. C. E.

On The Starr Lode.

From S. C. E. N. 10° 56' W. 1252.4 ft to N.C.E.

On The Mame Lode.

From S. C. E. N. 11° 12' W. 1253.2 ft to N. C. E.

On The Chance Lode.

From S. C. E. N. 2° 37' W. 1471.1 ft. to N. C. E.

On The Chicago Lode.

From S. C. E. N. 1° 55' W. 1470.3 ft. to N. C. E.

On The Hawke Eye Lode.

From S. C. E. N. 2° 30' W. 1471.0 ft. to N. C. E.

On The Esther Lode.

From S. C. E. N. 2° 33' W. 1471.0 to N. C. E.

Adjoining Claims.

On the north Turquoise King, Leadville, Copper King
and Maid of Sunshine Lodes (unsurveyed). Leadville
Mining Co., claimant;

Head Center Lode Survey NO. 1610.

Germania Lode (unsurveyed) William Cowen, claimant;

1907 NO. 2 Lode (unsurveyed) Thomas Cowen, *claimant*

Unsurveyed Claim (Name Unknown) D. W. Brown, Claimant,

~~Claimantxxxxxx(NamexxUnknownxx)~~

~~DxxWxxBrownxxClaimantxxEastxxandxxSouthxxandxxWestxxClaimantxx~~

~~On East, and South and West, Claimants Unknown.~~

EXPENDITURE OF \$500.00

I certify that the value of the labor and improvements on this claim, placed thereon by the claimants, or their grantors, is not less than eleven thousand five hundred dollars, and that said improvements consist of:

ON THE MARY MINE LODE - from Cor. No. 2,

- ✓ 1) Discovery shaft, 4 X 6 - 20 ft. deep bears N. 23° 5' E., 737 ft., value at \$10. pr. ft. \$200.
- 2) A shaft 4 X 6 - 10 ft. deep brs. N. 23° 50' E., 686 ft.; value at \$10. pr. ft. 100.00
- 3) A shaft 4 X 6 - 10 ft. deep, brs. N. 23° 50' E., 646 ft.; value at \$10. pr. ft. 100.00
- 4) A shaft 4 X 6 - 10 ft. deep, brs. N. 24° 45' E., 677 ft.; value at \$10. pr. ft. 100.00
- 5) A shaft 4 X 6 - 64.5 ft. deep, brs. N. 26° 15' E., 460 ft.; value at \$10. pr. ft. \$645.00
- 6) A shaft 4 X 6 - 10 ft. deep, from the bottom of which a drift or ore stope 6 X 6 - 60 ft. long, brs. eastward; center of shaft brs. N. 28° 12' E., 700 ft.; value of shaft at \$10. pr. ft. 100.
value of drift at \$10. pr. ft. 600.00
- 7) A shaft 4 X 6 - 80 ft. deep, brs. N. 29° E., 690 ft.; value at \$10. pr. ft. 800.00

ON THE MONARCH LODE, from Cor. No. 3:

- ✓ 1) Discovery shaft 4 X 6 - 5 ft. deep, brs, S. 48° 30' E., 400 ft.; value \$ 25.00
- 2) A shaft 4 X 6 - 8 ft. deep, brs. S. 49° E., 640 ft., value 75.00
- 3) A shaft 4 X 6 - 10 ft. deep, brs. S. 43° 10' E., 633 ft.; value 100.00

From Cor. No. 2:

- 4) A shaft, double compartment, timbered, 420 ft. deep, brs. N. 0° 9' E., 400 ft.; value at \$20. ft. 8400.00
- 5) Incline shaft 4 X 6 - 10 ft. deep, brs. N. 19° 45' E.,

474 ft.; value \$100.00

- 6) Open cut, 4 X 19 - 10 ft. face, and tunnel 4 1/2 X 6 1/2 X 9 ft.; the mouth of the open cut brs. N. 24° E., 508 ft.; course of cut and tunnel N. E.;
- value of cut 100.00
- value of tunnel 90.00

~~4)~~

From Cor. No. 1:

- 7) Shaft 4 X 6 - 22 ft. deep, brs. N. 42° 10' W., 350 ft.; value at \$10. pr. ft. 220.00

- 8) Open cut, 4 X 16 - 12 ft. face, and tunnel 4 1/2 X 6 1/2 X 8 ft., the mouth of the open cut brs. N. 9° 45' W., 390 ft.; course of cut and tunnel east;
- value of cut 100.00
- value of tunnel 80.00

- 9) Shaft 4 X 6 - 10 ft. deep brs. N. 5° 15' W., 594 ft.;
- value 100.00

ON THE FAIR VIEW LODE - From south center end:

- 1) Discovery shaft, 4 X 6 - 8 ft. deep, brs. N. 1° 16' W., 530 ft.; value \$50.00
- 2) Shaft 4 X 6 - 10 ft. deep brs. N. 11° 30' E. 342 ft.; value 100.00
- 3) Shaft 4 X 6 - 31 ft. deep, brs. N. 30° E., 90 ft.;
- value at \$10. pr. ft. 310.00

From Cor. No. 2:

- 4) Shaft 4 X 6 - 10 ft. deep brs. N. 20° E., 723 ft., value 100.00
- 5) Shaft 4 X 6 - 8 ft. deep, brs. N. 2° 20' E., 656 ft.; value 50.00

From north center end:

- 6) Shaft 5 X 6, 47 ft. deep brs. S. 58° E., 70 ft. value at \$10. pr. ft. \$470.00

ON THE FRACTION LODE -

From Cor. No. 4 -

- 1) ^{dis.} Shaft 4 X 6 - 10 ft. deep, brs. N. 21° 30' E.,
558 ft.; value \$100.00
- 2) Shaft 4 X 6 - 10 ft. deep, brs. N. 26° 45' E.,
582 ft.; value 100.00
- 3) Shaft 5 X 6 - 27 ft. deep, brs. N. 30° E.,
95 ft.; value at \$10. pr. ft. 270.00
- 4) Open cut 4 X 45 - 12 ft. face, and tunnel 4 X
6 1/2 X 25 ft., mouth of the open cut brs. N. 63°
50' E., 328 ft.; course of cut and tunnel east;
value of cut 100.00
value of tunnel, at 10 dol. pr. ft. 250.00

ON THE STARR LODE

From Cor. No. 2:

- 1) Discovery cut, 4 X 33 - 12 ft. face, the mouth of
the cut brs. N. 15° 25' E., 655 ft.; course of cut
west; value 100.00
- 2) Shaft 4 X 6 - 9 ft. deep. brs. N. 40° 30' E.,
332 ft.; value 90.00
- 3) Shaft 5 X 6 - 43 ft. deep, brs. N. 7° E., 766 ft.;
value at \$10. pr. ft. 430.000

ON THE CLINTON LODE:

From north center end -

- 1) Discovery shaft, 4 X 6 - 8 ft. deep, brs. S. 1°
48' W., 181 ft.; value \$75.00
- 2) Open cut, 3 1/2 X 25 - 8 ft. face, and tunnel 4 X
6 X 10 ft., the mouth of the open cut brs. S. 8° 35'
E., 269 ft.; course of cut and tunnel S. E.;
value of cut 100.00
value of tunnel 100.000
- 3) Shaft 4 X 6 - 10 ft. deep, brs. S. 11° 5' E.,

590 ft., value	\$100.00
4) Shaft 5 X 6 - 40 ft. deep, brs. S. 14° 30' E., 804 ft.; value at \$10. pr. ft.	400.00

ON THE SAMPSON LODGE:

From Cor. No. 4:

✓ 1) Discovery Shaft 5 X 6 X 12.5 ft. deep, brs. S. 32° 15' E., 534 ft.; value	\$125.00
2) Shaft 5 X 7 - 25.5 ft. deep, brs. S. 69° 10' E., 277 ft.; value at \$10. pr. ft.	255.00

From Cor. No. 2:

3) Shaft, 4 X 6 - 43 ft. deep, brs. N. 29° 30' W., 370 ft.; value at \$10. pr. ft.	430.00
---	--------

ON THE HOME LODGE:

From Cor. No. 4:

1) Discovery shaft, 4 X 6 - 8 ft. deep, brs. S. 20° 40' E., 795 ft.; value	75.00
2) Shaft, 5 X 6 - 31 ft. deep, brs. S. 82° 20' E., 225 ft.; value at \$10. pr. ft.	310.00
3) Shaft 4 X 6, 40 ft. deep, brs. S. 51° 25' E., 693 ft.; value at \$10. pr. ft.	400.00

ON THE IRON LODGE:

From Cor. No. 1:

✓ 1) Discovery shaft, 4 X 6 - 8 ft. deep, brs. S. 66° 30' W., 312 ft., value	\$75.00
2) Shaft, 5 X 6 - 76.5 ft. deep, brs. S. 71° W., 538 ft.; value at \$12. pr. ft.	918.00
3) Shaft, 5 X 6 - 60 ft. deep, brs. S. 54° 20' W., 592 ft.; value at \$12. pr. ft.	720.00

4) Cut, 9 X 6 1/2, 6 ft. deep, brs. S. 50° 30' W.,
514 ft.; value \$50.00

ON THE HIGHLAND LODGE:

From Cor. No. 1:

- ✓ *Discovery*
P) Open cut, 4 X 25 - 10 ft. face, and tunnel 4 X
6 - 80 ft. long, the mouth of the open cut brs S.
24° 35' W., 710 ft.; direction of cut and tunnel west;
value of cut \$100.00
value of tunnel at \$10. pr. ft. 800.00X
- 2) Open cut, 11 X 3 1/2 - 10 ft. face, the mouth of
which brs. S. 24° W., 545 ft.; direction of cut -
north; value 100.00
- 3) Open cut, 11 X 9 - 6 ft. face, ~~the~~ mouth of which
brs. S. 31° 30' W., 705 ft.; course of cut - west;
value 60.00

ON THE ALICE LODGE:

From Cor. No. 1:

- ✓ 1) Discovery shaft, 4 X 6 - 10 ft. deep, brs. S. 45°
30' W., 420 ft.; value \$100.00X
- 2) Open cut, 4 X 49 - 12 ft. face, and tunnel, 4 X 6
X 41 ft.; the mouth of cut brs. S. 32° W., 262 ft.;
course of cut and tunnel S. E.; value of cut 120.00
value of tunnel at \$10. pr. ft. 410.00
- 3) Shaft, 4 X 6 - 21 ft. deep, brs. S. 87° 20' W.,
522 ft.; value at \$10. pr ft. 210.000

ON THE EDITH LODE:

From north center end:

✓ 1) Discovery shaft, 4 X 6 - 6 ft. deep, brs. S. ^{1° 30'} W.,
308 ft.; value \$25.00

From Cor. No. 5:

2) Open cut, 4 X 14 - 12 ft. face, and tunnel 4 X 6 -
85 ft. long; the mouth of the open cut brs. S. 22° 50' E.,
815 ft.; course of cut and tunnel - South; value
of cut 100.00
value of tunnel at \$10. pr. ft. 850.00

ON THE CHANCE LODE:

From Cor. No. 1:

✓ 1) Discovery shaft, 4 X 6 - 10 ft. deep, brs. N.
28° 50' W.; 575 ft.; value \$100.00
2) Cut, 4 X 20 - 12 ft. face, and tunnel 4 X 6 - 6
ft. long, the mouth of the open cut brs. N. 11° 40'
W., 617 ft.; course of cut and tunnel - west;
value of cut 100.00
value of tunnel 60.00
3) Shaft 4X6X10 ft. brs N. 14° 20' W., 620 ft.,
value, 100.00
4) Shaft 4 X 6 X 41 ft. deep, brs N. 3° 55' W. 642 ft.
value at \$10.00 per ft., 410.00

From Cor. No. 2:

5) Shaft, 4 X 6, 31 ft. deep, brs. N. 72° 50' E.,
455 ft.; value at \$10. pr. ft. \$310.00
6) Shaft, 4 X 6 - 7 ft. deep, brs. N. 65° E., 450 ft.;
value 50.00
7) Shaft, 4 X 6 - 10 ft. deep, brs. N. 17° 30' E.,
233 ft.; value 100.00
8) Open cut, 6 X 28 - 7 ft. face, the mouth of which
brs. N. 10° 5' E., 718 ft.; course of cut N. W.,
value 75.00

ON THE CHICAGO LODE:

: From Cor. No. 1:

- 1) Discovery cut and tunnel; cut 4 X 14 - 10 ft. face, tunnel 4 X 6 - 32 ft. long, the mouth of cut brs. N. 53° W., 361 ft.; course of cut and tunnel - west;

value of cut	\$100.00
value of tunne, at \$10. pr, ft.	320.00
- 2) Shaft, 4 X 6, 10 ft. deep, brs. N. 11° 30' W., 604 ft.; value

	100.00
--	--------
- 3) Open cut and tunnel; cut 4 X 20 - 10 ft. face, and tunnel 4 X 6 1/2 - 10 ft. long; the mouth of the open cut brs. N. 6° 45' W., 590 ft.; course of cut and tunnel - N. W.; value of cut

	100.00
value of tunnel	100.00

ON THE HAWK^{EYE} LODGE:

From south center end:

- Discovery shaft, 4 X 6 - 8 ft. deep, brs. N. 2° 30' W., 400 ft.; value

	\$50.00
--	---------

From Cor. No.1:

- 2) Tunnel 4 X 6 1/2 - 50 ft. long, brs. N. 42° W., 292 ft.; value at \$10. pr. ft.

	500.00
--	--------
- 3) Shaft, 4 X 6 - 10 ft. deep, brs. N. 38° 50' W., 793 ft.; value.

	100.00
--	--------
- 4) Open cut, 4 X 24 - 10 ft. face, and tunnel, 4 X 6 1/2 - 18 ft. long; the mouth of open cut brs. N. 41° 10' W. 760 ft.; course of cut and tunnel - west; value of cut

	100.00
value of tunnel at \$10. pr. ft.	180.00

J →

ON THE ESTHER LODGE:

From north center end:

1) Discovery shaft, 4 X 6 - 8 ft. deep, brs. south $2^{\circ} 33'$
E., 200 ft.; value \$75.00

From Cor. No. 3:

2) Shaft, 4 X 6 - 10 ft. deep, brs. S. $26^{\circ} 30'$ E.,
175 ft.; value 100.00

From Cor. No. 1:

3) Shaft, 4 X 6 - 12 ft. deep, brs. N. $7^{\circ} 10'$ W.,
575 ft.; value at \$10. pr ft. 120.00

4) Open cut, 4 X 19 - 10 ft. face, and tunnel, 4 X
 $6 \frac{1}{2}$ - 15 ft. long; the mouth of the open cut brs.
N. $12^{\circ} 45'$ W., 393 ft.; course of cut and tunnel -
west; value of cut 100.00
value of tunnel at \$10. pr. ft. 150.00

ON THE HANDY LODGE:

From north center end:

1) Discovery shaft, 4 X 6 - 6 ft. deep, brs. S. $5^{\circ} 11'$
W., 10 ft.; value \$50.00

From Cor. No. 5-

2) Open cut, 4 X 23 - 10 ft. face, and tunnel, 4 X
 $6 \frac{1}{2}$, 77 ft. long; the mouth of the open cut
brs. S. $44^{\circ} 45'$ E. 254 ft. Direction of cut and tunnel
S. W. Value of Cut 1.00 .00

Value of Tunnel at \$10. pr ft. 770.00

3) Open Cut 4X48 ft 12 ft. face and tunnel 4X $6 \frac{1}{2}$ and
8 ft. long the mouth of the open cut brs. S. $16^{\circ} 40'$ E.
352 ft. Course of cut and tunnel S. W. Value of Cut 120.00
Value of Tunnel 80.00

On The Iowa Lode.

From N. C. E.

1) Discovery Shaft, 4x6 8 ft. deep brs S. 5° 37' W. 85 ft.

Value \$ 75.00

From Cor. NO. 1.

2) Shaft 4x6 9 ft. deep brs S. 15° W. 384 ft.

Value 90.00

3) Open cut 4x23 12 ft. face and tunnel 4x 6 1-2 87

ft long. The mouth of the open cut brs S. 21° W. 280 ft

Course of cut and tunnel S. W. Value of Cut 100.00

Value of tunnel at \$10. pr ft. 870.00

On The Billie Lode.

From Cor. No. 4.

1) Discovery shaft 4x6 10 ft deep brs S. 32° E.

480 ft. Value 100.00

2) Open cut 4x12 10 ft. face and tunnel 4x 6 1-2 ft

16 ft. long the mouth of the open cut bears S. 10°

50' E. 380 ft. Course of cut and tunnel S. W.

Value of cut 100.00

Value of tunnel at \$10.00 pr ft. 700.00

On The Dorothy Lode.

From the S. Center end.

1) Discovery Shaft, 4x6 8 ft. deep brs N. 5° 45' E.

25 ft. Value 75.00

From N. Center end.

2) Open cut 4x22 x 10 ft face and tunnel 4 x 6 1-2

25 ft long the mouth of the open cut brs S. 16° 45' E.

686 ft. Course of cut and tunnel W. Value of cut 100.0

Value of tunnel at \$10.00 per ft. 250.00

3) Shaft 4x6x8 ft. brs S. 1° 40' E. 810 ft. value 75.00

4) Open cut 4x17 x 10 ft face and tunnel by 6 1-2 x

6 ft long the mouth of the open cut Brs S. 1° 30 E.

730 ft : Course of cut and Tunnel W. Value of cut 100.00

Value of tunnel 50.00

5) Shaft 4x6x8 ft brs S. 00° 20' E. 855 ft. Value 75.00

- 6) Shaft 4x6x30 ft deep brs S. 14° 20' W. 425 ft.
Value at \$10.00 per ft. \$300.00
On The Mame Lode.
From the N. Center end.
- 1) Discovery shaft 4x6x8 ft. deep brs S. 11° 12' E.
192 ft. value 75.00
- 2) Shaft 4x6x22 ft. brs S. 10° 15' W. 205 ft.
value at \$10.00 per ft 220.00
From Cor. NO. 2.
- 3) Shaft 4x6x8 ft. brs N. 32° E 365 ft. value 75.00
- 4) Trench 5x20x8 ft deep the center of which brs N.
28° 15' E. 408 ft. Value 200.00
- 5) Trench 5x30x6 ft. deep the center of which brs
N. 19° 25' E. 400 ft. value 200.00
- 6) Trench 5x20x8 ft deep the center of which brs N.
18° 30' E. 450 ft. Value 200.00
- 7) Shaft 4x6x8 ft. deep brs N. 12° 20' E. 593 ft.
value 75.00
- 8) Shaft 6x10x16 ft. brs N. 5° 25' E. 690 ft. value
Value 200.00
- 9) Tunnel 4x6 1-2.x28 ft. long Course Westerly
the Mouth of which brs N. 3° 20' E. 625 ft. value
at \$10.00 per ft. 280.00
- 10) Shaft 4x6x50 ft deep brs N. 3° 20' E. 570 ft.
Value at \$10.00 per ft. 500.00
- 11) Trench 4x16x8 ft. deep the center of which brs N.
00° 45' E. 655 ft. Value 200.00
- 12) Trench 4x25 x6 ft. deep the center of which brs
N. 00° E. 695 ft. Value 200.00
- 13) Shaft 4x6x17 ft. brs N. 1° 22' W. 743 ft. Value
at \$10.00 per ft. 170.00
On the Climax Lode.
From W. Center end.
- Discovery Shaft 4x6x25 ft. brs S. 89° 35' E. 575 ft.
Value at \$10.00 per ft 250.00

2) Shaft $4 \times 6 \times 10$ ft deep brs S, $83^{\circ} 30'$ E, 275 ft.
Value \$100.00

3) Shaft, $4 \times 6 \times 8$ ft. deep brs N, 88° E, 178 ft.
Value 75.00

From Cor. NO. 2.

4) Shaft $5 \times 6 \times 37$ 1-2 ft. brs N, 72° W, 508 ft. value at
\$10.00 pr ft. 375.00

On The Humbot Lode.

From Cor. NO. 2.

2) Shaft $4 \times 6 \times 8$ ft. brs N, $14^{\circ} 35'$ W, 74 ft
Value 75.00

From W. Center end.

3) Shaft $2 \times 6 \times 28$ ft deep brs S, 64° E, 415 ft.
Value at \$10.00 per ft 280.00

No 1) Discovery incline shaft $6 \times 6 \times 20$ ft deep brs S, 80°
E, 80 ft. Direction of the incline N. Value at
\$10.00 pr ft 200.00

4) Shaft, 5×6 200 ft. deep, timbered brs N, $55^{\circ} 25'$
E, 239 ft. Value at \$15.00 pr. ft. 3000.00

5) Incline Shaft 6×6 ft. 145 ft deep Direction of
incline N.E. The Mouth of which brs S, $54^{\circ} 7'$ E.
110 ft. Value at \$10.00 pr ft. 1450.00

Shafts NOs 5 and 4 connect with each other and
with under ground workings more than 2000 ft. in extent.
Value more than 20000.00

Other Improvements.

1) From Cor. NO. 4 Home Lode. The N. W. Cor. of a
frame house 12×36 ft. brs S, $42^{\circ} 15'$ E, 525 ft.

2) At shaft NO. 4 on the Humbot Lode an engine house
contains Gasoline Hoist and two 20 horse power
boilers.

Instrument.

This survey was made with a Young & Sons mountain
transit NO. 6855, provided with a Smith Solar attachment
The Courses were deflected from the true meridian as
determined by direct solar observations. The distances
were measured with 50ft. and 500 ft. steel tapes.

Tombstone, Arizona. September 28, 1907.

John A. Rockwell U.S. Dep. Minl. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

John A. Rockefeller

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Great Western Copper Co.

{ *Mary^{mine}, Monarch, Fair View, Fraction, Starr, Mame, Chance, Chicago, Hawk Eye, Esther, Climax, Humbolt, Clinton,*
known as the *Sampson, Stone, Iron, Highland, Handy, Iowa, Billie, Dorothy, Edith, and Alice.*

and showing the respective capacities in which they acted.

R. A. Bowman, Chairman.

J. W. Dougherty, Chairman.

A. A. Benedict, Assn. Chairman.

H. W. Jorgensen, Flagman. Chairman.

FINAL OATHS OF ASSISTANTS.

We *R. A. Bowman, J. W. Dougherty, A. A. Benedict*
and *H. W. Jorgensen*, do solemnly swear that we assisted

John A. Rockefeller, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of *Great Western Copper Co.*

known as the { *Mary^{mine}, Monarch, Fair View, Fraction, Starr, Mame, Chance, Chicago, Hawk Eye, Esther, Climax, Humbolt, Clinton, Sampson, Stone, Iron, Highland, Handy, Iowa, Billie, Dorothy, Edith, and Alice.*
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

R. A. Bowman, Chairman.

J. W. Dougherty, Chairman.

A. A. Benedict, Assn. Chairman.

H. W. Jorgensen, Flagman. Chairman.

Subscribed and sworn to by the above-named persons before me this *24*

day of *September*, 190*7*

John A. Rockefeller
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockfellow, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug 21 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Great Western Copper Company, known as the March and 22 others (see back of sheet) situate in Tuquoise Mining District, Cochise County, Ariz., in Section Approx., Township No. 19 S., Range No. 25 E (unsurveyed) and designated as Survey No. 2458, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Deputy Mineral Surveyor, before me Frank C. Willard
this 5th
day of October 1907,

Frank C. Willard
Notary Public
My commission expires
Mar 2, 1910

Names of codes

- 1 Monarch
- 2 Fairview
- 3 Mary Mine
- 4 Climax
- 5 Clinton
- 6 Sampson
- 7 Humbot
- 8 ~~Home~~
- 9 Iron
- 10 ~~Highland~~
- 11 Edith
- 12 Alice
- 13 Handy
- 14 Iowa
- 15 Billie
- 16 Dorothy
- 17 Fraction
- 18 Starr
- 19 ~~Name~~
- 20 Chance
- 21 Chicago
- 22 Hawk Eye
- 23 Esther

[Faint handwritten scribbles]

21

Affidavit of Five Hundred Dollars Improvements.

We, A. W. Jorgensen, and D. W. Brown

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the ^{mine} Monarch Fairview Fraction Starr, Namey Chance Chicago, Hawk Eye, Esther Clinger, Hymest Clinton Sampson Hope Iron Highland Handy, Iowa Ollie Dorothy Edith Alice mining claim,

situate in Tuquoise Mining district, Cochise County,

Arizona Territory, for which The Great Western Copper Company


has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed ~~Five Hundred~~ Seven thousand five hundred Dollars in value, and further that we are not personally interested in said mine.

A. W. Jorgensen
D. W. Brown

TERRITORY OF ARIZONA,
County of Cochise } ss:

Sworn to and subscribed before me, this 19th

day of September, 1907



John A. Rosenbaum
Notary Public

My Commission Expires March 14, 1911

Notice of Mining Location

~~QUARTZ CLAIM~~

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Humbot Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Robert McCormick

the undersigned, on the 26th day of February 1896 ~~1900~~
The length of ~~the~~ claim is 1500 feet, and width of claim 300 feet, ~~xxx~~ on each side ~~direction~~ and ~~direction from the~~ center of the discovery shaft, ~~at which this notice is posted,~~ lengthwise of the claim, together with ~~feet in width of the surface grounds, on each side of the center of said claim.~~ The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about half of a mile in a Southwesterly direction from North Camp of the Turquoise.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the monument on which the notice is posted
at a point in a westerly direction 120 feet from the discovery shaft, at which this notice is posted, being in the center of the West end line of said claim; thence Northerly 300 feet to a Monument of stones being the North west corner of said claim; thence Easterly 750 feet to a monument of stones at the center of the North side line of said claim; thence Easterly 750 feet to a monument of stones being at the North east corner of said claim; thence South 300 feet to a monument of stones at the center of the East end of said claim; thence South 300 feet to a monument of stones, being at the South west corner of said claim; thence West 750 feet to a monument of stones being at the center of the South side line of said claim; thence West 750 feet to a monument of stones at the Southwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 26th day of February 1896 ~~1900~~
Mr. Robert McCormick.

Filed and recorded at request of Robert McCormick May 18th A.D. 1896 at 4 P.M. in Book 14 Record of Mines at Page 15.

Notice of Mining Location

~~XXXXXXXXXXXX~~

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Mane Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Mr. Robert McCormick

the undersigned, on the 27th day of February 1896

The length of ~~this~~ ^{the} claim is 1500 feet, and width of claim 300 feet on each side - feet, in a ~~direction~~ and ~~direction~~ from the ~~center~~ of the discovery shaft, (at which this notice is posted,) lengthwise of the claim, together with ~~feet in width of the surface grounds, on each side of the center of said claim.~~ The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about half mile in a Southeasterly direction from the North Camp.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Monument on which the Notice is posted

at a point in a north direction 210 feet from the discovery shaft, at which this notice is posted, being in the center of the North end line of said claim; thence East 300 feet to a monument of stones being the East corner of said claim; thence South 750 feet to a monument of stones at the center of the East side line of said claim; thence South 750 feet to a Monument of stones being at the Southeast corner of said claim; thence West 300 feet to a monument of stones at the center of the South end of said claim; thence West 300 feet to a Monument of stones, being at the ~~corner~~ corner of said claim; thence North 750 feet to a Monument of stones being at the center of the West side line of said claim; thence North 750 feet to a Monument of stones at the Northwest corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 27th day of February 1896
Mr. Robert McCormick.

Filed and recorded at request of Robert McCormick May 18th A.D. 1896 at 4-1 P.M. in Book 14 Record of Mines at Page 16.

Notice of Mining Location

~~OF A MINING CLAIM~~

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Chance Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

Robert McCormick
the undersigned, on the 10th day of March, 1896. ~~1790~~

The length of this claim is 1500 feet, and width of claim 300 feet, ~~xxx~~ on each side ~~direction~~ and

~~feet~~ ~~direction~~ from the

~~xxx~~ of the discovery shaft, at which this notice is posted } lengthwise of the claim, ~~together with~~

~~xxx~~ width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in Turquoise Mining District, in

Cochise County, in the Territory of Arizona, about a half mile

in a Southerly direction from the North Camp

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the monument of stones the Southeastern end monument where the notice is posted

at a point in a South direction 165 feet from the discovery

shaft. at which this notice is posted, being in the center of the South end line of said claim; thence

West 300 feet to a Monument of stones

being the Southwest corner of said claim; thence North 750 feet

to a monument of stones at the center of the West side line

of said claim; thence North 750 feet to a monument of stones

being at the Northwest corner of said claim; thence East 300 feet

to a monument of stones at the center of the North end of said claim; thence

East 300 feet to a monument of stones, being at

the Northwest corner of said claim; thence South 750 feet to a

Monument of stones being at the center of the East side line of

said claim; thence South 750 feet to a monument of stones at the

Southeast corner of said claim; thence West 300 feet to the place of

beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 10th day of March 1896. ~~1790~~

Filed and recorded at request of Mr Robert McCormick.
Robert McCormick May 18th A.D. 1896
at 4-2- P.M. in Book 14, Record of
Mines, at Page 17.

Notice of Mining Location

~~QUARTZ CLAIM~~

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Highland Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

Robert McCormick

the undersigned, on the 26th day of February, 1896.

The length of ~~this~~ claim is 1500 feet, and width of claim 300 feet, ~~XXX~~ on each side ~~direction and~~

~~feet in~~ ~~direction from the~~ ~~center~~ of the discovery shaft, (at which this notice is posted) lengthwise of the claim, ~~together with~~ ~~feet in width of the surface grounds on each side of the center of said claim.~~ The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about a half mile in a Northeasterly direction from the Turquoise Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the monument on which the notice is posted

at a point in a north direction 750 feet from the discovery shaft, at which this notice is posted, being in the center of the North end line of said claim; thence Northeast 300 feet to a monument of stones being the Northeasterly corner of said claim; thence South 750 to a monument of stones at the center of the east side line of said claim; thence south 750 feet to a monument of stones being at the southeast corner of said claim; thence west 300 feet to a monument of stones at the center of the South end of said claim; thence west 300 feet to a monument of stones, being at the west corner of said claim; thence North 750 feet to a monument of stones being at the center of the west side line of said claim; thence north 750 feet to a monument of stones at the Northwest corner of said claim; thence east 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 26th day of February, 1896.

at request of Robert McCormick

Filed and recorded May 18th, 1896, Mr. Robert McCormick
at 4-3-P.M. in Book 14, Record of Mines at page 18.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Mary Mine Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

Robert McCormick

the undersigned, on the 2nd day of April, 1896. ~~190~~

The length of ~~the~~ claim is 1500 feet, and ~~claim~~ 300 feet, ~~xxx~~ xxx on each side ~~direction~~ and ~~direction~~ xxxxxxx xxxxxxx

~~center~~ of the discovery shaft, (at which this notice is posted) lengthwise of the claim, ~~together with~~ ~~feet in width of the surface grounds, on each side of the center of said claim.~~ The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 4 miles in a Northerly direction from the Silver Bill Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at this monument of stones at which this notice is posted

at a point in a Southerly direction about 270 feet from the discovery shaft, at which this notice is posted, being in the center of the South end line of said claim; thence Easterly 300 feet to a monument of stones being the southeast corner of said claim; thence North 750 ft to a monument of stones at the center of the East side line of said claim; thence North 750 feet to a monument of stones being at the Northeast corner of said claim; thence west 300 feet to a monument of stones at the center of the North end of said claim; thence west 300 feet to a monument of stones, being at the South 750 feet to a monument of stones being at the center of the west side line of said claim; thence South 750 feet to a monument of stones at the Southwest corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 2nd day of April, 1896. 190

Filed and recorded at request of Robert McCormick
Robert McCormick July 2nd AD 1896 at
 10 A.M. in Book 14, Record of Mines,
 at page 48.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Starr Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

the undersigned, on the 29th day of April 1897 1900

The length of this claim is Twelve hundred and fifty six (1256) feet, and I claim Ten hundred and fifty six-1056- feet, in a Northerly direction and Two hundred (200) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona about at (2365) ft in a S. 74° 37' West direction from U. S. Mineral Monument No. 2 is the S. W. Cor. of this claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Corner No. 1. being a post and mound ~~of~~ ^{of} stones

at a point in a Northerly direction One Thousand (1000) feet from the discovery shaft, (at which this notice is posted,) being in the center of the North end line of said claim; thence S. 89° 05' W. 300 feet to a post and mound of stones being the N. W. No. 2 corner of said claim; thence S. 10° 56' E. 628 ft to a post and mound of stones ^{Cor No. 3} at the center of the West side line of said claim; thence S. 10° 56' E. 628 feet to a Post and Mound of stones being at the S. W. No. 4 corner of said claim; thence N. 87° 05' E-300- feet to a Post & mound of stones ^{cor No. 5} at the center of the South end of said claim; thence N. 87° 05' E-300- feet to a Post & mound of stones, being at the S. E. No. 6 corner of said claim; thence N. 10° 56' W-628- feet to a Post & Mound of stones Cor No 7 being at the center of the East side line of said claim; thence N. 10° 56' W-628- feet to a Post & Mound of stones at the N. E. No. 8 corner of said claim; thence S. 87° 05' W.-300- feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 29th day of April, 1897 1900

Filed and recorded at request of Robert McCormick
Robert McCormick June 17th 1897
 at 3-7 PM in Book 14, Record of Mines
 at page 275.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Iron Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Robert McCormick

the undersigned, on the day of ~~190~~ 189--

The length of this claim is Eleven hundred and thirty (1130) feet, and I claim Nine hundred and thirty (930) feet, in a Southerly direction and Two hundred (200) feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, ~~about~~ about at (3430) ft in a S.47°35' West direction from U. S. Mineral Monument No.2, is the South West Cor. of this claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Corner No.1 being Post in mound of stones

at a point in a Northerly direction Two hundred 200 feet from the discovery shaft, (at which this notice is posted,) being in the center of the North end line of said claim; thence N.89°46' . W 255 feet to a Post in Mound of stones being the N. W. No.2. corner of said claim; thence S.6° 00" W. 565 ft to a Post in Mound of stones Cor. No.3 at the center of the West side line of said claim; thence S.6° 00" W. 565 feet to a Post & mound of stones being at the S.W.No.4 corner of said claim; thence S.89°46' E. 300 feet to a Post in mound of stones Cor. No.5 the center of the South end of said claim; thence S. 89°46' E. 300 feet to a Post in Mound of stones, being at the S.E. No.6 corner of said claim; thence N.1°39'E.565 feet to a Post in Mound of stones Cor.No.7 being at the center of the East side line of said claim; thence N.1°39'E.565 feet to a Post in Mound of stones at the N. E. No.8 corner of said claim; thence N. 89°46' W. 280 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title ~~XXXIII~~ ³² of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 29th day of April 1897. ~~190~~
Robert McCormick.

Filed and recorded at request of Robert McCormick June 17th, 1897 at 3-7 P.M. in Book 14 Record of Mines at page 276.

NOTICE OF LOCATION.

Notice is hereby given, That the "Handy lode and mining claim, has been located by P.B. Warnekros the 10th day of August 1899 being Eleven Hundred & Thirty feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft, lengthwise of the claim, and the general course of the lode and claim is Northerly and Southerly and is described as follows, to-wit:

Commencing at the Northerly center end of the claim a monument of stones on which this notice is posted, and running thence in a Westerly direction Three Hundred feet to a monument of stones being the North West corner of the claim, thence in a Southerly direction Eleven Hundred & Thirty feet, to a monument stones being the South West corner of the claim; thence in a Easterly direction Six Hundred feet to a monument of stones being the South East corner of the claim, Thence in a Northerly direction Eleven Hundred & Thirty feet to a monument stones being the North East corner of the claim, and thence in a Westerly direction Three Hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim is a Relocation of the Valley View & bounded on the East by the Chance Mine & on the North by the Highland Mine.

The discovery shaft on which a copy of this notice is posted is

_____ feet in a _____ direction from _____.

Posted on the ground this 10th day of August 1899.

Witness Sime Gallan.

P.B. Warnekros.

Filed and recorded at request of P.B. Warnekros, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Pages 55-56.

get →

NOTICE OF LOCATION.

Notice is hereby given, That the "Fraction lode and mining claim has been located by P.B.Warnekos on the 10th day of August 1899 being seven hundred and fifty feet in length and Six Hundred feet wide; that is Three Hundred on each side of the center of the claim;lode and discovery shaft, lengthwise of the claim, and the general course of the lode and claim is North and South and is described as follows, to-wit:

Commencing at the South center end of the claim a monument of stones on which this notice is posted, and running thence in a Easterly direction Three H^undred feet to a monument of stone being the South East corner of the claim, thence in a Northerly direction Seven Hundred & Fifty feet to a monument of stones being the North East corner of the claim; thence in a Westerly direction Six Hundred feet to a monument of stone being the North West corner of the claim, Thence in a Southerly direction Seven Hundred & Fifty feet to a monument of stones being the South West corner of the claim, and thence in a Easterly direction Three hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim is bounded on the South side by the Star Mine on the North side by the "Fair View" on the West end by the "Humbolt and is a relocation of the "Fraction Mine" .

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10 day of August 1899.

Witness : Sime Gallen.

P. B. Warnekos.

Filed and recorded at request of P.B.Warnekos, Oct 30, 1899 at 3 P.M. in Book 15 Record of Mines at Page 56.

2 →

NOTICE OF LOCATION.

Notice is hereby given, That the Climax lode and mining claim, has been located by P. B. Warnekros on the 10th day of August 1899 being Fifteen hundred feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft, lengthwise of the claim, and the general course of the lode and claim is North Easterly and South Westerly and is described as follows, to-wit:

Commencing at the South West center end of the claim a monument of stones on which this notice is posted, and running thence in a Easterly direction Three hundred (300) feet to a monument of stones being the South East corner of the claim, thence in a Northeasterly direction Fifteen Hundred feet, to a monument of stones being the North East corner of the claim; thence in a North Westerly direction Six Hundred feet to a monument of stones being the North Westerly corner of the claim, Thence in a South Westerly direction fifteen hundred feet to a monument of stones being the South West corner of the claim, and thence in a Easterly direction Three Hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim is the Northerly extension of the Humbolt Mine and a relocation of the "Lead Prince bounded on the East side by the Fair View" and M^unarch Mines & on the West side by the Sampson and Clinton Mines.

The discovery shaft on which a copy of this notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10 day of August 1899.

Witness Sime Gallen.

P. B. Warnekros.

Filed and recorded at request of P.B. Warnekros, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Page 57.

NOTICE OF LOCATION.

Notice is hereby given, That the Fair View lode and mining claim, has been located by P.B.Warnekkros on the 10th day of August 1899 being Fifteen Hundred feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft lengthwise of the claim, and the general course of the lode and claim is from North to South and is described as follows, to-wit:

Commencing at the North end center end of the claim a monument of stone #1. on which this notice is posted, and running thence in a Westerly direction Three Hundred feet to a monument of stones being the North Westerly corner of the claim, thence in a Southerly direction Fifteen Hundred feet to a monument of stones being the South West corner of the claim; thence in a Easterly direction Six Hundred feet to a monument of stones being the South Easterly corner of the claim, Thence in a Northerly direction Fifteen hundred feet to a monument of stones being the North Easterly corner of the claim and thence in a Westerly direction Three Hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim is more definitely described.

The S.W. Cor. of this claim touched North West Cor. of the Humbolt and is bounded on the West side by the "Fraction Mine and bounded on the East side by the "Monarch Mine and about 845 ft North 44° 36 East from the South East Cor. of this claim is U.S. Locating Monument No.2.

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____. This is a relocation of the "Little Abe Mine.

Posted on the ground this 10 day of August 1899.

Witness: Sime Gallen.

P.B. Warnekkros.

Filed and recorded at request of P.B.Warnekkros, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Pages 57-58.

NOTICE OF LOCATION.

Notice is hereby given, That the "Home lode and mining claim, has been located by P.B.Warnekkros on the 10th day of August 1899 being Fifteen hundred feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft, lengthwise of the claim, and the general course of the lode and claim is North and South and is described as follows, to-wit:

Commencing at the Northerly center end of the claim a monument of stones on which this notice is posted and running thence in a Easterly direction Three hundred feet to a monument of stones being the North East corner of the claim, thence in a Southerly direction Fifteen Hundred feet to a monument of stones being the South East corner of the claim, thence in a Westerly direction Six Hundred feet to a monument of stone being the South West corner of the claim, Thence in a Northerly direction Fifteen Hundred feet to a monument of stones being the North West corner of the claim and thence in a Easterly direction Three Hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim is located about 9 miles in a Southerly direction from Pearce.

This claim is bounded on the North by the Humbolt Mine, on the West side by the Iron Mine on the East by the Sampson Mine.

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10 day of August 1899.

Witness: Sime Gallen.

P.B.Warnekkros.

Filed and recorded at request of P.B.Warnekkros, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Pages 58-59.

NOTICE OF LOCATION.

Notice is hereby given, That the Sampson lode and mining claim has been located by P.B.Warnekos on the 10 day of August 1899 being Fifteen Hundred feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft lengthwise of the claim; and the general course of the lode and claim is North and South and is described as follows, to-wit:

Commencing at the Cor.#1 Northerly end center end of the claim a monument of stones on which this notice is posted; and running thence in a Westerly direction Three Hundred feet to a Monument of Stones being the North West corner of the claim, thence in a Southerly direction Fifteen Hundred feet to a monument of stone being the South West corner of the claim, thence in a Easterly direction Six Hundred feet to a monument of stones being the South East corner of the claim, Thence in a Northerly direction Fifteen Hundred feet to a monument of stones, being the North East corner of the claim, and thence in a Westerly direction Three hundred feet to the place of beginning.

This Claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim about 1/4 of mile in a South West direction from U.S. Monument No.2.

This claim is bounded on the East side by the Clinton and on the West side by the Home Mine and on the North by the "Climax formerly Lead prince and is a relocation of the "Halsey U Mine.

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10 day of August 1899.

Witness: Sime Gallen.

P.B.Warnekos.

Filed and recorded at request of P.B.Warnekos, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Page 59.

ft →

NOTICE OF LOCATION.

Notice is hereby given, That the Clinton lode and mining claim has been located by P.B.Warnekos on the 10 day of August 1899, being Fifteen H^undred feet in length and Six Hundred feet wide; that is Three Hundred feet on each side of the center of the claim, lode and discovery shaft lengthwise of the claim, and the general course of the lode and claim is North and South and is described as follows, to-wit:

Commencing at the center end of the claim a monument of stones on which this notice is posted, and running thence in a Easterly direction Three Hundred feet to a monument of stones being the North East Corner of the claim, thence in a Southerly direction Fifteen H^undred feet to a monument of stones being the South Easterly corner of the claim; thence in a Westerly direction Six H^undred feet to a monument of stones being the South Westerly corner of the claim; Thence in a Northerly direction Fifteen Hundred feet to a monument of stones being the North West corner of the claim and thence in a Easterly direction Three Hundred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the claim joins on the South side line of Climax Mine and adjoins the Sampson Mine on the East side line running parallel with Sampson.

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10 day of August 1899.

Witness Sime Gallen.

P.B.Warnekos.

Filed and recorded at request of P.B.Warnekos, Oct 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Pages 59-60.

NOTICE OF LOCATION.

Notice is hereby given, that the Monarch lode and mining claim has been located by P.B.Warnekos on the 10th day of August 1899 being Twelve Hundred feet in length and Six Hundred feet wide; That is Three Hundred feet on each side of the center of the claim, lode and discovery shaft, lengthwise of the claim, and the general course of the lode and claim is North and South and is described as follows, to-wit:

Commencing at the Northerly center end of the claim a monument of stones on which this notice is posted and running thence in a Westerly direction Three H^undred feet to a monument of stones being the North West corner of the claim; thence in a Southerly direction Twelve H^undred feet to a monument of stones being the South West corner of the claim, thence in a Easterly direction Six Hundred feet to a monument of stones being the South East corner of the claim, Thence in a Northerly direction Twelve Hundred feet to a monument of stones being the North East corner of the claim and thence in a Westerly direction Three H^undred feet to the place of beginning.

This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona and the claim is about 845 feet in a North 44° 26 East from S^outh end of this claim is the U.S.Locating monument.No.2.

This claim is bounded on the East end line by the Climax Mine, on the West side line by the "Fair View Mine, and is a relocation of the "Yellow Kid claim.

The discovery shaft on which a copy of the notice is posted is _____ feet in a _____ direction from _____.

Posted on the ground this 10th day of August 1899.

Witness: Sime Gallen.

P.B.Warnekos.

Filed and recorded at request of P.B.Warnekos, Oct. 30th A.D. 1899 at 3 P.M. in Book 15 Record of Mines at Pages 60-61.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Hawke Eye Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 15th day of January 1900

The length of this claim is Fifteen Hundred (1500) feet, and I claim Four Hundred (400) feet, in a Southerly direction and Eleven Hundred (1100) feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine Miles in a Southerly direction from Pearce and Joins the Chicago on the East

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Southerly direction four Hundred 400 feet from the discovery shaft, at which this notice is posted, being in the center of the Southerly end line of said claim; thence Easterly 300 feet to a Monument being the South Easterly corner of said claim; thence Northerly 750 feet to a Monument at the center of the Easterly side line of said claim; thence Northerly 750 feet to a Monument being at the North Easterly corner of said claim; thence Westerly 300 feet to a Monument at the center of the Northerly end of said claim; thence Westerly 300 feet to a Monument, being at the North Westerly corner of said claim; thence Southerly 750 feet to a Monument being at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument at the South Westerly corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 15th day of January 1900.

W. J. Young Jr.

Filed and recorded at request of
P.B. Warnekros Jan. 31 - A.D. 1900, at 2 P.M.
in Book 17 Record of Mines at Page 388.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Chicago Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 11th day of January 1900.

The length of this claim is Fifteen Hundred (1500) feet, and I claim Six Hundred (600) feet, in a Southerly direction and Nine Hundred 900 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine Miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Southerly direction Six Hundred 600 feet from the discovery shaft, at which this notice is posted, being in the center of the Southerly end line of said claim; thence Easterly 300 feet to a Monument being the South Easterly corner of said claim; thence Northerly 750 feet to a Monument at the center of the Easterly side line of said claim; thence Northerly 750 feet to a Monument being at the North Easterly corner of said claim; thence Westerly 300 feet to a Monument at the center of the Northerly end of said claim; thence Westerly 300 feet to a Monument, being at the North Westerly corner of said claim; thence Southerly 750 feet to a Monument being at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument at the South Westerly corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 11th day of January 1900
W. J. Young, Jr.

Filed and recorded at request of
P.B. Warnekros Jan. A.D. 1900 at 1 P.M.
in Book 17 Record of Mines at Page 389.

17

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Iowa Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 20th day of January 1900

The length of this claim is Fifteen Hundred (1500) feet, and I claim five hundred 500 feet, in a Northerly direction and one Thousand 1000 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine Miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Northerly direction five hundred 500 feet from the discovery shaft, at which this notice is posted, being in the center of the ----- end line of said claim; thence Westerly 300 feet to a Monument being the North Westerly corner of said claim; thence Southerly 750 feet to a Monument at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument being at the South Westerly corner of said claim; thence Easterly 300 feet to a Monument at the center of the Southerly end of said claim; thence Easterly 300 feet to a Monument, being at the South Easterly corner of said claim; thence Northerly 750 feet to a Monument being at the center of the Westerly side line of said claim; thence Northerly 750 feet to a Monument at the North Easterly corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 20th day of Jany 1900
W. J. Young Jr.

Filed and recorded at request of
P.B. Warnekros Jan 31st A.D. 1900 at 1 P.M.
in Book 17 Record of Mines at Page 390.

WJY

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Dowothy Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 23rd day of Feby 1900
The length of this claim is Fifteen Hundred (1500) feet, and I claim Six Hundred (600) feet, in a Northerly direction and Nine Hundred (900) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Thre Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine Miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Postt and Monument of Stones

at a point in a Northerly direction Six Hundred 600 feet from the discovery shaft, at which this notice is posted, being in the center of the Northerly end line of said claim; thence Westerly 300 feet to a Monument being the North Westerly corner of said claim; thence Southerly (750) feet to a Monument at the center of the Westerly side line of said claim; thence Southerly (750) feet to a Monument being at the South Westerly corner of said claim; thence Easterly (300) feet to a Monument at the center of the Southerly end of said claim; thence Easterly (300) feet to a Monument, being at the South Easterly corner of said claim; thence Northerly (750) feet to a Monument being at the center of the Easterly side line of said claim; thence Northerly (750) feet to a Monument at the North Easterly corner of said claim; thence Westerly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895; also under the provisions of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", Approved March 2nd, 1899. Dated and posted on the ground this _____ day of _____ 1900

W. J. Young Jr.

Locator.

Filed and recorded at request of P.B. Warnekros Feby 26th A.D. 1900 at 9 A.M. in Book 17 Record of Mines at Page 429.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Billie Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 12th day of Feby 1900

The length of this claim is Fifteen hundred (1500) feet, and I claim five hundred (500) feet, in a Northerly direction and one Thousand (1000) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Post in Monument of tones

at a point in a Northerly direction Five Hundred 500 feet from the discovery shaft, at which this notice is posted, being in the center of the Northerly end line of said claim; thence Westerly 300 feet to a Monument being the North West corner of said claim; thence Southerly 750 feet to a Monument at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument being at the South West corner of said claim; thence Easterly 300 feet to a Monument at the center of the Southerly end of said claim; thence Easterly (300) feet to a Monument, being at the Southe-sterly corner of said claim; thence Northerly 750 feet to a Monument being at the center of the Easterly side line of said claim; thence Northerly 750 feet to a Monument at the North Easterly corner of said claim; thence Westerly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895; also under the provisions of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", Approved March 2nd, 1899. day of ----- 190

W. J. Young Jr.

Locator.

Filed and recorded at request of F.R. Warnekros Feby 26th A.D. 1900 at 9 A.M. Book 17 Record of Mines at Page 430.

J →

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Esther Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. J. Young Jr.

the undersigned, on the 13th day of Feby. 1900

The length of this claim is Fifteen Hundred (1500) feet, and I claim Six Hundred and Fifty (650) feet, in a Southerly direction and Eight Hundred and fifty (850) feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine miles in a Southerly direction from Pearce.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Post and Monument of Stones

at a point in a Southerly direction Six Hundred and fifty 650 feet from the discovery shaft, at which this notice is posted, being in the center of the Southerly end line of said claim; thence Easterly (300) feet to a Monument being the South Easterly corner of said claim; thence Northerly 750 feet to a Monument at the center of the Easterly side line of said claim; thence Northerly 750 feet to a Monument being at the North Easterly corner of said claim; thence Westerly 300 feet to a Monument at the center of the Northerly end of said claim; thence Westerly (300) feet to a Monument, being at the North Westerly corner of said claim; thence Southerly 750 feet to a Monument being at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument at the South Westerly corner of said claim; thence Easterly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895; also under the provisions of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", ~~approved March 2nd, 1899.~~ Approved March 2nd, 1899. ~~was and is posted on the ground this~~ day of ----- 1900

W. J. Young Jr.

Filed and recorded at request of P.B. Warnekros Feby 26th A.D. 1900, at 9 A.M. in Book 17 Record of Mines at Page 431.

Post

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Edith Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

W.J. Young Jr

the undersigned, on the 12 day of May 1900

The length of this claim is Fifteen Hundred (1500) feet, and I claim Three Hundred (300) feet, in a Northerly direction and Twelve Hundred (1200) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Northerly direction Three Hundred 300 feet from the discovery shaft, at which this notice is posted, being in the center of the Northerly end line of said claim; thence Westerly 300 feet to a monument being the North Westerly corner of said claim; thence Southerly 750 to a monument at the center of the Westerly side line of said claim; thence Southerly 750 feet to a monument being at the South Westerly corner of said claim; thence Easterly 300 feet to a monument at the center of the Southerly end of said claim; thence Easterly 300 feet to a monument, being at the South Easterly corner of said claim; thence Northerly 750 feet to a monument being at the center of the Easterly side line of said claim; thence Northerly 750 feet to a monument at the N. Easterly corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 12th day of May 1900

Filed and recorded at request of W. J. Young Jr
W. J. Young Jr. July 24th A.D. 1900 at
4--35 P.M. in Book 18, Record of Mines, at
Page 165.

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Alice Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

W. J. young, Jr
the undersigned, on the 12 day of May 1900.

The length of this claim is Fifteen Hundred 1500 feet, and I claim Three hundred (300) feet, in a Northerly direction and twelve Hundred 1200 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about Nine Miles in a Southerly direction from Pearce

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Northerly direction Three Hundred 300 feet from the discovery shaft, at which this notice is posted, being in the center of the Northerly end line of said claim; thence Westerly 300 feet to a Monument being the North Westerly corner of said claim; thence Southerly 750 to a monument at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Monument being at the South Westerly corner of said claim; thence Easterly 300 feet to a Monument at the center of the Southerly end of said claim; thence Easterly 300 feet to a monument, being at the South Easterly corner of said claim; thence Northerly 750 feet to a monument being at the center of the Easterly side line of said claim; thence Northerly 750 feet to a monument at the N. Easterly corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 12th day of May 1900

Filed and recorded at request of W.J.Young Jr July 24th A.D. 1900 at 4:35 P.M. in Book 18, Record of Mines at Page 164

W. J. Young Jr

Handwritten initials or mark in the bottom left corner.

TERRITORY OF ARIZONA, |
 County of Cochise. | ss.

I, C. A. McDonald, County Recorder in and ~~for~~
 for said County hereby certify that I have compared the annexed and
 foregoing copies with the original location notices of the following
 mining claim, to-wit:

"Humbot"	Recorded in Book 14	Record of Mines at Page 15.
"Mame "	Recorded in Book 14	Record of Mines at Page 16.
"Chance"	Recorded in Book 14	Record of Mines at Page 17.
"Highland"	" in Book 14	Record of Mines at Page 18.
"Mary Mine"	" in Book 14	Record of Mines at Page 48.
"Starr"	Recorded in Book 14	Record of Mines at Page 275.
"Iron"	Recorded in Book 14	Record of Mines at Page 276.
"Handy"	Recorded in Book 15	Record of Mines at Page 55.
"Fraction"	" in Book 15	Record of Mines at Page 56.
"Climax"	Recorded in Book 15	Record of Mines at Page 57.
"Fair View"	" in Book 15	Record of Mines at Page 57.
"Home"	Recorded in Book 15	Record of Mines at Page 58.
"Sampson"	Recorded in Book 15	Record of Mines at Page 59.
"Clinton"	Recorded in Book 15	Record of Mines at Page 59.
"Monarch"	Recorded in Book 15	Record of Mines at Page 60.
"Hawke Eye"	" in Book 17	Record of Mines at Page 388.
"Chicago"	Recorded in Book 17	Record of Mines at Page 389.
"Iowa"	Recorded in Book 17	Record of Mines at Page 390.
"Dorothy"	Recorded in Book 17	Record of Mines at Page 429.
"Billie"	Recorded in Book 17	Record of Mines at Page 430.
"Esther"	Recorded in Book 17	Record of Mines at Page 431.
"Edith"	Recorded in Book 18	Record of Mines at Page 165.
"Alice"	Recorded in Book 18	Record of Mines at Page 164.

And that the same are full, true and correct copies of said original
 location notices and of the whole thereof.

Witness my hand and seal of office this 17th day of August,
 A. D. 1907.

C. A. McDonald

County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 21, 1907.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of Great Western Copper Company, known as the Mary Mine, Monarch, Fair View, Fraction, Starr, Mame, Chance, Chicago, Hawke Eye, Esther, Climax, Humbot, Clinton, Sampson, Home, Iron, Highland, Handy, Iowa, Billie, Dorothy, Edith and Aliee, situate in Turquoise Mining District, Cochise County, Arizona, in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and designated as Survey No. 2458, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended ^{each of} upon said mining claims by claimant or its grantors, and that said improvements consist of 76 shafts, 28 cuts, 30 tunnels and 2060 feet of drifts and underground workings, total value \$57,628.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 21, 1907.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Great Western Copper Company, known as the Mary Hine, Monarch, Fair View, Fraction, Starr, Mame, Chance, Chicago, Hawke Eye, Esther, Climax, Humbot, Clinton, Sampson, Home, Iron, Highland, Handy, Iowa, Billie, Dorothy, Edith and Alice situate in Turquoise Mining District, Cochise County, Arizona in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., designated as Survey No. 2458 executed by John A. Rockfellow, U. S. Deputy Mineral Surveyor, August 20, September 24, 1907, under my instructions dated August 21, 1907, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona

set
↓

Large
Map