NO1 16 1902

(4-683.)

Mineral Survey No. 2471 A & B

| Lot No. | |
|--|---|
| Arizona.* | |
| FIELD NOTES | |
| OF THE SURVEY OF THE MINING CLAIM | OF |
| Central Mining and Development Company | |
| KNOWN AS THE | , 6, |
| STATE BY, BULL FROG, ORO CACHETA, TWO QUEENS, FLOWER, GOLD CHARM lodes and QUEEN MILL-SITE Saddle Mountain | |
| Pinal County, | Anizona |
| Section Township 5.8., Surveyed under instructions dated September 1 | |
| by | Streitz, U. S. Deputy Mineral Surveyor. |
| Claim located See location notices | , 1 |
| Survey commenced October 8 | , 1907. |
| Survey completed October 29 | , 1907. |

Address of claimant;

S. H. Snider, President,
Winkleman, Arizona.

SURVEY NO. 2471-A.

STAND BY LODE.

Beginning at the N. E. Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long set 16 ins. in rock and earth, in a mound of stone 3½ ft. base, 2 ft. high, scribed 1-2471-A-S.

Whence,

U. S. L. M. No.2180 bears N. 29° 26' E., 3949.40 ft. Cor. No.2 (the S. H. Cor.) Side Show No. / lode, survey No.2181 bears N. 37° 50' E. 719.42 ft.

Black Peak bears N. 31° 07' E.

Cantle Saddle Mtn. bears S. 32° 24' E.

Monument on Antelope Peak bears S. 38° 13' W.

Thence S. 7° 02' E.

41.94 N. W. Cor. Ben Hur lode, unsurveyed, J. H. Banta, lo-

A mound of stone 3 ft. base, 3 ft. high containing marker.

299.91 to East End Center of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high containing stake and marker.

At which point I set the Fast End Center.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in ground, in a mound of stone $3\frac{1}{2}$ ft. base, 2 ft. high; scribed F. E. C.-S

Whence,

U. S. L. M. No.2180 bears N. 26° 59' E.

Black Peak bears N. 30° 14' E.

Cantle Saddle Mtn. bears S. 32° 53' E.

Monument on Antelope Peak bears S. 38° 22' W.

. Location monument of this lode, (a mound of stone $3\frac{1}{2}$ ft. base, 4 ft. high, containing location notice) and No.1 Discovery Open Cut bears S. 86° 42' W. 651.4 ft.

No.2, an open cut, bears S. 86° 42' W. 571.3 ft.

No.3, shaft and platform, bears S. 86° 42' W. 612.0 ft.

No.4, shaft, bears S. 86° 42' W. 775.0 ft.

From a point on center line Stand By lode S. 86°

42' W. 768.4 ft. from E. E. C.

Mo.5, Hoist shaft, bears S. 3° 24' F. 117.20 ft.

No.6, S. E. Cor. Eng. House and platform, bears S. 1°

20' E. 79.60 ft.

No.7, N. W. Cor. Blacksmith shop, bears S. 8° 18' E. 95.80 ft.

Mo.9, Platform and shaft, bears S. 86° 42' W. 328.77 ft. from F. F. C.

W. End Center Ben Hur lode, unsurveyed.

A mound of stone 2 ft. base, 3 ft. high containing marker.

592.61 to S. R. Cor. of the location, identical with M. E. Cor. Oro Cacheta lode of this survey.

> A mound of stone 3 ft. base, 3 ft. high containing stake and markers.

At which point I set Cor. No.2, identical with Cor. No.1, Oro Cacheta lode of this survey.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in broken limestone, in a mound of stone 4 ft. base, 2 ft. high, scribed 2 - 2471 - A - S; 1 - 2471 - A - O.

Whence,

U. S. L. M. No.2180 bears N. 24° 53' E., 4439.90 ft. Black Peak bears N. 29° 26' E.

Cantle Saddle Mtn. bears S. 33° 28' E.

Monument on Antelope Peak bears S. 38° 31' W.

Thence S. 87° 26' W.

1054.26

N. W. Cor. Oro Cacheta lode of this survey and intersect east side line Two Queens lode of this survey at S. 18° 55' E., 58.77 ft. from its M. E. Cor.

1142.55

to S. W. Cor. of the location, identical with S. E. Cor. Bull Frog lode of this survey.

A mound of stone $3\frac{1}{2}$ ft. hase, $3\frac{1}{2}$ ft. high containing stake and markers.

At which point I set Cor. No.3, identical with Cor. Mo.2, Bull Frog lode of this survey.

A redwood post 4 ins. square, 4 ft. long set 16 ins. in earth and gravel, in a mound of stone 3 to ft. base, 2 ft. high, scribed 3-2471-A-S; 2-2471-A-B.

Whence,

Cantle of Saddle Mtn. bears S. 37° O5' E.

Monument on Antelope Peak bears S. 37° 43' W.

Improvement No.8, a shaft, hears M. 38° 24' E. 95.04 ft.

Thence M. 7º 02' W.

34.82 intersect north side line Two Queens lode of this survey at S. 71° 05' W. 77.66 ft. from its N. B. Cor.

67.27

Wagon road to shaft house on Stand By lode, course N. 53° 57' E.

278.29

to W. E. Center of the location, identical with E. End Center Bull Frog lode of this survey.

A mound of stone 4 ft. base, 4 ft. high containing stake and markers.

At which point I set W. End Center, identical with East End Center Bull Frog lode, of this survey.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in earth and rock in a mound of stone 4 ft. base, 2 ft. high, scribed W. E. C .- S; E. E. C .- B.

Whence,

Cantle of Saddle Mtn. bears S. 36° 34' E.

FEET. 531.94 Monument on Antelope Peak bears S. 37° 40' W. to M. W. Cor. of the location, identical with M. E. Cor. Bull Frog lode of this survey.

4.

A mound of stone 3 ft. base, 3 ft. high containing stake and markers.

At which point I set Cor. No.4, identical with Cor. No.1, Bull Frog lode of this survey.

A redwood post 4 ins. square, 4 ft. long set 12 ins. in schist, in a mound of stone 4 ft. base, 2 ft. high, scribed 4-2471-A-S; 1-2471-A-B.

Whence,

Cantle of Saddle Mountain bears S. 36° 07' E. Monument on Antelope Peak bears S. 37° 38' W.

Thence N. 84° 23' E.

1139.33 to Cor. No.1, the place of beginning.

BULL FROG LODE.

Beginning at Cor. No.1 (the N. E. Cor.), identical with Cor. No.4 Stand By lode, this survey and described above.

Whence,

U. S. L. M. No.2180 bears N. 40° 53' E.,4697.24 ft.

Thence S. 7° 02' E.

253.65 to East End Center, identical with West End Center Stand By lode, this survey, and described above.

god year may have story from from may being with cong

Whence,

Location monument of this lode bears S: 80° 28' W. 164.90 ft.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high.

/

Wo.1, Discovery, bears S. 80° 28' W. 169.0 ft.
From point on center line of lode S. 80° 28' W.
221.73 ft. from its E. E. C.

No.2, an open cut, hears N. 43° 48' E., 50.13 ft. No.3, shaft, bears N. 29° 15' W., 37.50 ft.

No.4, shaft, bears S. 89° Ol' W. 133.90 ft.

464.67 wagon road to shaft house Stand By lode, course N. 53° 57' E.

497.12 intersect W. side line Two Queens lode, this survey, at S. 71° 05' W. 77.66 ft. from its N. E. Cor.

531.94 Cor. No. 2, identical with Cor. No.3 Stand By lode, this survey, and described above.

Thence S. 81° 54' W.

120.70 wagon road to shaft house Stand By lcde, course N. 53° 58' E.

181.60 to East End Center May Flower lode, this survey; and intersect W. side line Two Queens lode, this survey, at S. 71° 05' W., 263.20 ft. from its N. E. Cor.

1094.85 to S. W. Cor. of the location.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high containing stake and marker.

At which point I set Cor. No.3.

A redwood post 4 ins. square, 4 ft. long, set 12 ins. in schist in a mound of stone 3 ft. base, 2 ft. high, scribed 3-2471-A-B.

Whence,

Cantle of Saddle Mountain bears S. 40° 33' E. Monument on Antelope Peak bears S. 37° 21' W.

Thence N. 7º 02' W.

106.00 intersect W. side line May Flower lode, this survey, at N. 87° 57' E., 285.09 ft. from its N. W. Cor.

1

6.

FEET.

250.77

to West End Center of the location.

A mound of stone 4 ft. base, 4 ft. high, containing stake and marker.

At which point I set the West End Center.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in decomposed granite, in a mound of stone $3\frac{1}{2}$ ft. base, 2 ft. high, scribed W. E. C .- B.

Whence,

Improvement No.5, a shaft, bears S. 19° 17' E. 41.0 ft. Cantle Saddle Mountain, bears S. 40° 02' E. Monument on Antelope Peak, bears S. 37° 14' W. Tortilla Mountain, bears S. 70° 04' W.

504.42 to II. W. Cor. of the location.

> A mound of stone 3 to ft. base, 3 to high containing stake and marker.

At which point I set Cor. No.4.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in ground in a mound of stone 3 ft. base, 2 ft. high, scribed 4-2471-A-B.

Whence,

Cantle of Saddle Mountain bears S. 39° 35' R. Monument on Antelope Peak bears S. 37° 04' W. Tortilla Mountain bears S. 70° 47' W.

Thence N. 80° 28' E.

1095.72 to Cor. No.1 and place of beginning.

ORO CACHETA LODE.

Beginning at Cor. No.1, the N. F. Cor., identical with Cor. No.2 Stand By lode of this survey and described above.

Whence,

U. S. L. M. No. 2180 hears N. 24° 53' E., 4439.90 ft.

Thence S. 18° 55' E.

20.00 to Eas

to East End Center of the location.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high containing stake and marker.

At which point I set the East End Center.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in a broken lime ledge in a mound of stone 4 ft. base, 2 ft. high, scribed F. E. C.-O.

Whence,

U. S. L. M. 2180 bears N. 24° 43' E.

Black Peak bears N. 29° 22' E.

Cantle Saddle Mountain bears, S. 33° 24' E.

Monument on Antelope Peak bears S. 38° 33' W.

40.00 to S. E. Cor. of the location, identical with S. W.

Cor. Ben Hur lode unsurveyed, J. H. Banta locator, and with F. P. Cor. Bon Homme lode unsurveyed, J. H. Banta locator.

A mound of stone 3 ft. base, 4 ft. high containing stake and markers.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in a broken lime ledge in a mound of stone $3\frac{1}{2}$ ft. base, 2 ft. high, scribed 2-2471-A-0.

Whence,

U. S. L. M. No.2180 bears N. 24° 32' E.

Black Peak bears N. 29° 17' E.

Cantle Saddle Mountain bears S. 33° 25' E.

Monument on Antelope Peak bears S. 38° 33' W.

Thence S. 56° 29' W.

1045.40 to Cor. No.3 on line 1-2 Mountain Side lode of this survey.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in rotten stone, in a mound of stone 4 ft. base, 2 ft.

2015

high, scribed 3-2471-A-0.

Whence,

Monument on Antelope Peak bears S. 38° 19' W.

The S. W. Cor. of the location hears S. 18° 55' E. 25.0 ft.

A mound of stone $3\frac{1}{2}$ ft. hase, $3\frac{1}{2}$ ft. high containing stake and marker.

Thence N. 18° 55' W.

58.77 to H. E. Cor. Mountain Side lode, identical with S. E. Cor. Two Queens lode, both of this survey.

300.00 to West End Center of the location.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set West End Center.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in earth and stone, in mound of stone 4 ft. base, 2 ft. high, scribed W. E. C.-O.

Whence,

Cantle on Saddle Mountain hears S. 37° 09' E.

Location monument of this lode bears W.72° 02' E., 422.0 ft.

A mound of stone $2\frac{1}{2}$ ft. base, 3 ft. high.

Mo. 1, Discovery, bears N. 72° 02' E. 428.0 ft.

358.77

to East End Center Two Queens lode of this survey.

to N. W. Cor. of the location and intersect E. end line

this survey

Two Queens lode, at S. 18° 55' E., 58.77 ft. from its

N. E. Cor. and intersect S. side line Stand By lode,

this survey, at N. 87° 26' E., 88.29 ft. from its Cor.

No.3.

A mound of stone $3\frac{1}{2}$ ft. base, 4 ft. high containing stake and markers.

At which point I set Cor. No.4.

A redwood post 4 ins. square, 4 ft. long set 12 ins.

in earth and stone, in a mound of stone $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, scribed 4-2471-A-0.

Whence,

Cantle Saddle Mtn. bears S. 36° 53' E.

Monument on Antelope Peak bears S. 37° 57' W.

Improvement No.2 shaft bears S. 54° 55' E., 63.00 ft.

Thence M. 87° 26' E.

1054.26 to Cor. Mo.1 and place of heginning.

TWO QUEENS LODE.

Beginning at N. E. Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, 4 ft. high containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long set 15 ins. in ledge of stone, in a mound of stone $3\frac{1}{2}$ ft. hase, 2 ft. high, scribed 1-2471-A-T.

Whence,

U. S. L. M. No.2180 bears N. 36° 11' E. 4980.01 ft. Cantle Saddle Mountain bears S. 36° 43' E.

Monument on Antelope Peak bears S. 37° 55' W.

Thence S. 18° 55' E.

to Cor. No.4 Oro Cacheta lode, this survey, and inter-58.77 sect S. side line Stand By lode, this survey, at N. 87° 26' E., 88.29 ft. from its Cor. No.3.

500 too but her out her the heat too too

to East End Center of the location. 300.00

> A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set the East End Center . A redwood post 4 ins. square, 4 ft. long set 12 ins.

in earth and rock to bed rock in a mound of stone 4 ft. base, 2 ft. high, scribed E. E. C .- T.

Whence,

Cantle on Saddle Mountain bears S. 37° 04' E ..

The location monument of this lode bears S. 71° 05' W. 762.73 ft.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high.

Discovery No.1 bears S. 71° 05' W. 779.0 ft.

From point on center line of lode S. 71° 05' W., 469.17 ft. from E. E. C.

Mo.2, Open cut and drift, bears S. 84° 58' E., 103.14 ft.

No.3, Shaft to connect with tunnel No.4, bears S. 80° 23' E., 63.40 ft.

No.4, Tunnel, toe of approach, bears S. 40° 15' E., 280.0 ft.

No.5, Powder House and open cut, bears S. 51° 41' W., 50.9 ft.

From point on center line of lode S. 71° 05' W., 857.9, from H. F. C.

No.6, shaft, bears N. 21° 55' W., 54.40 ft.

From point on center line of lode S. 71° 05' W., 1055.7 ft. from E. E. C.

No.7, open cut, bears N. 18° 13' W., 39.66 ft.

358.77 to W. R. C. Oro Cacheta lode of this survey and described above.

600.00 to S. E. Cor. of the location, identical with W. F. Cor. Mountain Side lode of this survey.

> A mound of stone 4 ft. base, $3\frac{1}{2}$ ft. high containing stake and markers.

At which point I set Cor. No.2, identical with Cor. No.1 Mountain Side lode, this survey, a redwood post 4 ins. square, 4 ft. long set 12 ins. in earth and rock, in a mound of stone 4 ft. base, 2 ft. high, scribed 2-2471-A-T; 1-2471-A-M.S.

Whence,

Cantle Saddle Mtn. bears, S. 37° 25' E.

Thence S. 71° 05' W.

1071.00 center wagon road to shaft house Stand By lode, course
N. 23° 25' E.

1494.89 to S. W. Cor. of the location, identical with N. W. Cor.

Mountain Side lode of this survey.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high containing stake and markers.

At which point I set Cor. No.3, identical with Cor. No.4, Mountain Side lode of this survey.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and gravel, in a mound of stone 4 ft. base, 2 ft. high, scribed 3-2471-A - T; 4-2471-A--M.S.

Whence,

Cantle Saddle Mountain bears S. 42° 55' F.

Monument on Antelope Peak bears S. 37° 42' W.

Tortilla Mountain bears S. 71° 03' W.

Thence N. 18° 55' W.

98.65 to E. E. C. Gold Charm lode, this survey.

300.00 to W. End Center of the location.

A mound of stone 4 ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set the West End Center.

A redwood post 4 ins. square, 4 ft. long set 20 ins. in granite ledge in a mound of stone $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, scribed W. E. C. -T.

Whence,

Cantle of Saddle Mountain bears S. 42° 21' E. Monument on Antelope Peak bears S. 37° 30' W.

426.45 to N. E. Cor. Gold Charm lode of this survey.

554.79

Witness Cor. to N. W. Cor. of the location and identical with S. W. Cor. May Flower lode of this survey.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high containing stake and markers.

At which point I set witness Cor. to Cor. No.4, identical with Cor. No.3, May Flower lode of this survey.

A redwood post 4 ins. square, 4 ft. long, set 8 ins. in granite, in a mound of stone 3 ft. base, $l\frac{1}{2}$ ft. high scr hed W. C. -4 - 2471 - A. T.; 3 - 2471- A. M. F. Whence,

Monument on Antelope Peak bears S. 37° 21' W.

and not set.

Gulch 8ft. Wide, Course 5.44'o'w.

Thence N. 71° 05' E.

- 9.39 intersect west end line May Flower lode of this survey at N. 7° ll' W., 46.17 ft. from its S. W. Cor.
- 1231.69 to East end center May Flower lode of this survey and intersect S. side line Bull Frog lode of this survey at S. 81° 54' W., 181.60 ft. from its Cor. No.2.
- 1322.70 wagon road to shaft house Stand By lode, course N. 55° 58' E.
- 1417.23 intersect E. end line Bull Frog lode of this survey at W. 7° 02' W. 34.82 ft. from its Cor. No.2, and west end line Stand By lode of this survey at W. 7° 02' W., 34.82 ft. from its Cor. No.3.
- 1494.89 to Cor. No.1 and place of beginning.

MOUITAIN SIDE LODE.

Beginning at Cor. No.1, identical with Cor. No.2, Two Queens lode of this survey and described above.

Whence,

U. S. L. M. No.2180 bears N. 30° 54' E., 5346.25 ft.

No other bearings available.

Thence S. 18° 55' E.

58.77 to Cor. No.3, Oro Cacheta lode of this survey and described above.

289.24 Witness cor. to East End Center of the location.

A mound of stone 3 ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Witness Cor. to E. End Center.

A redwood post 4 ins. square, 4 ft. long set 6 ins. in granite, in a mound of stone 3 ft. base, 2 ft. high, scribed W. C. - E. E. C. - M. S.

Whence,

Monument on Antelope Peak bears S. 38° 30' W.

300.00 to E. End Center of the location; falls in gulch and not set.

Gulch, 7ft. wide, Course 5.39 o'w.

600.00 to S. F. Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No. 2.

A redwood post 4 ins. square, 4 ft. long set 14 ins. in earth and stone, in a mound of stone 4 ft. base, 2 ft. high; scribed 2-2471-A--M.S.

Whence,

Cantle of Saddle Mountain bears S. 38° 12' E. Monument on Antelope Peak bears S. 38° 39' W.

Thence S. 71° O5' W.

1494.89 to S. W. Cor. of the location.

A mound of stone 3 ft. base, 3 ft. high, containing stake and marker.

At which point I set Cor. No.3.

A redwood post 4 ins. square, 4 ft. long set 12 ins. in broken stone ledge, in a mound of stone $3\frac{1}{2}$ ft. base,

2 ft. high, scribed 3-2471-A - M. S.

Whence,

Cantle of Saddle Mountain bears S. 43° 15' E.

Thence N. 18° 55' W.

300.00

To West End Center of the location; Falls on edge of cliff and not set.

Whence,

No.1, Discovery, bears N. 71° 05' E., 399.70 ft.

From point on center line of lode N. 71° 05' E., 399.7 ft. from W. E. C.

The location monument of this lode bears W. 11 ° 15' W., 16.00 ft. on side of cliff.

A mound of stone 3 ft. base, 3 ft. high.

No.2, open cut, bears N. 11° 15' W., 14.9 ft. from a point on center line of lode, N. 71° 05' E., 399.70 ft. from W. E. C.

301.06

Witness Cor. to west end center of the location.

A mound of stone 3 ft. hase, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Witness Cor. to W. E. C.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in broken granite, in a mound of stone $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.high, scribed W. C. - W. F. C. - M. S.

Whence,

Cantle of Saddle Mountain bears S. 43° 15' E.

370.85 to S. E. Cor. Gold Charm lode of this survey.

579.30 wagon road to shaft house Stand By lode, course S. 75°

of this survey and described above.

of the first bay they said next said the first

Thence M. 71° 05' E.

424.00 wagon road to shaft house Stand By lode, course II.

25° 25' H.

1494.89

to Cor. No.1, and place of heginning.

MAY FLOWER LODE.

Beginning at the IT. F. Cor. of the location.

A mound of stone 32 ft. base, 4 ft. high containing stake and marker.

At which point I set Cor. No.1.

A redwood jost 4 inc. square, 4 ft. long, set 12 ins. in achist, in a mound of store 3 ft. hase, 2 ft. high, scribed 1-2471-A--W.F.

Whence,

U. C. L. W. Ho.2180 bears M. 37° 55' E., 5191.02 ft.
Cantle of Saddle Mountain bears S. 37° 40' F.
Ho other bearings available.

Thence S. 7º 11' E.

10.00

to East End Center of the location and intersect line 2 - 3 Bull Frog lode of this survey at N. 81° 54' E., 913.25 ft. from its Cor. Mo.3, and S. 81° 54' W. 181.60 ft. from its Cor. Mo.2; also intersect line 4 - 1 Two Queens lode of this survey at S. 71° 05' W. 263.20 ft. from its Cor. Mo.1, and M. 71° 05' E., 1231.69 ft. from its cor. Mo.4.

A mound of stone $3\frac{1}{5}$ ft. hase, $3\frac{1}{5}$ ft. high, containing stake and markers.

At which point I set East End Center.

A redwood p ost 4 ins. square, 4 ft. long, set 12 ins. in broken stone, in a mound of stone, 4 ft. base, 2 ft. high, scribed E. F. C. - M. F.

Whence,

Cantle on Saddle Mountain bears S. 37° 39' E.

Discovery No.1 bears S. 78° 02' W. 227.0 ft.

The location monument of this lode bears S. 78° 02' W., 104.50 ft.

A mound of stone $3\frac{1}{2}$ ft. base, 3 ft. high.

20.00 to the S. F. Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in schist, in a mound of stone $3\frac{1}{2}$ ft. base, 2 ft. high, scribed 2 - 2471 - A - M. F.

Whence,

Cantle of Saddle Mountain bears S. 37° 39' E.

Thence S. 69° 27' W.

1229.96 to Cor. No.3, identical with W. C. to Cor. Fo.4 Two Queens lode of this survey and described above.

Thence M. 7º 11' W.

- 43.17 intersect W. side line Two Queens lode of this survey at H. 71° 05' E. 9.39 ft. from its Cor. No.4.
- 194.00 to W. End Center of the location.

A mound of stone 3 ft. hase, 3th ft. high containing stake and marker.

At which point I set West End Center.

A redwood post 4 ins. square, 4 ft. long, set 14 ins. in earth and stone, in a mound of stone 3 ft. base, 2 ft. high, scribed W. E. C. - M. F.

Whence,

Monument on Antelope Peak bears S. 37° 14' W.
Improvement No.2, open cut, hears N. 65° 12' F.
101.2 ft.

412.06 to H. W. Cor. of the location.

A mound of stone 4 ft. hase, 3 ft. high containing

stake and marker.

At which point I set Cor. No.4.

A reduced post 4 ins. square, 4 ft. long, set 8 ins. in granite in a round of stone 3 ft. base, 2 ft. high, scribed 4-2471-A - M. F.

Whence,

Cantle of Saddle Mountain bears S. 41° 10' E. Monument on Antelope Peak bears S. 37° 07' W.

Thende W. 87° 57' E.

285,09

intersect line 3 -4 Bull Frog lode, this survey, at N. 7° 02' W., 106.00 ft. from its Cor. No.3. to Cor. No.1 and place of beginning.

1201.40

GOLD CHARM LODE.

Beginning at M. F. Cor. of the location on line 3-4, Two Queens lode, this survey, at M. 18° 55' W. 426.45 ft. from its Cor. No.3.

A mound of stone 4 ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. Ho.l.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and stone, in a mound of stone 5 ft. base, $1\frac{1}{2}$ ft. high, scribed 1-2471-A - G.

Whence,

U. S. L. H. No.2180 bears N. 42° 38' E., 6345.56 ft.
Monument on Anneloge Peak bears S. 37° 25' W.

Thence S. 18° 55' E.

120.45 to W. F. C. Two Queens lode, this survey, and described above.

a pro 118 to 174 ma car to 100 to 100 to

327.30

to East End Center of the location.

A mound of stone 4 ft. hase, 4 ft. high, containing stake and marker.

At which point I set East End Center.

A redwood post 4 ins. square, 4 ft. long, set 14 ins. in earth and stone, in a mound of stone $3\frac{1}{2}$ ft. hase, 2 ft. high, scribed E. E. C.- O.

Whence,

Monument on Antelope Peth bears S. 37° 36° W.

Tortilla Mountain bears S. 70° 54' W.

The Location Monument of this lode hears S. 47° 15' W., 79.0 ft.

A mound of stone 3 ft. hase, 3 ft. high.

No.1, Discovery snaft, Tears S. 47° 16' W. 98.00 ft.

No.2, Open Cut, hears S. 47° 15' W., 591.0 ft.

426.45 to Cor. No.3 Two Queens lode, this survey, identical with Cor. No.4 Mountain Side lode, this survey, and described above.

447.15 Tagon road to shaft house Stand Pr lode, course S. 75°

655.60 to S. E. Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. hase, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 14 ins. in gravel and stone, in a mound of stone 5 ft. hase, 2 ft. high, scribed 2-2471-A. - G.

. Whence,

Cantle Saddle Mountain bears S. 43° 07' H. Monument on Antelope Peak bears S. 37° 51' W.

Thence S. 47° 16' W.

302.90 wagon road to shaft house Stand By lode, course F. 140

828.56 to S. W. Cor. of the location.

A mound of stone 32 ft. base, 4 ft. high, containing stake and marker.

At which point I set Cor. Wo.3.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and stone, in a mound of stone 4 ft. hase, 2 fv. high, scribed 3-2471-A - G.

Whence,

Monument on Antelope Peak bears S. 37° 46' W. Tortilla Mountain Tears S. 71° 39' W.

327.80

Thence M. 18° 55' W.

to W. End Center of the location.

A mound of stone 4 ft. base, 3 ft. high, containing stake and marker.

At which point I set West End Center.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in broken stone, in a mound of stone 3 ft. hase, 2 ft. high, scribed W. F. C. - G.

Whence,

Monument on Antelope Peak bears S. 27° 32' W. 655.60 to M. W. Cor. of the location.

> A mound of stone 3 ft. base, 32 ft. high, containing stake and marker.

At which point I set Cor. Wo.4.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and stone, in a mound of stone 4 ft. base, 2 ft. high, scribed 4-2471-A - G.

Whence,

Cantle on Saddle Mountain bears 8. 45° 10' E.

Thence II. 47° 16' E.

828.56 to Cor. Ho.1, and place of beginning.

AREA.

| Total area Stand By lode, | 14.703 | acres. |
|---|------------------|----------|
| Less area in conflict with | | |
| Two Queens lode of this survey, | .880 | 11 / |
| Met area Stand By Lode, | 14.615 | 11 / |
| Total area Bull Frog lode, | 13.022 | acres./ |
| Area in conflict with May Flower lode of this survey, | 1.216 | |
| Total area Bull Frog lode, | 13.022 | 11 |
| Less area in conflict with Two Ouecos lode of this survey, | .073 | tt . / |
| Net area Bull Frog lode, | 12.949 | 11 / |
| Total area May Flower lode, | 5.934 | acres. |
| Less area in conflict with Bull Frog lode of this survey, 1.2 | 16 acres. | |
| Two Queens lode of this survey, 0.7 | 71_" | n V |
| Not area May Flower lode, | 3.947 | n V |
| Total area Two Queens lode, | 20.591 | acres. V |
| Area in conflict with | | |
| Stand By lode of this survey .00 | 68 acres. | / |
| Bull From lode of this survey, .O' | 73 11 | |
| May Flower lode of this survey,79 | .932 s | acres. |
| Total area Two Queens lode, | 20,591 8 | acres.√ |
| Net area Stand By lode, | 14.61 5 a | cres. V |
| Met area Bull Frog lode, | 12.949 | 11 |
| Not area May Flower lode, | 3.947 | n , |
| Total and net area Two Queens lode, | 20.591 | n v |
| Total and net area Mountain Side lode, | 20.591 | n 🗸 |
| Total and not area Oro Cacheta lode, | 7.433 | n V |
| Total and net area Gold Charm lode, | 11.408 | 11 / |
| Net area lode claim, | 91.534 a | cres. |

SURVEY NO.2471 B.

QUEEN MILL SITE.

Beginning at the Worth Corner of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and stone, in a mound of stone $3\frac{1}{2}$ ft. base, 2 ft. high, scribed 1-2471 - B - Q. M. S.

Whence,

U. S. L. M. No.2180 bears N. 38° 58' E., 9084.26 ft.
Cor. No.3, Two Queens lode, this survey, bears N.
37° 58' E., 2525.37 ft.

No other bearings available.

Thence S. 45° 41' E.

281.86 wagon road to shaft house Stand By lode, course N. 9° 38' W.

466.60 to East Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 16 ins. in earth and stone, in a mound of stone 4 ft. base, 2 ft. high, scribed 2-2471-B.- Q. M. S.

No bearings available.

Thence S. 44° 19' W.

274.00 cent. Ash creek, 20 ft. wide, course S. 68° 50' W. 466.60 to South Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. hase, 4 ft. high, containing stake and marker.

At which point I set Cor. No.3.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and gravel, in a mound of stone 4 ft. hase, 2 ft. high, scribed 3-2471-B. - Q. M. S.

Whence,

A cross (X) and B. R. 3-2471-B.- Q. M. S. chiseled on a diorite boulder 14 ft. high, 6 ft. wide faces N. W., bears S. 49° 50' E., 21.75 ft.

A cross (X) and B. R. 3-2471-B.- Q. M. S. chiseled on a diorite ledge, 5 ft. high, 6 ft. wide faces east; bears S. 85° Ol' W., 29.19 ft.

No.1, S. E. Cor. Supt. Office, bears N. 25° 25' W., 266.50 ft.

No.2, S. F. Cor. Commissary, bears N. 27° 23' W., 289.40 ft.

No.3, S. F. Cor. Dining Room & Kitchen attached, bears N. 30° 43' W., 327.60 ft.

No.4, S. E. Cor. Bunk House hears N. 22° 22' W., 453.50 ft.

Thence M. 45° 41' W.

126.00

338.26

466.60

center Ash creek, 12 ft. wide, course S. 85° 30' W. center Ash creek, 16 ft. wide, course W. 14° 30' E. to west Cor. of the location.

A mound of stone $3\frac{1}{2}$ ft. base, $3\frac{1}{2}$ ft. high, containing stake and marker.

At which point I set Cor. No.4.

A redwood post 4 ins. square, 4 ft. long, set 15 ins. in earth and stone in a mound of stone $3\frac{1}{2}$ ft. hase, 2 ft. high, scribed 4-2471-B.- Q. M. S.

No bearings available.

Thence N. 44° 19' E.

111.0 center of Ash creek, 12 ft. wide, course N. 52° 10' W.
141.50 wagon road to camp, on curve.

466.60

to Cor. No.1 and place of beginning.

Containing 4.998 acres.

Mean variation at all corners 13° 28' E.

The surveys of the Stand By, Bull Frog, Two Queens, Mountain Side, May Flower, Gold Charm lodes and Queen Mill Site are identical with the respective locations as defined by the monuments of each.

LOCATION.

This claim is located upon lands of the United States, in Arizona Land District, Saddle Mountain Mining District, Pinal County, Arizona Territory, in Tp. 5 S., R. 16 E.

I made diligent search for U. S. land corners and found none.

Testimony of persons who claimed to be present on the original survey of Tp. 5 S., R. 16 E., is that no interior corners were set in the north part of this township.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors is not less than five hundred dollars for each location and that said improvements consist of:

No.1. The discovery, open cut of the Stand By lode, which bears S. 86° 42' W., 651.4 ft. from E. F. C., av. 4 x 5 ft., 20 ft. long,

Value,

\$170.00

No.2. Open cut of Stand By lode which bears S. 86° 42" W., 571.3 ft. from E. E. C., av. 4 x 5 ft., 15 ft. long,

Value,

\$130.00

No.3. Platform and shaft of Stand By lode which bear S. 86° 42' W., 612.0 ft. from E. E. C.

Platform 8x15 av.3 ft. high \$120.00

Shaft, 5x7 - 9 ft. deep, value, \$130.00

Total value No.3 Platform and shaft, \$250.00

No.4. Shaft of Stand By lode which bears S. 86° 42' W., 775.0 ft. from E. E. C.

Shaft 4x6 - 49 ft. deep,

first 10 ft. timbered, va/ue \$150.00

39 ft.

468.00

Total value Wo.4 shaft,

\$618.00

No.5. Hoist shaft of Stand By lode bears S. 3º 24' E., 117.20 ft. from a point on center line of Stand By lode S. 86° 42' W., 768.4 ft., from E. E. C.

..

Shaft, double compartment, timbered 6x8, 155.0 ft. to station,

Value, \$3875.00

Station 10 x 7 ft., 10 ft. high,

Sump at bottom of shaft

6x8 ft. 12.5 ft. deep,

\$ 320.00

From station

A drift to east

5x7 ft., 73 ft. long, Value, \$1095.00

drift to east continued

4x6 ft., 52 ft. long, Value, \$ 624.00

Total value No.5 Hoist shaft,

\$6194.00

No.6. S. E. Cor. Engine House of Stand By lode bears S. 1° 20' E., 79.60 ft., from point on center line of Stand By lode S. 86° 42' W., 768.4 ft. from its E. E. C.

Engine House, size 16 x 20, frame, corrugated iron roof, long side north and south.

No value given.

Platform for Engine House, excavated from rock; 27.5 ft. x 25.5 ft. av. 6 ft. high.

Value,

\$ 180.00

No.7. N. W. Cor. Blacksmith shop bears S. 18° 18' E., 95.8 ft. from point on center line of Stand By lode, S. 86° 42' W., 768.4 ft., from its F. E. C.

Blacksmith shop 15 x 15, corrugated iron,
No value given.

No.8. Shaft of Stand By lode, which hears N. 38° 24' E., 95.04 ft. from Cor. No.3.

Shaft 4 x6 ft., 10 ft.deep. Value,

\$ 100.00

No.9. Shaft and platform of Stand By lode, which bear S. 86° 42' W., 328.77 ft., from its E. E. C. Platform 9x12.5 ft., av. 3 ft. high,

Value,

\$ 140.00

Shaft 5.5 \times 7 ft., 43.5 ft. deep,

Value,

\$ 620.00

No. 9. Total value,

\$ 760.00

Credit from No. 3 shaft and No.4 Tunnel, both of
Two Queens lode, Value, \$1903.00

No.1. Discovery of Bull Frog lode bears S. 80° 28' W., 169.0 ft. from its E. E. C.

No work done.

No.2. Open cut of Bull Frog lode bears N. 43° 48' E. 50.13 ft. from a point on center line of lode S. 80° 28' W., 221.73 ft. from its E. E. C.

Open cut, av. 3.5 x 5 ft., 13 ft. long,

Value,

90.00

No.3. Shaft of Bull Frog lode bears N. 29° 15' W., 37.50 ft. from point on center line of lode S. 80° 28' W., 221.73 ft. from its E. E. C.

Shaft 5 x 7 ft., 9 ft. deep.

Value,

\$ 140.00

No.4. Shaft of Bull Frog lode bears S. 89° Ol' W., 133.90 ft. from point on center line of lode S. 80° 28' W., 221.73 ft. from its E. E. C.

Shaft, 4 x 6 ft., 35 ft. deep,

Value,

\$ 420.00

No.5. Shaft of Bull Frog lode which bears S. 19° 17' E., 41.0 ft. from its W. E. C.

Shaft, 4 x 6.5 ft., 10 ft. deep.

Value,

\$ 120.00

Credit from No.3 shaft and No.4 tunnel, both of Two Queens lode,

Value,

\$1903.00

No. 1. Discovery of Oro Cacheta lode which bears
N. 72° 02' E. 428.0 ft. from W. E. C.

No value given.

No.2. Shaft (of Oro Cacheta lode) which bears S. 54° 55' E., 63.0 ft. from its Cor. No.4.

Shaft, 4 x 6 ft., 10 ft. deep,

Value,

\$ 100.00

Credit from No.3 shaft and No.4 Tunnel, both of Two Queens lode,

Value,

\$1903.00

No.1. Discovery of Two Queens lode which hears S. 71° 05' W., 779.0 ft. from E.E.C.

No value given.

No.2. Open cut and drift of Two Queens lode which bears S. 84° 58' E., 103.14 ft., from a point on center line of Two Queens lode, S. 71° 05' W., 469.17 ft. from its E. E. C.

Open cut av. 5 x 6 ft., 19 ft. long,

\$ 250.00

Drift to west at end of open cut

3 x 6 ft. 9 ft. long, Value,

\$ 70.00

Total value open cut and drift,

\$ 320.00

No.3. Shaft of Two Queens lode to connects with Tunnel No.4 of Two Queens lode, bears S. 80° 23' E., 63.4 ft. from point on center line of lode, S. 71° 05' W., 469.17 ft. from its E. E. C.

Shaft 4 x 6 ft. 132.7 ft.;

first 60 ft. timbered, Value, \$1200.00

last 72.7 ft. Value

Value, 1095.00

Total value shaft,

\$2295.00

No.4. Tunnel of Two Queens lode, the toe of approach, bears S. 40° 15' E., 280.0 ft. from point on center line of lode S. 71° 05' W., 469.17 ft. from its E. F. C.

Approach to tunnel.

Open cut av. 6 x 6.5 ft., 33.5 ft. long,

Value,

\$ 600.00

Tunnel from portal to station, Course N. 30°/4'W.
7x7 ft.,209.0 ft.long, Value, \$4180.00

Tunnel from station to breast, Course N. 30'14'W.

7x7 ft., 174.5 ft. long. Value,

\$3500.00

Station 9x22 ft. 10 ft. high,

Value,

\$ 830.00

From station a winze.

Winze 5x6 ft., 103.0 ft. deep.

Timbered with square sets. Value

\$1545.00

From station

drift to east, 4x6 ft. 21 ft. long.

Value,

\$ 210.00

From end of east drift

a drift to north 4x6 ft., 16 ft. long,

Value,

\$ 160.00

Total value tunnel,

\$11025.00

It is the intention of the Central Mining and Devel-

opment Company to develop all the lodes comprising this claim from a common working. Shaft No.3 of Two Queens lode, value \$2295.00 connects with the system of workings in No.4 Tunnel of Two Queens, value \$11025.00, and the two are considered jointly. Total value No.3 and No.4 is \$13320.00, and is divided equally among all the lodes in this claim. I therefore credit the Stand By, Oro Cacheta, Bull Frog, May Flower, Mountain Side and Gold Charm lodes, each \$1903.00 and I credit the Two Queens lode \$1902.00.

No.5. Powder House and open cut (of Two Queens lode,) which hears S. 51° 41' W., 50.9 ft. from a point on center line of Two Queens lode S. 71° 05' W., 469.17 ft. from its E. E. C.

Powder House, in rock

6x6 ft., 6 ft. long, Value,

\$ 100.00

Open cut

av.4 x 6 ft., 32 ft. long, Value, \$ 300.00

Total value No.5,

\$ 400.00

No.6. Shaft of Two Queens lode, hears N. 21° 55' W., 54.4 ft. from a point on center line of Two Queens lode S. 71° 05' W., 857.9 ft. from its E. E. C.

Shaft, 4.5 x 6.5 ft., 8 ft. deep,

Value,

\$ 100.00

No.7. Open cut(of Two Queens lode) which bears N.189 13' W., 39.66 ft. from a point on center line of Two Queens lode S. 71° 05' W., 1055.7 ft., from its E. E. C. Open cut, av. 4.5x4.5 ft., 11.5 ft. long,

> \$ 100.00 Value,

No.1. Discovery (of Mountain Side lode bears N. 71° 05' E., 399.70 ft. from its W. E. C.

No value given.

No.2. Open cut of Mountain Side lode bears N. 11° 15' W., 14.9 ft. from a point on center line of lode M. 71° 05' E., 399.7 ft. from W. E. C.

Open cut av.5x5 ft.,14.5 ft long, Value, \$ 325.00

760.00

\$10305.00

Credit from No.3 shaft and No.4 Tunnel, both of Two Queens lode, Value, \$1903.00 No.1. Discovery (of May Flower lode) bears S. 78° 02' W., 227.0 ft. from its E. E. C. No work done. No.2. Open cut(of May Flower lode) bears' N. 65° 12' E., 101.2 ft. from its W. E. C. Open cut, av. 9x4 ft., 14 ft. long, Value, \$ 200.00 Credit from No.3 shaft and No.4 Tunnel, both of \$1903.00 Two Queens lode, Value, No.1. Discovery shaft (of Gold Charm lode) bears S. 47° 16' W., 98.0 ft. from its E. E. C. Shaft 5 x 6 ft., 10 ft. deep. Value, \$ 125.00 Mo.2. Open cut (of Gold Charm lode) bears S. 47° 16' W., 591.0 ft. from its E. E. C. Open cut av. 4.5 x 5 ft., 10 ft. long, Value, \$ 100.00 Credit from No.3 shaft and No.4 Tunnel, both of Two Queens lode, Value, \$1903.00. Total credited Stand By lode: \$ 170.00 No.1. Discovery open cut, 130.00 No.2. Open cut, No.3. Platform and shaft. 250.00 No.4. Shaft, 618.00 No.5. Hoist shaft, 6194.00 180.00 No.6. Platform for Eng. House, 100.00 No.8. Shaft,

Credit from Two Queen's lode Mos. 3 & 4. 1903.00

No.9. Shaft and platform,

Total credited Stand By lode,

| Total credited Bull Frog lode: | |
|--|--------------------------|
| No.2. Open cut, | \$ 90.00 |
| No.3. Shaft, | 140.00 |
| No.4. Shaft main, | 420.00 |
| No.5. Shaft, | 120.00 |
| Credit from Two Queens lode Nos. 3 & 4, | 1903.00 |
| Total credited Bull Frog lode, | \$ <mark>2673.</mark> 00 |
| | |
| Total credited Oro Cacheta lode: | |
| No.2. Shaft, | \$ 100.00 |
| Credit from Two Queens lode Nos. 3 & 4, | 1903.00 |
| Total credited Oro Cacheta lode, | \$2003.00 |
| | |
| Total credited Two Queens lode: | |
| No.2. Open cut, | \$ 320.00 |
| No.3. Shaft) | |
| No.4. Tunnel) net credit, | 1902.00 |
| No.5. Powder house and open cut, | 400.00 |
| No.6. Shaft, | 100.00 |
| No.7. Open cut, | 100.00 |
| Total credited Two Queens lode, | \$2822.00 |
| | |
| Total credited Mountain Side lode: | |
| Mo.2. Open cut, | \$ 325.00 |
| Credit from Two Queens lode, Nos. 3 & 4, | 1903.00 |
| Total credited Mountain Side lode, | \$2228.00 |
| | |
| | |
| Total credited May Flower lode: | # 500 00 |
| No.2. Open cut, | \$ 200.00 |
| Credit from Two Queens lode, Nos. 3 & 4, | 1903.00 \$2103.00 |
| Total credited May Flower lode, | deTOO.OO |

Total credited Gold Charm lode:

No.1. Discovery shaft,

\$ 125.00

No.2. Open cut,

100.00

Credit from Two Queens lode, Nos.3 & 4,

1903.00

Total credited Gold Charm lode,

\$2128.00

OTHER IMPROVEMENTS.

No.1. Superintendents office, the S. E. Cor. of which bears N. 25° 25' W., 266.50 ft. from Cor. No.3 of the Queen Mill site.

A tent house 12 x 15 feet.

No.2. Commissary, the S. F. Cor. of which bears N. 27° 23' W., 289.40 ft. from Cor. No.3 of Queen Mill site.

A tent 16 x 20 ft., with corrugated iron fly roof.

No.3. Dining Room, with kitchen attached, of Queen Mill site. The S. F. Cor. of Dining Room bears H. 30° 43' W. 327.60 ft. from Cor. No.3 of Queen Mill site.

Dining Room, tent house 16x24 ft. with corrugated iron fly roof, kitchen 14x20 ft. with iron roof.

No.4. Bunk House of Queen Mill site, the S. F. Cor. of which bears N. 22° 22' W., 453.50 ft. from Cor. No.3, Queen Mill site.

Tent 16x24 ft., with corrugated iron fly roof.

The course of Stand By lode is S. 86° 42' W., 1140.40 ft. from its East End Center.

The presumed course of Bull Frog lode is S. 80° 28' W., 1095.72 ft. from its East End Center.

The presumed course of Oro Cacheta lode is N.72° 02' E., 1011.80 ft. from its West End Center.

The presumed course of Two Queens lode is S. 71° 05' W., 1494.89 ft. from its East End Center.

The presumed course of Mountain Side lode is S. 71° O5' W., 1494.89 ft. from its East End Center.

The presumed course of May Flower lode is S. 78° 02' W., 1200.80 ft. from its East End Center.

The presumed course of Gold Charm lode is S. 47° 16' W., 828.56 ft., from its East End Center.

Adjoining Claimants.

To the east of Stand By and Oro Cacheta lodes, Ben unsurveyed,
Hur lode, J. H. Banta claimant.

At S. F. Cor. Oro Cacheta lode, the Bon Homme lode, corners, J. H. Banta claimant.

All other boundaries are vacant lands of the United States.

Instrument.

This survey was made with a Gurley Light mountain transit. The courses were deflected from the true meridian as determined by an observation on Polaris at Eastern Elongation, Oct. 9, 1907. The distances were measured by 500 ft. and 100 ft. steel tapes.

Note. The differences between these field notes and the location certificates of the Stand By, Bull Frog, Oro Cacheta, Two Queens, Mountain Side, May Flower, Gold Charm lodes and Queen Mill site are due to errors in the latter.

Note. The difference between these notes in tie to Cor. No.2, Side Show No.1 lode, Survey No.2181 and the survey thereof are due to errors in the latter.

may have may may may may may have done may may may may bed be may any and may may may they find the mad done and cod and

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

| United States Deputy Mineral Surveyor, to | o assist in running, measuring, and mark | ring the lines, corners, and |
|--|--|--|
| boundaries described in the foregoing field r | notes of the survey of the mining claim of. | Central Mining |
| and Development Company | | |
| known as the TWO QUEENS, GOLD CH MAY FLOWER, ORO CACHETA lode and showing the respective capacities in wh | es and QUEEN MILL-SITE | G, STAND BY, |
| | L. E. Fyans | Chairman |
| | J. L. Jones | |
| | A. S. Bradley | |
| | | |
| | Δ. | Flagman. |
| | | |
| FINAL OA | THS OF ASSISTANT | rs. |
| We, L. F. Evans, J. L. Jo | nes, A. S. Pradley | · |
| and | | |
| | | |
| | | |
| , United Sta | | |
| the boundaries of the mining claim of | | |
| the boundaries of the mining claim of Ce | | nt Company |
| the boundaries of the mining claim of Ce | entral Mining and Developme | nt Company |
| known as the TWO QUEETIS, GOLD CH | entral Mining and Developme HARM, MOUNTAIN SIDE, BULL FRO es and QUEEN MILL-SITE | nt Company G,STAND BY, |
| known as the TWO QUELTIS, GOLD CH MAY FLOVER, ORO CACHETA lode represented in the foregoing field notes as he | entral Mining and Developme HARM, MOUNTAIN SIDE, BULL FRO es and QUEEN MILL-SITH aving been surveyed by said deputy miner | nt Company G,STAID BY, al surveyor and under hi |
| known as the TWO QUELTIS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hi direction; and that said survey has been in | ARM, MOUIT AIN SIDE, BULL FRO as and QUEEN MILL-SITE aving been surveyed by said deputy miner all respects, to the best of our knowledge | nt Company G, STAID BY, al surveyor and under hi |
| known as the TWO QUELTIS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hi direction; and that said survey has been in correctly executed, and the corner and boun | entral Mining and Developmental Mining and Developmental Mining and Developmental Mining and Developmental Mining State of State | nt Company G, STAID BY, al surveyor and under his e and belief, faithfully and bo law and the instructions |
| known as the TWO QUEETS, GOLD CHE MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hidirection; and that said survey has been in | entral Mining and Developmental Mining and QUEEN MILL-SITH aving been surveyed by said deputy mineral respects, to the best of our knowledged and any monuments established according to the correct for Arizona. | nt Company G, STAID BY, al surveyor and under his e and belief, faithfully and belief and the instructions |
| known as the TWO QUELTIS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hi direction; and that said survey has been in correctly executed, and the corner and boun | ARM, MOURT AIN SIDE, BULL FROme and QUEEN MILL-SITE aving been surveyed by said deputy miner all respects, to the best of our knowledge adary monuments established according to the said for Arizona. L.E. Evalus | nt Company G, STAND BY, al surveyor and under his e and belief, faithfully and |
| known as the .TWO QUELTIS, GOLD .CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hidirection; and that said survey has been in correctly executed, and the corner and bound | ARM, MOURT AIN SIDE, BULL FROme and QUEEN MILL-SITE aving been surveyed by said deputy miner all respects, to the best of our knowledge adary monuments established according to the said for Arizona. L.E. Evalus | nt Company G, STAID BY, al surveyor and under hi e and belief, faithfully and belief, faithfully and belief, faithfully and column and the instructions Chainman. |
| known as the TWO QUELTIS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hi direction; and that said survey has been in correctly executed, and the corner and boun | ARM, MOURT AIN SIDE, BULL FROme and QUEEN MILL-SITE aving been surveyed by said deputy miner all respects, to the best of our knowledge adary monuments established according to the said for Arizona. L.E. Evalus | nt Company G, STAID BY, al surveyor and under hi e and belief, faithfully and |
| known as the TWO QUELTIS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hi direction; and that said survey has been in correctly executed, and the corner and boun | ARM, MOURT AIN SIDE, BULL FROme and QUEEN MILL-SITE aving been surveyed by said deputy miner all respects, to the best of our knowledge adary monuments established according to the said for Arizona. L.E. Evalus | nt Company G, STAID BY, al surveyor and under hi e and belief, faithfully and b law and the instructions |
| known as the TWO QUELITS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hidirection; and that said survey has been in correctly executed, and the corner and bound furnished by the United States Surveyor-Ge | ARM, MOURT AIN SIDE, BULL FROmes and QUEEN MILL-SITE aving been surveyed by said deputy mineral respects, to the best of our knowledge and ary monuments established according to the same of the same | al surveyor and under his and belief, faithfully and balaw and the instructions Chainman. Chainman. Axman. Flagman. |
| known as the TWO QUELITS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hidirection; and that said survey has been in correctly executed, and the corner and bound furnished by the United States Surveyor-Ge | ARM, MOURT AIN SIDE, BULL FROmes and QUEEN MILL-SITE aving been surveyed by said deputy mineral respects, to the best of our knowledge and ary monuments established according to the same of the same | al surveyor and under his and belief, faithfully and balaw and the instructions Chainman. Chainman. Axman. Flagman. |
| known as the TWO QUEETIS, GOLD CHE MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as his direction; and that said survey has been in correctly executed, and the corner and bound furnished by the United States Surveyor-German Corner and Corne | ARM, MOURT AIN SIDE, BULL FROmes and QUEEN MILL-SITE aving been surveyed by said deputy mineral respects, to the best of our knowledge and ary monuments established according to the same of the same | al surveyor and under his and belief, faithfully and balaw and the instructions Chainman. Chainman. Axman. Flagman. |
| known as the TWO QUELITS, GOLD CH MAY FLOWER, ORO CACHETA lode represented in the foregoing field notes as hidirection; and that said survey has been in correctly executed, and the corner and bound furnished by the United States Surveyor-Ge | ARM, MOUITAIN SIDE, BULL FROme and QUEEN MILL-SITH aving been surveyed by said deputy mineral respects, to the best of our knowledge and ary monuments established according to the said for Arizona. L.E. Evaus J. Jones L. E. Evaus J. Jones L. E. Evaus | al surveyor and under his e and belief, faithfully and belief aithfully and belief, faithfully and column and the instructions are considered. Chainman. Chainman. Axman. Flagman. |

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

| I,, U. S. Deputy Min | ıeral |
|---|--------------|
| Surveyor, do solemnly swear that, in pursuance of instructions received from the Un | nited |
| States Surveyor General for | ated |
| September 17, 1907, I have, in strict conformity to the laws of | the |
| United States, the official regulations and instructions thereunder, and the instruct | ions |
| of said Surveyor General, faithfully and correctly executed the survey of the Mi | $_{ m ning}$ |
| Claim of Central Mining and Development Company | |
| , known as | the |
| TWO OUEFHS, GOLD CHARM, MOUITAIN SIDE, BUTL FROG, STAID BY, MAY FLOWER, ORO CACHETA lodes and OUEFN MILL-SITE situate in Saddle Mountain Mining Dis | , trict, |
| Pinal County, Arizona , in Sec | |
| , Township No. 5 S. , Range No. 16 F. | , |
| and designated as Survey No. 2471 A & B , as represe | nted |
| in the foregoing field notes, which accurately show the boundaries of said mining of | laim |
| as distinctly marked by monuments on the ground, and described in the attached | copy |
| of the location certificate, which was received by me from the Surveyor General | with |
| said instructions, and that all the corners of said survey have been established and | per- |
| petuated in strict accordance with the law, official regulations and instructions the | iere- |
| under; and I do further solemnly swear that the foregoing are the true and original | ginal |
| field notes of said survey and my report therein, and that the labor expended | |
| improvements made upon said mining claim by claimant or its gran | |
| are as therein fully stated, and that the character, extent, location and itemized v | |
| thereof are specified therein with particularity and full detail, and that no portio | n of |
| said labor or improvements so credited to this claim has been included in the estimate | nate |
| of expenditures upon any other claim. | |
| | |
| U. S. Deputy Mineral Sur | veyor. |
| | |
| Subscribed and sworn to by the said | |
| U.S. Deputy Mineral Surveyor, before meΩ. E. Schupp, a | |
| notary public this 14th | |
| day of November ,1907 . | |
| C.C. Schupp | |
| Notary Public. | |

My commission expires April 26, 1910.

Affidavit of Five Hundred Dollars Improvements.

| m. Iw Lat | tin, and | Mille | an 1 | Puple |
|---|--|-------------------------|-----------------|--------------------------------|
| | , | | | |
| of lawful age, being first duly | | | | |
| TWO QUEE $acquainted\ with\ the$ STAID B | MS,GOLD CHARM,MOU Y,MAY FLOWER, ORO | NTAIN SIDE CACHETA 1 | e,BULL FROC | $_{ning\ claim,}^{rac{1}{2}}$ |
| situate inSaddle Mounta | in Mining | district, | Pinal | County, |
| Arizona Territory, for which | Central Mining | and Develo | opment. Comp | nany |
| has.made application for su | rvey prior to applica | tion for pate | ent under th | e provisions |
| of the act of Congress, approv | ed May 10, 1872; ar | nd that the l | abor done a | nd improve- |
| ments made thereon by the ap | $pplicant__and__$ its | grantor | s exceed Fi | ve Hundred |
| for each lode $Dollars\ in\ value_{igwedge} and\ further$ | r that we are not per | sonally inte | rested in sa | id mine. |
| | | 7.M-C | latte | |
| | Wi | lliam | . Tu | iple |
| TERRITORY OF ARIZO | $\left\{ SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS$ | | | |
| | Sworn to and subs | cribed before | e me , $this$ | 901 |
| > 2000 00 00 00 00 00 00 00 00 00 00 00 0 | day of M | | ies, 190 7 | |
| 14396b400-8-04 | sees & | | 191 | eole |
| Hire Coper h | 211 () | Mo | roe ! | whole |

LOCATION HOUSE.

Hotice of Location of the SEAND BY Nining Claim.

Notice of Location.

Notice is horeby given that the STAND BY Mining claim was located by S. D. Gardom, on this First day of January, 1906 foe mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral-bearing rock in place, and 300 feet in width on each side of the center of said wein or deposit, from end to end of said claim. The general course of this claim is S. westerly & N. easterly and it is situated in the Sadele Fountain Mining District, Pirol County, Arisona, about Three miles M. vesterly from Saddle Peak and 1/2 mile North of Ash Creek and is an ahandoned claim, abandoned 1905 by Gila Monster Hing. Co. This claim runs from the discovery monument or stalle, on which this notice is posted, 750 feet in a M. essterly direction to the H. East center end monument, or stake, and 750 feet in a S. vesterly direction from the aforesaid location monument, or stake to the S. west center end monument, or stake, and is also marked by two corner monuments, or stakes, at each end of said claim, one on each side of and 300 feet from the center end monuments, or stakes, making the claim in the form of a parallelogram.

S. D. Cardon.

Locator.

This claim is a re-location of an abandoned mining claim known as the --- a part of The Gold Nugget Lode.

Filedand recorded at the request of S. D. Gardon on March

7th. 1906 at 4 P. M.

E. B. Devine Recorder

Territory of Fricona N. Bartleson Deputy.

I, G. F. Vatson, County Eccorder in and for the Gunty of Pinal, Territory of Arisona, do hereby certify that the above, is a full, true and correct copy of the original as the same appears of record in the office of the Recorder, Pinal County, Arisona Territory, in Lecords of Mines Book- 23 at pages 493, 494

Witness my hand and self of office this 25th day of June-A. D. 1907

By n. n. Hells Deputy

HOTELCE OF LOCATION. Notice is hereby given that the Bull Frog Mining claim was located by S. D. Gardom on this First day of January 1906 for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral bearing rock in place and 300 feet in width or each side of the center of said . vein or deposit, from end to end of said claim. The general course of this claim is N. Fasterly & S. Westerly and it is situated in the Saddle Mountain Mining District , Pinal County, Arisona, About 5 miles N. westerly from Saddle Peak & adjoins the Stand By lode on the South west , and is a nart of an abandoned claim known as the Uma Tode. This claim runs from the dimervery morument or wtake, on which this rotion is porter LMC feet in a S. resierly firefien to the E. West center end monument or stake and 500 feet in a H. casterly direction from the aforesaid location novement or stake to the H. East center end monument or state, and is also marked by two corner monuments or stales at each end of said claim one on each side of and 300 feet from the center end monumerts, or stakes, m making the claim in the form of a parallelogram.

S. D. Gardon

Locator.

This claim is a re-location of an abandoned mining claim known as the a part of the Uma Lode.

Filed and recorded at the request of S. D. Gardom on March 7th, 1900 at 4 P. M.

E. B. Devine Recorder

By N. N. Bortloson Deputy.

Territory of Arizona County of Pinal SS

I G. F. Vatson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the above is a full, true, and correct copy of the original as the same appears of record in the office of the Recorder, Pinal County Arizona Territory, in Records of Mines, Book- 23 at pages 495, 496 thereof.

Witness my hand and seal of office this 25th day of June A. D. 1907.

Recorder J. J. Wasna

By Deputy n. n. Helb.

AMENDED

Motice of Mining Location

LODE CLAIM

| To All Wibom It May C | oncern: | - |
|--|--|---|
| This Mining Claim, the n | name of which is the ORO CACHETA. | |
| | s belonging to the United States of America, an | |
| | was entered upon and located for the purposes of | |
| | Mining and Development Co. alli n | |
| | | |
| CLocator must insert either "a citizen of the | United States- e United States," or, "who has declared his intention to become a citizen | of the United States.") |
| _ | st day of March- 190 7 | |
| | is <u>lool.7</u> | feet |
| and We alaim 550 | 0 | fact |
| in and Craim | direction and 6 | 57 77 |
| | | |
| | in a N. 720, 131 H. | |
| the center of the discovery sha 300 ft. in width at v with | aft, at which this notice is posted, lengthwise of the est end and 20ft, in width at east end end end feet in width of the surface | he claim, together end • grounds, on each |
| | n. The general course of the lode deposit and pr | |
| ້ ກ່ານວັນ | to the EAST | |
| The claim is situated and | d located in the Saddle Mountain- A | Iining District, in |
| | | |
| | direction from | |
| | on the North by the Stand bylode; | |
| *************************************** | | · · · · · · · · · · · · · · · · · · · |
| Two queens rode: In | its Amended Louise in made for th | ie haringes c |
| The surface boundaries of | is Amended Hotice is made for the boundaries and location. f the claim are marked upon the ground as follow | vs: Beginning at |
| The surface boundaries of a mound of st | f the claim are marked upon the ground as follow cone . | vs: Beginning at |
| The surface boundaries of a mound of st | f the claim are marked upon the ground as follov | vs: Beginning at |
| The surface boundaries of a mound of store of a mound of store of at a point in a == S. 720 the discovery shaft (at which end line of said claim; thence | f the claim are marked upon the ground as follow one. 13' W. direction350 this notice is posted,) being in the center of the ways. - N.18° w-312.5 feet to a Moun | seginning at feet from West- d of Stone |
| The surface boundaries of a mound of storm of storm of storm at a point in a S. 72° the discovery shaft (at which end line of said claim; thence | this notice is posted,) being in the center of the being theN. 18. W. corner of second as follows: | feet from Test- d of Stone aid claim: thence |
| The surface boundaries of a mound of stock of at a point in a S. 72° the discovery shaft (at which end line of said claim; thence the said claim; thence the said claim; thence the said claim; the said cl | the claim are marked upon the ground as follows one. direction350 this notice is posted, being in the center of the w-312.5 feet to a Noun being theN. W. corner of seet to a Nound of Stone | feet from ——West— d of Stone aid claim; thence |
| The surface boundaries of a mound of stock a mound of stock at a point in a S. 72° the discovery shaft (at which end line of said claim; thence are selected by the said claim; then the said claim; then the said claim; the said | this notice is posted,) being in the center of the being theN. 18. W. corner of second as follows: | feet from ——West— d of Stone aid claim; thence |
| The surface boundaries of a mound of stop a mound of stop at a point in a S. 72° the discovery shaft (at which end line of said claim; thence where the said claim; the sai | the claim are marked upon the ground as follows one. """ """ """ """ """ """ """ | feet from feet from of Stone aid claim; thence being at the feet feet and of said claim; |
| The surface boundaries of a mound of store a mound of store at a point in a S. 72° the discovery shaft (at which end line of said claim; thence as a mound of Stone to a Mound of Stone thence S. 18° F. 20 | the claim are marked upon the ground as followed one. """ """ """ """ """ """ """ | feet from feet from of Stone aid claim; thence med of said claim; feet feet feet d of said claim; |
| The surface boundaries of a mound of store a mound of store at a point in a S. 72° the discovery shaft (at which end line of said claim; thence as a lost of Store thence S. 18°-E. 20 | the claim are marked upon the ground as followed one. """ """ """ """ """ """ """ | feet from feet from of Stone aid claim; thence ind of said claim; being at the feet ad of said claim; being at the |
| The surface boundaries of a mound of store a mound of store at a point in a S. 72° the discovery shaft (at which end line of said claim; thence as 1054.4 The surface boundaries of the store and the store as the store and the store as | the claim are marked upon the ground as followed one. In this notice is posted,) being in the center of the series of the serie | feet from feet from d of Stone aid claim; thence feet feet feet feet feet feet d of said claim; |
| The surface boundaries of a mound of state a mound of state at a point in a S. 72° the discovery shaft (at which end line of said claim; thence at a mound of Stone-thence S. 18°-F. 20S. E feet to a Mound of Stone-thence N. 18°-Ò'- W. Z. All done under the provithe United States, and of an All | the claim are marked upon the ground as followed one. """ """ """ """ """ """ """ | feet from feet from feet from d of Stone aid claim; thence feet ad of said claim; being at the 1042.5 her of said claim; vised Statutes of An Act to Revise |
| The surface boundaries of a mound of store a mound of store at a point in a == S. 72° the discovery shaft (at which end line of said claim; thence so a Mound of Stone thence S. 18° F. 20 feet to a Mound of Stone thence N. 18° - 0° - W. S. All done under the provide United States, and of an All and Codify the Laws of the Taxon of Stone and Codify the Laws of the Codification of Stone and Codify the Laws of the Codification of Stone and Codif | the claim are marked upon the ground as followed one. In this notice is posted,) being in the center of the set to a sound of stone corner of said claim; thence—S.18°—E.20 at the center of the set to a set to | feet from feet from feet from feet from feet from d of Stone aid claim; thence feet aid of said claim; being at the 1042.5 feer of said claim; vised Statutes of An Act to Revise |
| The surface boundaries of a mound of store a mound of store at a point in a == S. 72° the discovery shaft (at which end line of said claim; thence as 1054.4 L. E. to a Nound of Store thence S. 18° - F. 20 S. E feet to a Mound of Store thence N. 18° - F. W. Z. All done under the provisithe United States, and of an All and Codify the Laws of the This is an Amended Local and Codify the Laws of the This is an Amended Local code and the code of the This is an Amended Local code of | the claim are marked upon the ground as follows one. """ """ """ """ """ """ """ | feet from feet from feet from of Stone aid claim; thence feet d of said claim; being at the load of said claim; mer of said claim; vised Statutes of An Act to Revise |
| The surface boundaries of a mound of store a mound of store at a point in a == S. 72° the discovery shaft (at which end line of said claim; thence as 1054.4 N. E. to a Nound of Stone thence S. 18° - F. 20 feet to a Mound of Stone thence N. 18° - W. Z. All done under the provisithe United States, and of an All and Codify the Laws of the This is an Amended Local Mining Claim, located by | the claim are marked upon the ground as followed one. In this notice is posted,) being in the center of the set to a sound of stone corner of said claim; thence—S.18°—E.20 at the center of the set to a set to | feet from feet from feet from feet from feet from d of Stone aid claim; thence feet d of said claim; being at the 1042.3 mer of said claim; vised Statutes of An Act to Revise |
| The surface boundaries of a mound of store a mound of store at a point in a S. 72° the discovery shaft (at which end line of said claim; thence 88°-20° E. 1054.4 The surface bound of store thence S. 18°-E. 20 Feet to a Mound of Store thence N. 18°-Ø'- W. Z. All done under the provite United States, and of an A and Codify the Laws of the This is an Amended Local Mining Claim, located by | the claim are marked upon the ground as followed one. """ """ """ """ """ """ """ | feet from feet from feet from feet from d of Stone aid claim; thence feet ad of said claim; being at the 1042.5 her of said claim; vised Statutes of An Act to Revise day of |
| The surface boundaries of a mound of store a mound of store at a point in a == S. 72° the discovery shaft (at which end line of said claim; thence and line of said claim; thence are to a mound of Store thence S. 18° = F. 20 ————————————————————————————————— | this notice is posted,) being in the center of the being the -N.18° w-312.5 feet to a Nounce of sid claim; thence - S.18° -E.20 at the center of the feet to a -Yound of Stone corner of said claim; thence -S.18° -E.20 at the center of the feet to a -Yound of Stone corner of said claim; thence -S.55° -56 - W. Corner of said claim; thence -S.55° -56 - W. Corner of said claim; thence -S.55° -56 - W. Corner of said claim; thence -S.55° -56 - W. Corner of said claim; thence -S. W. Corner of said cla | feet from feet from feet from of Stone aid claim; thence feet nd of said claim; being at the lo42.3 ner of said claim; vised Statutes of An Act to Revise day of ords of Mines, at |
| The surface boundaries of a mound of store and a point in a S. 72° the discovery shaft (at which end line of said claim; thence so law and claim; thence so law and of Stone thence so law and of Stone thence so law and of Stone the United States, and of an A and Codify the Laws of the This is an Amended Local Mining Claim, located by more to which reference is hereby a correct errors in the description | this notice is posted,) being in the center of the being the -N.18° w-312.5 feet to a Nounce feet to the place of beginning. Sions of Chapter Six, of Title XXXII, of the Reserved for the General Assembly of Arizona, entitled "Perritory of Arizona," approved March 16, 1901. Action Notice of the Nounce feet feet feet feet feet feet feet fe | feet from feet from feet from d of Stone aid claim; thence feet nd of said claim; being at the 1042.5 ner of said claim; vised Statutes of An Act to Revise day of ords of Mines, at de and posted to |

By- S. H. Snider Pres-

AMENDED .

Corner

Corner Monument

| TERRITORY OF ARIZONA County ofPinal- | , , , , , , | | |
|---------------------------------------|---|--------------------------------|----------------|
| County of Pinal- | | | |
| I, | F. Watson- | , County Recorder in and for | the County and |
| Territory aforesaid, do hereby co | ertify t <mark>hat th</mark> e withi <mark>n instrume</mark> nt wa | as filed for record at4 | clock,PM., |
| on this 29th | day ofNarch_ | 190.7, and duly recorded in Bo | ok No II A |
| ofWines- | Records of Pinal | County, Arizona, at pa | ages |
| | S my hand and official seal the day | and year first above written. | |
| | | G. F. Watson- | |
| | | Cour | nty Recorder. |

190

Motice of Location. Deputy Recorder. County Recorder. Filed and Recorded at request of THE H. H. MCNEIL CO., PRINTERS, PHENIX, ARIZ. Book -- "A" of Wines-LODE CLAIM. Larch--1st Wells-Latsonat -- 4 brason-Cacheta Snider 29th II. Oro Dated S. H. 0 Larch Pages... By This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description he careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Corner Monument

End Monument

© 200 test 22.

Discovery Shaft

300 ft.

1991 0001

A. D. 190...

Territory of Arizona

County of Pinal

SS

I, G. F. Watson, County Recorder, in

and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing copy of the Oro Cocheta Mining Claim, is a full, true, and correct copy of the original as the same appears of record in the office of the Recorder, Pinal County, Territory of Arizona, in Records of Mines Book- "A" at page-366 thereof.

Witness my hand and seal of office this 25th day of June A. D. 1907.

J. J. Walson

Wells.

Depuly

Location Motice.

Motice is hereby Given that the " TWO QURENS" Mining Claim was located by S. D. Gardom and Geo. M. Adams, on this 4th day of June, 1904, for mining purposes. Said claim is 1500 feet in length along this vein or deposit or mineralbearing rock in place, and 300 feet in width on each side of the center of said vein or deposit from end to end of caid claim. The general course of this claim is S. W. to N. E. and is situated in the Saraleb Mt. Pining District. Final County. Arizona: about 2 1/2 to 3 miles M. W. from Eardle Peak and 2 miles South of Gila River, and corners on the S. W. of the Gold Mugget Tode. Initial vork 150 feet H. E. from Discovery Monument. This claim runs from the discovery monument, or stake u upon which this notice is posted 750 feet in a S. Westerly direction to the S. West center end monument, or stake

and 750 feet in a H. Fasterly direction from the aforesaid location monument; or stake, to the M. Rast center end morument. or stake, and is also marked by two corner monuments or stakes; at each end of said claim, one on each side of and 300 feet from the, from the center end monuments or stakes, making the claim in the form of a parallelogiam.

S. D. Gardom

Ceo. M. Adams

Locators.

Filed and recorded at the request of S. D. Gardom on the 1st day of Aug A. D. 1904. at lo O'Clock A. U.

> Thos. G. Peyton Recorder

T. C. Wells Deputy. By

Fecords of Mines- Book- 22 ot page- 41.

Territory of Arizona County of Pinal

I, G. F. Watson, County Recorder in and for the County of Pinal Merritory of Arizona, do hereby cortify that the above is a full, true and correct copy of the original articles. hereby cortify that the above is a full, true and correct copy of the original as the same appears of record in the office of the Recorder, Pinal County, Arisona, in Book 22 Records of Mines at page- 41 thereof.

"itness my hand and spal of A. D. 1907 office this 25th day of June

Recorder G. J. Walson 1. Wells-

HOTICE OF LOCATION.

Notice is hereby given that the NOUNTAIN SIDE mining claim was located by S. D. Gardom, on this 25th day of July for mining purposes. Said claim is 1500 feet in length, along this vein or deposit of mineral hearing rock in place, and 500 feet in width on each side of the center of said vein or deposit, from end to end of said claim. The general course of this claim is S. W. to N. East and it is situated in the Saddle Nountain Mining District, Pinal County, Arizana, about 5 miles N. Test from Saddle Peak.

This claim runs from this discovery monument or stake upon which this natice is posted 500 feet in a S. west direction to the S. West center end monument, or stake, and 1000 feet in a M. Hast direction from the aforesaid location monument, or stake, to the M. Hast center end location monument, or stake, to the M. Hast center end location, or ctake, and is also marked by two corner monuments or stakes, at each end of said claim, one on each side of and 500 feet from the center end monuments or stakes, making the claim in they form of a parallelogram.

S. D. Gardom.

Filed and recorded at the request of S. D. Gardom on Oct. e3rd 1905 at 2 P. T.

E. B. Devine Fecorder

By N. N. Partleson Deputy-

To ritory of Arizona S

I, G. F. "atson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above, is a full, true and correct copy of the original as the same appears of record, in the office of the Recorder, Pinal County, Arizona Territory, in Pook- 25 Records of Kines at pages 126, 127 thereof.

Witness my hand and seal off office this 25th day of Tune- A. D. 1907

Peccorder & J. Walson.

Phys. N. N. Hells

By

NOT LE OF LOCATION.

Hotice is hereby given that the MAY FLOWER mining claim was located by S. D. Gardom on this 20th day of January 1906 for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral-bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit from end to end of said claim. The general course of this claim is N. E. by S. West, and itr is situated in the Saddle Mountain Mining District, Pinal County, Arizona, about 3 miles W. W. from Saddle Peak and is a part of an abandoned claim, known as the Hooligan Lode abandoned 1905, by Gila Monster M. Co. This claim ruhs from the discovery monument, or stake, on which this notice is posted 1450 feet in a S. Westerly direction to the S. West center end morument, or stake, and 50 feet in an Fasterly direction from the aforesaid location monument, or stake, to the N. East center end Monument or stake, and is also marked by two corner monuments, or atales at ach end of said claim, one on each side of and 500 feet from the center end monuments, or s atakes, making the claim in the form of a parallelogram.

S. D. Gardon

Locator

This claim is a re-location of an abandoned mining claim known as the Hooligan Lode.

Filed and recorded at the request of S. D. Cardom on March 7th 1906 at 4 P. M.

H. B. Dovine Recorder

By N. N. Bartleson Deputy-Territory of Arizona County of Final ss

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above is a full, true, and correct copy of the original as the same appears of record in the office of the Recorder Pinal County, Arizona Territory, in Records of Mines-Book- 25 at pages 496, 497 thereof-Witness my hand and seal of office this 25th day of June A. D. 1907.

13y Deputy- n. n. Hells-

Notice of Location.

Notice is hereby given that the Gold Charm Fining Claim was located by S. D. Gardom on this 10th day of February 1966 for mining pueposes. Said claim is 1500 feet in length along this vein proposit of mineral-bearing rock in place and 500 feet in width on each side of the center of said vein or deposit from end to end of said claim. The general course of this claim is S. W. by F. Easterly, and it is situated in the Saddle Hountain Mining District, Pinal County, Arizona, about 3 miles, M. West from Saddle Peak and is an abandoned claim known as the Gloomy Guss.

This claim runs from the discovery movument or stake on which this notice is posted 1400 feet in a S. westerly direction to the S. vest center end monument or stake and 100 feet in a N. easterly direction from the aforesaid location monument or stake, to the N. east center end monument or stake, and is also marked by two corner monuments or stakes at each end of said claim one on each side of and 300 feet from the center end monuments or stakes while the claim in the form of a parallelogram.

s. D. Gardem

Locator.

This claim is a re-location of an abandoned mining claim known as the Cloomy Cuss Lode.

Filed ord recorded at request of S. D. Gardom on Narch 7th 1906 at 4 P. M.

E. B. Dovine Recorder

By N. H. Bartleson Deputy.

Territory of Arisona County of Pinal

I, C. F. Vatson, County Recorder in and for the County of Pinal, Territory of Arizona do hereby certify that the above is a full, true, and correct copy of the original as the same appears of record in the office of the Recorder, Pi nal County, Arizona Te ritory, in records of Mines Book 23 at pages 494, 495 thereof.

Vitness my hand and seal of office this 25th day of June A. D. 1907.

By Deputy. N. N. Wells.

LOCATION NOTICE.

Of the QUEPN MILL-SITE Claim and Water Right,

Know All Men By These Presents: --

That I the undersigned have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the TWO*-QUEEN Mining Claim, s ituated in the Saddle Mt. Mining district, Pinal County, Arizona Territory.

The exterior boundaries of said Mill-Site claim #####
are as follows: viz.

Commoncing at a monument at N. E. corner of claim, and running thence in a Westerly direction 466 1 /2 feet to a monument of stone at N. ... corner of claim, thence in a Southerly direction 466 1 /2 feet to a monument of stone at the S. W. corner of claim, thence in an Easterly direction 466 1/2 feet to a monument of stone at S. E. corner of claim, thence in a Northerly direction 466 1 /2 feet to a monument of stone at N. E. Corner of claim and place of beginning.

This location may be more generally described as being about 2 1/2 miles in a N. West in a direction from Saddle Peak, and is situated on Ash Creek 1/2 mile N. W. from Two Queen Lode.

Dated on the ground this 6th day of August A. D. 1905

Filed and recorded at the request of S. D. Cardom on the 5rd day of Oct. 1905 at 2 P. M.

E. B. Devine Recorder

S. D. Gardon

By N. N. Bartleson Deputy-Territory of Arizona County of Pinal SS

I. G. F. Watson, County Recorder in and for the County, of Pinel, Territory of Arizona, do hereby certify that the above is a full, true, and correct copy of the original as the same appears of record in the office of the Recorder, Pinal County, Arizona, in Records of Miscellaneous Book- 9- at pages- 319 and 320 thereof.
Witness my hand and seal of office this 25th day of June-A. D. 1907-

By Deputy- M. M. Wel

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

| | Phoenix, Arizona, · |
|--|--|
| | |
| I, U. S. Surveyor General for | District of Arizona |
| do hereby certify that the foregoing transc | cript of the Field Notes, return and approval |
| of the Survey of the mining claim of | |
| | L Development Company |
| , known as the Stand By, Mountain Side, May Flower, Gold and Queen Mill-site , situation , | Bull Frog, Oro Cacheta, Two Queens Charm ate in Saddle Mountain |
| Mining District, | Pinal County, |
| Arizona , in Sec | ction, Township No. 5 S., |
| Range No. 16 E. | and designated as Survey |
| file in this office; that said Field Notes for mining claim as will, if incorporated into and that such reference is made therein to will perpetuate and fix the locus thereof. And I further certify that five hundr or for each or improvements made upon said mining that said improvements consist of 13. 171 feet of drifts, total value. | s been correctly copied from the originals on furnish such an accurate description of said a patent, serve fully to identify the premises, o natural objects or permanent monuments as red dollars' worth of labor has been expended of claim by claimant or its grantors, and cuts, 2 tunnels, 12 shafts, |
| and that no portion of said labor or impro- expenditures upon any other claim. I further certify that the plat thereof, Arizona is correct and in co | filed in the U.S. Land Office at Phoenix, onformity with the foregoing Field Notes. Frank S. Ingalls, eyor General for Arizona. |

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General, Phoenix, Arizona, January 22, 1908. I, U. S. Surveyor-General for. District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of-Central Mining and Development Company Stand By, Bull Frog, Oro Cacheta, Two Queens, Mountain Side, May Flower, Gold Charm, and Queen Mill-site situate in Saddle Mountain Mining District, Pinal County, Arizona in Section Township No. 5 S. Range No. 16 E., designated as Survey No. 2471 A & B executed by G. A. Streitz , U. S. Deputy Mineral Surveyor, October 8 - 29 , under my instructions dated September 17, , 1907, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant-- for survey is included in the field notes. U. S. Surveyor-General for Arizona.

21811b3m2-06

