

(4-683.)

Mineral Survey No. 2473

Lot No.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF The Black ince Copper Co. KNOWN AS THE Mining District, Cochise County, Wirizona Section 23, Township 5, Range ZRE Surveyed under instructions dated Jeb 17, 1908 by John a Rocksfere Claim located Secondary Notice Survey commenced March 23, 1908 Survey completed March 23 . 1908

Survey.

Gress of Clarm.

G. B. Kright Seey

635 Symes Building

Denver

Colo. Address of Claimant

Alice Lode

Begining at Cor No. 1, the S.E. Cor. of claim: set a pine post 4 inches square, 3 ft above ground in a mound of stone, scribed S.E.C.A 1-2473.

Whence

- 1) U.S. Mineral Monument No. 1 of Cochise District bears S 30 14' E 3500.6 ft.
- 9.15 ft.
- Cor. No. 4 Ross lode Survey No. 1717 bears N 58° 15'W 566.65 ft.
- 4) A cross (X) and B.R. 1-2473 chiseled on a limestone 18X5 inches, linch high bears S 2° 38' E 43.35 ft.
- 5) A cross(X) and B.R. (not space for more) chiseled on a limestone 10x4x3 inches bears N 21° /3 'E 51.3 ft.
- Cor. of location a post in a mound of stone bears S 58° 15'E 1.2 ft.

Thence S 51° 15' W

ft.

Variation 12° 40' E.

- 0.10 Center End falls within cor. post scribed for Cor. No.1:
 Add W.C. S.C.EA 2473.
- 7.45 To Cor. No.2; set a pine post(4 inches square 3 ft high, in a mound of stone, scribed S.W.C. A: 2 2473.

Whence

- T) Cor. No. 5 Ross lode Sur. No. 1717 identical with N.E. Cor. of the Arizona lode unsurveyed bears S 63° 51' E 72.0 ft.
- Cor. of location a post in a mound of stone bears S 63° 51'E 1.3 ft.

Thence N 63° 51' W -

Variation 12° 40' E.

1111.80 To Cor. No,3 identical with location and with N.W. Cor.

of the Arizona lode unsurveyed and N.E. Cor. of the

Enough lode unsurveyed, a porphyry rock lox6x6 inches

above ground chiseled with a cross (X) at the exact point

and witnessed by a monument of stone alongside. I add to

marking 3-2473.

Whence .

A Ccross (X) and B.R. 3-2473 chiseled on a limestone bedrock exposing 48x36 inches bears N 28° 25' E 57.65 ft 2) A cross and B.R. (not space for more) chiseled on limestone bedrock rough and crumbling, but exposing a hard surface 8x6 inches bears S 14° 27' E 83.4 ft.

Thence N 51° 50' W

Variation 12° 50' E

ft. 437.0

To Cor. No,4identical with location, a pine post 4 inches square: 3 ft high, in a mound of stone, scribed N.W.C.-A:
Add 4-2473.

Whence

- 1) N.W. Cor. Enough lode unsurveyed bears N 51° 50' W about 1963.0 ft.
- 2) A cross (X) and B.R. 4-2473 chiseled on a linestone lox8xl inches bears N 6P 00% W 64.05 ft. No other rock bearings available.
- S 80°W 9.0 ft.
- The \(\frac{1}{4}\) Sec. Cor. between Secs. 22 23 Tp 15S R 22E (recently) surveyed) bears N 39° 56' W 966.7 ft.

- Thence N 51° 15' E

Variation 12° 45' E

- 137.0 N.C.E. a pine post 4 inches square, 3 ft above ground in a mound of stone, scribed -N.C.E. A: Add 2473.
- To Cor. No. 5 identical with location and with Cor. No.3

 Coss lode, Sur. No. 1717, a pine post 4 inches square, and

 3th ft above ground ina mound of stone, scribed N.E.C.
 A: Add 5 2473.

Whence

- 12x12x6 inches bears S 68° 48' E. 22.8 ft.
- A cross (X) and B.R. 5-2473 chiseled on a limestone 10x10x2 inches bears N 86° 38' W. 45.5 ft.

Thence S 42° 15' E

Variation 12° 40' E.

746.0 Point whence S 47° 45' W 1.5 ft a stone monument.

feet 749.0 Large stone monument on line.

To Cor. No. 6 identical with Cor. NO. 4 Ross lode Sur. No. 900.0 1717, a pine post 6 inches square scribed 🗘 A: Add 6-2473.

Whence

+) A Cross (X) and B.R. 6-2473 chiseled on a limestone bedrock bears S 4° 00' W 3,4 ft.

A CRoss (X) and B.R. (not room for more) chiseled on a limestone bedrock bears S 68° W 2.6 ft.

Thence S 58° 15'E

Variation 12° 40' E

566.65 To Cor. No. 1 the place of beginning;

Area ---- 5.161 acres.

Location

This claim is located in Sec. 23 Tp 15S R 22E, (as now but, not yet approved surveyed Cochise Mining Dist., Cochise Co. Arizona. The presumed course of the lode is from N.C.E. S 54° 07' E 931.7 to a point: thence S 58° 43' E 568.3 ft. to S.C.E. Adjoining claims are;

On the East

Ross lode Survey No. -1717

Black Prince Copper Co. Claimants.

On the South and West

Arizona and Enough Lodes, unsurveyed McKay and Gleeson claimants.

On the North

Name of claim unknown Robert McKay claimant.

Expenditure of \$500

I hereby certify that the value of labor and improvements upon, or for this claim, placed thereon and made by the claimants and their granters is not less than \$500 (five hundred dollars) and that said improvements consist of

Mo. 1)Discovery shaft the center of which bears from the N center end S 55° 52' F 12 ft. Shaft 6x4 ft. 20ft.deep value \$200

N 49° 10' W 349 ft. Shaft 9x6 ft. 10 ft. deep.

value ---\$100

value of shaft:

100 ft. at \$20 per ft.= \$2000

Value of machinery, power-house and

gallows frame

=\$ 3000

Total \$5000 Assign to Alice \$555 or one ninth

instrument

This Survey was made with a Young and Sons transit.

The courses were deflected from true meridians, as obtained from direct solar observations. The measurements were made with 500 and 50 ft. steel tapes.

Note - Any discrepancies between the courses and distances of this Survey and of these of contugious or adjoining Surveys are due to discrepancies in the latter Tombstone, Arizona.

April 3, 1908.

U.S. Dept. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by United States Deputy Mineral Surveyor, to assist/in/running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of..... and showing the respective capacities in which they acted. -, Chainman. FINAL OATHS OF ASSISTANTS., do solemnly swear that we assisted . United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of. known as the..... represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for 3 Chainman. - stoll . Axman. day of

14224b5m8-04

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, folial Eveloficear, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
Feb. 17198, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Muslack truce Copper
Claim of The Black Prince Copper , known as the Thice ,
f Mice,
situate in Ocelica Mining District,
Caches County, Chizma, in Section
23, Township No. 155, Range No. 255,
and designated as Survey No. 2473, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Colman Rockselow
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said
U. S. Deputy Mineral Surveyor, before me Mult Surveyor
this 377
day of April 1908, Sulland
My com expires Mar. 2, 1910 Nortary Public

Affidavit of Five Hundred Dollars Improvements.

We, Sichard Narris, and JUD ougherty
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Alice mining claim,
situate in Coches Mining district, Coches County,
Arizona Territory, for which The Black Prince Cappe
has made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and the grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
RichardHarris
MUDaugherty.
County of Chisa.
Sworn to and subscribed before me, this 234

SEAL.

14396b400-8-04

day of March, 1908

My Count Mon Expires March 14, /9//

AMENDED

Motice of Mining Location

LODE CLAIM

To All Whom It May Concerr	i At May Concerr	At	Whom	AII	To
----------------------------	------------------	----	------	-----	----

This Mining Claim, the name of which is the ALICE
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Black Prince Copper Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 12 day of February 1908
The length of this claim isfeet,
and we claim 12 feet,
in a Northwesterly direction and
1488 feet in a Southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Southeastto theNorthwest
The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, elout in Section
in 23 Tp 15 S direction from Range 22 E.
•
It adjoins the Ross lode Survey No. 1717 on the West. Cor. No. 3 of said Ross lode is identical with the N.E. Cor. of this claim
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post in a mound of stone
For the model of Doctor
at a point in a Northwesterly direction 12 feet from
the discovery shaft (at which this notice is posted,) being in the center of the North
end line of said claim; thence N 510151 E 197.00 feet to a post in a mound
end line of said claim; thence N 510151 E 197.00 feet to a post in a mound of stone , being the N.E. (No. 5) corner of said claim; thence S 420151 E 900.00 feet to a post in a mound of stone at the
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the corner of said claim; thence S. 58°15' E 567.85 feet to a post in a mound of stone at the section of said claim; thence S. 51°15' W. 7.40 feet to a post in a mound of stone at the S.W. (No. 2) corner of said claim; thence N. 63°51' W 1113.10
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the corner of said claim; thence S. 58°15' E 567.85 feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone at the S.W. (No. 2) corner of said claim; thence N. 63°51' W 1113.10
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the corner of said claim; thence S. 58°15' E 567.85 feet to a post in a mound of stone feet to a post in a mound of said claim; thence S. 51°15' W. 7.40 feet to a post in a mound of stone feet to a post in a mound of stone feet to a cross the chiseled on a rock partly set in the ground of said claim at the corner of said claim at the ground of said claim at
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the corner of said claim; thence S. 58°15' E 567.85 feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone feet to a post in a mound of stone at the S.W. (No. 2) corner of said claim; thence N. 63°51' W 1113.10
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the corner of said claim; thence S. 58°15' E 567.85 feet to a post in a mound of stone feet to a post in a mound of said claim; thence S. 51°15' W. 7.40 feet to a post in a mound of stone feet to a post in a mound of stone feet to a cross the chiseled on a rock partly set in the ground of said claim at the corner of said claim at the ground of said claim at
of stone , being the N.E. (No. 5) corner of said claim; thence S 42°15' E 900.00 feet to a post in a mound of stone at the No. 6 corner of said claim; thence S 58°15' E 567.85 feet to a post in a mound of stone feet to a post in a mound of said claim; thence S 51°15' W. 7.40 feet to a post in a mound of stone feet to a post in a mound of stone at the S.W. (No. 2) corner of said claim; thence N. 63°51' W 1113·10 feet to a crossix chiseled on a rock partly set in the ground of said claim at the NW (No. 51°50 W 437.00 feet said claim; a mound of stone at the NW (No. 51°50 W 437.00 feet said claim; a mound of stone at the NW (No. 51°50 W 437.00 feet said claim; a mound of said claim; and of said claim; and of the Chapter Six of Title XXXIII, of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII, of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII, of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII, of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII, of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII of the Revised Statutes of the United States and of an active Chapter Six of Title XXXIII of the Revised Statutes of the United States and of an active Chapter Six of Title XXIII of the Revised Statutes of the United States and of an active Chapter Six of Title XXIII of the Revised Statutes of the United States and of the Chapter Six of Title XXIII of the Revised Statutes of the United States and of the Chapter Six of Title XXIII of the Revised Statutes of the United States and of the Unit
of stone stone stone stone set to a post in a mound of stone at the No. 6 corner of said claim; thence some stone at the to a post in a mound of stone
of stone
of stone , being the N.E. (No. 5) corner of said claim; thence \$42°15' E 900.00 feet to a post in a mound of stone at the No. 6 corner of said claim; thence \$.58°15' E 567.85 feet to a post in a mound of stone at the S.E. College of said claim; thence \$.51°15' W. 7.40 feet to a post in a mound of stone \$ S.E. College of said claim; thence \$.51°15' W. 7.40 feet to a post in a mound of stone \$ S.E. College of said claim; thence \$ S.E.
of stone , being the N.E. (No. 5) corner of said claim; thence \$42°15' E 900.00 feet to a post in a mound of stone at the No. 6 corner of said claim; thence \$.58°15' E 567.85 feet to a post in a mound of stone at the S.E. College of said claim; thence \$.51°15' W. 7.40 feet to a post in a mound of stone \$ S.E. College of said claim; thence \$.51°15' W. 7.40 feet to a post in a mound of stone \$ S.E. College of said claim; thence \$ S.E.
of stone , being the N.E. (No. 5) corner of said claim; thence \$42°15' E 900.00 feet to a post in a mound of stone at the No. 6 corner of said claim; thence \$.58°15' E 567.85 feet to a post in a mound of stone \$.50°15' W 5.E. College of said claim; thence \$.51°15' W 7.40 feet to a post in a mound of stone \$.W. (No. 2) corner of said claim; thence \$N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; and claim at the No. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; at the no. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; at the no. 65°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10 feet to a crossic chiseled on a rock partly set in the ground of said claim; thence N. 63°51' W 1113.10
of stone

	ss. do hereby certify that t		nstrument was file	, County Recorder d for record at 190, and duly reco	o'clock,	. Д _{м.,}
of	WITNESS my hand			year first above write		Jano
AMENDED AMENDED LODE CLAIM.		Dated190	Filed and Recorded at request of	FEB 13 1908 A. D. 190 at at M. M. Book H. Re Mune	Pages 272 CANN Danall. County Recorder.	By Deputy Recorder. THE H. H. MCNEIL CO., PRINTERS, PHENIX, ARIZ.

Corner Monument Discovery Shaft 5000 feet 25. End Monument End Monument 1991 000I 300 ft. Corner Monument Corner

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

at

Pages...

Deputy THE H. H. MCNEIL CO., PRINTERS, PHENIX, A B_y

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,					
•	June 25,	, 1 908.				
I, U. S. Surveyor General for	District of Arizona					
do hereby certify that the foregoing to						
of the Survey of the mining claim of						
The Bl	ack Prince Copper Co.					
, known as the						
, , , , , , , , , , , , , , , , , , ,						
Mining District,						
Arizona, ii						
Range No. 22 E.						
No						
file in this office; that said Field No						
mining claim as will, if incorporated		_				
and that such reference is made therei		-				
will perpetuate and fix the <i>locus</i> there		monuments as				
		been expended				
	andred dollars' worth of labor has					
or improvements made upon said mi						
that said improvements consist of	2 shafts, value \$300. Sh	naft, etc.,				
on Survey No. 1717, total	value \$5000, being a commo	n improve-				
ment for the development of the Alice and eight other lodes,						
one-ninth interest therein	, valued at \$555, is prope	rly				
credited to the Alice lode.						
and that no portion of said labor or in	nprovements has been included in					
expenditures upon any other claim.						
	eof, filed in the U.S. Land Office at	Phoenix,				
	in conformity with the foregoing Fi					
	Frank S. Ir					
United States	Surveyor General for Arizona.					

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

		Phoe	nix, Arizo	na
			June 25,	, 1908.
I, U. S. Surveyor-General	for. District	of Arizo	na	
do hereby certify that the fore	egoing and hereto atta	ched Field Not	tes and Return o	f the Survey of the
Mining Claim of				
	The Black Pri	nce Coppe	er Co.	
				, known as the
	ALICE			
situate in	Cochise			Mining District,
Cochi	se County	y,Ar	rizona	
in Section 23	, Township No	15 S.	, Range No	22 E.
, designated	l as Survey No2	473		
executed by John A	. Rockfellow		, U.	S. Deputy Mineral
Surveyor, March	23 ,	, 1	90. 8 , under my	instructions dated
February	17, 190.8.,	have been cri	tically examined	and the necessary
corrections and explanations n	nade, and the said Fiel	d Notes and R	eturn, and the Su	rvey they describe,
are hereby approved. A truc	copy of the copy of the	he location cer	rtificate filed by	the applicant for
survey is included in the field	notes.	hank	1 Sof	ells/
		II S Suranavor	- General for	Arizona.

21811b3m2-06

SCALE 2'00=1 GURVEY Nº 2473. CNSCALETED GILA LAIND DISTRICT.
Surveyed by John A. Rockfellow.
U.S. Dept. Min. Surveyor. . MARCH 23,1908.