M S

4-683.

## Mineral Survey No. 2475

Lot No.

Arizona

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Andy M. Tong. KNOWN AS THE White Oak. Mining District, Cochise County, Arizona. Section approximate, Township 23 S., Range 24 E. G.& S.R.B. & M. Surveyed under instructions dated September 24th, 1907, by D.E. Curry U. S. Deputy Mineral Surveyor See location notice October Survey commenced.... lst October Survey completed\_\_\_\_\_

Postoffice address of claimant
Bisbee, Cochise County, Ariz.

o 6—169



## Survey No. 2475. White Oak.Lode.

Beginning at Cor. No. 1, the S.W. Cor., identical with location, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 1-2475 WOL, whence a pine post of same dimensions and scribed BP. 1-3475, brs. S. 69 deg. 16 min. E. 50 ft., and a second pine post of same dimensions and scribing brs. N. 44 deg. 44 min. E. 50 ft., no bearing monuments available. U.S.M.M. No. 1725 Warren Mining District, brs. N. 76 deg. 51 min. 30 sec. W. 7234.57 ft.

Thence N. 44 deg. 44 min. E.

to Cor. No. 2, the N.W. Cor., identical with location, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2475 WOL, whence a pine post of same dimensions and scribed BP 2-2475, brs. S. 44 deg. 44 min. W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 69 deg. 16 min. E. 50 ft., no bearing monuments available.

Thence S. 69 deg. 16 min. E.

- 228.3 to the S.W. Cor. of Walnut Grove lode, unsurveyed.
- 328.3 same bearing to original location for N.E.C.

1500

same bearing to Cor. No. 3, the N.E. Cor., identical with location, a pine post 4 ft. long 4 in. sq., set 18 in.in the ground in a mound of stones and scribed 3-2475 WOL; whence a pine post of same dimensions and scribed BP 3-2475, brs. N. 69 deg. 16 min. W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 44 deg. 44 min. W. 50 ft., no bearing monuments available.

Thence S. 44 deg. 44 min. W.

to Cor. No. 4, the S.E. Cor., identical with location, a pine post 4 ft. long 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 4-2475 WOL; whence a pine post of same dimensions and scribed BP 4-2475, brs. N. 44 deg. 44 min. E. 50 ft., and a second pine post of same dimensions and scribing brs. N. 69 deg.

Feet.

16 min. W. 50 ft., no bearing monuments available.

Thence N. 69 deg. 16 min. W.

328.3

to original location for S.E.C.

656.6

same bearing to Cor. No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the N.E.C. location S. 44 deg. 44 min. W. 1500 ft.

AREAS.

The total and net area 20.656 acres.

#### IMPROVEMENTS.

I hereby certify that the value of the labor and improvements on this claim, placed thereon by the claimants
or their grantors, is not less than \$500.00, and that
said improvements are as follows:

No. 1, discovery cut, 5 x 20 x 6 ft., the mouth of which brs. from N.E.C. S. 44 deg. 44 min. W. 500 ft.

· Value · 8 100.00

No. 2, open cut,  $4\frac{1}{2} \times 15 \times 10$  ft., the mouth of which brs. from Cor. No. 2, S. 23 deg. 11 min. W. 611.5 ft.

Value \$ 100.00

No. 3, open cut,  $6 \times 12 \times 5$  ft., with shaft at bottom  $4 \times 10 \times 3$  ft. deep; the mouth of open cut brs. from Cor.No. 2 S. 26 deg. 50 min. W. 894.7 ft.

Value \$ 100.00

No. 4, open cut,  $4 \times 7 \times 7$  ft., the mouth of which brs. from Cor. No. 1, N. 67 deg. 46 min. E. 266.9 ft.

Value \$ 50.00

No. 5, open cut,  $4 \times 30 \times 8$  ft., the mouth of which brs. from Cor. No. 1 N. 57 deg. 45 min. E. 240.7 ft.

Value \$ 150.00

Total improvements on claim,

\$ 500.00

m by r.

#### Feet.

#### ADJOINING CLAIMS.

North: Walnut Grove lode, unsurveyed, owned by Chas. Rambo.

East: South and West: unsurveyed claims, claims and claimants unknown.

LOCATION.

This survey is situated and located approximately in Tp. 23 S., R. 24 E., G. & S.R.B. & M., about 2 miles in a northerly direction from the City of Bisbee, in the Warren Mining District, Territory of Arizona.

#### INSTRUMENT.

This survey was made with a C. L. Berger & Son No. 1 C Transit; the courses were deflected from the true meridian as determined by a solar observation, checked by an observation on Polaris; the distances were measured with a 300 ft. steel tape. Magnetic variation, 12 deg. 30 min. E. at all corners.

U. S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona, October 30th, 1907.

#### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the na	ames of the individuals employed	by D. E. Curry			
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Andy M. Tong					
		Oak			
and showing the re	spective capacities in which they	acted.			
		R. L. Motz			
		C. Taylor	, Chainman.		
			, Axman.		
		***************************************	, Flagman.		
		OF ASSISTANTS.			
We,	R. L. Motz				
and	C. Taylor	do solemnly swear that we assisted	D.E. Curry		
	United States Dany	ty Mineral Surveyor, in marking the c	onners and sunveying		
the boundaries of the	he mining claim of	Andy M. Tong			
known as the		White Oak			
represented in the	foregoing field notes as having bee	en surveyed by said deputy mineral su	rveyor and under his		
direction; and that	said survey has been in an respec	cts, to the best of our knowledge and	bener, farthfully and		
	_	numents established according to law			
furnished by the U	nited States Surveyor-General for.	Arizona			
		R. L. Mots Caylor	, Chainman.		
	••	C. Jaylor	, Chainman.		
		<i>//</i>			
			Flaaman		
,		4	30th		
		the above-named persons before me t	his		
	day of October	, 190 7			
		6 XM Reyor	rolde!		

Notary Public in and for the County of Cochise, Territory of Arizona. My Commission expires Oct. 20th, 1909

#### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	D. E. Curry	U. S. Deputy Mineral
		instructions received from the United
States Surveyor General for	rAriz	ona , dated
		in strict conformity to the laws of the
		tions thereunder, and the instructions
of said Surveyor General,	faithfully and correctl	y executed the survey of the Mining
		known as the
	White Oak	
situate in	Warren	Mining District,
Cochise	County,	Arizona, in Section
		24 E., G.& S.R.B. & M. Unsy
and designated as Survey	No2475	, as represented
		w the boundaries of said mining claim
as distinctly marked by mo	numents on the groun	d, and described in the attached copy
of the location certificate,	which was received b	y me from the Surveyor General with
said instructions, and that a	all the corners of said s	survey have been established and per-
petuated in strict accordance	ce with the law, officia	l regulations and instructions there-
under; and I do further so	olemnly swear that th	e foregoing are the true and original
field notes of said survey	and my report therei	n, and that the labor expended and
improvements made upon s	aid mining claim by c	laimant or his grantors
are as therein fully stated,	and that the characte	er, extent, location and itemized value
thereof are specified therei	n with particularity a	nd full detail, and that no portion of
said labor or improvements	so credited to this cla	im has been included in the estimate
of expenditures upon any o	ther claim.	
		Selen
		U. S. Deputy Mineral Surveyor.
Subscribed and sworn	to by the said	D. E. Curry
U.S. Deputy Miner	al Surveyor, before m	e C. I. McReynolds
Notary F	hiblic	this 30th
day of October	, 1907	

Notary Public in and for the County of Cochise, Territory of Arizona. My Commission expires Oct. 20th, 1909

## Affidavit of Five Hundred Dollars Improvements.

We,	R. L. Motz	, and C. Taylor
of lawful ag	e, being first duly s	worn according to law, depose and say: That we ar
acquainted i	with the	White Oak mining claim
situate in	Warren	Mining district, Cochise Count
Arizona Ter		Andy M. Tong
ha.s. made		ey prior to application for patent under the provision
of the act of	Congress, approved	May 10, 1872; and that the labor done and improv
ments made	thereon by the appl	icant_and_his_grantors_exceed Five Hundre
Dollars in v	alue, and further th	nat we are not personally interested in said mine.
		R.L. Mots.
		C. Taylor
	TORY OF ARIZON.	$\left. egin{array}{ll} A, & \\ & \end{array}  ight\} ss:$
	S	worn to and subscribed before me, this30th
%.44.44 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		day of October , 1907
14396b400-8-04		Norman Subject and for the Comme
		Notary Public in and for the County of Cochise, Territory of Arizona.  My Commission expires Oct. 20th, 1909

# Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Chiles Oak
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Moment Bambo Cityen
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the Sissification of January 1904.
The length of this claim is telfer hufneled feet,
and Ol claim five Thundred feet,
in a partherly g direction and Sen
Sussed feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with I have hundred feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Dorlh to the Santh
The claim is situated and located in the
Cochuse g County, in the Territory of Arizona, about 2 miles
in a fractherly of direction from OThe Tiskee Frach
Office on the forth fork of pringereek.
tigd discovery shafth of this claims
about one hugared feet south of Rack Spring
The surface boundaries of the claim are marked upon the ground as follows: Beginning of
This is a relocation of the Ora Fino mineral
claims 1 1
at a point in a fortherly direction Find hundred feet from
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence It esterly 3,00 feet to a Stane
Mongrent, being the Koth, It est corner of said claim; thence
Southerly 1500 feet to a monument of stone being at the
South for each corner of said claim; thence Gastelly 3 a a feet
to a monument of stone at the center of the Safthe end of said claim;
thence as fer by 300 feet to a monument of stone being at the
South Efast corner of said claim; thence northerly 1500
feet to a promument of stone at the holls Gast corner of said claim;
thence It esterly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
Dated and posted on the ground this fire day of January 1904
Lamer Camble

County of		,	of	we	was filed	O, and duly	recorded	o'clock	6.29	c.,
	Motice of Location	Lait Oak James Gamb	Takees & O. 3.	ed Januxary 12th 190#	Fifed and recorded at request of	au 64 A. D. 190 K	ox 29 Records of Minus	Gonnty Recorder.	Recorder.	INE M. M. AC AELL CU., PRINTERS, PHOENIX, ARIZOIA.

Dated ...

300 ft. End 190 GOOT 300 ft. Corner

Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. This diagram is to give locator a general idea of plan of location under the new law. The Discovery

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
December 10, 1907.
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Andy M. Tong
known as the WHITE OAK
situate in
Mining District, Cochise County, Arizona
in Section Approx., Township No. 23 S., Range No. 24 E.G.& S.R., and
designated as Survey No. 2475, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. orhis grantors, and that said improvements
consist of 1 shaft and 5 cuts, value \$500.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor-General for Arizona.

7361b5m3-03

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES: AND SURVEY OF MINING CLAIM.

#### Department of the Interior,

Office of U. S. Surveyor-General, Phoenix, Arizona December 10, 190 7. I, U. S. Surveyor-General for. District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of..... Andy M. Tong known as the WHITE OAK Cochise County, Arizona in Section Approx., Township No. 23 S., Range No. 24 E., G. & S.R.B. & M., designated as Survey No. 2475 executed by D. E. Curry U. S. Deputy Mineral Surveyor, October 1, 190 7, under my instructions dated September 24, 1907, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant- for survey is included in the field notes.

U. S. Surveyor-General for\_\_\_ Arizona.

21811b3m2-06

## SURVEY NO 2475



