4-683.

MINERAL SURVEY No. 2468

LOT No.

Cluzona Land District.

FIELD NOTES

Section No. Township 10 N., Range 6 W.

Surveyed under instructions dated Och 21, 1907

Claim located Le Co. Trothers, 1907

Claim located Le Co. Trothers, 1907

Conty Conty County Cou

Survey commenced Oct 25, 1907

Survey completed Oct 25, 1907

Address.

George A Jouries Humboldh Jarapai les augun

SURVEY NO. 2488

Feet.

OMAHA LODE

Beginning at E. C. E. identical with E. C. E. of loc. A mon. of stones 2 ft. base 2 ft. high.

Set a granite stone $24 \times 20 \times 8$ ins 12 ins. in ground, alongside raised a mound of stones 3×3 ft. Stone marked E, C, E., O 2488.

Thence N. 40° 15' E.

To cor. No. 1, identical with cor. of loc. A mon. of stones 2 ft. base 2 ft. high.

Set a granite stone $24 \times 16 \times 10$ ins. 12 ins. in ground, alongside raised a mound of store s 3×3 ft. Stone marked 0. 1-2488.

Whence a X on a granite rock in place marked B. R. 0. 1-2488 brs. 0° 10' E. 18.6 ft.

. A X on a granite rock in place marked B. R.

0. 1-2488 brs. N. 42° E. 21 ft.

½ sec. cor. between secs. 14, and 15, Tp. 10 N., R. 6 W., brs. S. 82° 34° E. 739 ft.

Thence N. 75° W.

of stones 2 ft. base 12 ft. high.

Set a granite stone 24 x 15 x 6 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked 0. 2-2488.

Whence a X on a granite rock in place marked B. R. O. 2-2488 brs. N. 7° 25' W. 15.6 ft.

A X on a granite rock in place marked B. R. O. 2-2488 brs. N. 47° 10' E. 14.8 ft.

SURVEY NO. 2488

Feet

Thence S. 40° 15' W.

300 . To W. C. E. identical with loc. A mon. of stones. 2 ft. base. 12 ft. high.

Set a granite stone $30 \times 15 \times 6$ ins. 15 ins. in ground, alongside raised a mound of stones 3×3 ft. Stone marked W. C. E., 0. 2488.

of stones 2 ft. base la ft. high.

Set a granite stone $24 \times 8 \times 6$ ins. 12 ins. in ground, alongside raised a mound of stones 3×3 ft. Stone marked 0.3-2488.

No bearings available.

Thence S. 75° E.

720 To cor. No. 4 Violet claim of this survey.

1320 . To cor. No. 1 Violet lode of this survey.

To cor. No..4 identical with cor. of loc. A mon. of stones 3 ft. base 3 ft. high.

Set a granite stone 24 x 18 x.6 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked 0. 4-2488.

Whence a X on a granite rock in place marked B. R. O. 4-2488 brs. N. 75° 25' W. 17.6 ft.

A X on a granite rock in place marked B. R., 0. 4-2488 brs. N. 42° 30' E. 45.7 ft.

Thence N. 40° 15' E.

To E. C. E. the place of heginning survey of exterior boundaries.

Feet

VIOLET LODE

Beginning at N. C. E. identical with loc. A mon. of stones 2 ft. base la ft. high.

Set a granite stone 24 x 18 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft.

Stone marked N. C. E., V. 2488.

Thence S. 75° E.

To cor. No. 1, whence cor. No. 4 Omaha lode of this survey brs. S. 75° E. 180 ft., identical with cor. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a granite stone $24 \times 12 \times 8$ ins. 12 ins. in ground, alongside raised a mound of stones 3×3 ft. Stone marked V. 1-2488.

Whence a X on a granite rock in place marked B. R. V. 1-2488 brs. N. 14° E. 7.4 ft.

A on a granite rock in place marked B. R. V. 1-2488 brs. N. 64° 15' W. 30 ft.

\$\frac{1}{4}\$ sec. cor. between secs. 14 and 15, Tp. 10 N.,

R. 6 W., brs. N. 76° 17' 22" E. 1332.1 ft.

Thence S. 62º 30' W.

1500

To cor. No. 2, identical with cor. of loc. A mon. of stones 2 ft. base la ft. high.

Cut a X on a granite rock in place for cor. point, rock marked V_{\bullet} 2-2488, alongside raised a mound of stones 3 x 3 ft.

No bearings available.

Feet

Thence N. 75º W.

To S. C. E. identical with loc. A mon. of stones 2 ft. base 1 ft. high.

Set a granite stone $24 \times 8 \times 6$ ins. 12 ins. in ground, alongside raised a mound of stones 3×3 ft. Stone marked S. C. E., V. 2488.

of stones 2 ft. base 2 ft. high.

Cut a X on a granite rock in place marked V. 3-2488, alongside raised a mound of stones 3 x 3 ft.

No bearings available.

. 3

Thence N. 62° 30' E.

To cor. No. 4, identical with corl of loc.

A mon. of stones 2 ft. base 2 ft. high.

Whence cor. No. 3 Omaha lode of this survey brs. N. 75° W. 720 ft.

Cut a X on a granite rock in place marked V. 4-2488, alongside raised a mound of stones 3×3 ft.

No bearings available.

Thence S. 75° E.

To N. C. E., the place of beginning survey of exterior boundaries.

Variation at all cors. 14° 30' E.

-5-

AREA

OMAHA LODE

18.687 acres

2. A. KINT.

VIOLET LODE

13.958 acres

Total area

32.645 acres

H de

LOCATION

This claim is located on surveyed land in sec. 15, Tp. 10 N., R. 6 W., G. & S. R. B. & M., in Martinez

Mining District, Yavapai County, Arizona, and is bounded on the north by the Planet-Myer lode, Granite Reef

Gold Mining Company claimant, and on the east by Protection lode, Congress Gold Company claimant. No other adjoining claims.

VEIN.

OMAHA extends N. 75° W. 835 ft. and S. 75° E. 665 ft. from the discovery shaft.

VIOLET extends N. 62° 30' E. 120 ft. and S. 62° 30' W. 1320 ft. from the discovery.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements on this claim, placed thereon by the claimants and their grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

OMAHA LODE:

Discovery Shaft No. 1, which brs. from cor. No. 1 86. 6 6 836.7

S. 850 30 W. 840 ft. Shaft 4 x 6 ft. 100 ft. deep.

At 30 ft. drift 4 x 6 ft. 50 ft. long. At 60 ft.

drift 4 x 6 ft. 50 ft. long.

VALUE

\$2000.00

Tunnel No. 2, which brs. from cor. No. 2 S. 15°

15' W. 230 ft. Tunnel 4 x 6 ft. 50 ft. long. Course
S.

VALUE

\$ 500.00

VIOLET LODE:

Discovery Cut No. 1, which brs. from the N. C. E. S. 62° 30' W. 120 ft. Cut 4 x 15 ft. 10 ft. face.

VALUE

\$ 50.00

Shaft No. 2 which brs. from the N. C. E. S. 62°
30' W. 580 ft. Shaft 4 x 6 ft. 85 ft. deep.

This vein dips to the N. W. about 20° from the horizontal and shaft No. 2 follows the dip of the vein.

VALUE

\$ 850.00

Tunnel No. 3, which brs. from the N. C. E.

S. 62° 30' W. 655 ft. Tunnel 4 x 6 ft. 50 ft. long.
on vein.

VALUE

\$ 500.00

Tunnel No. 4, which brs. from the N. C. E.

S. 62° 30' W. 1020 ft. Tunnel 4 x 6 ft. 60 ft. long.

Course W.

VALUE

\$ 600.00

Total value of improvements

\$4500.00

INSTRUMENT

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by solar observation. The distances were measured with a 50 and 300 ft. steel tape.

Prescott, Arizona, November 2, 1907,

J.S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

		1 1 0	
A list of the nar	mes of the individuals employ	ed by Mishes	
United States Depu	ty Mineral Surveyor, to assis	st in running, measuring, and marking the lin	es, corners, and
		of the survey of the mining claim of	
Su	rge H Tirance	a ej al	
known as the	mahn any	a et al Violes-	
and showing the res	pective capacities in which th	ey acted.	
	•	Est Draher	Ol - toman
	_		, Chainman.
		EH Draper Julius & Warlos	, Chainman.
		0	, Axman.
			, Flagman.
	-		
	FINAL OATH	S OF ASSISTANTS.	
,			
We, SA	Drafes	, do solemnly swear that we assisted	
and Inline	to Warlow	do solemnly swear that we assisted	1 Disher
/ /			
		eputy Mineral Surveyor, in marking the corners	
the boundaries of th	e mining claim of Sub-	ge & Granois es a	<u>^</u>
	· · · · · · · · · · · · · · · · · · ·		THE STATE OF THE S
	On as has any	Midel -	
known as the	yn on a		
represented in the fe	oregoing field notes as having	been surveyed by said deputy mineral surveyor	and under his
direction; and that	said survey has been in all res	spects, to the best of our knowledge and belie	f, faithfully and
correctly executed, a	and the corner and boundary	monuments established according to law and	the instructions
furnished by the Un	ited States Surveyor-General	for anyone .	
		EH Draper	, Chainman,
		P - 50 M/. PL	,
		1. 0 ± 41/0	., Chainman.
		fulus . Marlogo	-, Axman.
		EADragur	, Flagman.
	Subscribed and sworn to	by the above-named persons before me this	25-
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	day of Oct	obec , 1907	
	J 01	0 90 to 1	
CL. 153	Algree J. J. Jones	O The	P. L.
17987h5m3-05	9 8	mary	Muces

17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

$(/ \sqrt{27'})$	
I, & J. Viele	, U. S. Deputy Mineral
	ance of instructions received from the United
States Surveyor General for	gond, dated
Och. 21, 1907, V,	have, in strict conformity to the laws of the
United States, the official regulations and	instructions thereunder, and the instructions
	correctly executed the survey of the Mining
Claim of Lunge It Formers	John agnote and
Mank Williams	, known as the
Oinahu and Va	slet ;
situate in Martinez	Mining District,
Jevapai'	County, Ougua, in Section
, Township No. 10 21, Ra	nge No. 6 W
and designated as Survey No. 2488	
in the foregoing field notes, which accurate	ely show the boundaries of said mining claim
as distinctly marked by monuments on the	e ground, and described in the attached copy
of the location certificate, which was rece	eived by me from the Surveyor General with
said instructions, and that all the corners o	of said survey have been established and per-
petuated in strict accordance with the law	, official regulations and instructions there-
under; and I do further solemnly swear	that the foregoing are the true and original
field notes of said survey and my report	therein, and that the lawor expended and
improvements made upon said mining clai	m by claimant or Weev grantors
are as therein fully stated, and that the	character, extent, location and itemized value
thereof are specified therein with particular	larity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim.	
	0 0 7 1
5	J. J. Stesher
Page 1	J. J. Leslier U. S. Deputy Mineral Surveyor.
4	20000
Subscribed and sworn to by the said.	1 J. Freher
U.S. Deputy Mineral Surveyor, be	1//057 .
	this 2 d
day of November - 1	907
My commercion et	him 1 C 7
Whrencher 29-1910	y. C. taulkner
I v	notary Public
o 3—154	

Affidavit of Five Hundred Dollars Improvements.

We, EH Drapes	- and Julius & Warlow
	y sworn according to law, depose and say: That we are
acquainted with the Om	wha any Vivles- mining claim,s
situate in That union	Mining district, Yarafran County,
Arizona Territory, for which	Geo H. Drancis Ex. of
had made application for sa	urvey prior to application for patent under the provisions
	ved May 10, 1872; and that the labor done and improve-
ments made thereon by the o	pplicants and fram grantors exceed Five Hundred
Dollars in value, and further	r that we are not personally interested in said mine.
	EAD raper
	Julian F. Warley
TERRITORY OF ARIZ	
County of fleres	\$88:
	Sworn to and subscribed before me, this 25-2
> <u>சு சு சு சி </u>	day of October , 190.7
<mark>अंकककककर्ष्र</mark>	I I Field
.14396b400-8-04	I J. J. Ferher nouvy Purice
9	3

Omaha.

Notice of Mining Location Quartz Claim.

To all Whom it May Concern:

This mining claim, the name of which is the Omaha Mining Claim, situate on lands belonging to the United States of America, and in which there are waluable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Charles Vincent, Frank Nichols and A.Golder, the undersigned, on the first day of January, 1896.

The length of this claim is 1500 feet and we claim 300 East and 1200 West feet on each side of the discovery shaft (at which this notice is posted) lengthwise of the claim.

The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Martines Mining District, in Yavapai County, in the Territory of Arizona, about 1500 feet in a from direction from Why not mine West and 300 feet from the Congress Mill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at wat a point in a 300 East direction three hundred (300 feet from the discovery shaft, at which this notice is posted, being in the center of the east end lines of said claim; thence 300 feet to a stone monument being the Northeast corner of said claim; thence 750 to a stone moment at the center of the North side line of said claim; thence 750 feet to a stone moment being at the Northwest corner of said claim; thence 300 feet to a stone moment at the center of the West end of said claim; thence 300 South feet to a stone moment S.W. being at the corner of said claim; thence 750 East feet to a stone mon at the South side line of said claim; thence 750 East feet to a stone mon at the Southeast corner of said claim; thence 750 East feet to a stone mon at the Southeast corner of said claim; thence 750 East feet to a stone mon at the Southeast corner of said claim; thence three hundred 300 feet to the place of beginning.

All done under the provisions of Chapter six of Title XXXII of the Revised Statutes of the United States, and of an act of the General As-

sembly of Arizona, entitled "an act concerning mines", approved March 20" 1395.

Dated and posted on the ground this first day of January, 1895.

C.T. Vincent

Frank Nichols

A. Golden.

Recorded at request of A.L.Butler, Feby. 28" A.D. 1896, at 3 o'clock P.M., in Book 42 of Mines pages 638-9, Records of Yavapai County, Arizona

(Seal)

F.A. Tritle

By M.O.Archibald

County Recorder.

Deputy.

"Violet"

Certificate of Mining Location.

Quartz Claim.

This Certifies, That the Violet Mining Claim was located by the undersigned, John Agnoll, Frank Williams and George H. Frances on the 22nd day of March 1898.

That said mining claim is Fifteen Hundred feet in length, and 300 feet on each side of the center of the discovery shaft, is claimed by the locators North & South; that the general course of the lode and premises is from the South to the North; that said claim is situated and located in Martinez Mining District, in Yavapai County, in the Territory of Arizona, directly West and adjoining The Omaha Mining Claim. That the undersigned discoverer of said mining claim located the same on the 22nd, day of March 1893, by posting at the point of discovery on the surface a plain notice, of which the following is a copy.

To all whom it may concern:

This mining claim, the name of which is the Violet Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Frank Williams, John Agnoll, and George H. Francis, the undersigned, on the 22nd day of March 1898

The length of this claim is Fifteen Hundred feet, and we claim 1400 feet in a Westerly direction and 100 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet feet in width of the surface grounds, on each side of the center of said claim;

The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in Martinez Mining District, in Yavapai County, in the Territory of Arizona, directly West and adjoining from the Omaha Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument erected at a point in a Westerly direction 1400 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence 300 feet to a monument being the north west corner of said claim; thence 750 feet to a monument at the center of the North side line of said claim; thence 750 feet to a monument at the north east corner of said claim; thence 300 feet to a monument at the center of the East end of said claim; thence 300 feet to a monument, being at the South East corner of said claim; thence 750 feet to a monument, being at the center of the South side line of said claim; thence 750 feet to a monument at the South West corner of said claim; thence 300 feet to a monument at the South West corner of said claim; thence 300 feet

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General-Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 22nd day of March. 1398.

Frank Williams.

Geo.H.Francis.

John Agnoll.

That John Agnoll has sunk a discovery shaft on the premises so claimed to a depth of Eleven (not less than ten) feet from the lowest part of the rim of such shaft at the surface, showing a lode deposit and mineral in place.

That the boundaries of said claim are designated and marked as in said notice mentioned.

In Witness Thereof, he has hereunto set his hand, this 8th day of April, 1898.

John Agnoll.

Filed and recorded at request of G.H.Francis, April 9" 1893, At 9:00 o'clock A.M. In Book 48 of Mines, pa es 587 to 589, Records of Yavapai County, Arizona.

(Seal)

By E.J.Averyt Deputy. W.I.Johnson, County Recorder. TERRITORY OF ARIZONA,)
:ss.
County of Yavapai.)

I, J.C.Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and Custodian of the files and records of
such office do hereby certify that I have compared the foregoing copies
with, and that the same are full, true and correct copies of the following named lode mining claims, located in the Martinez Mining District,
Yavapai County, Arizona Territory, as the same appear of record in
my said office at the books and pages as follows:-

"OMAHA" mining claim, notice of location whereof is of record in Book 42 of Mines, at pages 638-9.

"VIOLET" mining claim, notice of location whereof is of record in Book 48 of Mines, at pages 587-589.

IN TITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this lath day of October, A.D. 1907.



County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,					
	December 5, 1907	7				
I, U. S. Surveyor-Gene	eral for District of Arizona	٠.				
do hereby certify that the f	oregoing transcript of the Field Notes, return and approval of the surve	у				
of the mining claim of						
(George H. Francis et al					
known as the	OMAHA and VIOLET	121				
situate in	<u> </u>					
Mining District,	Yavapai County, Arizona	100				
in Section15,	Township No. 10 N., Range No. 6 W., an	d				
designated as Survey No	2488 , has been correctly copied from the originals on file i	\mathbf{n}				
this office; that said Field	Notes furnish such an accurate description of said mining claim as will,	if				
incorporated into a patent,	serve fully to identify the premises, and that such reference is made therei	n				
to natural objects or perma	nent monuments as will perpetuate and fix the locus thereof.					
And I further certify	that five hundred dollars' worth of labor has been expended or improve	е-				
ments made upon said mini	ing claim by claimant sor their grantors, and that said improvemen	ts				
consist of 2 shafts, 3 tunnels, 1 cut and 100 ft. of drift,						
total value \$450	00.					
358735757466537774665377755577777777		-				

	**************************************	-				
and that no portion of said	l labor or improvements has been included in the estimate of expenditure	s				
upon any other claim.						
I further certify that the	he plat thereof, filed in the U.S. Land Office at Phoenix,					
Arizona	is correct and in conformity with the foregoing Field Notes.					
	Frank S. Ingalls,					
	United States Surveyor-General forArizona					


7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES: AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Office of U.	s. surveyor-Gene	rai,
	********	Phoenix, Ariz	iona,
		December 5	, 190.7.
I, U. S. Surveyor-General for-	District	of Arizona	***************************************
do hereby certify that the foregoing an	d hereto attached Fiel	d Notes and Return of	the Survey of the
Mining Claim of			***************************************
Ge	orge H. Franci	s et al	
			, known as the
***************************************	OMAHA and VI	OLFT	
situate in	Martinez		Mining District,
Yayapai	County,	Arizona	
in Section	ship No. 10	N. Range No	6 W.
, designated as Surv	ey No	2488	
executed by	Fisher	, U.	S. Deputy Mineral
Surveyor, Oct. 24 - 25	<u>.</u> 	, 190.7., under my	instructions dated
Oct. 21,	, 1907, have be	en critically examined	and the necessary
corrections and explanations made, and	l the said Field Notes	and Return, and the S	urvey they describe,
are hereby approved. A true copy of	the copy of the locat	ion certificate filed by	y the applicant for
survey is included in the field notes.	Jin	inh d S	gells
	U. S. S	Surveyor-General for	Arizona.

21811b3m2-06



Sec. 15 T. 10 N. R & W G.+S.R. B+M.

SURVEYED OCT 24-25-07 by J. J. Fisher J. S. D. M.S.