гет ту. Чит.

(4-683.)

Mineral Survey No. 25/3

Lot No.

School Bell Mining District.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Section Orders, 10... Township 12 S. Range 8 E., Unsur,
Surveyed under instructions dated fam 18... 1908

by level 3 Wright
U.S. Deputy Mineral Surveyor

Claim located fam 23... 1908

Survey commenced fam 23... 1908

Survey completed fan 24... 1908

address of claimant's atty: 2. S. Alingan, Tueson, ariz.

RUBY LODE

Feet

Beginning at Cor. No. 1, identical with cor. of location A pine post 4 1/2 ft. long 4 ins. sq., set firmly in mound of stone on bed rock, scribed 1-2513 R from which U.S.L.M. No. 1204 bears S.83°23' W 2779.2 ft.

Thence N.79°42: E. V. ar. 14½°E. 390.5 ft. 16.2 datersect Hest side live Columbia, lode, upo, whence S. 9. Con livery S. 50°0 8'E. 390.5 ft.

60 Silver Bell gulch 150 ft deep, 200 ft. wide, brs. N.
180 Road, Silver Bell to Redrock, brs. N. & S.
228.7 Intersect line 3-4 of Prince of Wales, survey No.2433;
Cor. No. 3 of Prince of Wales, brs. N.19 01 W. 293 ft.
420 Gulch brs. N.10 W.
752.7 Intersect S. end line of Columbia, uns., whence
S.E.Cop. of Columbia brs. N.39 44 E. 37 ft.

To Cor. No. 2, A pine post 4 1/2 ft. long 4 ins. sq. set 12 ins. in ground to bedrock in mound of stone scribed 2-2513-R. 1480 Loc. Cor. brs. N.79°E. 50 ft. No bearings available.

Thence S.1° E0' E. Var. 14'1/2° E.

301 To Cor. No. 3 A pine post 4 1/2 ft. long 4 ins. sq. set firmly in mound of stone on bedrock scribed 3-2513-R. Location Cor. brs. N. 11°E. 48 ft. No bearings available.

Thence S.13°41' E. Var.14°35' E.

264 To Cor. No.4. Id. with dor. of location, A pine post 4 1/2 ft. long 4 ins. sq. set 2 ft. in ground with mound of stone, scribed 4-2513 R. No bearings available. An open cut 4'x6'x 25"running N. brs.N.74 1/2 W.735 ft. At noon the observed latitude at this Cor. is 32°23'30'N.

> Thence S.81° 57' W. Var.14 1/2° E.

700 762

Gulch, brs. N.40 W.
Cor. No. 3 of Belle survey No. 1819 on line.
Intersect line 3-4 of Prince of Wales survey No.2433,
whence Cor. No.3 of Prince of Wales brs.N.19 01 W.815 ft. 1143.2

Road Silver Bell to Redrock, N. &. 3. 1315

Id. with Cor. of location.

A pine post 4 1/2 ft. long, 4 ins. sq. set firmly in mound of stone on bedrock, scribed, 5-2513 R.

A palo verde tree 5 ins. diam. brs.N.86 1/2 W.25 ft. blazed and scribed B.T. 5-2513 R. To Cor. No. 5. 1465.2 No other bearings availabe. Cor. No.4 of Belle survey No.1819 brs. N.87°51' E. 85 ft.

> Thence N.18°57' W. Var. 14 1/2 E.

Silver Bell Gulch, brs. N. 40

To Cor. No. 6.

A pine post 4 1/2 ft. long 4 ins. sq. set 1 ft. in ground to bedrock and mound of stone scribed 6-2513 R.

Location Cor. brs. N.19 W. 585ft.

Location monument brs. N.79 41' E. 150 ft.

A tunnel running N.80 E.4 x6 x30' brs. N.65 E. 100 ft.

An open cut running East 4 x6 x20' brs. S.85 E. 180 ft.

Disc. shaft 4 x6 x45' deep brs Ñ.79 E. 80 ft. To Cor. No. 6. 209 No bearings available.

Thence N.1 30 W.
Var. 14 1/2 E.

300.5 To Cor.No.1 the point of beginning.

SURVEY 2513

Connection with corners of Columbia for calculation of area to be excluded.

From Cor. No.1 of Ruby.

N.79"42' E. 16.2 Intersect W.side line of Columbia, (unsurveyed)

Thence S.50° 08 E. To S.W. location Cor. of Columbia lode, unsureyed

Thence N.55 04 E. Intersect East line.of Prince of Wales Survey No. 2433 .8.8 whence Cor. No. 3 of Prince of Wales brs. N.19 01 W.592.8 ft. To S. End center loc.mon of Columbia lade, was well

311.8

Thence N.39°44' E.

Intersect N.line of Ruby, whence Cor.No.l of Ruby bears S.79"42" W. 752.7 ft being 730.5 ft to line of Columbia Lode, unsurveyed.

To S.E.Cor. of Columbia Lode, unsurveyed. 265. 302.

Area.

Total area of Ruby Lode -- -----18.028 Acres Less area in conflict with Columbia- 2.813 area of Ruby Lode student 2433, --- 15.215 Location

The Ruby is located in Silver Bell Min's Dist. Pima Co. approximately in Sec. 10, T.12 S.R.8 E. Uns.

I certify that the labor and improvements upon this claim placed thereon by the claimant and his grantors is not less than \$500.00 , and that said improvements consist of-

Surface. The surface included in this chain ascends from the gulch at the West end to a ridge 350 ft . higher at East end.

Isstrument.

The survey was made with a Young and Sons mountain transit with solar attachment.

The courses were deflected from a true meridian determined by direct solar observations and checked by polaris observation. The distances were measured with 75 ft. and 300 ft. stee?

Vein or Ledge The general course of the vein or ledge is N.79 43'E. 1479.9 ft. from Cor. No.6 to Cor.No.3. The vein dips slightly to the North. The outcrop is a porphyry with traces of malachite running into sulphide at the depths as developed.

J.S. Deputy Mineral Surveyor.

1 mon

The adjoining claims are,-

On the east Prince of Wales lode, Sur. No. 2433, Imperial Copper Co., claimant.

On the north Columbia lode, unsurveyed, Oxide Copper Co., claimant.

On the south Belle lode, Sur. No. 1819, Imperial Copper Co., claimant.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by. United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of..... and showing the respective capacities in which they acted. FINAL OATHS OF ASSISTANTS. do solemnly swear that we assisted -, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of --known as the represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for..... Flagman. Subscribed and sworn to by the above-named persons before me this.

17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Jesse B. Wright, U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for Augora, dated	
fan. 18, 1908, I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Alenn E. Baker	
, known as the	
situate in Selver Bell Mining District,	
situate in Selver Bell Mining District,	
Pinna County, Aryona, in Section	
approx. 10, Township No. 125., Range No. of A. some ne, it,	
and designated as Survey No. 25/3, as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
esse 12 Wright -	
U.S. Deputy Mineral Surveyor.	
leane B. Mainly	
Subscribed and sworn to by the said.	
U. S. Deputy Mineral Surveyor, before me Mary C. Traces	
May Public Orius Co, ary. this 27	
day of January 908,	
Mary a Flances	
Wolaw Outlie	
0 8-154	
My commercial offerres	· -
Desember 17-19	//

Affidavit of Five Hundred Dollars Improvements.

mr Edd Drent	on and M	iguel	Sapia_
7	, ana		
of lawful age, being first duly swe			
acquainted with the L	by	***************************************	mining claim,
situate in Silver Bell	Mining district	Jim	County,
Arizona Territory, for which	Glenn	E Ba	Kir
had made application for survey	prior to application for	patent under	the provisions
of the act of Congress, approved M	ay 10, 1872; and that	$the\ labor\ done$	and improve-
ments made thereon by the applica	ant and his gra	ntor <u>A</u> exceed	Five Hundred
Dollars in value, and further tha	we are not personally	interested in	said mine.
	En	8 B.	entor
	migs	ilf of a	hite
TERRITORY OF ARIZONA,	} ss:	٩	19
Sw	orn to and subscribed b	efore me, this	22 md
Antopology of the state of the	day of Janua		
		n A	
143965400-8-04	no	tary Ou	blic
my commission Exp	rie	Pina C	Pauly Trions
1 .		a	Jan Marie

NOTICE OF MINING LOCATION. QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Ruby Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Wm. Klug, D. W. Carrigar and W. Biggs, being the undersigned, on the 15th day of June, 1903.

The length of this claim is 1500 feet, and we claim 150 feet in a Westerly direction, and 1350 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining District in Pima County, in the Territory of Arizona, about 300 yards in a Northerly direction from Old Silver Bell, and about 3/4 mile Southeast from Atlas.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and post at a point in a Westerly direction 150 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence 300 feet to a monument, being the Southwest corner of said claim; thence 1500 feet to a monument, being at the Southeast corner of said claim; thence 300 feet to a monument, being the center of the Easterly end of said claim; thence 300 feet to a monument, being

claim; thence 1500 feet to a monument being at the Northwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter 6 of Title XXXII of the Revised Statutes of the United States. and of an act of the General Assembly of Arizona entitled "An Act to Codify and Revise the Laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 15th day of June, 1903.

Wm. KLUG

D. W. CARRIGAR

W. BIGGS.

Filed and recorded at request of Frank E. Murphy August 17, 1903 at 9 A. M.

Chas. A. Shibell

County Recorder.

TERRITORY OF ARIZONA, PIMA COUNTY.

I hereby certify that the above and foregoing notice of mining location of the Ruby Lode is a true, full and correct copy of said notice as the same appears in the Records of my office in Book J J, Records of Mines, Page 42.

Chas. a privell

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona
April 23, , 1 908.
I, U. S. Surveyor General for <u>District of Arizona</u> ,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
Glenn E. Raker
, known as the RUDY
, situate in Silver Bell
Mining District, Pima County,
Arizona , in Section approx. 10 , Township No. 12 S,
Range No. 8 E., Unsur, and designated as Survey
No. 2513 , has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft, 2 cuts and 1 tunnel, total value, \$800,00
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes. Frank S. Ingalls United States Surveyor General for Arizona.
United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona
	April 23,, 190_8
I, U. S. Surveyor-General for Distri	ct of Arizona
do hereby certify that the foregoing and hereto atta	ched Field Notes and Return of the Survey of the
Mining Claim of	
Glenn	E. Baker
***************************************	, known as the
RUBY	***************************************
situate in Silver	Bell Mining District,
Pima Coun	y,Arizona
in Section approx. 10 , Township No. 1	3 3. Range No. 8 E. Unsur.
, designated as Survey No	3513
executed by Jessie B. Ur	ight U.S. Deputy Mineral
Surveyor, January 23, - 24	, 190.8, under my instructions dated
January 18, , 1908	have been critically examined and the necessary
corrections and explanations made, and the said Fie	d Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of t	he location certificate filed by the applicant for
survey is included in the field notes.	rant Debegalla
	U. S. Surveyor-General forArizona.

21811b3m2-06