

**MS**

**0**

**2**

**5**

**2**

**9**



1005 1-1908  
JUN 17 1908

4-683.

MINERAL SURVEY No. 2529.

LOT No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Frank L Wright

KNOWN AS THE

Uona B. and Isis.

Peck Mining District,

Yavapai County, Arizona

*Approx.*

Section 7, Township 10 N., Range 1 E., Unsur.

Surveyed under instructions dated March 18, 1908

by J. J. Fisher  
U. S. Mineral Surveyor.

Claim located see loc. notices, 19

Survey commenced March 23<sup>rd</sup>, 1908

Survey completed March 25<sup>th</sup>, 1908

6-822

Address.

Thomas C. Job. Attorney.  
Prescott  
Arizona.

Feet

NORA B. LODE

Beginning at cor. No. 1, identical with cor. of loc. which is also cor. No. 3 Silver Prince lode Lot No. 38. A granite stone 17 x 12 x 6 ins. above ground marked N. B. 1-2529, same stone marked S. P. No. III.

Whence a X on a granite rock in place marked B. R. N. B. 1-2529 brs. S. 60° W. 16.6 ft.

Cor. No. IV Silver Prince lode brs. N. 47° 15' E. 1415.7 ft.

Point for cor. No. IV Alta lode Lot No. 42 brs. S. 40° 5' W. 567 ft.

After diligent search in running the lines of the Alta lode could not find any corners whatsoever, therefore have drawn in the outlines of the Alta in accordance with the field notes thereof.

A cross (+) 12 x 12 ins. in size on center of east face of prominent granite boulder 15 x 12 x 10 ft. in size, and marked U. S. L. M. No. 2529, the latter marks being placed there by myself, brs. N. 46° 32' 36" E. 1400.9 ft. The disagreement of these notes with the field notes of the Silver Prince is owing to errors in the Silver Prince.

Thence S. 32° 54' W.

690 To cor. No. 2 Isis lode of this survey.

1500 To cor. No. 2, identical with cor. of loc. A mon. of stones 2 ft. base 1 1/2 ft. high.

Set a slate stone 28 x 20 x 6 ins. 14 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked N. B. 2-2529.

No bearings available.

Feet

Thence S. 44° 15' E.

300

To S. C. E., identical with S. C. E. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a granite stone 24 x 12 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked S. C. E., N. B. 2529.

600

To cor. No. 3, identical with cor. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Cut a X on a granite rock in place for cor. point, marked N. B. 3-2529, alongside raised a mound of stones 3 x 3 ft.

Thence N. 32° 54' E.

1425

To witness cor. for cor. No. 4. True point for cor. falls in dump from tunnel No. 2, being unsuitable for the establishment of cor.

Set a slate stone 30 x 15 x 6 ins. 15 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked W. C. N. B. 4-2529.

Whence a cottonwood tree 18 ins. in diam. blazed and marked W. C. N. B. 4-2529 brs. N. 57° 25' W. 9.8 ft.

S. E. cor. of boarding house brs. N. 79° 15' W. 46.2 ft.

1500

To true cor. point.

Thence N. 44° 15' W.

300

To N. C. E., identical with N. C. E. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a slate stone 24 x 8 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked N. C. E., N. B. 2529.



Feet

508.28 To intersect line 1-2 Isis lode of this survey at  
 S. 40° 30' 25" W. 781 ft. from cor. No. 1.

600 To cor. No. 1, the place of beginning survey of  
 exterior boundaries.

\*\*\*\*\*

ISIS LODE

Beginning at cor. No. 1 identical with cor. of loc.  
 A mon. of stones 2 ft. base 1½ ft. high, situated on  
 line 3-4 Silver Prince lode, Lot No. 38, at N. 47° 15' E.  
 778 ft. from cor. No. 3 Silver Prince lode.

Set a granite stone 24 x 12 x 6 ins. 12 ins. in  
 ground, alongside raised a mound of stones 3 x 3 ft.  
 Stone marked I. 1-2529.

Whence a X on a quartz rock in place marked B. R.  
 I. 1-2529 hrs. N. 65° 30' W. 12.2 ft.

No other bearings available.

U. S. L. M. No. 2529 hrs. N. 45° 39' 38" E. 623.3 ft.

Thence S. 40° 30' 25" W.

781 To intersect line 1-4 Nora B. and 2-3 of Silver  
 Prince lode at S. 44° 15' E. 91.72 ft. from cor. No. 1  
 Nora B. and cor. No. 3 Silver Prince.

1456.5 To cor. No. 2, identical with cor. of loc. A mon.  
 of stones 2 ft. base 1½ ft. high, situate on line 1-2  
 of Nora B. lode of this survey, at S. 32° 54' 24" E. 690. ft. from Cor. 1.

Set a slate stone 24 x 12 x 6 ins. 12 ins. in  
 ground, alongside raised a mound of stones 3 x 3 ft.  
 Stone marked I. 2-2529.

Whence a slate ledge 2 x 2 ft. x 5 ft. marked X I.B.R.  
 2-2529 hrs. S. 87° 45' W. 24.3 ft.

Feet

Thence N. 42° 45' W.

63.85 To intersect supposed line 3-4 Alta lode Lot No. 42 at S. 28° 17' W. 111.95 ft. from point for cor. No. IV of the Alta lode.

298.08 To intersect supposed line 1-4 of Alta lode at N. 70° 54' W. 224.41 ft. from supposed cor. No. IV.

300 To S. C. E., identical with S. C. E. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a slate stone 24 x 12 x 3 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft.

Stone marked S. C. E. I. 2529.

600 To cor. No. 3, identical with cor. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a slate stone 24 x 12 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked I 3-2529.

No bearings available.

Thence N. 40° 30' 25" E.

1456.5 To cor. No. 4, identical with cor. of loc. A mon. of stones 2 ft. base 1½ ft. high.

Set a porphyry stone 24 x 10 x 4 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft.

Stone marked I. 4-2529.

No bearings available.

Thence S. 42° 45' E.

300 To N. C. E., identical with N. C. E. of loc. A mon. of stones 2 ft. base 1½ ft. high. Stone marked N. C. E.

I. 2529, stone 24 x 8 x 5 ins. set 12 ins. in ground.

600 To cor. No. 1, place of beginning survey of exterior boundaries.

SURVEY NO. 2529

Variation 14° 30' E.

A R E A

Nora B.			20.143	
			<del>20.143</del>	acres
Isis, gross area	19.923 A			
Less conflict with				
Alta. Lot No. 42	0.284			
Silver Prince				
Lot No. 38	0.819			
Nora B. <i>this survey</i>	<del>0.708</del>	8 1/2	1.568 A	
Net area Isis		1/2	<del>18.015</del>	18.015 acres
Total area lode claims			<del>37.010</del>	38.255

L O C A T I O N

This claim is located on unsurveyed land approximately in Sec. 7, T. 10 N., R. 1 E., G. & S. R. B. & M. in Peck mining district, Yavapai County, Arizona, <sup>in Prescott Forest Reserve</sup> and is bounded on the north-east by the Silver Prince lode, Lot No. 38, and on the south-west by Alta lode, Lot No. 42. No other known adjoining claims.

V E I N

NORA B. extends north 32° 54' E. 530 ft. and south 32° 54' W. 970 ft. from the discovery shaft.

ISIS extends N. 40° 30' 25" E. 500 ft. and S. 40° 30' 25" W. 956.5 ft. from the discovery shaft.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the improvements placed upon these claims by the claimant and his grantors is not less than Five Hundred Dollars for each location, and that said improvements consist of:

SURVEY NO. 2529

NORA B. LODE:

Discovery shaft No. 1, which brs. from the N. C. E. S. 32° 54' W. 530 ft. Shaft 4 x 6 ft. 35 ft. deep.

CHIEF VALUE \$ 350.00

Tunnel No. 2, which brs. from W. C. No. 4 N. 70° W. 124 ft. Tunnel 4 x 6 ft. extending N. 83° W. 273 ft. thence S. 34° W. 300 ft. and N. 34° E. 81 ft. Of this improvement 100 ft. in the S. level and 50 ft. in the N. level is to be credited to the Nora B., the rest of the tunnel was done years ago and abandoned.

VALUE \$1500.00

ISIS LODE:

Discovery shaft No. 1, which brs. from cor. No. 1 S. 73° 10' W. 552 ft. Shaft 4 x 6 ft. 50 ft. deep. At bottom of shaft a drift 4 x 6 ft. 20 ft. long is run S. on vein.

VALUE \$ 700.00

Total value of improvements \$2550.00

I N S T R U M E N T

This survey was made with a Gurley Light Mountain Solar Transit, the courses were deflected from the true meridian as determined by solar observation. The distances were measured with a fifty foot and three hundred foot steel tape.

Prescott, Arizona, May 29, 1908.

*J. J. Fisher*

U.S. Dep. Mineral Surveyor



Peck Mining District, Yavapai County, Arizona.

Approximately in Sec. 7, T. 10 N., R. 1 E.

Being unable to find any trace of U. S. M. M. No. 1, Peck Mining District, I established U. S. L. M. No. 2529 on the east face of a prominent granite boulder 15 x 12 x 10 feet in size.

Underneath a cross (+) 12 x 12 ins. on east face I scribed U. S. L. M. No. 2529.

Whence North Peak Mazatzal Mt. brs. S. 69° 54' E. about 40 miles.

Curtain Butte brs. S. 60° 30' E. 744 ft.

Mouth of tunnel brs. S. 36° E. 439 ft.

Shaft brs. S. 1° 48' E. 575 ft.

Shaft brs. S. 24° 30' W. 1060 ft.

The tunnel and two shafts are situated on the Silver Prince lode, lot No. 38.

Peck Mine brs. S. 80° W. about one mile.

Prescott, Arizona, May 29, 1908.

  
U.S. Dep. Min. Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

known as the Frank L. Wright.  
Nora B. and Isis

and showing the respective capacities in which they acted.

Peter Giroux, Chainman.

Louis Giroux, Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Peter Giroux

and Louis Giroux, do solemnly swear that we assisted

Fisher, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Frank L. Wright

known as the Nora B & Isis

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Peter Giroux, Chainman.

Louis Giroux, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 25<sup>th</sup>

day of March, 1908

My commission expires  
May 9, 1908

14224b5m8-04

J. J. Fisher  
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 18, 1908, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Frank L. Wright, known as the Nora B. and Isis, situate in Peck Mining District, Yavapai County, Arizona <sup>approximately</sup> in Section 1 E, 4 + S. R. 1 B + 7 M. unsur., Township No. 10 N., Range No. 1 E., and designated as Survey No. 2529., as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me E. Faulkner - a  
Notary Public this 29<sup>th</sup>  
day of May, 1908

My commission expires November 29-1910  
E. Faulkner  
Notary Public



Affidavit of Five Hundred Dollars Improvements.

We, Peter Grioux and James Cash

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the "Nora B" and "Isis" mining claim, <sup>s</sup> situate in Peck Mining district, Yavapai County, Arizona Territory, for which Frank L. Wright

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Peter Grioux  
James Cash

TERRITORY OF ARIZONA,  
County of Yavapai } ss:

Sworn to and subscribed before me, this 25<sup>th</sup>

day of March, 1908



J. J. Fisher  
Notary Public

27669b1m2-07

My Commission Expires  
May 9, 1908.

Amended  
Notice of Mining Location.  
Lode Claim.

To All Whom It May Concern:

This Mining Claim, the name of which is the "Nora B" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by F.W.Wood, F.W.Giroux, J M Elder, A.M.Ranger & G H Cramer, Citizens of the U.S. the undersigned, on the 27th day of February 1908.

The length of this claim is 1500 feet, and we claim 490 feet, in a Northerly direction and 1010 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 1/2 mile in a South easterly direction from Peck Mine and may be further described as joining the "Silver Prince" Lode Claim on the south.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at ..... at a point in a Northerly direction 490 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a mound of Stone, being the North east corner of said claim; thence Southerly 1500 feet to a Mound of stone, being at the South east corner of said claim; thence Westerly 300 feet to a Mound of stone at the center of the South end of said claim; thence Westerly 300 feet to a Mound of stone, being at the South west corner of said claim; thence Northerly 1500 feet to a Mound of stone at the North west corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the "Nora B" Mining Claim, located by A.M.Ranger on the 7th day of January 1903, and recorded in Book 66 of Records of Mines, at page 566 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 27 day of February 1908

F.W.Wood, F.W.Giroux,  
J M Elder, A.M.Ranger &  
G.H.Cramer.

Filed and recorded at request of J.M.Elder, March 3, A.D. 1908, at 3:45 o'clock P.M., Book 82 of Mines, page 581, Records of Yavapai County, Arizona.

By John J.Reddick,  
Deputy Recorder.

(SBAL)

J.C.Bradbury,  
County Recorder.

"Isis"

## Notice of Mining Location.

## Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the "Isis" Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank W. Giroux a citizen of the United States the undersigned, on the 1st day of January, 1905

The length of this claim is fifteen Hundred feet, and I claim seven hundred and fifty feet, in a northerly direction and seven hundred and fifty feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Peck Mining District in Yavapai County, in the Territory of Arizona, about 1/2 mile in a southerly direction from The Peck Mine and parallel the "Silver Prince" on the west and also the "Black Warrior" and the North extension of the "Alta" Lode. The "Isis" is made on abandoned ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at the north end centre at a point in a northerly direction seven hundred and fifty feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Three hundred feet to a monument of stone being the Northeast corner of said claim; thence fifteen Hundred feet to a monument of stone being at the Southeast corner of said claim; thence three hundred feet to a monument of stone at the center of the South end of said claim; thence three hundred feet to a monument being at the Southwest corner of said claim; thence fifteen hundred feet to a monument being the Northwest corner of said claim; thence Three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 1st day of January 1905

F.W.Giroux

*locator*

Filed and recorded at request of Peter Giroux Jan. 6" A.D. 1905 at 1:15 o'clock, P.M., Book 72 of Mines, Page 460, Records of Yavapai County, Arizona.

(SEAL)

Roland Mosher

County Recorder.

By I A. Mosher

Deputy Recorder.



TERRITORY OF ARIZONA, )  
 ) :ss.  
 County of Yavapai. )

I, J.C. Bradbury, County Recorder in and for the  
 County of Yavapai, Territory of Arizona, and Custodian of the records of  
 such office, do hereby certify that I have compared the foregoing copies  
 with, and that the same are full, true and correct copies of the Notices  
 of Locations of the following named Lode Mining Claims, situate in the  
 Peck Mining District, Yavapai County, Arizona, as the same appear of record  
 in my said office at the books and pages as follows, viz:-

ISIS Lode Mining Claim, notice of location whereof is of record  
 in Book 72 of Mines, at page 460, Records of Yavapai County, Arizona.

original  
 NORA B Lode Mining Claim, notice of location whereof is of record  
 in Book 66 of Mines, at page 566, and amended notice whereof is of record  
 in Book 82 of Mines, at page 581, records aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official  
 Seal this 12th day of March, A.D. 1908.



*J.C. Bradbury*  
 County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

15

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 19, 1908.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

Frank L. Wright

, known as the NORA B. and ISIS

, situate in Peck

Mining District, Yavapai County,

Arizona, Approx. , in Section 7, Township No. 10 N.,

Range No. 1 E., Unsur., and designated as Survey

No. 2522, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon <sup>each of</sup> said mining claim<sup>s</sup> by claimant or his grantors, and  
that said improvements consist of 1 tunnel, 1 drift and 2 shafts,  
total value \$2550.00

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 19, 1908

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of

Frank L. Wright

, known as the

MORA B. and ISIS

situate in Peck Mining District,

Yavapai County, Arizona

in Section Approx. 7, Township No. 10 N., Range No. 1 E., Unsur.

, designated as Survey No. 2529

executed by J. J. Fisher, U. S. Deputy Mineral

Surveyor, March 23 - 25, 1908, under my instructions dated

March 18, 1902, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank L. Wright

U. S. Surveyor-General for Arizona.



U.S.L.M. No 2529.  
PECK MINING DISTRICT.  
YAVAPAI COUNTY ARIZONA.

17



