4-683.

MINERAL SURVEY No.2531

LOT No.	9
· · · · · · · · · · · · · · · · · · ·	
Arizono Land District.	e.
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
JD Hubbard	
J. W. N. O. Dara	æ.i
	# 9
KNOWN AS THE	
Brooks	
Owens Mining District	,
Mohave County, Arizona	<u>.</u>
Section Approx. in, Township 13 N., Range 13W. Junsur	
Surveyed under instructions dated Mar. 30 , 1908	/ /
by Herbert C. Shotwell U. S. Mineral Surveyor	
Claim located Sex Location Notice, 19	
Survey commenced April 25th., 1908	
Survey completed April 26 th, 1908	

address;

Curtis H. Lindley, atty., Mills Bldg, San Francisco, Cal. Feet

MINERAL SURVEY No. 2531.

Brooks Lode.

Beginning at cor. No. 1, identical with cor. No. 4 of the Otsego Lode, Sur. No. 2532, a pine post 4 in. square and 4 ft. long, set 16 in. in the ground, surrounded by a substantial mound of rock, painted white and carved.

B-1-2531 on S. face and O-4-2532 on W. face, with nail in top for exact corner point, from which U.S.M.M. No. 1 brs. N. 22°25' W., 2877.4 ft., a rock in place 3 x 4 x 5 ft. exposed and chiseled B+R, B-12531 brs. S. 17°

40' W., 59.5 ft. No more available bearings.

Thence S. 88°29' W.,

280. Cross gulch, flows southerly.

300. North center end, a mound of stone.

600. Cor. No. 2, identical with cor. No. 3 of the Otsego Lode, Sur. No. 2532, and cor. No. 4 of the Big Four Lode, Sur. No. 2528, a pine post 4 in. square and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, painted white and carved B-2-2531 on E. face, B.F.-4-2528 on W. face and 0-3-2532 on N. face, with nail in top for exact corner point. No available bearings.

Thence S. 53°52' E.,

- 450. Cross gulch, flews southerly,
- 1500. Cor. No. 3, a pine post 4 in. square and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, painted white and carved B-3-2531 on N. face, with nail in top for exact corner point. No available bearings.

Thence N. 88°29' E.,

- 300. South center end, a mound of rock.
- 600. Cor. No. 4, a pine post 4 in. square and 4 ft. long, set

Feet

22 in. in the ground, surrounded by a substantial mound of rock, painted white and carved B-4-2531 on N.W. face, with nail in top for exact corner point. No available bearings.

Thence N. 53°52' W.,

150. Cross gulch, flows easterly.

1500. To cor. No. 1, the place of beginning.

All corners are identical with their respective locations.

Mean magnetic declination 14° to E.

Ledge.

The presumed course of this ledge as near as can be traced upon the ground is as follows:

From a point on line 1-2, 300 ft., S. 88°29' W., from cor. No. 1, S. 53°52' E., 1500 ft., to intersection of line 3-4.

Improvements

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than Five Hundred Dollars (\$500.00) and that said improvements consist of - Discovery tunnel 6 x 5 x 59 ft., course S. 51°30' E., portal of which brs. from cor. No. 1 S. 39°07' W., 185.5 ft.

Value\$590.00

Other Improvements.

The other improvements on this claim not placed thereon by claimant or his granters are
Shaft 5 x 7 x 52 ft. deep, which brs. from cor. No. 1

S. 21°38' E., 320 ft.

No. 1

Area.

Acres. Total and net area of Brooks Lode...........12.620.

Adjoining Claims.

The only known claim adjoining the Brooks Lode is the Otsego Lode, Sur. No. 2532, W. D. McWright and J. A. Logan, Claimants, which adjoins the Brooks on the north. The rest of the ground surrounding this claim, so far as known, is Public Domain and subject to entry.

Location.

This claim is located on unsurveyed land, approximately Township 13 N., Range 13 W., of the Gila and Salt River Base and Meridian, Owens Mining District, Mohave County, Arizona.

Instrument.

This survey was made with a C. L. Berger and Sons transit No. 1 C., the courses were deflected from the true meridian as determined by direct solar observation, checked on Polaris. The distances were measured with a 600 and 100 ft. steel tape.

U. S. Deputy Mineral Surveyor.

Herbert C. Shoturll.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the name	s of the individuals employed by Herbert C Shotwell
United States Deputy	Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described i	n the foregoing field notes of the survey of the mining claim of
	J.D. Hubbard
known as the	Brooks
and showing the respe	ctive capacities in which they acted.
	HD Campbell, Chainman.
	Chainman.
	, Axman.
	, Flagman.
	, raguan.
(8)	
T	FINAL OATHS OF ASSISTANTS.
We, H.D.C	Campbell
and	do solemnly swear that we assisted Herbert C.
Sholwell	
the boundaries of the	nining claim of J. D. Hubbard
·	
known as the	Brooks
represented in the fore	going field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that sa	id survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and	the corner and boundary monuments established according to law and the instructions
furnished by the Unite	d States Surveyor-General for
•	The tamble les
	Chairman.
	Chainman.
	, Axman.
	Flagman.
e e	Subscribed and sworn to by the above-named persons before me this.
	day of august, 190.8
	6 Miletels
14224b5m8-04	notary Public
	h C

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, Herbert C. Shotwell , U. S. Deputy Mineral
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
	States Surveyor General for Arizona, dated
	March 30th. 1908, , I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of J.D. Hubbard
	, known as the
	Brooks,
	situate in Owens Mining District, Mohave County, Arizona, in Section
	Mohave County, Arizona, in Section
proxim	nately in, Township No. 13 N., Range No. 13 W. (unsurveyed)
	and designated as Survey No. 25.3/, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
14:	said instructions, and that all the corners of said survey have been established and per-
_	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or his grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	or experience apoir any entire craim.
	Trespect & Shotwell
	U.S. Deputy Mineral Surveyor.
	Subscribed and sworn to by the said Herbert C. Shotwell
	U. S. Deputy Mineral Surveyor, before me @ Declary
	But
	6 Lines
	day of day and of go.
×	Of with the
81	08-154 March Mology moles
	y on massion Expluses May 13, 1

Affidavit of Five Hundred Dollars Improvements.

Me, Jas O Hoofend Louis H. Bolle
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Brown. mining claim,
situate in Owns Mining district, Mohan County,
Arizona Territory, for which 2. D. Hubbard
ha A. made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Louis H. Pohle
Louis H. Pohle
TERRITORY OF ARIZONA, County of Moral 88:
Sworn to and subscribed before me, this 28th
SEAL. G. day of April 1908
27669b1m2-07
Motary Public
My commission expires Aug 8. 19/1

	()
I, This, Melly Recorder of Mohave Co	ounty, Territory
of Arizona, do hereby certify that I have compared the foregoing copy of la notice of Mining Location of the Brooks" Mining	amended
and of the sement thereupon with the original records of the same office, and that the same are correct transcripts	
of the whole of said original records. WITNESS my hand and the seal of so	aid office, this
21 day of March 190	
Thos Mully Records of M.	Tohave County.:


GEO. D. BARNARD & CO., PRINTERS, BT. LOUI

AMENDED

Motice of Mining Location

LODE CLAIM

All Wilsom It	7	7 1 2		
This Mining Clai	m, the name of which is	s the Whoo	TS	
	on lands belonging to			
valuable mineral d	deposits, was entered up	on and located for	the purposes of explora	tion and
rchase by Mrs.	na Brooks,	august 25th	1906 m subs	quently
equired by for	eurchase by citizen of the United States," or, "v	who has declared his intention	on to become a citizen of the Uni	ted States.")
e undersigned, on th	e 30 day of	Velober	190	
//	is claim is 1500			
	230			
	vesterly			
1270	feet in a South	h-eusterly	direc	tion from
e center of the disco	overy shaft, at which the	is notice is posted, i	engthwise of the claim	, together
ith			of the surface ground	
de of the center of s	said claim. The genera	l course of the lode	deposit and premises	is from the
TO TUN	uated and located in th	a Ourens	Mining	District in
Malan is site	wated and located in the	o Tomit - C. 1	no about 1/19 ma	Les III
H	County, in the	e Territory of Arizo	na, about	1
1 a Souther	ly direc	tion from//wnll	a minument	
. ma a sanatana a sanatana a		N 100 Harrison Common to 100	HEROTERS III HISTORIANIAN	
		100		
·				
, m	2		array of Cillaria D	eoinning of
The surface box	undaries of the claim are	e marked upon the	ground as ionows: - n	CEMMINE at
11111	undaries of the claim are		ground as follows: B	cgmmig at
11111	midaries of the claim are		ground as lollows: D	egiming at
This)	monument of	stone		
This,	nonument of	stone direction2	30	fget from
this at a point in a the discovery shaft	northerly (at which this notice is	slone direction2 posted), being in t	30 he center of the Max	feet from
this at a point in a the discovery shaft	nonument of	slone direction2 posted), being in t	30 he center of the Max	feet from
at a point in a the discovery shaft and line of said claim	northerly (at which this notice is	direction	30 he center of the Max. feet to a Maximum.	teet from
at a point in a the discovery shaft end line of said clair	Continuit of Continuity (at which this notice is im; thence the first the	direction	the center of the Max. feet to a Murium. corner of said cl	feet from the nt of aim; thence
at a point in a the discovery shaft end line of said clair	continuit of Continuity (at which this notice is im; thence 300 being the feet	direction 2 posted), being in the	the center of the Max. feet to a Murium. corner of said cl	feet from the nt of aim; thence being at the
at a point in a ?? the discovery shaft end line of said clai stone	Continuit of Continuity (at which this notice is im; thence of same corner of s	direction	the center of the Max. feet to a Mirrums corner of said cl for stone	feet from The int of aim; thence being at the
at a point in a the discovery shaft end line of said clair stone of the said clair stone of the stone of the stone of the same	continuit of Continuity (at which this notice is im; thence of the feet of stone o	direction	he center of the Max. feet to a Murium. corner of said cl f of stone	feet from The said claim;
at a point in a ?? the discovery shaft end line of said clair stone to a manume thence	Continuit of Continuity (at which this notice is im; thence of same corner of s	direction	the center of the Max. feet to a Munum corner of said cl f of stone e South end of current of stone	feet from The aim; thence being at the said claim; being at the
at a point in a ? the discovery shaft end line of said clair stone to a munume thence 30 seet to a munume	Continently (at which this notice is im; thence of the feet of stone of said runt of stone at	direction	the center of the Max. feet to a Munum corner of said cl f of stone e South end of corner of corner o	feet from In aim; thence being at the feet said claim; being at the
at a point in a ? the discovery shaft end line of said clair stone to a munume thence 30 seet to a munume	corner of said	direction	the center of the Max. feet to a Munum corner of said cl f of stone e South end of corner of corner o	feet from In aim; thence being at the feet said claim; being at the
at a point in a determined the discovery shaft end line of said clair stone to a manual thence determined the United States,	corner of said cortically (at which this notice is im; thence of the feet of stance of said corner of said	direction	the center of the Max. feet to a Murum corner of said cl f of stone e South end or corner of corner of ming. XXII, of the Revised Arizona, entitled "An A	feet from The feet from aim; thence feet feet feet feeing at the feeing at the feet feed feed feet feet feet feet fee
at a point in a the discovery shaft end line of said clair stone to amount thence of All done under the United States, and Codify the La	corner of said cortine ly (at which this notice is im; thence feet corner of said	direction	the center of the Max. feet to a Muxuum. corner of said classing. A stone end or en	feet from The said; thence being at the feet from from from from from from from from
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At	corner of said cortically (at which this notice is im; thence of the corner of said corner of the cor	direction	feet to a Moriums feet to a Moriums corner of said cl f of stone end or corner of corner of ming. [XXII, of the Revised Arizona, entitled "An A March 16, 1901.	feet from The aim; thence being at the said claim; being at the f said claim; Statutes of act to Revise
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At	corner of said and of an Act of the General of the Territory of the mended Location Notice ated by This Main	direction	the center of the Mar. feet to a Mariana. corner of said cl. for stone end or corner of said cl. (300 end or corner of stone. (300 end or corner of said cl. c	feet from The aim; thence being at the said claim; being at the f said claim; Statutes of Act to Revise
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local the United States, and Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La This is an At Mining Claim, local the United States, and Codify the La Codify the La Codify the La Codify the United States, and Codify the La Codiffy the La Codify the La Codify the La Codify th	corner of said cortically (at which this notice is im; thence of the corner of said corner of the cor	direction	he center of the Max. feet to a Munum. corner of said cl f of stone e South end of corner of ming. XXII, of the Revised Arizona, entitled "An A March 16, 1901. The stone of the service	feet from The feet from aim; thence feet feet feet feet feet feet feet fe
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local larges SH, in the compage SH, in the compage SH, in the compage SH, in the compage SH, in the control of the United States, and Codify the La This is an At Mining Claim, local larges SH, in the compage SH, in the co	corner of said corner of said	direction	the center of the Max. feet to a Munum. corner of said classification. Jood e South end of corner of c	feet from The aim; thence being at the said claim; being at the f said claim; Statutes of Act to Revise day of of Mines, at
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction	the center of the Max. feet to a Munum. corner of said classification. Jood e South end of corner of said. Sood corner of said. KXII, of the Revised Arizona, entitled "An Arizona, entitled "A	feet from The aim; thence being at the said claim; being at the f said claim; being at the day of of Mines, at
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction	the center of the Max. feet to a Maximum. corner of said of the South end of the stone. Corner of the Revised Arizona, entitled "An Americana, enti	feet from The aim; thence being at the feet f said claim; being at the Statutes of act to Revise day of of Mines, at the ad posted to vaives of
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction	the center of the Max. feet to a Munum. corner of said classification. Jood e South end of corner of said. Sood corner of said. KXII, of the Revised Arizona, entitled "An Arizona, entitled "A	feet from The aim; thence being at the feet f said claim; being at the Statutes of act to Revise day of of Mines, at the and posted to vaives of
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction	the center of the Max. feet to a Maximum. corner of said of f of stone end or corner of corner of corner of ming. XXII, of the Revised Arizona, entitled "An A March 16, 1901. To the 25 of Records id County of March ion Notice is made as Notice. Worthput of Movember 1	feet from The aim; thence being at the feet f said claim; being at the Statutes of act to Revise day of of Mines, at and posted to valves of
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction direct	the center of the Max. feet to a Maximum. feet to a Maximum. corner of said of a stone. Corner of said of stone. Corner of stone. Corner of said of stone. Corner of stone. Corner of said of stone. Corner of stone. Corner of said of stone. Corner of said of stone. Corner of	feet from The aim; thence being at the feet f said claim; being at the f said claim; Statutes of act to Revise aday of of Mines, at the the aday of of of Mines, at the the the the the the the t
at a point in a the discovery shaft end line of said clair struct to a manual thence of the United States, and Codify the La This is an At Mining Claim, local to which reference to which reference	corner of said corner of said	direction direct	the center of the Max. feet to a Maximum. corner of said of f of stone end or corner of corner of corner of ming. XXII, of the Revised Arizona, entitled "An A March 16, 1901. To the 25 of Records id County of March ion Notice is made as Notice. Worthput of Movember 1	feet from The aim; thence being at the feet f said claim; being at the f said claim; Statutes of act to Revise aday of of Mines, at the the aday of of of Mines, at the the the the the the the t



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
October 1, 1908.
I, U. S. Surveyor General for Arizona,
o hereby certify that the foregoing transcript of the Field Notes, return and approval
f the Survey of the mining claim of J. D. Hubbard,
, known as the BROOKS
, situate in <u>Owens</u>
Mining District, Mohave County,
Arizona, , in Section approx. in , Township No. 13 N.,
Range No. 13 W. (unsurveyed) , and designated as Survey
No
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes. Frank S. Ingalls,

United States Surveyor General for Arizona.


SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 1, 190-8
I, U. S. Surveyor-General forArizona
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of J. D. Hubbard
known as the
BROOKS
situate in mining district,
Mohave County, Arizona
THE SECTION APPROX. in, Township No. 13. N., Range No. 13. W. (unsurveyed)
, designated as Survey No2531
executed byHerbert C. Shotwell, U. S. Deputy Mineral
Surveyor, April 25-26-, 1908, under my instructions dated
Mar. 30,, 190.8, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Chant of Lyach

U. S. Surveyor-General for Arizona.



o programa a

Survey N° 2531
Owens Mining District.
Mohave Co Ariz,
Surveyed by
Itabut C. Shotwell. Dep.U.S. Mini. Surveyor,
Scale lin= 300ft.
Surveyed April 25th-26th-1908.