

Copied 11-10-08 UCI. 15 .908 E.T. 1 4 - 683.Mineral Survey No. 2532 1 - 200 Lot No. -----Land District. bizona. FIELD NOTES SURVEY OF THE MINING CLAIM OF homas Gider ileh KNOWN AS THE eo un County, and Township 195, Range 227 unsu Section . Surveyed under instructions dated May 25 ..., 19 U. S. Deputy Mineral Surveyor Claim located Sceneron matice, 1 1908 Survey commenced My Survey compileted Adams attomup fo - Clama pickett Ban Fonosto

### Chico Lode,

bed rock

Survey No. 2552.

Sheet No. 1.

2

Fee	Survey No. 2552. t.
	Designing at Cor No. 1 the N. E. Con of location on
	Beginning at Cor. No. 1 the N. E. Cor. of location on line 3 - 4, Head Center lode survey, No. 1610, a cross
	(x) and N.E.C C. chiseled on limestone bed rock, to
	which add $1 - 2552$ ,
	Whence:
	Whence: L) U. S. L. M. No. 1319 bears N 14° 06 4. N. 2502.9 ft.
	Cor. NOS. 4 Head Center, 3 Tinhorn Survey No. 1610
34	bears N 30° 40' W 278.1 ft.
	Thence; S 30° 40' E. Va. 13° 15' E.
153	
151	limestone bedrock, witnessed by a monument of stone
	alongside.
275	
610	lode Sur. No. 2458, a pine post 4 ins. square, 3 feet
	above ground in a mound of stone, scribed S.E.C C.
	Add 2 - 2552.
	Whence:
	A cross (x) and B. R. 2 - 2552 chiseled on limestone
	bedrockbears N 50° 05' E. 45.35 ft.
	A cross (x) and B. R. 2 - 2552 chiseled on limestone
	bed rock bears N. 15° 03' W 48.2 ft.
	Thence; S 87° 03' W. Va: 13° 05' E.
10	1.9 N. Center End Starr lode.
39	9.7 Cor. Nos. 3 Starr and 4 Mame lodes Sur. No. 2458.
4	35. Center of road Leadville to Gleeson bears N.N.W. & S.S.E.
45	0.3 Intersect east end of frame building course northerly
	and southerly at N 10° 30' W 5.7 ft. from S.E. Cor.
	and S 10° 30'E 8.5 Afrom N.E.Cor.
47	1.8 Intersect west end of same building at N 10° 30' W 7.8 ft
*	from S.W.Cor. and S 10° 30' E 6.5 ft.from N.W. Cor.
49	08. Center of gulch 5 ft. wide, course S.S.E.
68	To Cor. No. 3 a pine post 4 ins. square, $3\frac{1}{2}$ ft. above
	ground in a mound of stone, scribed S.W.C C
	Add 3 - 2552.
	Whence:
	A cross (x) and B. R. 3 - 2552, chiseled on porphypy bed rock

Feet.

bed rock, bears S 56° 30' W 13.2 ft. (x) A cross (x) and B. R. chiseled on porphyry bedrock bears N 40° 48' W 18.6 ft. K) N. Center End Mame lode Sur. No. 2458 bears S 87° 03' W 8.3 ft. Thence: N 50° BP' W Va. 13° E. 0.4 W. Center end, a pine post 4 x 3 ins. 32 ft. above ground in mound of stone, scribed W.C.E. - C Add 2552. end To Cor. No. 4 on Saline Leadville lode, unsurveyed 4.6 a pine post, 4 ins. square, 32 ft. high in a mound of stone, scribed N.W.C. - C Add 4 - 2552 No bearings available. Thence; N 63° 57' E. Va. 13° E. 183. Center of gulch, 5 ft. wide course S.S.E. 255. Center of road Leadville to-Gleeson course N.N.W. and S.S.E. S.E. Cor Leadbille and S.W. Cor. Western Belle 289.5 lodes, unsurveyed. 349.5 S Center End Western Belle lode. To Cor. No. 1, the place of beginning. 611.05 Containing 1.958 Acres. The survey of this lole claim is identical with location. LOCATION . This claim is located in approximately Tp. 19 8 R. 25 E, unsurveyed, probably within the boundaries of the Coronado National Forest, unsurveyed, in Turq oise Mining District, Cochise County, The presumed course of the lode is Arizona. N 77º 12' E 639.8 ft. from West Center end to East Center End the set of ADJOINING CLAIMS. On the North: Leadville and Western Belle lodes, unsurveyed, Leadville Mining Company, Claimants.

On the East:

3

lly.

Head Center lode, Survey No. 1610, Martin Costello, Claimant. On the South: Mame and Starr lodes, Survey No. 2458, Great Western Mining Company, Claimants. EXPENDITURE OF FIVE HUNDRED DOLLARS. I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less that five hundred dollars, and that said improvements consist of: From Corner No. 3. 1) Discovery shaft, the center of which bears N 77° E 95 ft. Shaft 6 x 5 ft. 38 ft. deep Value at \$10.00 per foot \$380.00 (2) A cut and tunnel. The portal of tunnel bears N 75° 50' E 206 ft. thence Westerly cut to mouth 7 ft. 42 ft. wide. And from portal tunnel, 62 x 42 feet easterly 10 ft. thence about 9 ft. wide same course 9% ft. Value of cut 25.00 Value of tunnel 195 ft. at \$10.00 per ft. 195.00 \$ 600.00

#### OTHER IMPROVEMENTS.

A shaft which bears from Cor. No. 3 N 80° E. 57 ft.
shaft 6 x 4 ft. 8 ft. deep, claimant unknown.
Frame building mentioned in topography of Fine 2 - 3.
A frame building, the N W Cor. of which, bears from
Cor. No. 3 N 75° 23' E 220.7 ft. Building 34 x 18 ft.
course of long way approximately E 10° EEX 30' E.

INSTRUMENT. This survey was made with a Young and Sons mountain transit No. 6855, provided with a Smith Solar attachment The courses were deflected from the true meridian as "determined by direct solar observations. The distances were measured with 50 ft. and 500 ft. steel tapes.

Tombstone, Arizona, September 30th. 1908.

U. S. Mineral Surveyor.

4-685.	1700.
FINAL OATHS FOR SURVEYS.	5
LIST OF NAMES.	
A list of the names of the individuals employed by	low
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners,	and
boundar ies described in the foregoing field notes of the survey of the mining claim of	
A. J. Fitch and Those, Pidroce	
known as the Chico	
and showing the respective capacities in which they acted.	
SB Mitchell, Chainman	ι.
, Chainmar	ι.
, Axman.	
, Flagman.	
FINAL OATHS OF ASSISTANTS.	
nd AB. Mitchell	
and , do solemnly swear that we assisted for the	>
Rockfullace, United States Deputy Mineral Surveyor, in marking the corners and survey	
	ing
the boundaries of the mining claim of	
labi an	
known as the	
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under i	
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully a	
correctly executed, and the corner and boundary monuments established according to law and the instruction	ons
furnished by the United States Surveyor-General for	
D. Mitchell, Chainman	•
, Chainman	
, Axman.	
, Flagman.	
, Tagmun.	

Subscribed and sworn to by the above-named persons before me this.

day of and sworp to by the above-named persons before me this 20 day of appendix 190.8 when the provide the standard of the second se

14224b5mm8-04

## FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

ullaus, U.S. Deputy Mineral And I. Surveyer, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Crizman, dated 1 May 25 1908 , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of N. V. Titch and How Videnel ....., known as the Mining District, County, angua, in Section Township No. 95, Range No. 25 L m and designated as Survey No. 250 \_\_\_\_\_, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow, U. S. Deputy Mineral Surveyor, before me Frances J. Abell, this 30th day of September, 1908.

Frances J. Abell

Notary Public

My commission expires December 22, 1909.

# Affidavit of Five Hundred Dollars Improvements.

B. Mitchell and James M Clay

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

hurmons mining claim, situate in hre County, Arizona Territory, for which The mining district,

Vidwell

har----made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicants. and their grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Mitchell

James M. Plat

TERRITORY OF ARIZONA, 88: COUNTY OF Cochise -

20 day Sworn to and subscribed before me this....

plumen, 190 g

SEAL.

17171b400-8-05

Thang Curie My Consister Mar 14 19

AMENDED Motice of Mining Location 8 LODE CLAIM To All Wabom It May Concern: This Mining Claim, the name of which is the... Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and A. J. Fitch and purchase by .... al a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") (Locator must inset day of Ma the undersigned, on the The length of this claim is ... feet. me claim feet. direction and... asterly feet in and ....direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the list to the lea The claim is situated and located in the Junguese Mining District, in secure County, in the Territory of Arizona, about 400 yeards Southeasterly direction from Leadville ~ N.E. Corner of Claim, Corner Nos, 3 Tinkor 1610 bears N 30 40W 278.1ft, The South a portion of Fly North boundaries of the The surfice boundprids of the chim are marked upon the ground as follows: Beginning at at a point in a fusient .....direction..... 105 feet from the discovery shaft (at which this potice is posted,) being in the center of the Week end line of said claim; thence N 30-4014 4.2 feet to aport ma mound ... corner of said claim; thence of store , being the N.W. feet to a Cross(x) chiseled on bid rak, being at the MG3.57E 611.05 corner of said claim; thence S 30 40 E 515 feet to alross(x) chiseled on bed rock, at the center, of the Es end of said claim; ame course / 24 Dieet to aborting mound of story being at the thence A corner of said claim; thence \$ 87.03 W 687.9 feet to about in a Mound Howat the 5 V ......corner of said claim; thence IN. 30' 40 W 10.4 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Mining Claim, located by 14. 7. Fit the ...... day of 190 T, and recorded in Book..... 30 ... of Records of Mines, at page 40/, in the office of the County Recorder of the aforesaid County of Grehine to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice Dated and posted on the ground this El day of. No. 109 .-- AMENDED NOTICE OF LOCATION OF LODE CLAIM-The H. H. McNeil Company's Red-Line Blanks, Phoenix, Arizona

9 TERRITORY County County Recorder in and for the County and I aforesaid, do hereby certify that the within instrument was filed for record at ..... .M., o'clock Territory .....day of MAY 2 ٢. 5 1908 on Records 11.163 WITNESS hand and official seal the day and year first above written. County Recorder. 190. Deputy Recorder. Eiled and Recorded at request of A. D. 190 THE H. H. MCNEIL CO., PRINTERS, PHENIX, ARIZ. ce of Loc LODE CLAIM. AMENDED 5 Joek may ? 2 3 1 Book 42-RAAV Pages Dated. By at. general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its dis-tance and direction from center of Discovery Shaft; thence bound the claim in either direction. In descrip-tion be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. This diagram is to give locator a Monument Corner Corner 300 ft. End End Monument 500 feet 200-500 feet 227-Discovery Shaft 1991 00<mark>01</mark> 300 ft. Monument Monument

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

4-688.

### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

November 27, , 1908.

I, U. S. Surveyor General for <u>District of Arizona</u>, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

II. T. Fitch an	nd_Thomas	3 Pidwell		
, known as the	Chico	Chico		
, situ	ate in	Turquoi	SO	
Mining District,	Cc	ochise	County,	
Arizona, in Sec	ction Ar	oprox., Tou	wnship No. <u>19 S</u> ,.	
Range No. 25 E., Unsur.		, and de	signated as Survey	
No. 2552 , has	been corr	ectly copied from	m the originals on	
file in this office; that said Field Notes	furnish suc	h an accurate	description of said	
mining claim as will, if incorporated into	a patent, se	erve fully to ide	ntify the premises,	
and that such reference is made therein to	) natural ol	bjects or perman	nent monuments as	
will perpetuate and fix the <i>locus</i> thereof.				

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of **1** shaft and **1** cut and tunnel

Total value \$600.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U.S. Land Office at <u>Phoenix</u>, <u>Arizona</u>, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

## SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

. November 27, 1908.
I, U. S. Surveyor-General for District of Arizons,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
H. T. Fitch and Thomas Pidwell
, known as the
Chico
situate in mining district,
Cochise County, Arizona
in Section Approx., Township No. 19 S., Range No. 25 E., Unsur
executed by, U. S. Deputy Mineral
Surveyor, August 14 - 15, 1908, under my instructions dated
May 25,
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank & Legellen V

U. S. Surveyor-General for Arizona. 0-2

11



.

.