



0  
2  
5  
6  
5

MINERAL SURVEY NO. 2565

| Claims         | M & B Desc. | Improvements | Loc. Notices |
|----------------|-------------|--------------|--------------|
| Blue Bird      | Pg. 16      | Pg. 31       | Pg. 3        |
| Blue Copper    | 13          | 31           | 4            |
| Boulder        | 14          | 31           | 12           |
| Copper Hill    | 4           | 29           | 8            |
| Dewey          | 19          | 32           | 9            |
| Eastern Star   | 24          | 33           | 13           |
| Hub            | 18          | 32           | 5            |
| Keystone       | 21          | 32           | 16           |
| Last Chance    | 6           | 29           | 6            |
| Lone Star      | 23          | 33           | 15           |
| Pilot          | 8           | 30           | 2            |
| Protection     | 17          | 32           | 14           |
| Red Mountain   | 2           | 29           | 7            |
| Sixteen to One | 10          | 30           | 11           |
| Summit         | 1           | 28           | 1            |
| Wedge          | 11          | 30           | 10           |

102

Copied 5-4-1909,

A. L. H.

1

*Platted  
A. L. H.*

MLR 15-302  
APR 15 1909

4-683.

MINERAL SURVEY No. 2565

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE KEYSTONE COPPER COMPANY

KNOWN AS THE

Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance,  
Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One, Boulder,  
Eastern Star, Protection, Lone Star and Keystone.

Globe Mining District,

Gila County, Arizona, approximately in  
In the Crook National Forest  
Sections 25 and 26, Township 1 N., Range 14 E., uns.

Surveyed under instructions dated July 23, 19 08.

by *Edwin J. Stewart*  
U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced September 19, 19 08.

Survey completed February 8, 19 09.

6-822

Address of claimants attorney

Geo. R. Hill,  
Globe,  
Arizona.

-1-

Feet.

Survey No.. 2565

Summit Lode.

Beginning at Cor. No.1, a pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 1-S-2565. At the intersection of line 2-3, Clipper Lode, Sur. 2379 with line 3-4 Red Mountain Lode, this survey, being S. 80° 59' E. 302.72 ft. from Cor. 3 of said Clipper Lode. S.E. Cor. of the location and Cor. 4 Red Mountain Lode, this survey, bears N. 59° 12' E. 2.0 ft.

Cor. Sec. 25, 36, 30 and 31 T.1 N.Rs. 14 and 15 E., G.&.S.R.B.& M. bears S. 57° 41' E. 8761.4 ft.

No other bearings available.

Thence S. 59° 12' W.

Along line 4-3 Red Mountain Lode, this survey.

1061.41 Intersect line 6-1 Red Rock Lode, unsurveyed, at S. 53° 46' E. 19.97 ft. from Cor. 6,

1482.00 To Cor. No.2, identical with the S.W. Cor. of the location, Cor. No.3 Red Mountain Lode, this survey and Cor. No. 5 Red Rock Lode, unsurveyed. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-S., 3-R.M.-2565, whence

Cor. No.6 Red Rock Lode, unsurveyed, bears N. 56° 39' E. 413.21 ft.

No other bearings available.

Thence N.80° 53' W.

Along line 5-4 Red Rock Lode, unsurveyed.

42.47 Intersect east side line Philadelphia Lode, unsurveyed, at N.02° 19' E. 438.04 ft., from S.E. Cor. and S. 02° 19' W. 1015.36 ft. from N.E. Cor.

400.00 To S.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

416.70 To Cor. No.4 Red Rock Lode, unsurveyed,

638.34 Intersect west side line Philadelphia Lode and east side line Race Horse Lode, both unsurveyed, at N.02° 19' E.



-3-

At the intersection of line 3-4, Bull Dog Lode, Sur. N<sup>o</sup> 2089, with line 3-4 Copper Hill Lode, this survey, being S. 59° 12' W. 54.16 ft. from Cor. N<sup>o</sup> 4, of said Copper Hill Lode, and N. 54° 30' W. 1024.05 ft. from Cor. N<sup>o</sup> 4 of said Bull Dog Lode.

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G.&S.R.B.& M. bears S. 55° 39' E. 8011.3 ft.

S.E. Cor. of the location bears N. 59° 12' E. 59.89 ft.

No other bearings available.

Thence S. 59° 12' W.

Along line 3-4. Copper Hill Lode, this survey.

1424.44 To Cor. No. 2, identical with the S.W. Cor. of the location, Cor. No. 1, Red Rock Lode, unsurveyed, N.E. Cor. Finis Lode, unsurveyed and Cor. No. 3, Copper Hill Lode, this survey. A pine post 4 ft. long. 4 ins. sq., with nail driven at the exact corner, set 18 in. in the ground, with mound of stone, scribed 2-R.M., 3-C.H.-2565, whence

Cor. No. 6, Red Rock Lode, unsurveyed, bears N. 53° 46' W. 612.07 ft.

No other bearings available.

Thence N. 80° 53' W.

Along line 1-2 Red Rock Lode, unsurveyed,

424.80 To S.W.E.C., identical with monument of the location and Cor. N<sup>o</sup> 2, Red Rock Lode, unsurveyed. A mound of stone 3 ft. base and 3 ft. high.

676.00 Cross road, course South.

849.60 To, Cor. No. 3, identical with the N.W. Cor. of the location, Cor. No. 2, Summit Lode, this survey, and Cor. No. 5, Red Rock Lode, unsurveyed, Corner previously described, whence

No bearings available.

Thence N. 59° 12' E.

Along line 2-1 Summit Lode, this survey.

420.59 Intersect line 6-1, Red Rock Lode, unsurveyed, at N. 53°



-5-

with line 3-4 Last Chance Lode, this survey, being N.  
54° 30' W. 423.8 ft. from Cor. No. 4 of said Bull Dog Lode.

S.E. Cor. of the location, Cor. No. 3, Bull Pup Lode, Sur. No. 2382, and Cor. No. 4 Last Chance Lode, this survey, bears N. 59° 12' E. 5.5 ft.

Cor. Sec. 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S. R. B. & M. bears S. 55° 45' E. 7411.1 ft.

No other bearings available.

Thence S. 59° 12' W.

Along line 4-3 Last Chance Lode, this survey.

1359.67 Intersect line N.E. Cor. - N.W. Cor. Sulphide Lode, unsurveyed, at N. 80° 04' W. 79.36 ft. from N.E. Cor.

1478.60 To Cor. No. 2, identical with the S.W. Cor. of the location, and Cor. No. 3, Last Chance Lode, this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-C.H., 3-L.C.-2565, whence

No bearings available.

Thence N. 49° 36' W.

153.07 Intersect line N.E. Cor. - N.W. Cor. Sulphide Lode, unsurveyed, at N. 80° 04' W. 301.42 ft. from N.E. Cor. and intersect line S.E. Cor. - S.W. Cor. Finis Lode, unsurveyed, at N. 80° 04' W. 96.06 ft. from S.E. Cor.

317.00 To S.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

580.60 To Cor. No. 3, identical with the N.W. Cor. of the location, Cor. No. 2, Red Mountain Lode, this survey, Cor. No. 1, Red Rock Lode, unsurveyed, and N.E. Cor., Finis Lode, unsurveyed. Corner previously described, whence

S.E. Cor. Finis Lode, unsurveyed, bears S. 55° 03' E. 512.64 ft..

Thence N. 59° 12' E..

Along line 2-1 Red Mountain Lode, this survey.

1424.44 To Cor. No. 1, Red Mountain Lode, this survey, and intersect line 3-4 Bull Dog Lode, Sur. 2089. Point previously described.



1478.60, To Cor. No.4. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-C.H.-2565, whence N.E.Cor. of the location bears N.59° 12' E. 5.73 ft.. No other bearings available.

Thence S. 49° 36' E.

263.60 To point for N.E.E.C., whence the monument of location, a mound of stone 3 ft. base and 3 ft. high bears N. 59° 12' E. 5.4 ft..

580.60 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the N.E.E.C. S. 59° 12' W. 1478.6 ft.

oooooooooooooooooooooooooooooooooooo

Last Chance Lode..

Beginning at Cor. No.1, identical with the S.E.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-L.C.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G.&S.R.B.& M. bears S. 58° 09' E.. 6890.3 ft.

No other bearings available..

Thence S. 59° 12' W.

31.51 Intersect line 3-4 Humbolt Lode, Sur. 2382, at N. 04° 38' W..11.04 ft. from Cor. 3.

537.81 To Cor. No.2, Pilot Lode, and intersect line 4-1, Sixteen to One Lode, both of this survey, at S. 71° 36' E. 353.27 ft. from Cor. No.4, Sixteen to One Lode.

941.41 Intersect line N.E.Cor.- S.E.Cor. Copper Spring Lode, unsurveyed, at S. 10° 19' W. 207.82 ft. from N.E.Cor.

1272.31 To Cor. No.3, Sixteen to One Lode, this survey.

1484.10 To Cor. No.2, identical, with S.W.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-L.C.-2565, whence

-7-

No bearings available.

Thence N. 26° 27' W.

300.80 To S.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

319.32 Intersect line N.W.Cor.- S.W.Cor., Copper Spring Lode, unsurveyed, and line N.E.Cor.- S.E.Cor., Sulphide Lode, unsurveyed, at S. 10° 19' W. 304.87 ft. from N.W. and N. E. Corners, respectively of said Copper Spring and Sulphide Lodes.

601.60 To Cor. No.3, identical with N.W.Cor. of the location and Cor. No.2, Copper Hill Lode, this survey. Corner previously described.

Thence N. 59° 12' E.

Along line 2-1, Copper Hill Lode, this survey.

118.93 Intersect line N.E.Cor.- N.W.Cor., Sulphide Lode, unsurveyed, whence N.E. and N.W.Cor. of the Sulphide and Copper Spring Lodes, bears S. 80° 04' E. 79.36 ft. and the N.E.Cor. of Copper Spring Lode, bears S. 80° 04' E. 679.36 ft.

1478.60 To Cor. No.1, Copper Hill Lode, this survey, and intersect line 3-4 Bull Dog Lode, Sur. 2089. Point previously described.

1484.10 To Cor. No.4, identical with the N.E.Cor. of the location and Cor. No.3, Bull Pup Lode, Sur. 2382. A pine post 3.5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-2382, to which I add 4- L.C.-2565, whence

Cor. No.4, Bull Pup Lode, Sur. No.2382, bears N. 49° 33' W. 318.5 ft., Cor. No.2, Contention Lode, Sur. 2379, bears N. 13° 25' W. 29.77 ft.

No other bearings available.

Thence S. 26° 27' E.

10.71 Intersect line 3-4, Bull Dog Lode, Sur. 2089, at N. 54° 30' W. 412.14 ft. from Cor. No.4.

11.18 Intersect line 2-3, Contention Lode, Sur. 2379, at S. 16° 58' E. 40.74 ft. from Cor. No.2 and N. 16° 58' W. 379.9 ft.

from Cor. No. 3.

300.80 To N.E.E.C., identical with monument of the location, A mound of stone 3 ft. base and 3 ft. high.

361.75 Intersect line 3-4 Pilot Lode, this survey, at S. 71° 40° E. 50.81 ft. from Cor. No. 3.

396.35 Intersect line 3-4, Contention Lode, Sur. 2379, at N. 73° 02' E. 63.45 ft. from Cor. No. 3.

513.55 To Cor. No. 2, Bull Pup Lode, Sur. 2382, whence the intersection of line 3-4, Humbolt Lode, with line 1-2 Bull Pup Lode, both of survey No. 2382, bears N. 38° 25' E. 6.51 ft.

525.51 Intersect line 3-4, Humbolt Lode, Sur. No. 2382, at N. 04° 38' W. 95.58 ft. from Cor. No. 3.

601.60 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the N.E.E.C. S. 59° 12' W. 1484.1 ft.

oooooooooooooooooooooooooooooooooooo

Pilot Lode.

Beginning at Cor. No. 1, identical with the S.E. Cor. of the location, Cor. No. 1, Sixteen to One Lode, Cor. No. 4, Blue Bird Lode, and Cor. No. 2, Boulder Lode, all of this survey. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-P., 1-S.O., 4-B.B., 2-B.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E. G. & S. R. B. & M., bears S. 60° 10' E. 6030.2 ft.

No other bearings available.

Thence N. 71° 36' W.

Along line 1-4, Sixteen to One Lode, this survey.

1142.40 To Cor. No. 2, identical with S.W. Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-P-2565. On line 1-2, Last Chance Lode, this survey. Point previously described. No bearings available.

-9-

Thence N.  $31^{\circ} 14'$  E.

- 296.50 To N.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.
- 570.04 Intersect line 2-3, Contention Lode, Sur. No. 2379, at N.  $16^{\circ} 58'$  W. 48.93 ft. from Cor. No. 3.
- 591.88 To Cor. No. 3, identical with the N.W. Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-P-2565, whence  
No bearings available.

Thence S.  $71^{\circ} 40'$  E.

- 50.81 Intersect line 4-1, Last Chance Lode, this survey, at N.  $26^{\circ} 27'$  W. 239.85 ft. from Cor. No. 1 and line 2-3 Bull Pup Lode, Sur. No. 2382, at N.  $26^{\circ} 27'$  W. 151.8 ft. from Cor. No. 2.
- 109.88 Intersect line 3-4 Contention Lode, Sur. No. 2379, at N.  $73^{\circ} 02'$  E. 105.95 ft. from Cor. 3.
- 116.90 Intersect line 3-4 Humbolt Lode, Sur. No. 2382, at N.  $04^{\circ} 38'$  W. 221.81 ft. from Cor. No. 3, and N.  $04^{\circ} 38'$  W. 110.37 ft. from the intersection of said line 3-4, Humbolt Lode, with line 1-2 Bull Pup Lode, both of Sur. No. 2382.
- 197.13 Intersect line 1-2 Bull Pup Lode, Sur. No. 2382 at N.  $38^{\circ} 25'$  E. 114.72 ft. from Cor. No. 2, and N.  $38^{\circ} 25'$  E. 108.21 ft. from the intersection of said line 1-2 Bull Pup Lode, with line 3-4 Humbolt Lode, both of Sur. No. 2382.
- 791.01 Intersect line 2-3 Humbolt Lode, Sur. No. 2382, at N.  $89^{\circ} 10'$  E. 622.04 ft. from Cor. No. 3.
- 1142.70 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. No. 3 Boulder Lode, this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-P., 3-B-2565. On line 2-3, Wedge Lode, Sur. No. 2382, being S.  $71^{\circ} 36'$  E. 241.9 ft. from Cor. No. 3,  
No other bearings available.

Thence S.  $31^{\circ} 14'$  W.

Along line 3-2, Boulder Lode, this survey.

296.60 To S.E.E.C., identical with monument of the location and N.W.E.C. of Boulder Lode, this survey. A mound of stone, 3 ft. base and 3 ft. high.

593.10 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 71° 36' W. 1142.4 ft..

oooooooooooooooooooooooooooo

Sixteen to One Lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, Cor. No.1, Pilot Lode, Cor. No.2, Boulder Lode, and Cor. No. 4 Blue Bird Lode, all of this survey. Corner previously described, whence

Cor. Sec. 25, 36, 30 and 31 T.1 N., Rs. 14 and 15 E., G.&S.R.B.& M. bears S. 60° 10' E. 6030.2 ft..

Thence S. 31° 14' W.

285.50 To S.E.E.C., identical with monument of the location, and N.W.E.C., Blue Bird Lode, this survey. A mound of stone 3 ft. base and 3 ft. high.

570.50 To Cor. No.2, identical with the S.E.Cor. of the location, Cor. No.3, Blue Bird Lode, Cor. No.3, Protection Lode, and Cor. No.4, Wedge Lode, all of this survey. A pine post 4 ft. long 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-S.O., 3-B.B., 3-P., 4-W.- 2565, whence

No bearings available.

Thence N. 71° 35' W.

Along line 4-3 Wedge Lode, this survey.

1243.69 Intersect line N.E.Cor.- S.E.Cor., Copper Spring Lode, unsurveyed, at S. 10° 19' W. 460.90 ft. from N.E.Cor.

1417.40 To Cor. No.3, Wedge Lode, this survey, and witness corner for Cor. No.3. Corner hereinafter described.

1495.50 To Cor. No.3, identical with the S.W.Cor. of the location. On line 1-2 Last Chance Lode, this survey, N.

-11-

59° 12' E. 211.79 ft. from Cor. No. 2. Corner not set on account of falling in road where a permanent corner could not be established. Course of road, S. 07° E.

Witness corner and Cor. No. 3. Wedge Lode, this survey bears S. 71° 35' E. 78.1 ft.

No other bearings available.

Thence N. 31° 14' E.

235.00 To N.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

454.81 Intersect line N.E.Cor.- N.W.Cor., Copper Spring Lode, unsurveyed, at N. 80° 04' W. 86.92 ft. from N.E.Cor.

570.25 To Cor. No. 4, identical with N.W.Cor. of the location. A pine post 4 ft. long 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-S.O.-2565, whence

No bearings available.

Thence S. 71° 36' E.

353.27 To Cor. No. 2, Pilot Lode, and intersect line 1-2 Last Chance Lode, both of this survey, at N. 59° 12' E. 946.29 ft. from Cor. No. 2, Last Chance Lode.

Along line 2-1 Pilot Lode, this survey.

1495.60 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 71° 35' W. 1495.5 ft.

oooooooooooooooooooooooooooooooooooo

Wedge Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location, Cor. No. 2, Protection Lode, Cor. No. 3, Hub Lode, and Cor. No. 5, Blue Copper Lode, all of this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 1-W., 2-P., 3-H., 5-B.C.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15, E., G.&S.R.B.& M., bears S. 70° 45' E. 5799.6 ft.

No other bearings available.

Thence N. 71° 29' W.

Along line 5-4 Blue Copper Lode, this survey.

1403.71 Intersect line N.E.Cor.- S.E.Cor. Copper Spring Lode, unsurveyed, at N. 10° 19' E. 482.71 ft. from S.E.Cor. and S. 10° 19' W. 1017.29 ft. from N.E.Cor.

1418.40 To Cor. No.2, identical with S.W.Cor. of the location and Cor. No.4, Blue Copper Lode, this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-W., 4-B.C.-2565, whence

No bearings available.

Thence N. 04° 54' W.

251.00 Cross road, course S. 38° E.

300.00 To N.W.E.C., identical with monument of the location, A mound of stone 3 ft. base and 3 ft. high.

599.80 To Cor. No.3, identical with N.W.Cor. of the location, and witness corner for Cor. No.3, Sixteen to One Lode, this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 3-W., W.C.-3-S.O.-2565. On line 2-3 Sixteen to One Lode, this survey, S.71° 35' E. 78.1 ft. from Cor.No.3.

No other bearings available.

Thence S. 71° 35' E.

Along line 3-2, Sixteen to One Lode, this survey.

173.71 Intersect line N.E.Cor.- S.E.Cor. Copper Spring Lode, unsurveyed, at S. 10° 19' W. 460.90 ft. from N.E.Cor.

1417.40 To Cor. No.4, identical with N.E.Cor. of the location, Cor. No.2, Sixteen to One Lode, Cor. No.3, Blue Bird Lode, and Cor. No.3, Protection Lode, all of this survey. Cor. previously described.

No bearings available.

Thence S. 04° 54' E.

Along line 3-2 Protection Lode, this survey.

302.40 To S.E.E.C., identical with monument of the location and N.W.E.C. of Protection Lode, this survey. A mound of stone 3 ft. base and 3 ft. high.

-13-

602.40 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 71° 29' W. 1418.4 ft.

oooooooooooooooooooooooooooooooooooo

Blue Copper Lode.

Beginning at Cor. No.1, identical with the S.E.Cor. of the location and Cor. No. 2 Hub Lode, this survey, A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.C., 2-H.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G.&S.R.B.& M., bears S. 75° 45' E. 5601.9 ft.

No other bearings available.

Thence N. 62° 15' W.

190.40 Intersect line N.E.Cor.-S.E.Cor. Evening Star Lode, unsurveyed, at S. 39° 16' W. 202.56 ft. from N.E.Cor.

541.00 To Cor. No.2, identical with monument of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.C.-2565, whence

No bearings available.

Thence N. 54° 43' W.

372.00 Cross road, course N. 80° 30' E.

907.00 Cross road, course S. 04° 45' E.

1107.50 To Cor. No.3, identical with S.W.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-B.C.-2565. On line N.E.Cor.-N.W.Cor. Evening Star Lode, unsurveyed, being N. 64° 18' W. 1489.93 ft. from N.E.Cor. and S. 64° 18' E. 10.07 ft, from N.W.Cor.

No other bearings available.

Thence N. 04° 54' W.

4.50 To N.W.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.



37.00 Intersect line N.E.Cor.- S.E.Cor. Copper Spring Lode, unsurveyed, at S. 10° 19' W. 1068.69 ft. from N.E.Cor.

92.40 To Cor. No.4, identical with the N.W.Cor. of the location and Cor. No.2 Wedge Lode, this survey. Corner previously described.

Thence S. 71° 29' E.

14.69 Intersect line N.E.Cor.- S.E.Cor. Copper Spring Lode, unsurveyed. Point previously described.

116.00 Cross road, course S. 21° E.

865.00 Cross road, course N. 53° 15' E.

1040.00 Cross road, course S. 59° E.

1235.00 Cross road, course N. 73° 40' E.

1418.40 To Cor. No.5, identical with the N.E.Cor. of the location, Cor. No.1, Wedge Lode, Cor. No.2, Protection Lode, and Cor. No.3, Hub Lode, all of this survey. Corner previously described.

Thence S. 04° 54' E.

Along line 3-2 Hub Lode, this survey.

269.40 To S.E.E.C., identical with monument of the location and N.W.E.C. of Hub Lode, this survey. A mound of stone 3 ft. base and 3 ft. high.

535.20 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 62° 12' W. 1498.5 ft.

oooooooooooooooooooooooooooooooooooo

Boulder Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location, Cor. No. 3 Dewey Lode, and Cor. No.1, Blue Bird Lode, both of this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins.in the ground, with mound of stone, scribed 1-B., 3-D., 1-B.B.-2565., whence

Cor. Sec. 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G.&.S.R.B.& M. bears S. 56° 27' E. 4573.0 ft.

-15-

No other bearings available.

Thence N.  $71^{\circ} 36'$  W.

Along line 1-4 Blue Bird Lode, this survey,

1496.40 To Cor. No. 2, identical with S.W. Cor. of the location, Cor. No. 1, Sixteen to One Lode, Cor. No. 1, Pilot Lode, and Cor. No. 4 Blue Bird Lode, all of this survey. Corner previously described.

Thence N.  $31^{\circ} 14'$  E.

Along line 1-4 Pilot Lode, this survey,

296.50 To N.W.E.C., identical with monument of the location and S.E.E.C. Pilot Lode, this survey. Monument previously described.

593.10 To Cor. No. 3, identical with N.W. Cor. of the location, and Cor. No. 4 Pilot Lode, this survey, on line 2-3 Wedge Lode, Sur. N<sup>o</sup>2382. Corner previously described.

Thence S.  $71^{\circ} 36'$  E.

Along line 3-2 Wedge Lode, Sur. N<sup>o</sup>2382.

769.80 To Cor. No. 2, Wedge Lode, Sur. N<sup>o</sup>2382, and intersect line 2-3 California Lode, Sur. N<sup>o</sup>2382, at S.  $35^{\circ} 03'$  E. 372.67 ft. from Cor. No. 2, and N.  $33^{\circ} 03'$  W. 875.93 ft. from Cor. No. 3.

1496.40 To Cor. No. 4, identical with N.E. Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B.-2565, whence

Cor. No. 2, Defiance Lode, Sur. N<sup>o</sup>2382, bears N.  $57^{\circ} 07'$  E. 7.7 ft. No other bearings available.

Thence S.  $31^{\circ} 14'$  W.

296.60 To S.E.E.C., identical with monument of the location. A mound of stone 3 ft. base and 3 ft. high.

502.60 Intersect line 2-3 California Lode, Sur. N<sup>o</sup>2382, at N.  $33^{\circ} 03'$  W. 89.6 ft. from Cor. No. 3.

593.10 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 71° 36' W. 1496.4 ft.

oooooooooooooooooooooooooooooooooooo

Blue Bird Lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, Cor. No.1, Boulder Lode, and Cor. No.3 Dewey Lode, both of this survey. Corner previously described, whence

Cor. Sec. 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S.R.B. & M., bears S. 56° 27' E. 4573.0 ft.

No other bearings available.

Thence S. 31° 14' W.

Along line 3-2 Dewey Lode, this survey,

285.00 To S.E.E.C., identical with monument of the location and N.W.E.C., Dewey Lode, this survey. A mound of stone 3 ft. base and 3 ft. high.

570.00 To Cor. No. 2, identical with S.E.Cor. of the location, Cor. No.4, Keystone Lode and Cor. No.2, Dewey Lode, both of this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 2-B.B., 4-K., 2-D.-2565, whence  
No bearings available.

Thence N. 71° 37' W.

Along line 4-3 Keystone Lode, this survey.

209.40 To Cor. No.3, Keystone Lode, and Cor. No.4, Protection Lode, both of this survey.

Along line 4-3 Protection Lode, this survey.

1496.50 To Cor. No.3, identical with S.W.Cor. of the location, Cor. No.3 Protection Lode, Cor. No.4, Wedge Lode and Cor. No.2, Sixteen to One Lode, all of this survey. Corner previously described.

Thence N. 31° 14' E.

Along line 2-1 Sixteen to One Lode, this survey.

285.00 To N.W.E.C., identical with monument of the location and



S.E.E.C. Wedge Lode, this survey. Monument previously described.

602.40 To Cor. No.3, identical with N.W.Cor. of the location, Cor. No.4, Wedge Lode, Cor. No.2, Sixteen to One Lode, and Cor. No. 3, Blue Bird Lode, all of this survey. Corner previously described.

Thence S. 71° 37' E.

Along line 3-2, Blue Bird Lode, this survey.

1287.10 To Cor. No. 4, identical with N.E.Cor. of the location and Cor. No. 3 Keystone Lode, this survey. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-P., 3-K.-2565, whence

No bearings available.

Thence S. 04° 54' E.

Along line 3-2 Keystone Lode, this survey.

224.00 Cross road, course N. 85° 30' E.

299.80 To S.E.E.C., identical with monument of the location and N.W.E.C. Keystone Lode, this survey. A mound of stone, 3 ft. base and 3 ft. high.

321.00 Cross road, course N. 75° 15' E.

599.80 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 71° 43' W. 1286.1 ft.

oooooooooooooooooooooooooooooooooooo

Hub Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-H.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G.&.S.R.B.& M. bears S. 76° 52' E. 4213.8 ft.

No other bearings available.

Thence N. 72° 22' W.

-19-

909.00 Cross road, course N. 58° 10' E.

1391.50 To Cor. No.2, identical with S.W.Cor. of the location, and Cor. No.1, Blue Copper Lode, this survey. Corner previously described.

Thence N. 04° 54' W.

Along line 1-5, Blue Copper Lode, this survey.

265.80 To N.W.E.C., identical with monument of the location, and S.E.E.C., Blue Copper Lode, this survey. Monument previously described.

535.20 To Cor. No.3, identical with N.W.Cor. of the location, Cor. No.5, Blue Copper Lode, Cor. No.1, Wedge Lode, and Cor. No.2, Protection Lode, all of this survey. Corner previously described.

Thence S. 71° 43' E.

Along line 2-1, Protection Lode, this survey.

1286.10 To Cor. No.4, identical with Cor. No.1, Protection Lode and Cor. No.2, Keystone Lode, both of this survey. Corner previously described.

Thence S. 85° 43' E.

Along line 2-1, Keystone Lode, this survey.

104.60 To Cor. No.5, identical with N.E.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 5-H.- 2565, whence

No bearings available.

Thence S. 04° 54' E.

279.30 To S.E.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

545.10 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 72° 22' W. 1391.5 ft.

oooooooooooooooooooooooooooooooooooo

Dewey Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of

the location and Cor. No.5, Keystone Lode, this survey.  
 On line 2-3 Lone Star Lode, this survey, S. 04° 54' E.  
 774.1 ft. from Cor. No.3. A pine post 4 ft. long, 4 ins.  
 sq., with nail driven at the exact corner, set 18 ins.  
 in the ground, scribed 1-D., 5-K.-2565, whence,

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15  
 E., G.&S.R.B.& M., bears S. 54° 40' E. 3447.7 ft..

No other bearings available.

Thence N. 87° 59' W.

Along line 5-4, Keystone Lode, this survey.

- 112.54 Intersect line N.E.Cor.- S.E.Cor., Lawful Ledge Lode,  
 unsurveyed, at S. 33° 26' E. 24.19 ft. from N.E.Cor.
- 148.56 Intersect line N.E.Cor.- N.W.Cor., Lawful Ledge Lode,  
 unsurveyed, at S. 50° 09' W. 29.53 ft. from N.E.Cor.
- 578.10 Intersect line 2-3, Eastern Star Lode, this survey, at  
 S. 04° 54' E. 158.63 ft. from Cor. No.3.
- 1295.20 To Cor. No.2, identical with S.W.Cor. of the location,  
 Cor. No.4, Keystone Lode and Cor. No.2, Blue Bird Lode,  
 both of this survey. Corner previously described.

Thence N. 31° 14' E.

Along line 2-1, Blue Bird Lode, this survey.

- 285.00 To N.W.E.C., identical with monument of the location  
 and S.E.E.C., Blue Bird Lode, this survey. Monument  
 previously described.
- 570.00 To Cor. No.3, identical with N.W.Cor. of the location,  
 Cor. No.1, Blue Bird Lode, and Cor. No.1, Boulder Lode,  
 both of this survey. Corner previously described.

Thence N. 88° 38' E.

- 95.82 To Cor. No.3, California Lode, Sur. No. 2382.

Along line 3-4, California Lode, Sur. No. 2382.

- 781.10 To Cor. No.4, California Lode, Sur. No. 2382.
- 951.51 Intersect line 2-3, Lone Star Lode, this survey, at S.  
 04° 54' E. 216.34 ft. from Cor. No.3.
- 1341.90 To Cor. No.4, identical with N.E.Cor. of the location.  
 A pine post 4 ft. long, 4 ins. sq., with nail driven at

-21-

the exact corner, set 18 ins. in the ground, scribed 4-D.-2565, whence

No bearings available.

Thence S. 31° 14' W.

330.60 To S.E.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

387.47 Intersect line 3-4, Eastern Star Lode, this survey, at N. 85° 41' E. 735.17 ft. from Cor. No. 3.

660.80 To Cor. No. 1, the place of beginning.

Ledge,

The presumed course of the vein on this claim is from the S.E.E.C. N. 89° 42' W. 1318.0 ft.

oo

Keystone Lode.

Beginning at Cor. No. 1, identical with the S.E. Cor. of the location and Cor. No. 2, Lone Star Lode, this survey. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-K., 2-L.S.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S. R. B. & M., bears S. 63° 10' E. 3094.2 ft.

No other bearings available.

Thence N. 85° 43' W.

848.65 Intersect line N.E. Cor. - N.W. Cor., Lawful Ledge Lode, unsurveyed, at S. 50° 09' W. 871.7 ft. from N.E. Cor. and N. 50° 09' E. 628.3 ft. from N.W. Cor.

1392.70 To Cor. No. 5, Hub Lode, this survey.

Along line 5-4, Hub Lode, this survey.

1497.30 To Cor. No. 2, identical with S.W. Cor. of the location, Cor. No. 4, Hub Lode, and Cor. No. 1, Protection Lode, both of this survey. Corner previously described.

Thence N. 04° 54' W.

Along line 1-4, Protection Lode, this survey.

300.00 To N.W.E.C., identical with monument of the location and S.E.E.C., Protection Lode, this survey. Monument



previously described.

599.80 To Cor. No. 3, identical with N.W.Cor. of the location and Cor. No. 4, Protection Lode, this survey. On line 2-3, Blue Bird Lode, this survey. Corner previously described.

Thence S. 71° 37' E.

Along line 3-2, Blue Bird Lode, this survey.

209.40 To Cor. No. 4, identical with Cor. No. 2, Blue Bird Lode, and Cor. No. 2, Dewey Lode, both of this survey. Corner previously described.

Thence S. 87° 59' E.

Along line 2-1, Dewey Lode, this survey.

717.10 Intersect line 2-3, Eastern Star Lode, this survey, at N. 04° 54' W. 441.37 ft. from Cor. No. 2.

1146.64 Intersect line N.E.Cor.- N.W.Cor., Lawful Ledge Lode, unsurveyed, at N. 50° 09' E. 1470.47 ft. from N.W.Cor.

1182.66 Intersect line N.E.Cor.- S.E.Cor., Lawful Ledge Lode, unsurveyed. Point previously described.

1295.20 To Cor. No. 5, identical with N.E.Cor. of the location and Cor. No. 1, Dewey Lode, this survey. Corner previously described.

Thence S. 04° 54' E.

Along line 3-2, Lone Star Lode, this survey.

191.93 Intersect line N.E.Cor.- S.E.Cor., Lawful Ledge Lode, unsurveyed, at S. 33° 26' E. 258.08 ft. from N.E.Cor.

209.00 Cross road, course S. 74° E.

300.00 To S.E.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

377.60 Intersect line 1-2, Eastern Star Lode, this survey, at N. 85° 41' E. 573.98 ft. from Cor. No. 2, and S. 89° 41' W. 926.02 ft. from Cor. No. 1.

600.00 To Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S.E.E.C. N. 85° 43' W. 1497.3 ft.

oo

-23-

## Lone Star Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-L.S.-2565, whence

Cor. Sec. 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G.&S.R.B.& M., bears S. 54° 27' E. 2686.0 ft.

No other bearings available.

Thence S. 74° 00' W.

188.00 Cross road, course S. 52° E.

299.00 To S.E.C., identical with monument of the location. A mound of stone, 3 ft. base and 3 ft. high.

585.91 Intersect line S.E.Cor.- S.W.Cor., Lawful Ledge Lode, unsurveyed, at S. 50° 09' W. 183.58 ft. from S.E.Cor.

599.00 To Cor. No. 2, identical with S.W.Cor. of the location and Cor. No.1, Keystone Lode, this survey. Corner previously described.

Thence N. 04° 54' W.

Along line 1-5, Keystone Lode, this survey.

222.40 Intersect line 1-2, Eastern Star Lode, this survey. Point previously described.

300.00 To S.E.E.C., Keystone Lode, this survey.

408.07 Intersect line N.E.Cor.- S.E.Cor., Lawful Ledge Lode, unsurveyed, at N. 33° 26' W. 341.92 ft. from S.E.Cor.

600.00 To Corners 5 and 1 respectively, Keystone and Dewey Lodes, both of this survey.

822.40 Intersect line 3-4, Eastern Star Lode, this survey, at N. 85° 41' E. 573.98 ft. from Cor. No.3,

1157.76 Intersect line 3-4, Dewey Lode, this survey, at S. 88° 38' W. 390.39 ft. from Cor. No.4,

1374.10 To Cor. No.3, identical with N.W.Cor. of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 3-L.S.-2565, whence

No bearings available.



-25-

Keystone Lode, both of this survey, at N. 04° 54' W. 222.4 ft. from Corners 2 and 1 respectively.

1500.00 To Cor. No.2, identical with point where S.W.Cor. of the location was set. (Monument having been destroyed.) A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 2-E.S.-2565, whence

No bearings available.

Thence N. 04° 54' W.

91.61 Intersect line N.E.Cor.- N.W.Cor., Lawful Ledge Lode, unsurveyed, at S. 50° 09' W. 549.79 ft. from N.E.Cor.

275.00 Cross road, course N. 84° 45' E.

300.00 To S.W.E.C., identical with monument of the location. A mound of stone 3 ft. base and 3 ft. high.

441.37 Intersect line 1-2, Dewey Lode, and 4-5 Keystone Lode, both of this survey, at N. 87° 59' W. 578.1 ft. from Corners 1 and 5 respectively.

600.00 To Cor. No.3, identical with N.W.Cor. of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-E.S.-2565, whence

No bearings available.

Thence N. 85° 41' E.

573.98 Intersect line 2-3, Lone Star Lode, this survey, at N. 04° 54' W. 822.4 ft. from Cor<sup>No</sup>2.

735.17 Intersect line 4-1, Dewey Lode, this survey, at N. 31° 14' E. 273.33 ft. from Cor<sup>No</sup>1.

1161.80 Intersect line 4-1, Lone Star Lode, this survey, at N. 04° 54' W. 701.1 ft. from Cor<sup>No</sup>1.

1306.63 Intersect line N.W.Cor.- S.W.Cor., Arizona Lode, unsurveyed, at N. 10° 44' W. 496.58 ft. from S.W.Cor.

1500.00 To Cor. No.4, identical with N.E.Cor. of the location. A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-E.S.-2565, whence

No bearings available.

Thence S. 04° 54' E.

300.00 To N.E.E.C., identical with monument of the location.

A mound of stone, 3 ft. base and 3 ft. high.

498.69 Intersect line S.E.Cor.- S.W.Cor., Arizona Lode, unsurveyed, at N. 87° 46' E. 143.05 ft. from S.W.Cor.

600.00 To Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the N.E.E.C. S. 87° 41' W. 1500.0 ft.

oooooooooooooooooooooooooooo

Mean magnetic variation at all corners 13° 40' E.

oooooooooooooooooooooooooooo

Areas.

|  | Acres        |        |
|--|--------------|--------|
| Total Area Summit Lode   | 17.465       |        |
| Less conflict with Philadelphia Lode, unsurveyed,  | 4.783        |        |
| Less conflict with Race Horse Lode, unsurveyed,  | 0.228        |        |
| Less conflict with Red Rock Lode, unsurveyed,  | 0.089        |        |
| Less conflict with Gladiator Lode, Sur. No. 2379,  | 0.624        |        |
| Less conflict with Clipper Lode, Sur. No. 2379,  | 0.002        |        |
| Net area Summit Lode   | <u>5.726</u> | 11.739 |
| <br>   |              |        |
| Total Area Red Mountain Lode   | 18.520       |        |
| Less conflict with Clipper Lode, Sur. No. 2379,  | 0.011        |        |
| Less conflict with Red Rock Lode, unsurveyed,  | 2.632        |        |
| Net Area Red Mountain Lode,  | <u>2.643</u> | 15.877 |
| <br>   |              |        |
| Total Area Copper Hill Lode  | 18.656       |        |
| Less conflict with Bull Dog Lode, Sur. No. 2089,   | 0.342        |        |
| Less conflict with Finis Lode, unsurveyed,   | 0.239        |        |
| Less conflict with Sulphide Lode, unsurveyed,  | 0.197        |        |
| Net Area Copper Hill Lode  | <u>0.778</u> | 17.878 |
| <br>   |              |        |
| Total Area Last Chance Lode  | 20.438       |        |
| Less conflict with Bull Dog Lode, Sur. No. 2089,   | 0.001        |        |
| Less conflict with Humbolt Lode, Sur. No. 2382,  | 0.027        |        |
| Less conflict with Sulphide Lode, unsurveyed,  | 0.662        |        |
| Less that portion of conflict with Copper Spring Lode, unsurveyed to be excluded to said Copper Spring Lode, | 2.639        |        |
| The total conflict between   |              |        |

|   |              |        |
|---|--------------|--------|
| Forward   |              | 45.494 |
| the Last Chance and Copper Spring Lodes, amounts to 5.514 acres, but only 2.639 acres of such conflict is excluded from the Last Chance. The Last Chance conflicts with the Contention Lode, Sur. No 2379, 0.227 acre, which conflict is retained.  |              |        |
| Net Area Last Chance lode,  | <u>3.329</u> | 17.109 |
| Total Area Pilot Lode   | 15.150       |        |
| Less conflict with Humbolt Lode, Sur. No 2382   | 1.580        |        |
| Less conflict with Last Chance Lode, this survey, 1.813 acres, exclusive of 0.027 acre of such conflict included in the exclusion from said Pilot Lode, to Humbolt Lode, Sur. No 2382.  | 1.786        |        |
| Less conflict with Bull Pup Lode, Sur. No 2382, 0.181 acre, exclusive of 0.104 acre of such conflict included in the exclusion from said Pilot Lode to Humbolt Lode, Sur. No 2382. The Pilot conflicts 0.086 acre with the Contention Lode, Sur. No 2379, but no exclusion is made to said Contention Lode. |              |        |
| Net Area Pilot Lode,  | <u>3.443</u> | 11.707 |
| Total Area Sixteen to One Lode,   | 19.094       |        |
| Less conflict with Last Chance Lode, this survey, 2.255   |              |        |
| Less that portion of conflict with Copper Spring Lode, unsurveyed, to be excluded to said Copper Spring Lode, 0.335 acre, exclusive of 0.076 acre of such conflict included in the exclusion from said Sixteen to One Lode to the Last Chance Lode, this survey,  | 0.259        |        |
| The total conflict between the Sixteen to One Lode and the Copper Spring Lode, amounts to 1.742 acres, but only 0.259 acres of such conflict is excluded to the Copper Spring Lode,   | <u>2.514</u> |        |
| Net Area Sixteen to One Lode,   |              | 16.580 |
| Total Area Wedge Lode,  | 17.962       |        |
| Less conflict with Copper Spring Lode, unsurveyed   | <u>1.191</u> |        |
| Net Area Wedge Lode,  |              | 16.771 |
| Total Area Blue Copper Lode   | 10.278       |        |
| Less conflict with Evening Star Lode, unsurveyed  | 3.952        |        |
| Less conflict with Copper Spring Lode, unsurveyed   | <u>0.009</u> |        |
| Net Area Blue Copper Lode,  | <u>3.961</u> | 6.317  |



-29-

26° 50' W., the S.E. end of which bears S. 38° 15' W.  
276.0 ft. from the N.E.E.C. Value \$130.00.

Value of Improvements 1, 2 and 3, \$180.00.

#### Red Mountain Lode.

No. 1, the discovery, cut, 4 X 10.5 X 18 ft. course  
N. 65° W., the face of which is on the lode line, N.  
59° 12' E. 221.0 ft. from S.W.E.C. Value \$50.00.

Nos. 2, 3, 4, 5 and 6, churn drill holes to be included  
and described in a supplemental report prior to the  
expiration of the period of publication.

#### Copper Hill Lode.

No. 1, the discovery, cut, 4 X 12 X 20 ft., which is  
crossed by the lode line N. 59° 12' E. 190.6 ft. from  
the S.W.E.C., and extends thence N. 43° 30' W. 11.0 ft.  
and S. 43° 30' E. 9.0 ft. Value \$50.00.

No. 2, 171 ft. of cut and tunnel, 3 X 6 ft., the  
South end of which bears S. 72° 10' W. 179.8 ft. from  
a point on the lode line 213.8 ft. from the N.E.E.C.,  
and extends thence N. 06° 30' W. 34.0 ft.; thence N. 29°  
30' E. 137.0 ft. to breast. Value \$640.00.

No. 3, a pit, 2 X 5 X 18 ft. the west end of which  
bears S. 74° 14' E. 76.0 ft. from a point on the lode  
line 213.8 ft. from the N.E.E.C. Value \$30.00.

No. 4, a pit, 4 X 5 X 10 ft. the west end of which  
bears S. 87° 47' E. 145.2 ft. from a point on the lode  
line 213.8 ft. from the N.E.E.C. Value \$30.00.

Value of Improvements 1, 2, 3, and 4, \$750.00.

#### Last Chance Lode.

No. 1, the discovery, cut, 5 X 12 X 16 ft. course  
south, the face of which is on the lode line N. 59°  
12' E. 625.3 ft. from the S.W.E.C. Value \$50.00.

Nos. 2 and 3, tunnels, to be included and described  
in a supplemental report prior to the expiration of  
the period of publication.



No.4, 132.0 ft. of cut and tunnel, 4 X 6 ft. the south end of which bears N. 84° 40' W. 257.2 ft. from the N.E.E.C., and extends thence N. 05° 10' W. 119.0 ft.; thence N. 52° 00' W. 13.0 ft. to breast. Value \$500.00.

No.5, 54 ft. of cut and tunnel, 4 X 6 ft., the east end of which bears S. 31° 33' W. 211.7 ft. from a point on the lode line 788.0 ft. from the S.W.E.C., and extends thence N. 87° 15' W. 54.0 ft. Value \$220.00.

Value of Improvements, 1, 4 and 5, \$770.00.

Pilot Lode.

No.1, the discovery, cut, 4.5 X 10 X 13 ft., course N. 46° 45' E. the face of which is on the lode line 212.0 ft. from the N.W.E.C. Value \$50.00.

No.2, 28 ft. of cut and tunnel, 4 X 5 ft. the N.E. end of which bears N. 66° 01' E. 551.4 ft. from Cor.No. 2, and extends thence S. 67° 00' W. Value \$100.00.

Value of Improvements 1 and 2, \$150.00.

Sixteen to One Lode.

No.1, the discovery, cut, 4.5 X 11 X 20 ft., course N. 29° 10' E. the face of which is on the lode line N. 71° 35' W. 47.0 ft. from the S.E.E.C. Value \$50.00.

No.2, 35 ft. of cut and tunnel, 4 X 6 ft. the east end of which bears N. 03° 25' W. 95.0 ft. from the S.E.E.C., and extends thence N. 88° W. Value \$100.00.

Value of Improvements 1 and 2, \$150.00.

Wedge Lode.

No.1, the discovery, 27 ft. of cut and tunnel, 4 X 6 ft., the south end of which is on the lode line N. 71° 29' W. 42.5 ft. from the S.E.E.C., and extends thence N. 32° 30' E. Value \$70.00.

No.2, shaft, 4.5 X 7 X 26 ft., the N.E.Cor. of which bears N. 81° 40' W. 86.2 ft. from the S.E.E.C. Value \$100.00.

-31-

Value of Improvements 1 and 2, \$170.00.

Blue Copper Lode.

No.1, the discovery, 26 ft. of cut and tunnel 4 X 6 ft., which is crossed by the lode line S. 65° 12' E. 410.0 ft. from the N.W.E.C., and extends N. 30° 40' E. 16 ft. and S. 30° 40' W. 10.0 ft. Value \$100.00.

Boulder Lode.

No.1, the discovery, cut, 4 X 11 X 17.5 ft., course N. 61° E., the face of which is on the lode line N. 71° 36' W. 304.9 ft., from the S.E.E.C. Value \$50.00.

No.2, 50 ft. of cut and tunnel, 4 X 6 ft., the east end of which bears N. 72° 15' W. 255.0 ft. from the S.E.E.C., and extends thence N. 72° 05' W. value \$150.00

No.3, 70 ft. cut and tunnel, 4 X 6 ft., the east end of which bears S. 86° 35' W. 210.1 ft. from the S.E.E.C. and extends thence N. 60° 15' W. 30.0 ft.; thence N. 50° 20' W. 40.0 ft. to the breast. Value \$400.00.

No.4, 77 ft. of cut and tunnel, 4 X 6 ft., the east end of which bears S. 18° 17' W. 99.1 ft. from a point on line 3-4, <sup>N. 71° 36' W.</sup> 577.5 ft. from Cor.4, and extends thence N. 84° 47' W. Value \$270.00.

No.5, incline shaft, 4 X 6 X 100 ft. deep, the collar of which is on line 3-4, <sup>N. 71° 36' W.</sup> 776.6 ft. from Cor.4, and which dips 28° S. 49° 00' W. value \$700.00.

No.6, incline, 4 X 6 X 50 ft. deep, the collar of which bears S. 39° 03' E. 101.7 ft. from a point on line 3-4, <sup>N. 71° 36' W.</sup> 951.8 ft. from Cor.4, and which dips 11° S. 04° 30' E. Value \$200.00.

No.7, shaft, 4 X 6 X 9 ft., the N.W.Cor. of which bears S. 03° 57' W. 164.7 ft. from a point on line 3-4, <sup>N. 71° 36' W.</sup> 951.8 ft. from Cor.4. value \$40.00.

value of Improvements 1,2,3,4,5,6 and 7, \$1810.00.

Blue Bird Lode.

No.1, the discovery, 110 ft. of cut and tunnel, 4 X 6 ft., the south end of which is on the lode line

592.4 ft. from the S.E.E.C., and extends thence N. 13° 00' W. 41.5 ft.; thence N. 34° 10' E. 14.0 ft.; thence N. 74° 55' E. 54.5 ft. to breast. Value \$500.00.

No.2, cut, 6.5 X 7.5 X 24 ft., the N.E. end of which bears N. 63° 40' W. 596.0 ft. from the S.E.E.C., and extends thence S. 77° W. Value \$70.00.

No.3, shaft, 4 X 5 X 26 ft., timbered, the S.E. Cor. of which bears N. 57° 54' W. 324.1 ft. from a point on line 2-3, N. 71° 37' W. <sup>209.4ft.</sup> from Cor. No.2. Value \$300.00

Value of Improvements 1,2, and 3, \$870.00.

Protection Lode.

No.1, the discovery cut, 5 X 10 X 15 ft., course N. 78° 10' E., the face of which is on the lode line S. 71° 43' E. 285.4 ft. from the N.W.E.C. Value \$50.00.

No.2, shaft, 6 X 8 X 21 ft., timbered, the S.W. Cor. of which bears N. 76° 40' W. <sup>297ft.</sup> from Cor. No.4. Protection Lode. Value \$300.00.

Value of Improvements 1 and 2, \$350.00.

Hub Lode.

No.1, the discovery, 45 ft. of cut and tunnel, 4 X 6 ft., crossed by the lode line N. 72° 22' W. 407.0 ft. from the S.E.E.C., and which extends thence N. 07° 12' W. 19.0 ft. and S. 07° 12' E. 26.0 ft. Value \$150.00.

Dewey Lode.

No.1, the discovery, <sup>cut</sup> 4 X 10 X 20 ft., course N. 70° 15' W., the S.E. end of which is on the lode line N. 89° 42' W. 781.0 ft. from the S.E.E.C. Value \$50.00.

Keystone Lode.

No.1, the discovery, shaft, 4 X 6 X 10 ft., on the lode line S. 85° 43' E. 169.2 ft. from the N.W.E.C. Value \$30.00.

No.2, 43 ft. of cut and tunnel, 4 X 6 ft., course S. 51° 30' E., the N.W. end of which bears S. 43° 15' E. 403.7 ft. from Cor. No. 3. Value \$120.00.

No.3, cut, 5 X 11 X 14 ft., course S. 46° 20' E., the

-33-

N.W.end of which bears S.  $46^{\circ} 20'$  E. 443.8 ft. from  
Cor. No.3, Value \$50.00.

Value of Improvements 1,2 and 3, \$200.00.

#### Lone Star Lode.

No.1, the discovery, cut, 5 X 11 X 22 ft., course  
S.  $50^{\circ} 15'$  W. the face of which is on the lode line N.  
 $04^{\circ} 54'$  W. 723.0 ft. from the S.E.C. Value \$50.00.

No.2, 46 ft. of cut and tunnel, 4 X 6 ft., course N.  
 $32^{\circ} 30'$  W., the S.E.end of which bears N.  $22^{\circ} 42'$  E.  
111.0 ft. from a point on the lode line 586.3 ft. from  
the S.E.C. Value \$150.00.

No.3, cut, 7 X 10 X 14 ft., course N. $14^{\circ}$  W., the S.  
E.end of which bears N.  $25^{\circ} 20'$  E. 227.5 ft. from a  
point on the lode line 586.3 ft. from the S.E.C.  
Value \$50.00.

No.4, 90 ft. of cut and tunnel, 4 X 6 ft., the S.E.  
end of which bears N.  $53^{\circ} 30'$  E. 121.2ft. from a point  
on the lode line 586.3 ft. from the S.E.C., and extends  
thence N.  $06^{\circ}$  W. 55.0 ft.; thence N.  $35^{\circ} 20'$  E. 35.0 ft.  
Value \$300.00.

No.5, incline 5 X 6 X 22 ft., the collar of which  
bears S.  $53^{\circ} 40'$  E. 201.5 ft. from a point on the lode  
line 586.3 ft. from the S.E.C., and pitches  $30^{\circ}$  S.  $67^{\circ}$   
 $10'$  E. Value \$120.00.

No.6, tunnel to be included and described in a supple-  
mental report prior to the expiration of the period of  
publication.

Value of Improvements 1,2,3,4 and 5, \$670.00.

#### Eastern Star Lode.

No.1, the discovery, cut, 4 X 12 X 18 ft., course  
N.  $58^{\circ} 30'$  E., the face of which is on the lode line  
281.5 ft. from the E.E.C. Value \$50.00.

No.2, 60 ft. of cut and tunnel, 3 X 6 ft., course  
N.  $50^{\circ} 05'$  W., the S.E.end of which bears N.  $24^{\circ} 04'$  E.

416.4 ft. from Cor. No. 2. Value \$200.00.

No.3, cut, 4 X 7 X 16 ft., course S. 24° 50' W., the N.E.end of which bears N. 15° 04' E. 389.0 ft., from Cor. No.2. Value \$30.00.

Value of Improvements 1,2 and 3, \$280.00.

Other Improvements.

A blacksmith shop, 16 X 30 ft., course of long sides N. 17° W., the S.W.corner of which bears N. 04° 40' E. 423.0 ft. from Cor. No.2 of the Last Chance Lode.

An ore bin, 20 X 26 ft., not on the claimants property but owned by them, course of long sides N. 13° W., the N.E.corner of which bears S. 00° 50' E. 37.0 ft. from Cor. No.3, Wedge Lode.

An ore bin, 13 X 26 ft.,not on the claimants property, but owned by them, course of long sides N. 14° W., the N.E.Cor. of which bears S. 17° 35' W. 125.4 ft. from Cor. No.3, of the Wedge Lode.

A mill, 45 X 95 ft., on the Blue Bird Lode, course of long sides N. 81° 15' W., the S.E.Cor. of which bears N. 69° 06' W. 375.0 ft. from a point on line 2-3 said Blue Bird Lode, 209.4 ft. from Cor. No.2.

A boarding house, 34 X 49 ft., course of long sides N. 17° E., the S.E.corner of which bears N. 71° 10' W, 321.0 ft. from a point on line 2-3 Blue Bird Lode 209.4 ft. from Cor. No.2.

An office building, 34 X 36 ft. on the Protection Lode, course of long sides, N. 01° 15' W., the S.E.Cor. of which bears S. 89° 29' W. 318.2 ft. from Cor. No.4 Protection Lode.

A laboratory, 20 X 30 ft., course of long sides N. 08° 15' E., the S.E.Cor. of which bears S. 77° 45' W. 344.9 ft. from Cor. No.4, Protection Lode.

oooooooooooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

-35-

On the north: The Philadelphia Lode, unsurveyed, and the Dacite Lode, unsurveyed, J.B.Newman, et al., claimants; the Gladiator Lode, Clipper Lode, ~~Caravel Lode~~, and Contention Lode of Mineral Survey No. 2379; the Bull Dog Lode, Mineral Survey No. 2089, the Inspiration Mining Co., claimants; the Bull Pup Lode, Humboldt Lode, Wedge Lode and California Lode of Mineral Survey No. 2382, Chas.F.Taylor, claimant. Other claims unknown.

On the East: Nettie and Arizona Lodes, unsurveyed, D.D.Sullivan et al., claimants; the Lone Widow and Magnolia Lodes, unsurveyed, N.S.Berry et al., claimants.

On the South: the Magnolia and Bradshaw Lodes, unsurveyed, N.S.Berry et al., claimants; the Lawful Ledge Lode, unsurveyed, Julius Riser et al., claimants; the San Antonio, Salvator and Alamo Lodes, unsurveyed, B.F. Sidner et al., claimants; the Evening Star, Copper Spring, Sulphide, Finis and New York Lodes, unsurveyed, the Live Oak Copper Mining and Smelting Co., claimants. The New York Lode conflicting in part with the Summit Lode, and the Salvator Lode conflicting in part with the Dewey Lode.

On the West: The Philadelphia, Race Horse and Red Rock Lodes, unsurveyed, J.B.Newman, et al., claimants, and unknown claim.

oooooooooooooooooooooooooooooooooooo

Location.

This group of claims is located approximately in sections 25 and 26, Township 1 N., Range 14 E., unsurveyed, G.&.S.R.B.& M., Globe Mining District, in the Crook National Forest, Gila County, Arizona.

oooooooooooooooooooooooooooooooooooo

Instrument.

J →

This survey was made with a 6 1/4 inch Berger Engineer's transit; the courses were deflected from the true meridian as determined by direct Solar and Polaris observations. The distances were measured with a 500 ft. steel tape.

oo

Note.

The disagreement between the notes of this survey and line 2-3, Gladiator Lode, line 2-3, Clipper Lode, Survey No 2379; line 3-4 Bull Dog Lode, Survey No 2089; lines 2-3-4 Bull Pup Lode, line 2-3, Wedge Lode, line 3-4, California Lode, Sur. No 2382, is due to errors in the latter. The discrepancies between the notes of this survey and the certificates of location of the several claims embraced in the survey are due to errors in said certificates of location.

*Edwin J. Stewart*

U.S. .M.S.

Globe, Arizona, April 13, 1909.

-1-

SUPPLEMENTAL REPORT ACCOMPANYING RETURNS ON MINERAL SURVEY NO. 2565, THE KEYSTONE COPPER CO., CLAIMANTS, DESCRIBING AN ARBITRARY BOUNDARY LINE AGREED UPON BETWEEN THE SAID KEYSTONE COPPER COMPANY AND THE LIVE OAK COPPER MINING & SMELTING COMPANY.

The conflict which exists between the Sixteen to One and Last Chance Lodes, of this survey, owned by the Keystone Copper Company, with the Copper Spring and Sulphide Lodes, unsurveyed, owned by the Live Oak Copper Mining and Smelting Company, having been claimed by both the Keystone Copper Company and the Live Oak Copper Mining and Smelting Company, and, representatives of said Companies having arbitrated the matter of the conflict between the two properties, and having decided that each company was entitled to certain portions of such conflict, and not desiring to alter the positions of the corners of their respective locations, they decided to establish an arbitrary boundary line to which each company in surveying for patent should exclude. Such line to be for all purposes the boundary between the claims affected thereby; the same being particularly described as follows:

Beginning at the point where line 2-3 of the Sixteen to One Lode and line 3-4 of the Wedge Lode intersects the east side line of the Copper Spring Lode, unsurveyed, at S. 71° 35' E. 251.81 ft. and 173.71 ft. from Cor. No. 3 of the Sixteen to One and Cor. No. 3 of the Wedge Lodes, respectively, and S. 10° 19' W. 460.9 ft. from N.E. Cor. of Copper Spring Lode, unsurveyed,

Thence N. 44° 23' W.

196.15 Intersect line 1-2, Last Chance Lode, this survey, at N. 59° 12' E. 330.20 ft. from Cor. No. 2 and N. 59° 12' E. 118.41 ft. from Cor. No. 3, Sixteen to One Lode, this



survey, and S. 59° 12' W. 212.49 ft. from the intersection of line 1-2, Last Chance Lode with line N.E. Cor.- S.E. Cor., Copper Spring Lode, unsurveyed,

253.48 Intersect line 3-4, Sixteen to One Lode, this survey, at N. 31° 14' E. 118.83 ft. from Cor. No.3 and S. 31° 14' W. 335.48 ft. from the intersection of said line 3-4, Sixteen to One Lode, with line N.E. Cor.- N.W. Cor. Copper Spring Lode, unsurveyed.

551.31 To a pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed Sur. 2565 on the N.W. side.

Thence N. 37° 00' W.

204.07 To N.W. Cor., Copper Spring and N.E. Cor. Sulphide Lodes, unsurveyed, which is S. 80° 04' E. 79.36 ft. from a point on line 3-4 Last Chance Lode, N. 59° 12' E. 118.93 ft. from Cor. No.3..

The intersection of line 3-4, Sixteen to One Lode, this survey, with line N.E. Cor.- N.W. Cor., Copper Spring Lode, unsurveyed, bears S. 80° 04' E. 513.08 ft.

N.E. Cor., Copper Spring Lode, unsurveyed, bears S. 80° 04' E. 600.0 ft.

The above described line being intended as a line to which exclusion is to be made from the two claims embraced in this survey and affected thereby, there is therefore excluded from them the area of that part of such claims lying on the south west side of said line.

*Ewin J. Swank*

Globe, Arizona, April 13, 1909. U.S. M.S.

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

-----  
DEPARTMENT OF THE INTERIOR,  
Office of the U. S. Surveyor General,  
Phoenix, Arizona, June 18, 1909.

I, U. S. Surveyor-General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The Keystone Copper Company, known as the Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance, Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One, Boulder, Eastern Star, Protection, Lone Star and Keystone lodes, situate in the Globe Mining District, Gila County, Arizona, approximately in Secs. 25 and 26, Tp. No. 1 N., S. 14 E., Unsur., and designated as Survey No. 2565, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made, by claimant or its grantors, upon each of the following claims; Copper Hill, Last Chance, Boulder, Blue Bird and Lone Star, and that less than five hundred dollars' worth of labor has been expended or improvements made, by claimant or its grantors, upon each of the following claims; Summit, Red Mountain, Pilot, Sixteen to One, Wedge, Blue Copper, Protection, Hub, Dewey, Keystone and Eastern Star lodes, and that

the improvements upon said claims at time of survey, consist of 7 shafts, 2 pits, 2 inclines, 31 cuts and 16 tunnels, total value \$6700, and further, that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

\_\_\_\_\_  
Frank S. Ingalls,

United States Surveyor-General for  
Arizona.

## U. S. SURVEYOR GENERAL'S SUPPLEMENTARY FINAL CERTIFICATE

on

Field Notes in Connection with Mineral Survey No. 2565

\*\*\*\*\*

DEPARTMENT OF THE INTERIOR

OFFICE OF THE SURVEYOR GENERAL

Phoenix, Arizona, August 10, 1909.

Referring to my Certificate of Improvements upon the claims embraced in Mineral Survey No. 2565, dated June 12, 1909, I hereby and further certify that \$500.00 worth of labor has been expended or improvements made by the claimant or its grantors upon, or for the benefit of, the Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance, Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One, Boulder, Eastern Star, Protection, Lone Star and Keystone lode mining claims, situate in the Globe Mining District, Gila County, Arizona, approximately in Sections 25 and 26, T. 1 N., R. 14 E., unsurveyed, the Keystone Copper Company claimant; I attach hereto a copy of the supplemental report of Edwin T. Stewart, U. S. Mineral Surveyor, dated August 5, 1909, containing a description of the improvements made upon or for the benefit of said claims, in addition to those reported at the time of survey, together with a copy of the affidavit of \$500.00 improvements, upon or for each claim, by two disinterested parties, such additional improvements consisting of three drill holes, two shafts, 1803.32 feet of cut and

-2-

tunnel and 807.7 feet of drifts and crosscuts, value \$41,940.00, and that no portion of said labor and improvements has been included in the estimate of expenditures upon any other claim.

Said supplemental report apportions improvements No. 2 and No. 3 on the Last Chance lode, value \$19,840.00, equally among the Summit, Red Mountain, Copper Hill and Last Chance lodes; improvement No. 6 on the Lone Star lode, value \$330.00, equally between Lone Star and Eastern Star lodes; and improvement No. 6 on the Copper Hill lode, value \$16,000.00, equally among the sixteen claims embraced in said survey No. 2565.

I further certify that, from the surveyor's supplemental report, said credits are just and proper and that the improvements so credited are for the development of the claims receiving the credits therefrom, as set forth in the surveyor's supplemental report, and should be allowed.

Frank S. Ingalls,

U. S. Surveyor General for Arizona.

T-W

SUPPLEMENTAL REPORT OF IMPROVEMENTS MADE PRIOR TO THE EXPIRATION OF THE PERIOD OF PUBLICATION OF APPLICATION FOR PATENT FOR THE CLAIMS EMBRACED IN MINERAL SURVEY NO. 2565.

oooooooooooooooooooooooooooo

I hereby certify that the value of the labor and improvements upon or for the benefit of the claims embraced in Mineral Survey No. 2565 is not less than \$500. for each claim, and that said improvements, in addition to what was reported at the time of making the survey, consist of the following:

SUMMIT LODE.

1/4 of improvements 2 and 3 of the Last Chance lode, hereinafter described. Value \$4960.00.

1/16 of improvement No. 6 of the Copper Hill lode, hereinafter described. Value \$1000.00.

RED MOUNTAIN LODE.

No. 2, a churn drill hole, 10 ins. diameter and 250 ft. deep, which bears N. 70°-20' E. 164.3 ft. from Cor. 3.

No. 3, a churn drill hole, 10 ins. diameter and 590 ft. deep, which bears N. 74°-48' E. 170.4 ft. from Cor. 3.

No. 4, a churn drill hole, 10 ins. diameter and 444 ft. deep, which bears N. 78°-18' E. 451.9 ft. from Cor. 3.

The value of the three above drill holes is not credited to this claim due to the fact that they are not on ground owned by the claimants, and were not sunk at their expense.

No. 5, a churn drill hole, 10 ins. diameter and 200 ft. deep, which bears N. 41°-25' W. 235.8 ft. from Cor. 2. Value \$800.00.

No. 6, a churn drill hole, 10 ins. diameter and 500 ft. deep, which bears N. 42°-14' W. 240.6 ft. from Cor. 2. Value \$2000.00.

1/4 of improvements 2 and 3 of the Last Chance lode, hereinafter described. Value \$4960.00.

1/16 of improvement No. 6 of the Copper Hill lode, hereinafter described. Value \$1000.00.

COPPER HILL LODE.

No. 5, a churn drill hole, 10 ins. diameter and 600 feet deep, which bears S. 11°-13' E. 491.0 ft. from a point on line 1-2, 711.0 ft. from Cor. 2. Value \$1800.

1/4 of improvements 2 and 3 of the Last Chance lode, hereinafter described. Value \$4960.00.

No. 6, a three compartment shaft, all timbered, 6 x 15 x 330 ft., together with 320 ft. of drifts and crosscuts from same, the S. W. Cor. of which bears S. 62°-50' E. 323.1 ft. from a point on line 1-2, 711.0 ft. from Cor. No. 2. Value of shaft, crosscuts and drifts. \$16000.00

At a depth of 152 ft. from the collar of this shaft a crosscut, 4.5 x 6 ft., extends S. 20° E. 100 ft. and N. 20° W. 160.0 ft. And from a point in this crosscut, N. 20° W. 100 ft. from the shaft, a drift, 4.5 x 6 ft., extends S. 70° W. 30 ft. and N. 70° E. 30 ft.

This shaft is being sunk to be used as a working shaft for the purpose of working and developing each of the claims embraced in this survey. The plan of development, of which the shaft is the basis, being to continue sinking and then through drifts and crosscuts towards and under the several claims in the group to work and develop each of such claims at depth. This being the plan which is generally carried out in this district, this shaft together with the drifts and crosscuts above described, is taken as a common improvement which inures equally to the benefit of each claim of the group, a 1/16 of the total value of which, amounting to \$1000.00, is distributed to each.

The general slope of the surface of the claims in this group is from the southeast to the northwest, thus placing the collar of this shaft on ground which is higher than the surface of the most south easterly claims of the group, and when continued to a total depth of 500 feet it will be at a depth well below the surface of each claim in the group, making it possible to extend crosscuts and drifts from the shaft under each claim for the purpose of developing and mining them.

LAST CHANCE LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

No. 2. 826.9 ft. of tunnel of an average cross section of 4.5 x 6ft., together with 366.7 ft. of drifts and crosscuts from same, the portal of which bears N.21°-22'W. 436.9 ft. from a point on line 1-2, 211.79 ft. from Cor. 2, and extends thence N.23°34'W. 94.7 ft.; thence N.30°-44'W. 103.4 ft.; thence N.70°-41'W. 21.7 ft.; thence N.36°-08'W. 75.9 ft.; thence N.21°-05'W. 42.7 ft.; thence N.53°-37'W. 41.3 ft.; thence N.72°-18'W. 35.7 ft.; thence N.56°-06'W. 57.6 ft.; thence N.14°-40'W. 25.9 ft.; thence N.74°-00'W. 17.7 ft.; thence N.52°-32'W. 192.3 ft.; thence N.55°-20'W. 85.0 ft.; thence N.25°-00'W. 33.0 ft.

Commencing at a point N.52°-32'W. 36 ft. from the end of the 9th course in the above described tunnel a lateral extends N.25°-15'W. 48.0 ft.; thence N.50°-40'W. 28.3 ft.; thence N.27°-51'W. 71.0 ft.; And commencing at a point N.55°-20'W. 26.0 ft. from the 10th course a lateral extends South 74.0 ft. And commencing at the end of the 11th course a lateral extends N.55°-20'E. 26.0 ft.; thence N.27°-10'W. 22.4 ft.; thence N.28°-05'E. 50.0 ft. And commencing at the end of the 12th course a lateral extends S.35°-10'W. 16.0 ft. and N.45°-00'E. 31.0



ft. Value of tunnel and laterals from same \$11940.00.

NO. 3, 669.4 ft. of tunnel of an average cross section of 4.5 x 6 ft., together with 121 ft. of laterals from same, the portal of which bears N.28°-33'W. 539.3 ft. from a point on line 1-2, 211.79 ft. from Cor. No. 2, and extends thence N.29°-34'W. 23.8 ft.; thence N.43°-26'W. 44.4 ft.; thence N.35°-37'W. 89.9 ft.; thence N.41°-25'W. 80.4 ft.; thence N.47°-44'W. 27.2 ft.; thence N.42°-24'W. 164.3 ft.; thence N.40°-55'W. 35.3 ft.; thence N.45°-15'W. 101.0 ft.; thence N.20°-07' W. 25.2 ft.; thence N.42°-02'E. 17.2 ft.; thence N.82°-00'E. 24.2 ft.; thence N.26°-10'E. 36.5 ft.

Commencing at a point N.45°-15'W. 38.0 ft. from the end of the 7th course in the above described tunnel a lateral extends N.12°-02'E. 35.0 ft.; thence N.17°-00'W. 54.0 ft. And commencing at the end of the 8th course a lateral extends S.85°-25'W. 19.1 ft.; thence N.66°-20'W. 12.9 ft. Value of tunnel and laterals from same \$7900.00.

The two above described tunnels, commencing as they do on the Last Chance claim, and extending in a northwest direction into the Copper Hill and Red Mountain claims and toward the Summit claim, and, the surface of the four above mentioned claims lying northwest of the portals of the tunnels, rising in the direction of the course of the tunnels, to the extent that such tunnels will, if continued on in their present course, cut the lodes of each the Red Mountain and Summit claims at depth, and, a portion of such tunnels being situate upon the Last Chance and Copper Hill claims, as well as extending some distance into the Red Mountain claim; and the tunnels not being so situated that they could be considered as an improvement for the benefit of any of the other claims within the group, one fourth of the value of both, amounting to \$4960.00 is credited to each the Last Chance, Copper Hill, Red Mountain and Summit lodes.

## PILOT LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## SIXTEEN TO ONE LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## WEDGE LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## BLUE COPPER LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## BOULDER LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## PROTECTION LODE.

No. 3, shaft, 4x4 x 33 ft., timbered, the center of the west side of which bears S.61°-50'E. 736.1 ft. from the N.W.E.C. Value \$200.00.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00

## HUB LODE.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

## DEWEY LODE.

NO. 2, 66 ft. of cut and tunnel, 4 x 6, the S.E. end of which bears S.15°-20'E. 34.0 ft. from a point on the lode line 781.0 ft. from the East end Center, and extends thence N.46°-10'W. to face. Value \$330.00.

No. 3 cut, 5 x 10 x 18 ft., the N.E. end of which bears N.45°-25'W. 13.5 ft. from a point on the lode line 781.0 ft. from the East End Center, and extends thence S.73°-30'E. to face. Value \$50.00.

## BLUE BIRD.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

No. 4, 44 ft. of cut and tunnel, 4 x 6, the N.E. end of which bears N.7°-50'W. 60.9 ft. from a point on the lode line 781.0 ft. from the East End Center, and extends thence S.57°-30'W. to face. Value \$190.00.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

#### KEYSTONE LODE.

No. 2, previously reported, but which has since been extended from the face S.31°-50'E. 25.0 ft., increasing the total length of cut and tunnel from 43 to 68 ft. and the value from \$120.00 to \$250.00. Increased valuation \$130.00.

No. 4, 49 ft of cut and tunnel, 4 x6 ft., the north end of which bears S.25°-04'W. 322.3 ft. from Cor. No. 4, and extends thence S.7°-E. to face. Value \$200.00

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

#### LONE STAR LODE.

No. 6, 76 ft. of cut and tunnel, 4 x 6, the S.W. end of which bears S.42°-35'E. 200.8 ft. from a point on the lode line 586.3 ft. from the South End Center, and extends thence N.75°-E. to face. Value \$330.00.

The slope of the surface of the east side of the Lone Star claim and of the east end of the Eastern Star claim being such that it rises rapidly toward the east, and the course of this tunnel being such that if it were extended on in its present course it would cut the vein of the Eastern Star claim; and, the tunnel being so situated that it could not be considered as for the development of any other claim of the group, and the same tending to develop equally the Lone Star and Evening Star, one half of the value thereof, amounting to \$165.00 is credited to each claim.

1/16 of improvement No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

-7-

## EASTERN STAR LODE.

No. 2, previously reported, but which has since been extended from 60 to 83 ft. long, increasing the value of the improvement from \$200.00 to \$300.00. Increased value of improvement \$100.00

No. 4, 24 ft. of cut and tunnel, 4 x 6, the east end of which bears S.67°-20'E. 39.1 ft. from a point on the lode line 283.5 ft. from the east End Center, and extends thence S.85°-W. to face. Value \$100.00.

1/2 interest in improvement No. 6 on the Lone Star claim, hereinbefore described. Value \$165.00.

1/16 interest in improved No. 6 of the Copper Hill lode, hereinbefore described. Value \$1000.00.

Globe, Arizona.

August 5, 1909.

B. D. Stewart  
U.S. Mineral Surveyor.

Subscribed and sworn to before me, this 5th day of August 1909.

J. M. Wehrh

Notary Public.

My commission expires, 2/9-1910.

Affidavit of Five Hundred Dollars Improvements.

We, Geo. F. Wilson and R. A. Smith

of lawful age, being first duly sworn according to law, depose and say: That we are Sixteen to One, Summit, Red Mountain, Copper Hill, Last Chance, Wedge, Pilot, Blue Copper, Boulder, Blue Bird, Protection, acquainted with the Hub, Dewey, Keystone, Lone Star and Eastern Star mining claims

situate in Globe Mining district, Gila County, Arizona Territory, for which the Keystone Copper Company

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, upon or for each lode, and further that we are not personally interested in said mine.

Geo. F. Wilson

R. A. Smith

TERRITORY OF ARIZONA, County of Gila ss:

Sworn to and subscribed before me, this 5th



day of August, 1909.

J. M. Neuberger Notary Public.

27669b1m2-07

My commission expires 2/9-1910

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 23, 1908, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim<sup>s</sup> of The Keystone Copper Company known as the Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance, Red Mountain, Copper Hill, Dewey, Widge, Sixteen to One, Eastern Star, Boulder, Protection, Lone Star and Keystone situate in Globe Mining District, Gila County, Arizona, in Section 25 and 26, Township No. 1 N., Range No. 14 E., unsurveyed, and designated as Survey No. 2565, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart  
U. S. Deputy Mineral Surveyor, before me, a Notary Public  
this 13th  
day of March, 1909.

L M Brooker

Notary Public.

o 3-154

(My Commission Expires Dec 12 1912)

74

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim<sup>s</sup> of

The Keystone Copper Company

Summit, Pilot, Blue Bird, Blue Copper, Hub, known as the Last Chance, Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One, Eastern Star, Boulder, Protection, Lone Star and Keystone and showing the respective capacities in which they acted.

272 x

Percy Bell, Chairman.  
Harold Johnson, Chairman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Percy Bell

and Harold Johnson, do solemnly swear that we assisted Edwin T.

Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim<sup>s</sup> of The Keystone Copper Company

Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance, known as the Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One,

Eastern Star, Boulder, Protection, Lone Star and Keystone represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

272 x

Percy Bell, Chairman.  
Harold Johnson, Chairman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of March, 19 09.

B. E. Stewart

(My Com. Expires Dec. 24. 1910)

Notary Public.

# Affidavit of Five Hundred Dollars Improvements.

We, N. S. Berray and Geo. F. Wilson

of lawful age, being first duly sworn according to law, depose and say: That we are  
Summit, Pilot, Blue Bird, Blue Copper, Hub, Last Chance,  
Red Mountain, Copper Hill, Dewey, Wedge, Sixteen to One  
acquainted with the Eastern Star, Boulder, Protection, mining claims,  
Lone Star, and Keystone

situate in Globe Mining district, Gila County,

Arizona Territory, for which The Keystone Copper Company

has made application for survey prior to application for patent under the provisions  
of the act of Congress, approved May 10, 1872; and that the labor done and improve-  
ments made thereon by the applicant and its grantors exceed Five Hundred  
Dollars in value, <sup>for each of said claims</sup> and further that we are not personally interested in said mines.

*N. S. Berray*  
*Geo. F. Wilson*

TERRITORY OF ARIZONA,

County of Gila } ss:

Sworn to and subscribed before me, this 13th



day of March, 1909.

*E. G. Stuart*

Notary Public.

27669b1m2-07

(My Com. Ex. Dec. 24, 1910)



AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Summit Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Co., by its President, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1483.7 feet and we claim 1226.3 feet, in a S.59°-12'W. direction and 257.4 feet in a N.59°-12'E direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 256.6 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. W. to the N. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of adjusting the internal lines and to make all end lines parallel of a group of claim, owned by the undersigned, of which this Summit Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.59°-12'W. direction 1226.3 feet from the discovery shaft (at which this notice is posted,) being in the center of the S. W. end line of said claim; thence S.80°-53'E. 400.0 feet to a post in a monument, being the S. W. corner of said claim; thence N.59°-12'E. 1483.7 feet to a post in a monument, being at the S. E. corner of said claim; thence N.80°-53'W. 400.0 feet to a monument of stone at the center of the N. E. end of said claim; thence N.80°-53'W. 400.0 feet to a post in a monument, being at the N.E. corner of said claim; thence S.59°-12'E. 1483.7 feet to a post in a monument at the N. W. corner of said claim; thence S.80°-53'E. 400.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Summit Mining Claim, located by J. R. Finletter and H. H. Harvey on the 1st day of January 1903, and recorded in Book 9 of Records of Mines, at page 77, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... **Amended Location Notice of the**  
..... **"SUMMIT" Mining Claim,**.....

as the same appears of record in my office in Book..... **15, Records of Mines,**.....

at page..... **54**.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand  
M-

Handwritten initials or mark in the bottom left corner.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Summit Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Co., by its President, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1483.7 feet and we claim 1226.3 feet, in a S.59°-12'W. direction and 257.4 feet in a N.59°-12'E direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 256.6 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. W. to the N. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of adjusting the internal lines and to make all end lines parallel of a group of claim, owned by the undersigned, of which this Summit Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.59°-12'W. direction 1226.3 feet from the discovery shaft (at which this notice is posted,) being in the center of the S. W. end line of said claim; thence S.80°-53'E. 400.0 feet to a post in a monument, being the S. W. corner of said claim; thence N.59°-12'E. 1483.7 feet to a post in a monument, being at the S. E. corner of said claim; thence N.80°-53'W. 400.0 feet to a monument of stone at the center of the N. E. end of said claim; thence N.80°-53'W. 400.0 feet to a post in a monument, being at the N.E. corner of said claim; thence S.59°-12'E. 1483.7 feet to a post in a monument at the N. W. corner of said claim; thence S.80°-53'E. 400.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Summit Mining Claim, located by J. R. Finletter and H. H. Harvey on the 1st day of January 1903, and recorded in Book 9 of Records of Mines, at page 77, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.....

"SUMMIT" Mining Claim,.....

as the same appears of record in my office in Book..... 15, Records of Mines,.....

at page..... 54.....; that I have compared the same with the original record, and that the same is a true transcript

and of the whole thereof.

Handwritten initials and arrow pointing to the page number 54.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Pilot Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1092.2 feet, and we claim 212.0 feet, in a N.71°-37'W. direction and 880.2 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 289.00 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Pilot Claim is one,

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 212.0 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.31°-14'W.296.45 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1092.2 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 296.45 feet to a monument of stone at the center of the S. E. end of said claim; thence N.31°-14'E. 296.45 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1092.2 feet to a post in a monument at the N. W. corner of said claim; thence S.31-14'W. 296.45 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Pilot Mining Claim, located by H. H. Harvey and J. R. Finletter on the 9th day of December, 1898, and recorded in Book 6 of Records of Mines, at page 335, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L.M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "PILOT" Mining Claim,.....

as the same appears of record in my office in Book..... 15, Records of Mines,.....

at page..... 53.....; that I have compared the same with the original record, and that the same is a true transcript

Handwritten initials or mark in the bottom left corner.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Blue Bird Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13th day of May 1907.

The length of this claim is 1496.4 feet, and we claim 904.0 feet, in a N.71°-37'W. direction and 592.4 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 277.8 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is posted for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Blue Bird is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 904.0 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.31°-14'W. 285.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1496.4 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 285.0 feet to a monument of stone at the center of the S. E. end of said claim; thence N.31°-14'E. 285.0 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1496.4 feet to a post in a monument at the N. W. corner of said claim; thence S.31°-14'W. 285.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Blue Bird Mining Claim, located by J. R. Finletter and H. H. Harvey on the 1st day of January 1900, and recorded in Book 6 of Records of Mines, at page 622, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13th day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the

"BLUEBIRD" Mining Claim,

15, Records of Mines,

as the same appears of record in my office in Book

at page 52; that I have compared the same with the original record, and that the same is a true transcript

AMENDED  
NOTICE OF MINING LOCATION  
Lode Claim

TO All Whom It May Concern:

This Mining Claim, the name of which is the Blue Copper Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 14 day of May, 1907.

The length of this claim is 1500.0 feet, and we claim 423.5 feet in a N.65°-15'W. direction and 1076.5 feet in a S.65°-15'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 3.9 and 76.4 feet, respectively, of the surface grounds on each side of the lode line, at the N. W. end of the claim, and 233.4 feet in width of the surface grounds on each side of the lode line at the S. E. end of the claim. The general course of the lode, deposit and premises is from the N. W. to the S. E.

This claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from the Bloody Tanks.

This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Blue Copper Claim is one.

The surface boundaries are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.65°-15'W. direction 423.5 feet from the center of the discovery shaft (at which this notice is posted) being in the center of the ~~the N. W.~~ end line of said claim; thence

S.04°-54'E. 4.5 feet to a post in a monument of stone, being at the S. W. corner of said claim; thence S.54°-43'E. 1107.5 feet to a post in a monument of stone, being at a bend in the S. W. side line of said claim; thence S.62°-26'E. 541.2 feet to a post in a monument of stone, being at the S. E. corner of said claim; thence N.04°-54'W. 268.5 feet to a monument of stone at the center of the S. E. end of said claim; thence N.04°-54'W. 268.5 feet to a post in a monument of stone, being at the N. E. corner of said claim; thence N.71°-37'W. 1418.3 feet to a post in a monument of stone, being at the N. W. corner of said claim; thence S.04°-54'E. 87.9 feet to the place of beginning.

All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location notice of the Blue Copper Mining Claim, located by H. H. Harvey and J. R. Finletter on the 5th. day of February, 1897, and recorded in Book 6 of Records of Mines, at page 165, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended location notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 14 day of May, 1907.

Witnesses;

H.P. Wightman  
 Frank Beston  
 Rollo Wightman.

The Keystone Copper Company  
 By L. E. Wightman, Pres.

Filed and recorded at the request of H.P. Wightman on the 14 day of May, A.D. 1907 at 30 minutes past 3 o'clock P.M.

E. T. Stewart, County Recorder.  
 By L.M. Brookner, Deputy Recorder.

TERRITORY OF ARIZONA, }  
 COUNTY OF GILA }<sup>SS</sup>

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "BLUE COPPER" Mining Claim as the same appears of record in my office in Book 8, Records of Mines, at page 476; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th. day of

May, A. D. 1907.

E. T. Stewart,  
 By [Signature]

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Hub Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1392.3 feet, and we claim 985.3 feet, in a N. 72°-21'W direction and 407.0 feet in a S.72°-21'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 247.9 and 255.6 ft. respectively feet-in width of the surface grounds, on each side of the lode line center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly diection from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Hub Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.72°21'W. direction 985.3 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.04°-54'E. 268.3 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.72°-21'E. 1392.3 feet to a post in a monument, being at the S. E. corner of said claim; thence N.04°-54'W. 268.3 feet to a monument of stone at the center of the S. E. end of said claim; thence N.04°-54'W. 276.8 feet to a post in a monument, being at the N. E. corner of said claim; thence N.72°-21'W. 1392.3 feet to a post in a monument at the N. W' corner of said claim; thence S.04°-54'E. 276.8 feet to the place of beginning

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Hub Mining Claim, located by The Keystone Copper Company on the - - day of - - 190--, and recorded in Book - - - of Records of Mines, at page - - - , in the office of the County Recorder of the aforesaid County of - - -- to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "HUB" Mining Claim,

as the same appears of record in my office in Book..... 15, Records of Mines,

at page.....51.....; that I have compared the same with the original record, and that the same is a true transcript

and of the whole thereof

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Last Chance Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1483.7 feet, and we claim 625.3 feet, in a S.59°-12'W. direction and 858.4 feet in a N.59°-12'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. W. to the N. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Last Chance Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.59°-12'W direction 625.3 feet from the discovery shaft (at which this notice is posted,) being in the center of the S. W. end lines of said claim; thence S.26°-27'E. 300.8 feet to a post in a monument of stones, being the S. W. corner of said claim; thence N.59°-12'E. 1483.7 feet to a post in a monument, being at the S. E. corner of said claim; thence N.26°-27'W. 300.8 feet to a monument of stone at the center of the N. E. end of said claim; thence N.26°-27'W. 300.8 feet to a post in a monument, being at the N.E. corner of said claim; thence S.59°-12'W. 1483.7 feet to a post in a monument at the N. W. corner of said claim; thence S.26°-27'E. 300.8 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Last Chance Mining Claim, located by J. R. Finletter and H. H. Harvey on the 12th day of August 1896, and recorded in Book 6 of Records of Mines, at page 92, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "LAST CHANCE" Mining Claim......

as the same appears of record in my office in Book..... 15. Records of Mines,.....

at page..... 50.....; that I have compared the same with the original record, and that the same is a true transcript



AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Red Mountain Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1483.7 feet, and we claim 221.0 feet, in a S.59°-12'W. direction and 1262.7 feet in a N.59°-12'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 272.5 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. W. to the N. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of adjusting the internal lines and to make the end lines parallel of a group of claims, owned by the undersigned, of which this Red Mountain Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.59°-12'W. direction 221.0 feet from the discovery shaft (at which this notice is posted,) being in the center of the S. W. end line of said claim; thence S.80°-53'E. 424.8 feet to a post in a monument, being the S. W. corner of said claim; thence N.59°-12'E. 1483.7 feet to a post in a monument, being at the S. E. corner of said claim; thence N.80°-53'W. 424.8 feet to a monument of stone at the center of the N. E. end of said claim; thence N.80°-53'W. 424.8 feet to a post in a monument being at the N. E. corner of said claim; thence S.59°-12'W. 1483.7 feet to a post in a monument at the N. W. corner of said claim; thence S.80°-53'E. 424.8 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Red Mountain Mining Claim, located by H. H. Harvey, J. R. Finletter and R. Finletter on the 7th day of July, 1897, and recorded in Book 6 of Records of Mines, at page 219, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman, on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "RED MOUNTAIN" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,

at page 64; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th day of

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Copper Hill Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States the undersigned, on the 13 day of May 1907.

The length of this claim is 1483.7 feet, and we claim 190.6 feet, in a S.59°-12'W. direction and 1293.1 feet in a N.59°-12'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 249.6 and 300.0 feet respectively feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. W. to the N. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is made for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Copper Hill Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.59°-12'W. direction 190.6 feet from the discovery shaft (at which this notice is posted,) being in the center of the S. W. end line of said claim; thence S.49°-36'E. 290.3 feet to a post in a monument of stone, being the S. W. corner of said claim; thence N.59°-12'E. 1483.7 feet to a post in a monument, being at the S. E. corner of said claim; thence N.49°-36'W. 290.3 feet to a monument of stone at the center of the N. E. end of said claim; thence N.49°-36'E. 290.3 feet to a post in a monument, being at the N.E. corner of said claim; thence S.59°-12'W. 1483.7 feet to a post in a monument at the N. W. corner of said claim; thence S.49°-36'E. 290.3 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Hill Mining Claim, located by H. H. Harvey and J. R. Finletter on the 30th day of December 1895, and recorded in Book 6 of Records of Mines, at page 42, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13 day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the  
"COPPER HILL" Mining Claim,  
as the same appears of record in my office in Book 15, Records of Mines,  
at page 63; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Dewey Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president L. E. Wightman, a citizen of the United States, the undersigned, on the 14 day of May 1907.

The length of this claim is 1319.3 feet, and we claim 538.3 feet, in a N.89°-40'W. direction and 781.0 feet in a S.89°40'E. direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together with, at the N. W. end, 257.4 and, at the S. E. end 283.7 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 Miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Dewey Claim is one.

The surfaceboundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.89°-40'W. direction 538.3 feet from the discovery shaft (at which this notice is posted,) being in the center of the Westerly end line of said claim; thence S.31°-14'W. 285.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.87°-56'E. 1296.5 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 330.6 feet to a monument of stone at the center of the Easterly end of said claim; thence N.31°-14'E. 330.6 feet to a post in a monument, being at the N. E. corner of said claim; thence S.88°-38'W. 1342.2 feet to a post in a monument at the N. W. corner of said claim; thence S.31°-14'W. 285.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Dewey Mining Claim, located by H. H. Harvey and J. R. Finletter on the 1st day of January 1903, and recorded in Book 9 of Records of Mines, at page 59, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "DEWEY" Mining Claim, ..... as the same appears of record in my office in Book..... 15, Records of Mines, ..... at page..... 56 .....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Wedge Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13th day of May 1907.

The length of this claim is 1418.3 feet, and we claim 1375.8 feet, in a N.71°-37'W. direction and 42.5 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 275.5 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is made for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Wedge Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a N.71°-37'W. direction 1375.8 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.04°-54'E. 300.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1418.3 feet to a post in a monument, being at the S. E. corner of said claim; thence N.04°-54'W. 300.0 feet to a monument of stone at the center of the S. E. end of said claim; thence N.04°-54'W. 300.0 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1418.3 feet to a post in a monument at the N. W. corner of said claim; thence S.04°-54'E. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Wedge Mining Claim, located by The Keystone Copper Company, per Geo. Everett Baker on the 23rd. day of March 1906, and recorded in Book 12 of Records of Mines, at page 66, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13th day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.....Amended Location Notice of the "WEDGE" Mining Claim,.....

as the same appears of record in my office in Book.....15, Records of Mines,.....

at page.....61.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Sixteen to One Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13th day of May 1907.

The length of this claim is 1496.4 feet, and we claim 1449.4 feet, in a N.71°-37'W. direction and 47.0 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 277.8 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is made for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Sixteen to One Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 1449.4 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.31°-14'W. 285.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1496.4 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 285.0 feet to a post in a monument at the center of the S. E. end of said claim; thence N.31°-14'E. 285.0 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1496.4 feet to a post in a monument at the N. W. corner of said claim; thence S.31°-14'W. 285.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Sixteen to One Mining Claim, located by Matilda Finletter on the 14th day of November, 1896, and recorded in Book 6 of Records of Mines, at page 117, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13th day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman  
W. C. Wightman Jr.

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "SIXTEEN TO ONE" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,

at page 59; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Boulder Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States the undersigned, on the 14th day of May 1907.

The length of this claim is 1496.4 feet, and we claim 1191.5 feet, in a N.71°-37'W. direction and 304.9 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 289.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is made for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Boulder Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 1191.5 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.31°-14'E. 296.45 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1496.4 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 296.45 feet to a monument of stone at the center of the S. E. end of said claim; thence N.31°-14'E. 296.45 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1496.4 feet to a post in a monument at the N. W. corner of said claim; thence S.31°-14' W. 296.45 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Boulder Mining Claim, located by H. H. Harvey and J. R. Finletter on the 7th day of August, 1896, and recorded in Book 6 of Records of Mines, at page 90, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14th day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May, at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the

"BOULDER" Mining Claim,.....  
as the same appears of record in my office in Book 15, Records of Mines,.....

at page 60.....; that I have compared the same with the original record, and that the same is a true transcript

and of the whole thereof.

Given under my hand and seal of office this 20th.....day of

May....., A. D. 1907..

*E. T. Stewart*

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Boulder Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States the undersigned, on the 14th day of May 1907.

The length of this claim is 1496.4 feet, and we claim 1191.5 feet, in a N.71°-37'W. direction and 304.9 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 289.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is made for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Boulder Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 1191.5 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.31°-14'E. 296.45 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1496.4 feet to a post in a monument, being at the S. E. corner of said claim; thence N.31°-14'E. 296.45 feet to a monument of stone at the center of the S. E. end of said claim; thence N.31°-14'E. 296.45 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1496.4 feet to a post in a monument at the N. W. corner of said claim; thence S.31-14' W. 296.45 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Boulder Mining Claim, located by H. H. Harvey and J. R. Finletter on the 7th day of August, 1896, and recorded in Book 6 of Records of Mines, at page 90, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14th day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May, at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the  
"BOULDER" Mining Claim,  
as the same appears of record in my office in Book..... 15, Records of Mines,  
at page..... 60.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 20th ..... day of

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Eastern Star Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States the undersigned, on the 14 day of May 1907.

The length of this claim is 1500.0 feet, and we claim 1218.5 feet, in a S.85°-48'W. direction and 281.5 feet in a N.85°-48'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Eastern Star Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.85°-48'E. direction 281.5 feet from the discovery shaft (at which this notice is posted,) being in the center of the Easterly end line of said claim; thence N.04°-54'W. 300.0 feet to a post in a monument of stone, being the N. E. corner of said claim; thence S.85°-48'W. 1500.0 feet to a post in a monument, being at the N. W. corner of said claim; thence S.04°-54'E. 300.0 feet to a monument of stone at the center of the Westerly end of said claim; thence S.04°-54'E. 300.0 feet to a post in a monument, being at the S. W. corner of said claim; thence N.85°-48'E. 1500.0 feet to a post in a monument at the S. E. corner of said claim; thence N.04°-54'W. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Eastern Star Mining Claim, located by H. P. Wightman on the 30th day of December 1906, and recorded in Book 13 of Records of Mines, at page 446, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of May 1907.

The Keystone Copper Company  
By L. E. Wightman, Pres.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "EASTERN STAR" Mining Claim.

as the same appears of record in my office in Book 15, Records of Mines,

at page 58; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th day of



AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Protection Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 13 day of May 1907.

The length of this claim is 1287.1 feet, and we claim 285.4 feet, in a N.71°-37'W. direction and 1001.7 feet in a S.71°-37'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 275.5 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Protection Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.71°-37'W. direction 285.4 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.04°-54'E. 300.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.71°-37'E. 1287.1 feet to a post in a monument, being at the S. E. corner of said claim; thence N.04°-54'W. 300.0 feet to a monument of stone at the center of the S. E. end of said claim; thence N.04°-54'W. 300.0 feet to a post in a monument, being at the N. E. corner of said claim; thence N.71°-37'W. 1287.1 feet to a post in a monument at the N. W. corner of said claim; thence S.04°-54'E. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Protection Mining Claim, located by The Keystone Copper Company, per Geo. Everett Baker on the 23rd day of March 1906, and recorded in Book 12 of Records of Mines, at page 67, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13<sup>th</sup> day of May 1907

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "PROTECTION" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,

at page 62; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th day of

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Lone Star Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president L. E. Wightman, a citizen of the United States, the undersigned, on the 14 day of May 1907.

The length of this claim is 1374.6 feet, and we claim 577.5 feet, in a S.04°-54'E. direction and 797.1 feet in a N.04°-54'W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 294.4 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Lone Star Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S.04°-54'E. direction 577.5 feet from the discovery shaft (at which this notice is posted,) being in the center of the Southerly end line of said claim; thence N.74°-00'E. 300.0 feet to a post in a monument of stone, being the S.E. corner of said claim; thence N.04° 54'W. 1374.6 feet to a post in a monument, being at the N. E. corner of said claim; thence S.74°-00'W. 300.0 feet to a monument of stone at the center of the Northerly end of said claim; thence S.74°-00'W. 300.0 feet to a post in a monument, being at the N. W. corner of said claim; thence S.04°-54'E. 1374.6 feet to a post in a monument at the S. W. corner of said claim; thence N.74°-00'E. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Lone Star Mining Claim, located by H. H. Harvey and J. R. Finletter on the 22nd day of January, 1899, and recorded in Book 6 of Records of Mines, at page 345, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of May 1907.

Witnesses:  
H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the

"LONE STAR" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,

at page 57; that I have compared the same with the original record, and that the same is a true transcript

and of the whole thereof.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Keystone Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Keystone Copper Company, by its president, L. E. Wightman, a citizen of the United States, the undersigned, on the 14 day of May 1907.

The length of this claim is 1498.0 feet, and we claim 169.2 feet, in a N.85°-41'W. direction and 1224.4 feet in a S.85°-41'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 296.1 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from Bloody Tanks. This amended notice is filed for the purpose of making the end lines parallel and adjusting all internal lines of a group of claims, owned by the undersigned, of which this Keystone Claim is one.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N.85°-41'W. direction 169.2 feet from the discovery shaft (at which this notice is posted,) being in the center of the N. W. end line of said claim; thence S.04°-54'W; 300.0 feet to a post in a monument of stone, being the S. W. corner of said claim; thence S.85°-41'E. 1498.0 feet to a post in a monument, being at the S. E. corner of said claim; thence N.04°-54'W. 300.0 feet to a monument of stone at the center of the S. E. end of said claim; thence N.04°-54'W. 300.0 feet to a post in a monument, being at the N. E. corner of said claim; thence N.85°-41' W. 1498.0 feet to a post in a monument at the N. W. corner of said claim; thence S.04°-54'E. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Keystone Mining Claim, located by J. R. Finletter and H. H. Harvey on the 4th day of December, 1899, and recorded in Book 6 of Records of Mines, at page 622, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of May 1907.

Witnesses:

H. P. Wightman  
Frank Beston  
Rollo Wightman

The Keystone Copper Company  
By L. E. Wightman, Pres.

Filed and recorded at the request of H. P. Wightman on the 14 day of May A. D. 1907 at 30 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder.  
By L. M. Brookner  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "KEYSTONE" Mining Claim, ..... as the same appears of record in my office in Book..... 15, Records of Mines, .....

at page..... 55 .....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.**

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona,

June 12, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

THE KEYSTONE COPPER COMPANY

known as the  
SUMMIT, PILOT, BLUE BIRD, BLUE COPPER, HUB, LAST CHANCE, RED  
MOUNTAIN, COPPER HILL, DEWEY, WEDGE, SIXTEEN TO ONE, BOULDER,  
EASTERN STAR, PROTECTION, LONE STAR AND KEYSTONE.

situate in GLOBE Mining District,

GILA County, ARIZONA

Approx.  
in Sections 25 and 26, Township No. 1 N., Range No. 14 E., Unsur.  
designated as Survey No. 2565

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, Sept. 19, 1908--Feb. 8, 1909, under my instructions dated

July 23, 1908, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank A. Ingalls*

U. S. Surveyor-General for Arizona.