

MS
-

0

2

5

6

7

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

1
AUG 14 1908
SEP 1- 1908
SEP 15 1908

4-683.

MINERAL SURVEY No. 2567

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

G.C. Stukey and A. Stukey

KNOWN AS THE

Pine Mountain North

Walker

Mining District,

Yavapai

County,

Arizona

Section Approx. 5, Township 32 13 N. 1 W. 12 N. Range 1 W., Unsur.

Surveyed under instructions dated July 27th, 1908

by Earl H. Parker

U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced August 1st, 1908

Survey completed August 3rd, 1908

6-822

Address of Claimant,

Henry F. Andrews, Atty.,

Prescott, Arizona.

feet

SURVEY NO. 2567
Pine Mountain North Lode

Beginning at Cor. No. 1, Identical with the location, A granite stone 6x8x22 ins. set 12 ins. in the ground with mound of stones, chiseled P-M-N-1, 2567; Whence S.E. Cor. Sec. 32-T 13 N R 1 W. brs. S. 87° 45' E. 1081.7 ft. Loc. Cor. Mon. of stones 3x3x3 feet. B.R. A X on granite rock in place, 3 ft. above ground, chiseled B.R. 1-2567 brs. N. 82° 21' E. 35 feet.

Thence S. 46° 04' W.

Va. 14° 10' E.

- 59.5 to intersect Sec. line between Sec. 32 T. 13 N. R. 1 W. & Sec. 5 T. 12 N. R. 1 W. 1093.7 ft. which bears East to Sec. Cor. between Sec. 32, 33, 4 and 5 T. 12 & 13 N. R. 1 W. and West to wash bearing S. 40° E. (4196.3 ft. to Cor. of Secs. 31, 32, 5 & 6, T. 12 & 13 N. R. 1 W.)
- 150.0 to wash bearing S. 40° E.
- 170.0 to wash bearing S. 66° 30' E.
- 260.0 to wagon road bearing S. 49° E.
- 370.0 to wagon road bearing S. 99° E.

1475.0 To Cor. No. 2, Identical with the location. Granite stone 6x6x20 ins., set 12 ins. in the ground, with mound of stones chiseled P-M-N-2, 2567. Loc. Cor. Mon. of stones 3x3x3 ft. B.R. A x on granite rock 4'x4' - 1' above ground, chiseled B.R. 2-2567 brs. N. 17° 51' W. 87 feet.

Thence N. 50° 56' W.

Va. 14° 10' E.

- 50.0 to wagon road bearing N. 20° E.
- 302.0 S.E. Center identical with location, a stone monument 3x3x3 ft., and stone 4x6x20 ins. set 12 ins. in ground, with cross (X) on top, marked S.E.C. - P.M.N. 2567.
- 314.6 to intersect line I-4 Pine Mountain Lode Claim, Survey No. 1146, at a point S. 31° W. 337.0 feet from Cor. No. 1 of said Pine Mountain Lode Claim,
- 604.0 To Cor. No. 3, Identical with the location, Granite Stone 6x6x20 ins., set 12 ins. in the ground, with mound of stones chiseled P-M-N-3, 2567. Loc. Cor. Mon. of stones 3x3x3 ft. B.R. A x on granite rock in place, 2 ft. above ground, chiseled B.R. 3-2567 brs. N. 46° 04' E. 25.5 ft.

Thence N 46° 04' E.

Va. 14° 10' E.

- 307.0 to intersect line I-2 of Pine Mountain Lode Claim, Survey No. 1146, at a point which Cor. No. 1, brs. S. 59° E. 206.8 ft. from Cor. No. 1, Pine Mountain Lode Claim, Sur. No. 1146.
- 380.0 to wash bearing S. 40° E.
- 866.9 to intersect Sec. line between Sec. 32 and 5 T.s 12 & 13 N. R. 1 W. which bears East 1957.7 ft. to Sec. Cor. between Sections 32 & 33, 4 & 5 T.s 12 & 13 N. R. 1 W. 1/4 Cor. between Sections 32 & 5 T.s 12 & 13 N. R. 1 W. is not in.
- 1160.0 to wash bearing S. 66° 30' E.
- 1380.0 to wash bearing S. 50° E.
- 1475.0 To Cor. No. 4, Identical with the location, Granite Stone 6x6x20 ins., set 12 ins. in the ground, with mound of stones chiseled P-M-N-4, 2567. Loc. Cor. Mon. stones 3x3x3 feet. B.R. A x on granite rock in place, 2 ft. above ground, chiseled B.R. 4-2567 brs. N. 16° 06' W. 15 ft.

Thence S. 50° 56' E.

Va. 14° 10' E.

- 302.0 N.E. Center identical with location, a stone monument 3x3x3 ft., and stone 4x6x20 ins. set 12 ins. in ground, with cross (X) on top, marked N.E.C. - P.M.N. 2567.
- 604.0 To Cor. No. 1, The place of beginning.

AREA.

Total area ----- 20.299 Acres.
 Area in conflict with P.M.L.C. Sur. No. 1146. 1.812 Acres.
 Net area of Pine Mountain North. ----- 18.487 Acres.

and west 3332.3 ft. to Cor. Secs. 31, 32, 5 & 6, T. 12 & 13 N. R. 1 W.

feet

SURVEY NO. 2567 .

LOCATION.

This claim is situated in the Prescott Forest Reserve, ~~on surveyed land approximately~~ in the S.E. 1/4 of S.E. 1/4 Sec. 32 T. 13 N. R. 1 W. S.W. 1/4 of S.E. 1/4 Sec. 32 T. 13 N. R. 1 W. ^{and approximately in} N.W. 1/4 of N.E. 1/4 Sec. 5 T. 12 N. R. 1 W. N.E. 1/4 of N.E. 1/4 Sec. 5 T. 12 N. R. 1 W. ^{unsurveyed} Walker Mining District, Yavapai County, Arizona-Territory. 1/4 Corner between Sections 32 & 5 T.s 13 & 12 N.R. 1W. not in.

ADJOINING CLAIMS.

This claim is bounded on the East by the Eldorado, ^{lode} unsurveyed, on the South by the Grub-Stake, ^{lode} unsurveyed, and Pine Mountain, ^{lode} Sur. No. 1146, on the West by Pine Mountain, ^{lode} Sur. No. 1146, and other mineral claims, owner and name unknown.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than Five Hundred Dollars, and that said improvements consist of:-

No. 1. Discovery Shaft Brs. N. 46° 04' E. 265 ft. from S.E.C. 4x6x10 ft.

value.----- \$ 100.00

No. 2. Shaft Brs. N. 46° 04' E. 240 ft. from S.E.C. 4x6x10 ft.

value.----- \$ 100.00

No. 3. Shaft Brs. N. 46° 04' E. 130 ft. from S.E.C. 4x6x10 ft.

value.----- \$ 100.00

No. 4. Shaft Brs. N. 46° 04' E. 500 ft. from S.E.C. 4x6x30 ft.

value.----- \$ 100.00

No. 5. Shaft Brs. N. 46° 04' E. 550 ft. from S.E.C. 4x6x10 ft.

value.----- \$ 100.00

No. 6. Shaft Brs. N. 46° 04' E. 640 ft. from S.E.C. 4x6x35 ft.

value.----- \$ 100.00

No. 7. Tunnel Brs. N. 46° 04' E. 675 ft. from S.E.C. 4x6x30 ft.

value.----- \$ 350.00

No. 8. Shaft Brs. N. 46° 04' E. 850 ft. from S.E.C. 4x6x30 ft.

value.----- \$ 300.00

No. 9. Shaft Brs. N. 46° 04' E. 1100 ft. from S.E.C. 4x6x15 ft.

value.----- \$ 150.00

12 x 24 ft. house belonging to Morgan and Glinesmith, Brs. N. 47° 30' E. 900 ft. from the S.E.C.

LEDGE.

The ledge is from the N.E. Center S. 46° 04' W. 1475 ft. to S.E. Center

INSTRUMENTS.

This survey was made with a Gurley Transit, with Shattuck Solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 and 500 ft. steel tapes.

Note: The disagreements between these field notes and Survey No. 1146 are due to errors in the latter.

East A Parker

U.S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. H. Parker
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

 known as the Pine Mountain North
 and showing the respective capacities in which they acted.

W. Hollingshead, Chainman.
C. D. Gibbs, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. Hollingshead
 and C. D. Gibbs, do solemnly swear that we assisted E. H. Parker
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of P. S. Steuby & A. Steuby

 known as the Pine Mountain North
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

W. Hollingshead, Chainman.
C. D. Gibbs, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named person C. D. Gibbs, only before me this 12th
 day of August, 1908

C. E. Truex
 Notary Public



TERRITORY OF ARIZONA,
County of Yavapai } ss.

5

Before me, F. E. Edwards, a Notary Public
in and for the County of Yavapai Territory of Arizona, on this day personally appeared
H. Hollingshead
known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me
that he executed the same for the purpose and consideration therein expressed.

Given under my hand and seal of office, this 10 day
of aug A. D. 1908
F. E. Edwards
Notary Public.

(My Commission expires May 16, 1910)

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Earl H. Parker, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 27th, 1908., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of C.G. Stucky and A. Stucky, known as the Fine Mountain North, situate in Walker Mining District, Yavapai County, Arizona, in Section 32, Township No. 13 N. Range No. 1 W., and designated as Survey No. 2567, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Earl H. Parker
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Earl H. Parker,
U. S. Mineral Surveyor, before me _____
this twelfth
day of August, 1908

C. E. Jones
Notary Public



Affidavit of Five Hundred Dollars Improvements.

We, Albert S. Earnhart and Carl D. Gibbs

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Pine Mountain North mining claim, situate in Walker Mining district, Yavapai County, Arizona Territory, for which

C. C. Stukey and A. Stukey

have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Albert S. Earnhart

Carl D. Gibbs

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 12th

day of August, 1908

C. E. Jones

Notary Public



27669b1m2-07



Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Pine Mountain North Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.C. Stukey and A. Stukey the undersigned, on the 20 day of July 1908

The length of this claim is 1475 feet, and we claim 365 feet, in a South Westerly direction and 1210 feet in a North Easterly, direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the South West to the North East.

The claim is situated and located in the Walker Mining District, in Yavapai County, in the Territory of Arizona, about 1500 feet in a North Easterly direction from The Pine Mountain Mill

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a North Easterly direction 1210 feet from the discovery shaft (at which this notice is posted), being in the center of the North East end line of said claim; thence South Easterly 300 feet to a monument of stone, being the North East corner of said claim; thence South Westerly 1475 feet to a monument of stone, being at the South East corner of said claim; thence North Westerly 300 feet to a monument of stone at the center of the South West end of said claim; thence North Westerly 300 feet to a monument of stone, being at the South West corner of said claim; thence North Easterly 1475 feet to a monument of stone at the North West corner of said claim; thence South Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Pine Mountain North and Alpine Mining Claims, located by S.B. Griffin and W.P. McLeod respectively, and recorded in Books 37 & 38 of Records of Mines, at pages 388 & 387 respectively, in the office of the County Recorder of the aforesaid County of _____ to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notices and to consolidate them in one claim.

Dated and posted on the ground this 20 day of July 1908

C.C. Stukey

A. Stukey

Filed and Recorded at request of Henry T. Andrews, July 23,

A.D. 1908, at 3:52 o'clock P.M., Book 32 of Mines, Page 615, Records of Yavapai County, Arizona.

(Seal)

J.C. Bradbury, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF YAVAPAI, } ss.

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Amended Notice of Location Pine Mountain and Alpine Mining Claims filed for record on July 23, A. D. 1908, and as the same appears of record in my office in Book 83 of Mines, at pages 615 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 25th day of July, A. D., 1908



J. C. Bradbury,
County Recorder

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 22, 1908 .

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

C. C. Stukey and A. Stukey

, known as the Pine Mountain North

, situate in Walker

Mining District, Yavapai County,

Arizona, in Section 32, Township No. 13 N.,

Range No. 1 W., Unsur., and designated as Survey

No. 2567, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that ^{not less than} five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimants or their grantors, and
that said improvements consist of 8 shafts and 1 tunnel, total value
\$1400.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 22, 1908

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of C. C. Stukey and A. Stukey

, known as the

Pine Mountain North

situate in Walker mining district,

Yavapai County, Arizona,

in Sections 32, 13 N., 1 W., Approx. 5, Township Nos. 12 N., Range No. 1 W., Unsur.

, designated as Survey No. 2567

executed by Earl H. Parker, U. S. Deputy Mineral

Surveyor, August 1 - 3, 1908, under my instructions dated

July 27th, 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. [Signature]

U. S. Surveyor-General for Arizona

12

31

6

32

33

T-13-N-R-1-W.

5

4 T-12-N-R-1-W.

Wash.

Wash.

S. 50° 56' E. 604'

S. 87° 45' E. 1051.7'

N. 46° 04' E. 1168'

Survey No. 2587

Pine Mountain North

Wash. S. 46° 04' W. 1475'

Eldorado

— PINE MOUNTAIN NORTH —
— WALKER MINING DISTRICT —
Scale 300' = 1"



Earl H. Parker
U.S. Dep. Min. Sur.

2

Wash.

206.8'

N. 57° 00' W.

307'

229.4'

N. 57° 00' W.

337'

N. 50° 56' W.

314.6'

N. 50° 56' W.

Pine Mountain

Grub Stake

Wagon Road

15' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

30' shaft.

1224' House-Morgan-Cline-Smith.

35' Tunnel.

10' shaft.

10' shaft.

10' shaft.

10' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.

15' shaft.