POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

4-683.

MINERAL SURVEY No. 2568 A. & B.

LOT No.

FIELD NOTES

RAY CO	usonibane do cor	PERCOMPANY.
875	KNOWN AS THE	. ,
ion, Ida and Hoss	a Lodo Oleins, and the Oric	on, Ida, Ida Ko. 2 and Nos
II Sites.	Hineral Grook, ((unorganised) Mining Dist
inal.	County.	Arizona.
	County,	Arlzona.
es in unsurveyed		
es in unsurveyed	, Township T. 3 S.	, Range 13 Fost
es in unsurveyed ion 1 Sites in unsur	, Township T. 3 S.,	, Range 13 Fest
es in unsurveyed ion 1 Sites in unsur	, Township T. 3 S.	, Range 13 Fest
es in unsurveyed ion 1 Sites in unsur	, Township T. 3 S.,	, Range 13 Fest
es in unsurveyed ion 1 Sites in unsur	r. 4 S.,	, Range 13 Fost 13 Fost. 13 Fost. 15 Fost. 1908.
es in unsurveyed ion 1 Sites in unsur	r. 4 S.,	, Range 13 Fest
es in unsurveyed ion 1 Sites in unsur	r. 4 S.,	, Range 13 Fost 13 Fost. 13 Fost. 15 Fost. 1908.
es in unsurveyed ion 1 Sites in unsur	r. 4 S.,	, Range 13 Fest 15 Fest. ust 5th., 1908.
es in unsurveyed ion 1 Sites in unsur	r. 4 S.,	, Range 13 Fest 15 Fest. ust 5th., 1908.
es in unsurveyed ion 1 Sites in unsur Surveyed under i	T. 4 S., instructions dated Augustinstructions	Range 13 Fast 15 Esst. ust 5th., 1908. V. Wheeler. U. S. Mineral Surv
es in unsurveyed ion 1 Sites in unsur Surveyed under i	r. 4 S.,	Range 13 Fast 15 Esst. ust 5th., 1908. V. Wheeler. U. S. Mineral Surv
es in unsurveyed ion I Sites in unsur Surveyed under i	T. 4 S., instructions dated Augustinestructions dated by Harry Marry Mar	Range 13 Fast 13 Fast ust 5th., 1908. V. Wheeler. U. S. Mineral Surv
es in unsurveyed ion I Sites in unsur Surveyed under i	T. 4 S., instructions dated Augustinestructions dated by Harry Marry Mar	Range 13 Fast 13 Fast ust 5th., 1908. V. Wheeler. U. S. Mineral Surv
es in unsurveyed ion I Sites in unsur Surveyed under i	T. 4 S., instructions dated Augustinstructions	Range 13 Fast 13 Fast ust 5th., 1908. V. Wheeler. U. S. Mineral Surv
con unsurveyed ton unsur Surveyed under i	yeyed T. 4 S., instructions dated August 15th.	Range 13 Fost 13 East. 15 East. 18 S. Mineral Survey. V. Wheeler. U. S. Mineral Survey. 19 08
con unsurveyed ton unsur Surveyed under i	T. 4 S., instructions dated Augustinestructions dated by Harry Marry Mar	Range 13 Fost 13 East. 15 East. 18 S. Mineral Survey. V. Wheeler. U. S. Mineral Survey. 19 08

220 Fleming Block, Phoenix, Arizona.

SURVEY NO. 2568 "A". ORION LODE.

Feet.

Beginning at Cor. No. 1, identical with Cor. No.4, Sur. No.1244

Ray lode on line 1-2 Sur. No. 1244, Copper Bottom lode, at N. 76°50°

E. 300 ft. from Cor. No. 2.

A granite stone showing 13 x 8 x 6 ins. above ground, chiseled 4-1244. I chisel it 1-2568 A. U.S. Location Monument No. 1 bears S. 88 45.8° E., 1995.9 ft.

Thence S. 78° 50° W.

location, a pine pool time of lode line, identical with Cor. No.2, Sur. No.

1244 Copper Bottom lode; a quartiite stone showing 12 x 8 x 8 ins.

above the ground, chiseled 2-1244.

600 To Cor. No. 2, identical with Cor. No. 1, Eda lode of this survey;
a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground
with mound of earth and stone, scribed 2-1-2568 A., whomce a cross
(X) and B.R. 2-1-2568 A. chiseled on a granite rock showing 2 x 2 x 2
ft. above the ground bears S. 55° 15' E., 55.0 ft.

Thence W. 11° 10' W.

Ascend over rolling ground

1500 To Cor. No. 5, identical with Cor. No. 4, Ida lode of this survey; a point on line 5-4, Sur. No. 1467 A. Bishop lode; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 5-4-2568 A.; whonce a cross (X) and B.R. 5-4-2568 A. chiseled on a granite rock showing 6 x 5 x 3 ft. above the ground bears N. 41° 08' W., 55.5 ft.

Thence N. 78° 50° E.

identical will location, a fine possibility of 31° above ground, scribed 0-90° E, and

To N. center end of lode line, identical with Gor. No. 4, Sur. No.

1467 A. Bishop Todo, and Cor. No. 2, Sur. No. 1244, Parson lode; a

granite stone 14 x 10 x 8 ins. above ground, with mound of stone,

chiseled 4-1467 A. and 2-1244.

600 To Cor. No. 4, a point on line 2-1, Parson lode, and identical with Cor. No. 5, Sur. No. 1244, Eay lode; a granite stone, 12 x 12 x 8 ins. above ground with mound of stones chiseled 3-1244. I chisel

it 4-2568 A.; whence a cross (X) and B.R. 4-2568 A., chiseled on a granite rock showing 6 x 5 x 3 ft. above the ground, bears N. 2° 37' W. 72.8 ft.

Thence S. 11° 10' E.

Along line 3-4 Ray lode

1500 To Cor. No. 1, the place of beginning.

IDA LODE:

Beginning at Cor. No. 1, identical with Cor. No. 2, Orion lode of this survey, previously described.

U.S.L.M.No.1 bears N. 88° 24.2' E., 2583.0 ft.

Thence S. 78° 50' W.

Over rolling ground on N. line Enden lode, unsurveyed,

To S. center and of lade line, identical with location, a fine post 4 ins. aq., 3ft. above ground, scribed C- S.C. E.

To Cor. No. 2, identical with Cor. No. 1, Mesa lade of this survey; a pine post, 4 ft. long, 4 ins. square, set 10 ins. in the ground, with round of earth and stone scribed 2-1-2508 A.

Thence N. 11° 10' W.

Over rolling ground,

1500 To Vor. No.3, identical with Cor. No. 4, Yesa lode of this survey, on line 5-4 Bishop lode; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 3-1-2568 A.; whonce a cross (X) and B.R. 3-4-2568 A., chiseled on a porphyry rock showing 4 x 2 x 2 ft. above the ground, bears N. 41° 08' W., 53.3 ft.

Thonce N. 780 50' E.

To No center end of lode line, identical with location, a fine book
H ins. sq., 3 ft. above ground, scribed don. C.E.
To Cor. No. 4, identical with Cor. No. 3, Orion lode of this survey,
previously described.

Thence S. II 10' E.

1500

To Cor. No. 1, the place of beginning.

MESA LODE:

Beginning at Cor. No. 1, identical with Cor. No. 2 Ida lode of this survey, previously described, U.S.L.M. No. 1, bears N. 86° 56.2° E., 5176.2 ft.

Thence S. 78° 50° W.

Ascending gentle slope to S.H.

To S. center end of lode line, identical with location, a fine post 4 ins. sq., 3 ft above ground, scribed M. S.C. E.

To Gor. No. 2; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with nound of earth and stone, scribed 2-2568 A.

Thence W. 11° 10' W.

Ascending

778.45 To Cor. No. 2, Survey No. 1467 A., York lode; a pine post 4 ins. square, 3 ft. above ground in mound of earth; whence Cor. No. 1, York lode, bears N. 220 30' E., 600.53 ft., and is a pine post 4 ins. square, 3 ft. above ground, in mound of earth.

1500 To Ger. No. 3, identical with Cor. No. 3, Sur. No. 1467 A. Dishop

lede, on line 4-1, York lode; a pine post 4 ins. square, 5 ft. above

ground, in nound of earth, scribed 5-1467 A. I scribed it 5-2568

A.; whence a cross (X) and D.R. 3-2568 A., chiseled on a porphyry

rock showing 5 x 2 x 2 ft. above the ground, bears N. 56° 05' B.,

60.2 ft., and a cross (X) and B.R. 3-2568 A., chiseled on a porphyry

rock showing 6 x 5 x 4'above the ground bears N. 29° 41' W., 85.1 ft.

Cor. No. I York lede bears S. 67° 30' E., 400 ft.

Thence N. 78° 50' E.

To N. center end of lode line, identical with location, a fine post 4 ins. sq., 3 ft. above ground, scribed m. n.C. E.
To Cor. No. 4, identical with Cor. No. 5, Ide lode of this survey.

previously described.

Thence S. 11° 10' E.

Descending over broken ground,

1500 To Cor. No. 1, the place of beginning.

LEDGE:

The presumed course of the vein or lode line on each of the lode claims, from the S. center end, is N. 11° 10° W., 1500 ft.

ORION MILL SITE.

Feet.

Deginning at Cor. No. 1, identical with N.W. Cor. of Copper Carbonate mill site, unsurveyed. A pine post 4 ft. long, 4 ins. square set 18 ins. in the ground, with mound of earth, scribed 1-2568 B.; whence Cor. No. 1, Sur. No. 2568 A., Orion lode, bears N. 16⁰ 20.2° W. 20485.9 ft. The W. 1/4 Cor. to Sec. 6, T. 4 S., N. 14 E., G. & S. R., B. & M. bears S. 87⁰ 04.2° E., 2725.4 ft.

Thence S. 80 55' W.

To center of Rey Co. R.R. course N. 85° E. and S. 85° W., a 50 inch gauge ateam road, ouned by the Rey Consolidated Copper Campany, and used in transporting the ore from the lode claims to the education works, situated upon the mill sites.

466.5 To Cor. No. 2, identical with the S.W. Cor. of Copper Corbonate, the N.W. Gor. of Albion and N.E. Cor. of Grenalier mill sites, unsurveyed A pine post 4 ft. long, 4 ins. square set 18 ins. in the ground with mound of earth and stone, scribed 2-2568 B.; whence a cross (X) and D.R. 2-2568 B. chiseled on a granite stone showing 2 m 1 m 1 ft. sheve the ground, bears S. 140 30 E., 15.7 ft.

Thence In. 81° 05' W.

80.1 To center of Top Co. R.R., course N. 4° E. and S. 4° W.

116.0 To conter of wagon road, course H. 40 E. and S. 40 W.

the N.W. Cor. Grandier and the S.R. Cor. Copper Rugget mill sites, unsurveyed. A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with round of earth and stone, scribed 3-1-2568 B.; whence a cross (X) and D.R. 3-1-2568 B., chiseled on a granite stone showing 32 x 26 x 15 ins. above the ground, beers 5. 3° 14° E.,

Thence N. 8° 55° E.

466.5 To Cor. No. 4, identical with N.E.Cor. Copper Bugget N.S., unsurveyed; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mountage earth scribed 4-2568 B.

Feet.	
,	Thence S. 81 05 E.
412	To center of wagon road, course H. 9° W. and S. 9° E.
460.5	To Cor. No.1, the place of beginning.

TDA MILL SITE:

Beginning of Cor. No. 1, identical with Cor. No. 3, Crion H.S. of this survey, previously described; whence Cor. No. 1, Sur. No. 2568 A., Ida lode, boars N. 16° 16.4' W., 20763.0 ft. and the W. 1/4 Cor. to Sec. 6, T. 4 S., R. 14 H. bears H. 85° 37' E., 3262.5 ft.

Thence S. 8° 55' W.

466.5 To Cor. No. 2, identical with S. W. Cor. Grenadier and N. W. Cor.

Native Copper mill sites, unsurveyed; A pine post 4 ft. long, 4 ins.

square, set 18 ins. in the ground with mound of earth, scribed

2-2568 D.

Thence M. 810 05' W.

195 To left bank of lineral Creek, course 5. 100 R.

290 To right bank of Hineral Creek; Ascend

59k.5 To Cor. No. 5 on steep slope to cost.

A pine post 4 Ct. long, 4 ins. square, set 10 ins. in the ground, with mound of stone, scribed 3-2068 B.

Thence N. SO 55 E.

466.5 To Cor. No. 4, identical with S.W. Cor. Copper Engget M.S., unsurveyed; A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 4-2568 B.

Thence S. 81° 05° E.

75.0 To right bank of Mineral Creek, course S. 90 W.

175.0 To left bank of Mineral Creek,

591.5 To Cor. No. 1, the place of beginning.

IDA NO. 2 HILL SITE

Deginning at Cor. No. 1, identical with S.E. Cor. Copper HaggetNo2

M.S., unsurveyed, at center of line 2-3 Sur. No. 1467 B. Centurion

M.S. and with Witness Corner to Cor. No. 4 of this Ida No.2 M.S.;

a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground,

with mound of earth and stone, scribed 1-2568 B., also W.C. 4-2568

B.; whence thue Cor. point for Cor. No. 4 bears N. 81° 05' W., 50 ft.

Cor. No. 3-3, Sur. No. 1467 B., Centurion and Member mill sites;

a pine post 4 ins. square, 3 ft. above the ground in mound of earth

and stone, scribel 3-3-1467 B., bears N. 8° 55' E., 255.25 ft.

Cor. No. 1, Sur. No. 2568 B., Ida mill site of this survey, bears F. 10 23.2° W., 2608 ft.

Cor. No. 1, Sur. No. 2568 A., Ida lode bears N. 140 37.5° W., 23293.1 ft.

The W. 1/4 Cor. to Sec. 6, T. 4 S., R. 14 F., G. & S. R., B.H. bears N. 48° 00.4° E., 4281.8 ft.

Thence S. 80 55' W.

335.25 To Cor. 2-4 Sur. No. 1467 B., Centurion and Bishop mill sites.

375.12 To center of Phoenix & Eastern R.R., course N. 58° 55' W. and S. 58° 55' E.

502.05 To Witness Corner to Cor. No. 2; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed W.C. 2-2568 B.

580.0 To right bent of Gila about 275 ft. wide, course N. 590 W.

699.75 To Cor. No. 2, not set as it falls in the Gila River, and is identical with Cor. No. 3, Sur. No. 1467 B. Bishop M.S.; whence W.C. to Cor. No. 2, bears N. 8° 55' E., 197.7 ft.

Thence N. 81° 05° W. From true corner point.

50.0 To Cor. No. 3, not set as it falls in the Gila River; whence witness to Cor. Cor., No. 3 bears N. 80 55' E., 197.7 ft.

Feet.	
	Thence N. 8° 55° E.
	From true corner point.
139.0	To right bank of Gila River, course N. 590 W.
197.7	To Witness Corner to Cor. No. 3; a pine post 4 ft. long, 4 ins.
	square, set 18 ins. in the ground, with mound of earth, scribed
	W.C. 3-2568 B.; whence a cross (X) and B.R. W.C. 3-2568 B. chiseled
	on a granite stone showing 3 x 2 x 1 ft. above the ground, bears
	N. 63° 20' W., 29.3 ft.
347.0	To center of Phoenix & Eastern R.R., course M. 580 55. W. end S.
	58° 55° E.; whence the center of east and of Iron R.R. Bridge No.
	119 bears N. 580 55' W., 55.3 ft.
699,75	To Cor. No. 4, identical with S.W. Cor. Copper Rugget, M.S., unsur-
	veyed, not set as it falls in bed of Hinaral Oreck, where it is im-
	practicable to set a corner; Witness Corner to Cor. No. 4, identical
	with Cor. No. 1 of this curvey, bears S. 810 05° E., 50 ft.
	Thence S. 61° 05' E.
	From true corner point.
30.0	To bank of Mineral Creek, course S. 9° W.
50.0	To Cor. No. 1, the place of beginning.

HESA HILL SITE:

Reginning at Cor. No. 1, identical with Cor. No. 4, Ser. No. 1467 B., Rector N.S.; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth, scribed 4-1467 B. and 1-2568 D.; whence Cor. No. 1, Sur. No. 2568 A., Nesa Iode, bears N. 21° 41.1' W., 22131.3 ft.; The W. 1/4 Cor. to Sec. 6, T. 4 S., R. 14 E., G. & S. R. B. & N., bears N. 56° oo.1' E., 1787.5 ft.

Thence S. 8° 55' W.

466.5 To Cor. No. 2, identical with Cor. No. 1 Bonanza M.S., Sur. No. 2570 B.
a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground,

with mound of earth, scribed 2-2568 B.

Thence N. 81° 05' W.

To Cor. No. 3, identical with Cor. No. 2, Sur. No. 1467 B. Gladiator 466.5 M.S.; Cor. No. 2, Sur. No. 2571 B., Dioryte M.S. and Cor. No. 4 Bonanza M. S., Sur. No. 2570 B.

> A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 2-1467 B., 2-2571 B., and 3-2568 B.,: a Palo Verde, 7 ins. dia., blased and scribed B. T. 3-2568 B., bears S. 480 10' W., 25,4 ft.

> > Thonce N. 80 55' E.

To Cor. No. 4, identical with Cor. No. 3, Sur. No. 1467 B., Rector 466.5 M.S.; Cor. No. 1, Sur. No. 2571 B., Dioryto M.S. and the S.E. Cor. Green Dragon M.S., unsurveyed; A pine post 4 ft. long, 4 ins. square, set 10 ins. in the ground, with mound of earth, scribed 3-1467 B., 1-2571 B. and 4-2568 B.

Thence S. 81° 05' E.

466.5 To Cor. No. 1, the place of beginning.

AREA:

Total and net area of Orion lode,

20,661 Acres,

12 12 12 13 14 15

20.661 "

area of Mesa lode, 20,661 Acres,

Less area in conflict with Sur. No. 1467 A.,

York lode, not claimed, 2,757 "

Het area of Hesa lode,

17,904

Total net area of lode claims,

59,226 acres.

	AT	MA COM	TIMUED:	(:	Lodes)		59 . 226 a	cres.
Total	. & net	area	of Orion I	(S . 9		4,996	acres,	
17	19 17	17	" Ida	92 15		4.193	28 -	
17	25 28	17	" Ida No	.2 M.S.,		0,803	79	
**	11 11	- 11	" Mesa M	.S.,		4,996	" 14,988	16
	Net A	rea of	Survey No	. 2568 A.	& B.		74,214	57

IMPROVEMENTS:

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its granters, is not less than fifteen hundred dollars, and that said improvements consist of:-

ON THE ORION LODE:

- No. 1 Disc. Shaft, 4 x 6 ft., 9 ft. deep, value, \$70.00 The center of which bears S. 110 10' R. 300 ft. from N. center end of loco line.
- No. 2 Shaft 6 x 8 ft. 65 ft. deep, value, 650.00 the center of which bears S. 48° 45° D. 348 ft. from Cor. No. 3.
- No. 3 Drill Hole, 9 ins. Dia., 295 ft. deep, value 885.00 the center of which bears S. 60 12' W., 549 ft. from Cor. No. 4.
- No. 4 Drill Hole, 9 ins. Dia., 315 ft.deep, value, 1890.00 the center of which bears S. 40 06 W., 186 ft. from Cor. No. 4.

ON THE IDA LODE:

- No. 1 Disc. Shaft, 4 x 6 ft.10 ft. deep, value 80.00 the center of which bears N. 110 10' W., 54 ft. from the S. center end of lode lines.
- No. 2 Shaft, 4 x 8 ft., 58 ft. deep, value, 580.00 the center of which bears H. 11° 10° N., 9 ft. from the S. center end of lode line.

Carried Forward,..... \$ 4155.00

ON THE MESA LODE:

- No. 1 Disc.Cut, 4 x 8 ft., 30 ft. long, value, 100.00 course of cut N. 110 10° W., the S. end of which bears N. 110 10° W., 11 ft. from the S. center end of lode line.
- No. 2 Tunnel, 4 x 56 ft., 18 ft. long, value, 155.00 course of Tunnel N. 11° 10° W., the mouth of which bears N. 11° 10° W., 41 ft. from the S. center end of lode line.
- No. 3 Shaft, 4 x 6 ft., 45 ft. deep, value, 440.00 the center of which bears S.
 24 58' E. 752 ft. from the
 N. center end of lode line.

ADJOINING CLAINS TO LODE:

North: Bishop lode, Sur. No. 1467 A. and Parson Lode Sur. No. 1244.

Hast: Ray lode, Sur. No. 1244.

South: Copper Bottom Lode, Sur. No. 1244.

West: York lode, Sur. No. 1467 A. Ray Consolidated Copper Company owner of them all; also on the South the Enden lode, unsurveyed, Arthur Foreign, et al, owners.

ADJOINING CLAIMS TO MILLSITES: ORION HILL SITE

North: Unsurveyed land, unknown.

CONTRACTOR OF THE PROPERTY OF

Bast: Coppor Carbonate M.S., unsurveyed.

South: Grenadier H.S., unsurveyed,

West: Copper Rugget M. S. "

Rey Consolidated Copper Company owner of Itill Sites Noted.

ADJOINING MILL SITES .- CONTINUED.

IDA MILL SITE:

North: Copper Mugget M.S., unsurveyed,

Fast: Crenadier H.S. unsurveyed.

South & West by unsurveyed land, unknown.

Ray Consolidated Copper Co., owner of Mill Sites noted.

IDA NO. 2 MILL SITH:

North: Copper Rugget No. 2 M.S., unpurveyed.

East: Centurion & Dishop H.S. Sur. No. 1467 B.

South: By Gila River, unsurveyed.

West: By Hineral Greek, unsurveyed.

Ray Consolidated Copper Co. owners of Mill Sites noted.

MESA HILL SITE:

Morth: Nector M.S., Sur. No. 1467 B.

East: Unsurveyed land, unlangom.

South: Bonanza H.S., Survey No. 2570 B.

West: Dioryte L.S., Sur. No. 2571 B.

Ray Consolidated Coppor Co. owners of Illl Sites noted.

LOCATION:

District, Pinal County, Arizona. The lode claims are in the central part of unsurveyed T. Z S., R. 15 H., G. & S. R. B. & M.

The lill Sites are in the N.E. part of unsurveyed T. 4 S., R. 13 E., G. & S. R. B. & M.

Allcomers of this survey are identical with their respective location corners.

References given to bearing objects when available. Magnetic Variation: 14° East at all corners.

INSTRUMENT:

This survey was made with a W. & L. E. Gurley Mining Transit, with Solar attachment.

The courses were deflected from the true meridian as determined by direct solar observations.

Distances were measured with a 300 ft. steel tape.

Hote: The discrepancies between the field notes of this survey and the field notes of Mineral Surveys Nos. 1244 and 1467 A., are due to errors in the latter surveys.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individ	luals employed by Harry V. Whe	eler
United States Mineral Surveyor, to a	assist in running, measuring, and mar	king the lines, corners, and
boundaries described in the foregoing	field notes of the survey of the minin	g claim of Ray Consolidate
-Copper Company		
known as the <u>Crion</u> , <u>Ide & Resa</u> <u>Resa Will Sites</u> , and showing the respective capacities	Vining Lode Claims, and the Cri in which they acted.	on, Ida. Ida No. 2 &
	. Farl F. Parroudsle,	, Ch a inman.
	Rey H. Hickey,	, Chainman.
	***************************************	, Axman.
		$\dots,$ Flagman.
FINAL (DATHS OF ASSISTAN	NTS.
We, Farl. F. Rerroydele S	Rep. N. Hicket	
and	, do solemnly swear that we as	ssisted Marry V. Wheeler
	nited States Mineral Surveyor, in markin	
	of Ray Consolidated Copper Corps	
	Todo Claima & Onion Tda Tda T	
,	Tode Claims & Orion, Ida, Ida II	
	otes as having been surveyed by said mi	
	been in all respects, to the best of our known	
and correctly executed, and the corne	er and boundary monuments established ac	cording to law and the instruc-
tions furnished by the United States 8		risons.
	2 2 1	Chainman.
•	May M was	, Chainman.
		, Axman.
		, Flagman.
Subscribed and	sworn to by the above-named persons bef	fore me this
	190 B	
	1	Colema
My carring	Ingla	on Proble
septions Luc	81.012	6—1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Lory V. Whoeler	U. S. Mineral Surveyor,
	instructions received from the United States
Surveyor General for Territory of Ar	rizona, dated
August 5th, 1908.	, I have, in strict conformity to the laws of the
United States, the official regulations and	instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of Roy Connolidated Copper Con	nochy ,
	, known as the
Orlon, Ide & Hesa Tode Slains A Prio	n, Ida, Ida No. 2 & Nesa Nill Nites, ,
situate in	ral Greak (unorganized) Mining District,
Pinel	County, Arizona, , in Section
Township No. 5 5. , R Lill Sites in uncurveyed 4 South, and designated as Survey No. 2568	Range No. 13 East. 13 Past. as represented
in the foregoing field notes, which accura	tely show the boundaries of said mining claim
as distinctly marked by monuments on t	he ground, and described in the attached copy
of the location certificate, which was rec	eived by me from the Surveyor General with
said instructions, and that all the corners	s of said survey have been established and per-
	law, official regulations and instructions there-
	r that the foregoing are the true and original
, , ,	ort therein, and that the labor expended and
	laim by claimant oritsgrantors
	e character, extent, location, and itemized value
-	sularity and full detail, and that no portion of
	to this claim has been included in the estimate
of expenditures upon any other claim.	,
	Harry V, Whele U. S. Mineral Surveyor.
Subscribed and sworn to by the sai	d Harry V. Wheeler
U. S. Mineral Surveyor, before m	e John Comme
a malar fallic	this
day of, 1	908
	9 In so
	The state of the s
6—1044	Molory Visible
My annin	
and a set of	

Affidavit of Five Hundred Dollars Improvements.

we, & I Davis and Toll Cheese	feld
of lawful age, being first duly sworn according to law, depose and say	
acquainted with the Orion, Ida & Rosa	mining claim,
situate in Crook (unaurregal) Mining district, Pinal	County,
Arizona Territory, for which her Connollidated Copper Torgany,	
hammade application for survey prior to application for patent under	the provisions
of the act of Congress, approved May 10, 1872; and that the labor done	e and improve-
ments made thereon by the applicant and its grantor exceeds	Five Hundred
Dollars in value, and further that we are not personally interested in	said mine.
A 1 Buencha	
$County \ of$	
Sworn to and subscribed before me, this	s 25th
SEAL. STATE SEAL. STATE	19
Ich balo	ma
My Carmen Jalay	Public
Types frend \$ 1902	

2568

Notice of Mining Location Quartz Claim.

To All Whom It May Concern:

This mining tlaim the name of which is the Orion Mining Claim, situated on land belonging to the United States of America and in which are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Fredrick E. Tilson, the undersigned on the fifteenth day of December 1898

The length of the claim is 1500 feet and I claim 300 feet on each side of the discovery shaft(at which this notice is posted,) lengthwise of the claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is located and situated in Mineral Creek Mining District in Pinal County; in the Territory of Arizona, about 1500 feet in a Testerly direction from the Ray Mill in Mineral Creek, Pinal County, A. T.

The surface boundaries of thee claim are marked upon the ground as follows- Beginning at a monument of Stones which is the N. W. corner of the Ray Mine, thence West 300 feet to the S. W. corner of the Parson Mine which is a point in a Northerly direction 300 feet from the discovery shaft at which this notice is posted and is in the center of the man North end line of caid C Claim: themce West 300 feet to a monument of Stones being the Morth Test corner of said claim; thence South 750 feet to a monument of Stones at the center of the West side line of said claim: thence South 750 feet to a monument of stones being at the South West corn r of said claim: thonce 300 feet East to a monument of stones at center of the South end of said claim; thence East 300feet to a monument of stones being at the South East corner of said claim; thence North 750 feet to a monument of stones being at the center of the East side line of thence North 750 feet to a monument of stones at the North East corner of said claim, thence est 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the revised Statutes of the United States and of an Act of the General Assembly of Arizona entitled " An Act Concerning Mines" Approved March 20th 1895.

Dated and posted on the ground this fifteenth day of December 1898

F. E. Wilson.

Filed and recorded at request of F. E. Wilson on the 9th day of March A. D., 1899 at one o'clock P.M.

F. A. Chamberlain.

Pecorder.

Recorded in Book 15 of Mines at page 426.

Notice of Location.

Cuartz Claim.

To all whom it may concern:

This Mining Claim, the name of which is the Ida Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits, was enteredupon and located for the purpose of exploration and purchase by Albert Steinfield the undersigned on the 5th., day of March 1899.

The length of the claim is 1500 feet, and I claim 1480 feet in a Northerly direction and 20 feet in a Southerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

This claim is situated and located in the Mineral Creek Mining District, in Pinal County in the Territory of Arizona, about 1850 feet in a Westerly direction from the Ray Mill in Mineral Creek& & 500 feet from the M. W. Corner of the Copper Bottom Mine.

The surface boundries of the claim are marked upon the ground as follows; Beginning At a monument of stones at a point in a Southerly direction 20 feet from the discovery shaft (at which this notice is posted) being in the center of the South end lines of said claim: thence Easterly 300 feet to a Monument of stones being the S. East corner of said claim: thence Northerly 750 feet to a Monument of stones at the center of the East side line of said claim: thence Northerly 750 feet to a Monument of stones being at the N. East conner of said sixim claim: thence Westerly 300 feet to a Monument of stones at the center of the North end of said claim: thence Westerly 300 feet to a Monument of stones being at the E. West corner of said claim: thence Southerly 750 feet to a Monument of stones being at the center of the West side line of said claim; thence Southerly 750 feet to a monument of stones at the S. West corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title MXXII of the Pevised Statutes of the United States and of an act of the General Assembly of Arizona, entitled; "An Act Concerning Mines" approved March 20- 1895.

Dated and posted on the ground this 5th., day of March 1899.

Albert fteinfeld

Locater.

Witness:

J. N. Curtis.

Filed and Recorded at requaest of Albert Steinfeld on the 1st., day of May A. D. 1899, at 10 A. M.

F. A. Chamberlain, Recorder.

By Thos G. Peyton, Deputy.

Recorded in book 15 of Mines at page 579

Notice of Location Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Mesa Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert Steinfeld, the undersigned, on the 5th., day of March, 1899.

The length of the claim is 1500 feet, and I claim 1478 feet in a Northerly direction and 22 in a Southerly direction from the center of the discovery shaft at which this notice is posted, length-wise of the claim together with 300 feet in width of the surface g grounds on each side of the center of caid colaim: The general course of the lode, deposit and premises is from the North to the South.

This claim is located and situated in the Mineral Creek Mining District, in Rinal County, in the Territory of Arizona, about 2450 feet in a Westerly direction from the Ray Mill in Mineral Creek.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of stones at a point ina Southerly direction Twenty two feet from the discovery shaft (at which this notice is posted) being in the center of the South end line of said claim: thence Easterly 500 feet to a Monument of stones being the S. Mast corner of said claim: thence Mortherly 750 feet to a Monument of stones at the center of the East side line of said claim thence Northerly 750 feet to a Monument of stones being at the N. East corner of said claim: thence Westerly 500 feet to a Monument of stones at the center of the North end of said claim: thence Westerly 750 feet to a Monument of stones being at the N. West corner of said claim: thence Southerly 750 feet to a Monument of stones being at the center of the West side line of said claim: thence Southerly 750 feet to a Monument of stones at the S. West corner of said claim: thence Southerly 750 feet to a Monument of stones at the S. West corner of said claim: thence Easterly 500 feet to the place of beginning.

All done under the provisions of Chapter Six of Title HXXII of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitle, (§ An ACT Concerning Mines "approved March 20-1895.

Dated and posted on the ground this 5th., day of March, 1899.
Albert Steinfeld.

Locator

Witness:

J. N. Curtis.

Filed and Recorded at request of Albert Steinfeld on the 1st., day of May, A. D. 1899 at 10 A. M.

F. A. Chamberlain

Recorder

By Thos G. Peyton, Deputy.

Recorded in book 15 of Mines at page 581.

ナ >

Location Notice of The Orion Mill Site Claim.

Unow all men by these presents: That I, Seline M. Franklin the undersigned, have this day located a Mill Site for the purpose of erecting suitable works for reducing the ores of the Orion Mining Claim, situated in the Mineral Greek Mining District, Pinal County, Arizona Territory. The exterior boundaries of said Orion Mill Site Claim are as follows viz:

Commencing at a monument of stones surrounding a stake at the Northeast corner of claim, and running thence in a westerly at direction four hundred and six and five tenths feet (466.50 to a stakesurrounded by a mound of stones at the Northwest corner of at claim, thence in southerly direction four hundred and sixty six and five tenths (466.5) feet to a stake surrounded by a mound of stones at the Southwest corner of claim, thence in an easterly direction four hundred and sixty six and five tenths (466.5) feet to a stake surrounded by a mound of stones at the Southeast corner of claim, thence in a northaply direction four hundred and sixty six and five tenths (466.5) feet to a stake surrounded by a mound of stones at the Northeast corner of claim and place of beginning.

about five (5) miles southerly from the Ray Nine, and about two (2) miles an a Northerly direction from Riverside.

Dated on the ground this 15th., day of Dec., 1899.

S. M. Franklin.

WITNESS:

Jas Gamble Jr.

Filed and recorded at request of S. M. Franklin on the 9th., day of February A. D. 1900, at 9 A. M.

F. A. Chamberlain.
Recorder
by Thos. G. Peyton
Deputy.

Recorded in book 6 of Miscellaneous at page 279.

ナラ

Location Notice.
of
The Ida Mill Site.Claim.

Know all men by these presents: That We, The Ray Mines Company the undersigned, have this day located a Mill site for the purpose of erecting suitable works for reducing the ores of the Ida Mining Claim, situated in the Mineral Creek Mining District, Pinal County, Arizona Territory. The exterior bounderies of said Ida Mill-site Claim are as follows, viz:

Commencing at a stake surrounded by a mound of stones at the North east corner of claim, and running thence in a westerly direction 391% feet to a stake surrounded by a mound of stones at the North west corner of claim; thence in a southerly direction 466% feet to a stake surrounded by a mound of stones at the South west corner of claim: thence ina aneasterly direction 391% feet to a stake surrounded by a mound of stones at the South east corner of claim; thence in a northerly direction 466% feet to a stake surrounded by a mound of stones at the South east corner of claim; thence in a northerly direction 466% feet to a stake surrounded by a mound of stones at the North east corner of claim and place of beginning, and containing 4 2/10 acres.

This location maybe more generally discribed as being situated about five (5) miles southerly from the Ray Mine and about two (2) miles in a North westerly direction from Riverside.

Dated on the ground this 29th., day of Jan., 1900.

The Ray Mine Company.

Witness.

by Selim H. Franklin.

Jas Gamble Jr.

Filed and recorded at request of S. H. Franklin on the 9th., day of Febuary. A. D 1900 at 9 A. M.

F. A. Chamberlain, Recorder.

by Thos. G. Peyton Deputy.

Recorded in book six of Miscellaneous at page 281.

Location Notice of The Ida Number two Hill Site Claim.

Enow all men by these presents, That we. The Pay Mines Co. t the undersigned, have this day located a mill site to be known as the Ida NO. 2 Mill site, for the purpose of creeting suitable works for reducing the ores of the Ida Mining Claim situated in the Mineral Creek Mining District, Pinal County, Arizona Territory.

The exterior boundaries of said Ida No. 2 Mill site Claim are as follows, viz:

Commo cing at a stake surrounded by a mound of stones at the Fortheast corner of claim, and running thence 50 fact an a westerly direction to a stake surrounded by a mound of stones at the Horthwest corner of claim; thence in a southerly direction 699 3/4 feet to a stake surrounded by a mound of stones at the Southwest corner of claim; thence in an easterlt direction 50 feet to a stake surrounded by a mound of stones at the southeast corner of claim; thence in a Northerly direction 699 3/4 feet to a stake surrounded by a mound of stones at the Southeast corner of claim; thence in a Northerly direction 699 3/4 feet to a stake surrounded by a mound of stones at the Northeast corner of claim, and place of beginning, and containing 8/10 acres.

This location maybe more generally discribed as being situated about five miles in a southerly direction from the Ray Mine and about fi miles in a north westerly direction from Riverside.

This is an additional Mill site for said Ida "ining Claim; the first Mill-site containing less than five acres to-wit, **** 4 2/10 acres and no more; and this present Mill site concring 8/10 acres; making a total of five acres. Dated on the Ground this 29th day of Jan., 1900.

The Ray Mines Company, by Selim M. Franklin, Agt.

Witness Jas Gamble Jr.

Filed and recorded at re-uest of S. M. Franklinon the 9th day of February A. D. 1900; at 9 A. M.

F. A. Chamberlain. Recorder by Thos G. Peyton Deputy.

Recorded in book 6 of Miscellaneous at page 282

93

Notice of Mill Site Claim.

Notice is hereby given that I, the undersigned, Selim M. Franklin, have on this 18th day of September, 1899, located five (5) acresof this non-mineral land as a MillSite, to be known as the Mesa Mill Site, being situate in the Mineral Creek Mining District, Pinal County, Arizona Territory, about six miles southerly from the "ay Mine, and about two miles northerly from Fiverside, said Mill Site to be an appurtenant to the Mesa Mine in the said Mining District, and being more particularly described as follows;-

Commencing at a stake surrounded by a small mound of stones at the Southwest corner of said Mill Site, on which this notice is posted; thence northerly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones thence easterly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence southerly four hundred and sixty six and five tenths from (466.5) feet, to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths (466.5) feet to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths (466.5) feet to a stake surrounded by a small mound of stones, the place of beginning.

Dated on the ground this 18th day of September, 1899.

Selim M. Franklin.

Witness

Nat L. Mayo.

Filed and recorded at request of Selim M. Franklin on this 25 day of September, A. D. 1899. at 10 A. M.

F. A. Chamberlain.

Recorder.

Recorded in book6 of Hiscellaneous at page 159.

Territory of Arizona, †
) ss.
County of Pinal.

I, F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the foregoing Location Notices of the Orion Lode and MilleSite, Ida Lode and Millsite, Ida No.2, Mill-Site and Mesa Lode and Mill-Site claims are a full, true and correct copy of the same as they appear of record in this office in Book No. 15 Records of Mines at pages 426, 579, &581 and in Book No. 6 of Miscell-aneous Records at pages 159, 282, 281, 279.

Witness my hand and seal of office this 28th day of July, A. D. 1908

Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	October 13, 1908.
	I, U. S. Surveyor General for Arizona,
d	o hereby certify that the foregoing transcript of the Field Notes, return and approval
O.	f the Survey of the mining claim of Ray Consolidated Copper Co.
0	, known as the ORION, IDA and MESA lode claims, and the RION, IDA, IDA NO. 2, and MESA mill sites, situate in Mineral Creek
	Mining District, Pinal County,
	Lodes in unsurveyed
т	Arizona , in Section , Township No. 3 S., Mill sites in unsurveyed T. 4 S.,
	Range No. 13 E. , and designated as Survey
1	No. 2568 A. & B. , has been correctly copied from the originals on
	file in this office; that said Field Notes furnish such an accurate description of said
	mining claim as will, if incorporated into a patent, serve fully to identify the premises,
1	and that such reference is made therein to natural objects or permanent monuments as
	will perpetuate and fix the <i>locus</i> thereof.
	And I further certify that five hundred dollars' worth of labor has been expended
	or improvements made upon said mining claims by claimant oritsgrantors, and
	that said improvements consist of 5 shafts, 1 tunnel, 1 cut and 2 drill
	holes, total value \$4850.
	and that no portion of said labor or improvements has been included in the estimate of
	expenditures upon any other claim.
	I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
	Arizona, is correct and in conformity with the foregoing Field Notes.
	Frank S. Ingalls,
	United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Claims Ida	(Lodes)	M & B Desc. Pg.2	Improvements Pg. 10	Loc. Notices Pg. 2
Mesa		3	11	3
Orion		1	10	/
	Millsites			

Ida

Mesa Orion

Ida No. 2

MINERAL SURVEY NO. 2568 A & B