POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

SE, 15 905

4-683.

MINERAL SURVEY No. 2569 "A" & "B"

	LOT-No
	ARIZONA Land District.
	FIELD NOTES
R.A	OF THE SURVEY OF THE MINING CLAIM OF
	KNOWN AS THE
	HUSSAR LODE (AF AND THE BLACK HUSSAR HILL SITE. HINTAL CREEK (UNORGANIZED) Mining District,
section	APPROX., Townships 3 & 4 S., Range 13 E., Unsurved under instructions dated Avenuet 5th., 1908
	by Harry V. Wheeler, U. S. Mineral Surveyor.
. 7119	Claim located See location notices. , 19 Survey commenced August 20th, , 19 08
6—822	Survey completedAugust 24th,

Address;

Frank B. Thompson, 220 Fleming Block, Phoenix, Ariz.

(Attorney for Claimant)

BLACK HUSSAR LODE.

Feet. Beginning at Cor. No. 1, identical with the S.W. location corner, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 1-2569 A.; whence a cross (X) and B.R. 1-2569 A., chiseled on a diorite rock showing 4 x 3 x 2 ft. above the ground, bears N. 20 -30 ' E., 6.7 ft.

U.S.Location Lonument No. 1 bears S. 80 58.5' W., 2978.4 ft. Thence H. 0° 38' E. To center of Indian Gulch, 40 ft. wide, course S. 80 W. Ascend steep slope to south To Cor. No. 2, a pine post 4 ft. long, 4 ins. square, set 18 ins. 1450.6 in the ground, with mound of stone, scribed 2-2569 A.; whence a cross (X) and B.R. 2-2569 A. chiseled on a granite rock showing 3 x 2 x 2 ft. above the ground, bears S. 520 40 F., 12.5 ft. Cor. No. 4, Sur. No. 2466, Copper Contact lode, bears S. 390 12' W. 540.4 ft. Thence S. 89° 45' E. To N. center end identical with lection, a fine port 4 ins. square, set 18 ins. to Cor. No. 3, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 3-2569 A.; 300 600 whence A cross(X) and B.R. 3-2569 A. chiseled on a porphyry rock show-ing 30 x 24 x 16 ins. above the ground, bears N. 80 05' W., 16.9 ft. Thence S. 0° 38' W. Descending over broken ground

To center of Indian gulch, 30 ft. wide, course S. 30° W. 1310 To Cor. No. 4, a pine post 4 ft. long, 4 ins. square, set 18 ins. in 1450.6 the ground, with mound of earth and stone, scribed 4-2569 A; whence A cross (X) and D.R. 4-2569 A. chiseled on a porphyry rock, showing 26 x 14 x 13 ins. above the ground, bears S. 43° 10° E., 9.4 ft.

Thence N. 89° 45° W.

Along south side of Indian gulch To S. center end, identical with location, apine post time as 3ft above ground in mound of To Cor. No. 1. the place of beginning. store, sociled B.H. S.C.E. To Cor. No. 1, the place of beginning. 600

The presumed course of the vein or lode line on this lode, from the south center end is N. 0° 38' H., 1450.6 ft.

SURVEY NO. 2569 "B" BLACK HUSSAR HILL STIE:

Beginning at Cor. No. 1, identical with Cor. No. 2, Sur. No. 1467 B. "J.G." Lill Site, and the S.W.Cor. of the West Mineral Creek Mill Site, unsurveyed. This Cor. not set as it falls in the Gila River where a permanent corner could not be established; whence witness corner to Cor. No. 1 bears N. 81° 05' W.. 185.0 ft., and is a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed W.C. 1-2569 B; whence a cottonwood 28 ins. diam.

blazed and scribed B.T.-W.C. 1-2569 B. bears N. 73° 34° E. 23.85 ft.
W.1 Cor. to Sec.6, Tp.4 S. R.14 E. brs. N. 22°16.1' E.
3648.1 ft. Cor.1 Black Hussar lode, Sur. 2569 A brs. N.5°
14.5 W. 23696.9 ft. Thence S.8°55 W. from true corner point
466.5 To Cor. No. 2, not set as it falls in the Gila River where permanent corner could not be established; whence witness corner to Cor. No.2 bears N. 8 55' E., 618.4 ft. and is a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed W.C. 2-2569 B. and is on the right bank of Gila River above the high water line.

Thence N. 81° 05' W.

- From true corner point 466.5 To Cor. No. 3, identical with Cor. No. 2, Sur. No. 1467 B. Deputy Mill Site, not set as it falls in Gila River where pommanent corner could not be established; whence witness corner to Cor. No. 3 bears N. 80 55 E., 112 ft. and is a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed W.C.3-2569 B. Thence N. 8° 55' E.

From true corner point

To top of right bank of Gila River above high water line, course south 100 west,

112 To witness corner to Cor. No. 3,

To Cor. No. 4, identical with Cor. No. 1, Sur. No. 1467 B. Deputy and Hamboldt mill sites, and Cor. No. 3, Sur. No. 1467 B. "J.G." mill site, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the 466.5 ground, with mound of earth, scribed 1-1-3-1467 B. and 4-2569 B; whence the center of the Phoenix & Eastern R.R. course N.73° 24' E. and S. 73° 24' W., bears N. 8° 55' E., 20.5 ft.

Thence S. 81° 05' E.

283.5 To witness corner to Cor. No. 1, _

290:0 To right bank of Gila River, about 450 feet wide at this point, course southwest,

466.5 To Cor. No. 1, the place of beginning.

AREA:

Total and Net area of lode, 19.980 acres, 19

....,24,976 acres.

INPROVEMENTS:
I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than \$500, and that said improvements consist of:-

Mo.1 Discovery Shaft, 4 x 6 ft., 5 ft. deep, the center of which bears N. 0 38 E. 196 ft. · value \$15.00 from the S.center end of lode line.

No. 2 Shaft, 4 x 6.ft., 8 ft. deep, the center of which bears N. 0° 38' E., 725 ft. from the S.center end of lode line.

Mo. 3 Tunnel 4 x 6 ft., 111 ft. long, course North with crosscut 4 x 6 ft. 15 ft. long, extending east from No. 3 Tunnel at a point 45 ft. from the mouth of same, The mouth bears N.190 12' value, 1110.00

ADJOINING CLAIMS:

Black Hussar Lode:

East: Laude S. Lode, unsurveyed, Schilling & Sherlock, owners. South, West & Morth, unsurveyed land, claimants unknown.

North: "J.G." Mili Site, Sur.No. 1467 B.

Mast & South, unsurveyed land which-is in the bed of the Gila River. West: Deputy Mill Site, Sur.No. 1467 B.
Ray Consolidated Copper Co. owner of mill sites noted.

INSTRUMENT:

This survey was made with a W. & L.E. Gurley Mining Transit with Solar attachment. The courses were deflected from the true meridan as determined #### by direct solar observations. Distances were measured with a 300 ft. steel tape.

MOTE: The disagreements between these field notes and the location certificates, as well as with Sur. No.1467 B., are due to errors in both the latter.

LOCATION: This survey is situated in Mineral Creek (unorganized Ming. District Pinal Co. Arizona. The lode is in the N.E. part of unsurveyed T.3S. R.13 E. G.& S.R. B.& M. The Mill Site is located in the N.E. part of unsurveyed T.4 S. R.13 E. G.& S.R. B. & M. All corners are identical with their respective location corners. References given to bearing objects when available. Magnetic Variation, 14 Fast at all corners.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by Harry V. Wheeler
	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of
Ray Consolidated	Cohler Courpains inde
known as the Black Aumaa	inde and
and showing the respective capacities in which	they acted.
	Eure & , Barrendel, Chainman.
	Rey M: Iticker, Chainman.
	, Avman.
	, Flagman.
-	· · ·
FINAL OATH	S OF ASSISTANTS.
We. Eu & E. Carrey	duis
	, do solemnly swear that we assisted
	s Mineral Surveyor, in marking the corners and surveying
	, ,
the boundaries of the mining claim of	For consulated works
	For toward dutal watcher
1 Company	
known as the Mich	Land Black Hussan
known as the house as have	ving been surveyed by said mineral surveyor and under his
known as the house, the represented in the foregoing field notes as have direction; and that said survey has been in all	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully
known as the hand and correctly executed, and the corner and bound	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully dary monuments established according to law and the instruc-
known as the hand and correctly executed, and the corner and bound	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully lary monuments established according to law and the instructor of the law and the la
known as the hand and correctly executed, and the corner and bound	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully lary monuments established according to law and the instructor of the law and the la
known as the hand and correctly executed, and the corner and bound	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully lary monuments established according to law and the instructional for Arigna Earl & Barrowolak, Chainman. Rey M. Wickey, Chainman.
known as the hand and correctly executed, and the corner and bound	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully dary monuments established according to law and the instructor and
known as the which is a known as the direction; and that said survey has been in all and correctly executed, and the corner and bound tions furnished by the United States Surveyor-G	ring been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully lary monuments established according to law and the instructional for Aryona Chainman. Rey M Hickey , Chainman. Arman. Flagman.
known as the which the foregoing field notes as have direction; and that said survey has been in all and correctly executed, and the corner and bound tions furnished by the United States Surveyor-G	ving been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully dary monuments established according to law and the instructor and
known as the which is a known as the direction; and that said survey has been in all and correctly executed, and the corner and bound tions furnished by the United States Surveyor-G	ring been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully dary monuments established according to law and the instructionary for Aryman. Rey M. Hickey, Chainman. Axman. Tagman. The gran.
known as the which the foregoing field notes as have direction; and that said survey has been in all and correctly executed, and the corner and bound tions furnished by the United States Surveyor-G	ring been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully lary monuments established according to law and the instructional for and the instruction of the law and the law and the instruction of the law and th

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, starry V, W	, U. S. Mineral Surveyor,
	instructions received from the United States
Surveyor General for Ampana	, dated
August - the 1100,	, I have, in strict conformity to the laws of the
	l instructions thereunder, and the instructions
	correctly executed the survey of the Mining
(, known as the
Robert Hassar loc	, known as the
situate in	Mining District,
	County, time Section
	ange No. 10 5. Unsur
and designated as Survey No.	, as represented
	tely show the boundaries of said mining claim
	ne ground, and described in the attached copy
	eived by me from the Surveyor General with
	of said survey have been established and per-
	aw, official regulations and instructions there-
-	that the foregoing are the true and original
	et therein, and that the labor expended and
	nim by claimant or grantors
	character, extent, location, and itemized value
thereof are specified therein with particu	larity and full detail, and that no portion of
said labor or improvements so credited to	o this claim has been included in the estimate
of expenditures upon any other claim.	
	Havry V.Wheeler U. S. Mineral Surveyor.
	4
Subscribed and sworn to by the said.	Harris Vaheeler
U. S. Mineral Surveyor, before me	at Wolong Public
	this
day of September, 190	
	Eurob W French
G—1044	Ustary Pushing

Thy 24. 19.0

Affidavit of Five Hundred Dollars Improvements.

Tac, hu Z' N	ence and Estean Est Clewart.
	sworn according to law, depose and say: That we are
acquainted with the	Mining claim,
situate in Mineral 4	Mining district,County,
Arizona Territory, for which	· - o'i by president
1000	
<i>l l</i>	(
ha; made application for sur	rvey prior to application for patent under the provisions
of the act of Congress, approved	d May 10, 1872; and that the labor done and improve-
ments made thereon by the ap,	plicant and grantor exceed Five Hundred
Dollars in value, and further	that we are not personally interested in said mine.
	John C Dring.
	John C Driving. Edgen Mershewart
TERRITORY OF ARIZON County of	$\left. egin{array}{ll} \mathcal{SA}, & \\ \mathcal{SS}: & \end{array} ight.$
	Sworn to and subscribed before me, this
**************************************	day of Kellenbri, 1908
\$	Eurch W James
:27669b1m2-07	21stan Turke
my commission & percen	

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines " approved Warch 20th. 1895.

Dated and posted on the ground this lat day of Jenuary, 1897.

Albert Steinfeld.

Locator.

Filed and recorded at request of L. Zeckendorf & Co. February, 20th, 1897, at 2 P. M.

F. A. Chamberlin.

Recorder.

Records of Mines. Book. 14 st page. 518....519.



Notice of Mill Site Claim.

Franklin, have on this 18th day of September, 1899, located five (5) acres of this non-mineral land as a Mill Site, to be known as the Black Hussar Mill Site, being situate in the Mineral Creek Mining District, Pinal County, Arizona Territory, about six miles southerly from the Ray Mine and about two miles northwesterly from Riverside, said Mill Site to be an appurtenant to the Black Hussar Mine in said Mining District, and being more particurlarly described as follows:-

at the Southwest corner of said Mill Site, on which this notice is posted; thence northerly four hundred and sixty six and five tenths (466.5) foot, to a stake surrounded by a small mound of stones; thence easterly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence southerly four hundred and sixty six and five tenths feet to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths feet to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones, the place of beginning.

Dated on the ground this 18th day of September, 1899.

Selim M. Franklin.

Titness

Nat. L. Mayo.

Filed and recorded at request of Selim M. Franklin on this 25th day of September, A. D. 1899, at 10 A. M.

F. A. Chamberlain.

Recorder.

Recorded in book 6 of Miscellaneous at page 146.

Territory of Arizona,) ss. County of Pinal.

I, G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the foregoing Location Notice of the BLACK HUSSAR Lode and Mill-Site claims are a full, true and correct copy of the same as they appear of record in this office in Book No. 14 Records of Mines at page 518 and in Book No. 6 of Miscellaneous Records at page 146.

Witness my hand and seal of office this 28th day of July, A. D. 1908.

Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
October 21, , 1 908.
I, U. S. Surveyor General for District of Arizona,
o hereby certify that the foregoing transcript of the Field Notes, return and approval
f the Survey of the mining claim of Ray Consolidated Copper Company
, known as the Black Hussar lode and Black Hussar Mill
ite , situate in <u>Mineral Creek (unorganized)</u>
Mining District, Pinal County,
Arizona , in Section approx. , Township No. 3 & 4
ange No. 13 E., unsur., and designated as Survey
no2562 A & B, has been correctly copied from the originals on the in this office; that said Field Notes furnish such an accurate description of said thing claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as still perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended a improvements made upon said mining claim by claimant or its grantors, and mat said improvements consist of 2 shafts, 1 tunnel and 15 ft. of cross-cuts, total value \$1150.00
nd that no portion of said labor or improvements has been included in the estimate of xpenditures upon any other claim. I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes. Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 21, 190 8
I, U. S. Surveyor-General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Ray Consolidated Copper Company
, known as the
Black Hussar lode and Black Hussar Mill Site
situate in Mineral Creek (unorganized) mining district,
Pinal County, Arizona,
in Section approx., Township No. 3 & 4 S., Range No. 13 E., unsur.
, designated as Survey No2569 A & B.,
executed by Harry V. Wheeler, U. S. Deputy Mineral
Surveyor, August 20-24,- , 190.8, under my instructions dated
August 5 , have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Thank of Ingalls
II S. Summan Conversal for Ani 7022

harge Map