2

Copied 10-5-08-LK

SEL 15 1900

SEF 29 1900

4-683.

MINERAL SURVEY No. 2570 "A" & "B"

LOT No.

	A	R	I	Z	0	N	A	Iand	District.
 								 Lana	District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

RAY CONSOLIDATED COPPER COMPANY.
KNOWN AS THE
Bonanza Mine and Bonanza Hill Site
Pinal County, Arizona.
Lode Claim in unsurveyed Section T. 3 S. , Range R. 13 E. Lill Site in unsurveyed T. 4 S. , Range R. 13 E.
Surveyed under instructions dated August 5th,, 1908
by Harry V. Wheeler,
U. S. Mineral Surveyor.
Claim located See Location Intice, 19
Survey commenced August 26th, , 1908
Survey completed. August 30th, , 19 08

Address;
Frank E. Thompson,
220 Fleming Block, Phoenix, Ariz.

(Attorney for Claimant)

BONANZA MINE

Feet.

Beginning at corner No. 1, a pine post 4 ft. long, 4 ins. square set 18 ins. in the ground, with mound of earth and stone, scribed 1-2570 A; whence a cross (X) and B.R. 1-2570 A., chiseled on a diorite rock showing 36 x 18 x 15 ins. above the ground, bears S. 5015.

E., 54.2 ft.

U.S.Location Monument No. 1 bears S. 78° 14° W., 4400.2 feet.

Thence N. 00 49° E.

198 To center of Indian Gulch, 30 ft. wide, course S. 60° W.

Ascend steep slope to south.

1471.5 To Cor. No. 2, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone, scribed 2-2570 A; whence Cor. No. 3, Sur. No. 2569 A., Black Hussar lode, bears S. 590 32° W. 894.6 ft.

Thence, S. 89° 04' E.

To No. center end Minitial with boation, a fine post time square, 3 ft.

above ground in mound of stone, scribed B. - NC.E.

To Cor. No. 3, a pine post 4 ft. long, 4 ins. square, set 18 ins. in

the ground, with mound of stone, scribed 3-2570 A; whence a cross(X)

and B.R. 3-2570 A., chiseled on a granite rock showing 8 x 6 x 6 ft.

above the ground, bears S. 75° 50° E., 28.6 ft.

Thence S. 0° 49' W.

Descending over broken ground

1471.5 To Cor. No. 4, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 4-2570 A; whence a cross (X) and B.R. 4-2570 A., chiseled on a porphyry rock showing 22 x 18 x 12 ins. above the ground, bears N. 19° 30° E., 13.6 ft.

Thence N. 89 04 W.

300 To S. center end, identical with location, a fine post 4 ins. square, 3 for above ground, in mound of stone, scribed B. . - S.C. E.

600 To Cor. No. 1, the place of beginning.

LEDGE:

The presumed course of the vein, or lode line, on this lode, from the S. center end, is N. 0 $^{\circ}$ 49° E., 1471.5 feet.

BONANZA MILL SITE.

Feet

Beginning at Cor. No. 1, identical with Cor. No. 2, Sur. No. 2568 B., Mesa Mill Site, and the N.W. Cor. Tucson Queen Mill Site, unsurveyed; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 2-2568 B. and 1-2570 B; whence Cor. No. 1, Sur. No. 2570 A., Bonanza Mine bears N. 10 37.5° W., 22121.7 ft.; The W. 1/4 Cor. to Sec. 6, T. 4 S., R. 14 E. G & S. R. B. & M., bears N. 46° 47° E., 2/32.55 ft.

Thence S. 80 55 W.

466.5 To Cor. No. 2, identical with S.W.Cor. Tucson Queen, N.W.Cor. Talus and the N.E.Cor. Monarch Mill Sites, unsurveyed, a pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth scribed 2-2570 B.

Thence N. 81° 05' W.

466.5 To Cor. No. 3, identical with Cor. No. 1, Sur. No. 1467 B. Gladiator M.S.; Cor. No. 1, Sur. No. 1467 B., York M.S. and the N.W.Cor. Monarch Mill Site, unsurveyed. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 1-1-1467 B. and 3-2570 B.

Thence N. 80 55' E.

- 466.5 To Cor. No. 4, identical with Cor. No. 2, Sur. No. 1467 B. Gladiator M.S.; Cor. No. 2, Sur. No. 2571 B. Dioryte M.S., and Cor. No. 3, Sur. No. 2568 B. Mesa Hill Site; a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 2-1467 B.; 2-2571 B; 3-2568 B. and 4-2570 B; whence a photo verde, 7 ins. diam. blazed and scribed B.T. 4-2570 B., bears S. 48° 10' W., 25.4 ft.

 Thence S. 81° 05' E.
- 466.5 To Cor. No. 1, the place of beginning.

Total and Net Area of Bonanza Mine " " " " Mill Site,

20.269 acres. 4.996 "

Total and Net Area of Survey, 25.265

IMPROVEMENTS:

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than \$500.00, and that said improvements consist of:--

No. Moiscovery Shaft, 4 x 10 ft. 4 ft. deep, value the center of which bears N.O 49' E., 748 ft. \$15.00 from the south center end of lode line.

No. 2 Shaft, 4 x 6 ft., 8 ft. deep, the center of which bears N. 26° 30' W. value, 50.00 820 ft. from Cor. No. 4.

No. 3 Shaft, 4 x 8 ft., 4 ft. deep, the center of which bears N. 4 26' E., 15.00 value, 705 ft. from Cor. No. 1.

No. 4 Tunnel, 4 x 6 ft., 38 ft. long, course of same N. 61° W., the mouth of which bears N. 12° 05° W., 720 ft. value, from the south center end of lode line.

No. 5 Tunnel, 4 x 6 ft., 109 ft. long, va General course of same N. 13° W2, the mouth of which bears S. 31° 15' W. 771 ft. value 1100.00 from Cor. No. 3. Total value of improvements, \$1540.00

ADJOINING CLAIMS: To Tae Lode.

North, Mast and South, unsurveyed land, claimants unknown. West, Raude S. lode, unsurveyed, Schilling and Sherlock, owners.

To The Mill Site:

The Seas B. East: Tueson Queen M.S. North: Mesa M.S., Sur.No. 2568 B. unsurveyed.

South: Monarch M.S., unsurveyed.

West: Gladiator M.S., Sur.No. 1467 B. The Ray Consolidated Copper Company owner of all the mill sites noted.

LOCATION:

This survey is situated in Llineral Creek(unorganized) Mining District, Pinal County, Arizona.

The lode claim is in the N.E. part of unsurveyed T. 3 S., R. 13 E., G. & S. R. B. & M.

The Lill Site is located in the N.E. part of unsurveyed T. 4 S. R. 13 E. G. & S. R. B. & M.

All corners of this survey are identical with their respective location corners.

References given to bearing objects when available.

Magnetic Variation, 14° Hast at all corners.

INSTRUMENT:

This survey was made with a W. & L. E. Gurley Mining Transit, with Solar attachment.

The courses were deflected from the true meridian as determined by direct solar observations.

Distances were measured with a 300 ft. steel tape.

NOTE: The disagreements between these field notes and the location certificates, also between these field notes and the field notes of Sur. No. 1467 B., are due to errors in the latter.

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals en	aployed by Harry VW Guller
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
	otes of the survey of the mining claim of
Ray Morraniclat of known as the Bonary Mine	h they acted
and showing the respective capacities in which	h they acted.
	Eurl E. Ransurdele, Chainman.
	May M. Mealler, Chainman.
	, Axman.
	,, Flagman.
FINAL OATH	AS OF ASSISTANTS.
. We,	ela L
and death, today	, do solemnly swear that we assisted
*	es Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	12 Consolidated Coller
Down of the work	
known as the Manage Mine	A Bonango
represented in the foregoing field notes as ha	ving been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boun	dary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-C	General for Angona
	Earl E. Bornwolake, Chainman.
	Rey M Hickey, Chainman.
	•, Axman.
	, Flagman.
Subscribed and sworn to b	y the above-named persons before me this 12
Subscribed and sworn to b	y the above-named persons before me this 12
2	

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Jany J. William J. W. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for J.	
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of	
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of	
of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of	
Claim of of the travilated to the comment	
Claim of, known as the, Mine, the,	
, known as the	
To any Mine and Course of Suite,	
situate in Mining District,	
County, to the county, in Section	
approx, Township No. 1. 1. C., Range No. 12 2. Ct S. R. Kt M. 94	26
and designated as Survey No. 2572 . 7 , as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location, and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
Hurry V. Wheeler U. S. Mineral Surveyor.)
Subscribed and sworn to by the said Hany U wheeler	
Subscribed and sworn to by the said Hany U wheeler . U. S. Mineral Surveyor, before me a Molary Partic	
. U. S. Mineral Surveyor, before me a Wolany Purb:	
day of Seplember, 1908	
. U. S. Mineral Surveyor, before me a Wolany Purb:	

Thy Drumisam experies

Affidavit of Five Hundred Dollars Improvements.

Tour, John Denne and Edgar Ell Stewart
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Bananga Mine mining claim,
situate in Marie & County, Mining district, County,
Arizona Territory, for which
to other demander
·ha_made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
John de Drine Edgor ne Stewart
$\left. egin{array}{c} TERRITORY\ OF\ ARIZONA, \ County\ of \end{array} ight. ight. ight.$
Sworn to and subscribed before me, this 12.
SEAL day of September 1908
27669b1m2-07 Ustany Puplin
My Common extense

2570

LOCATION NOTICE.

I, the undersigned claim 1500 linear feet in length and 600 feet wide in this Belt. Commencing at this Monument, and running 750 feet Mortherly and 750 feet Southerly 300 feet easterly and 300 feet westerly of this Mineral Belt. This Mine is situated at the Monte Christo Spring and Joins west the Eastern line of the Monte Christo Millsite, is about 3/4 Hile east of Mineral Creek and about 5 miles North of the Gila River, and shall be known as the BOWANZA MINE.

Mineral Creek January 4th, 1883.

W. Schoeneberg.

Filed and recorded at request of W. Schoeneberg, Jan. 29th, 1883, at 1 O'Clock P. M.

Minson Thomas, Recorder.

Rocords of Mines. Book. ? at pages. 454 and 455.

Notice of Mill Site Claim.

Notice hereby given that I, the undersigned, Selim M.

Franklin, have om this 18th day of September, 1899, located five (5) acres of this non-mineral land as a Mill Site, to be known as the Bomanza Mill Site, being situate in the Mineral Creek Mining District, Pinal County, Territory of Arizona, about six miles southerly from the tay Nine and about two miles north westerly from Piweraide, said mill site to be appurtenant to the Bomanza Mine in said Mining District, and being more particularly described as follows:-

commenting at a stake surrounded by a small mound of stones at the Southwest corner of said Mill Site on which this notice is posted; thence northerly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence easterly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence southerly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths (466.5) feet, to a stake surrounded by a small mound of stones; thence westerly four hundred and sixty six and five tenths (466.5) feet, to a stake, surrounded by a small mound of stones, the place of beginning.

Dated on the ground this 18th day of September, 1899. Selim M. Franklin.

"itness. Hat. L. Mayo.

Filed and recorded at request of Selim Franklin, on this 25th day of September, A. D. 1899. at 10 A. H.

F. A. Chamberlin, Recorder.

Miscellaneous Records. Book No. 6 at pages. 152.

Territory of Arizona,) ss. County of Pinal.

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the foregoing Location Notice of the Bonanza Lode and Mill-Site Claims are a full, true and correct copy as the same as they appear of record in this office in Book No. 7 of Records of Mines at page 454, and in Book No. 6 of Miscellaneous Records at page 152.

Witness my hand and seal of office this 28th day of July, A. D. 1908.

Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
October 17, , 1 908.
I, U. S. Surveyor General for <u>District of Arizona</u> ,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of Ray Consolidated Copper Company
, known as the Bonanza Mine and Bonanza Mill Site
, situate in Mineral Creek (unorganized)
Mining District, Pinal County,
, in Section approx. , TownshipsNo.83 & 4
Range No. 13 E., unsur. , and designated as Survey
No. 2570 A & B , has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the <i>locus</i> thereof.
And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant orits grantors, and
that said improvements consist of 3 shafts and 2 tunnels, total value,
\$1540.00
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 17, , 190 8.
I, U. S. Surveyor-General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Ray Consolidated Copper Company,
known as the
Bonanza Mine and Bonanza Mill Site
situate in Mineral Creek (unorganized) mining district,
Pinal County, Arizona
in Section approx. , TownshipsNos3 & 4 S , Range No. 13 E., unsur
, designated as Survey No. 2570 A & B
executed by Harry V. Wheeler , U. S. Deputy Mineral
Surveyor, August · 26-30, - , 1908, under my instructions dated
August 5,, 190 8 have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes. I and I by all
U. S. Surveyor-General for Arizona.

hange Map