Copied 4-14-1909.
A. L. H.

platted.

FEB. 17. 1909 mich 23-09 Grif 8-09

4-683.

## MINERAL SURVEY No. 260/

LOT No.

Arizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mining District,

Cochice Mining District,

Cochice County,

Section 344, 35, Township 55, Range 22 ±

Surveyed under instructions dated Oct 6, 1908

by Columbia Surveyor.

Claim located See Sociation Notice, 19

Survey commenced See 2, 1908

Survey completed See 3, 1908

Address of Claiman Dragon aris

### BUTTERCUP LODE.

Beginning at Cor. No.1, identical with Cor. No.2 Sur. No. 2595 Eureka Lode, a granite rock 12 ins. above ground chiseled S.E.C.-E.2-2595 to which add S.W.C.-B.1-2601

#### Whence:-

- Closing for. Standard Sec. cor. secs. 34-35 Tp.15 S. R.22 E. as described by Deputy Wright in the field notes of the subdivision of T.15 S. R.22 E. in the year 1907, bears N.43° 50' W. 572.6 ft.
- Loc. cor. a mound of stones 3 ft. high 3 ft. base bears S.52° 03' W. 163 ft.
- A cross (x) and B.R.2-2595, to which

add 1-2601, bears N.8° 2' W. 113.5 ft. Cor N. 1 Eurecka Lode Sur N. 2595 brs N19.07 W 538,35/ Cor Nol Black Hark Lode Sur No 2288 brs N19'20' E 594.6 gt

## Thence N. 32 33' W.

- 490.0 Intersect 3rd std. Parallel South at East 133.0 ft. from c.c. Secs. 34-35 and West 2553,3 ft, 4 cor on S. bdy Sec 35.

  Center of road course E.N.E.
- 511.0
- Slaw fence course bears E.& W. 557.0
- 737.0 Intersect sec. line between secs. 34 and 35 at N.0° 02' E. 208.25 ft. from C.C. and S.O 02' W. 5077 75 ft from corbet secs. 25-21-34-35
- Intersect line 7-6 Sur. No. 2595, at S.70° 15' W. 160.4 825.4 ft. from cor. No.7 Whence CorNo/ Eurecka Lode
- b75. S 25°50'E 268,2ft Center of Sama Wash60 ft. wide course E.N.E. 865.0
- To Cor. No.2, identical with location, only a few rocks 1470.1 of the original monument remaining. Set a granite rock 28 x 15 x 8 ins. 16 ins. in ground, chiseled N.W.C.-B.2-2601

#### Whence: -

A cross (x) and B.R.2-2601 chiseled on granite bedrock bears N. 28° 6' W. 80. Oft. 2 3

A cross (x) and B.R.2-2601 chiseled on granite bedrock bears N.70° 08' W.

Thence N. 54° 12' E.

305.5 To Cor. No.3, set a granite rock 30 x 14 x 6 ins. 15 ins. in ground to bedrock, chiseled N.C.E.-B.3-2601

Loc. N. Center end bears N.24° 52' W. 19.0 ft.

A cross (x) and B.R.3-2601 chiseled on

granite bedrock bears S.9° 7' W. 75.4 ft.

No other bearings available

Thence N. 64° 15' E.

163.4 Intersect sec. line between secs. 34 and 35

Whence:-

at N.0° 02' E. 1075.90 ft. from C.C. and

s.0° 02' W. 1564.10 ft. from corbatecs. 36-27-34-35

300.0 To Cor. No.4, identical with location, a pine post 4 ins. sq.

3 ft above ground in mound of stone, scribe N.E.C.-B.4-2601.

Whence:-

- on granite bedrock bears S.37° 13'
  W. 35.95 ft.
- on granite bedrock bears S.32° 28'
  E. 10.80 ft.

Thence S. 230 12' 30" E.

66.0 Monument of stone

400.0 W. end retaining wall 12 ft. high, of old smelter.

580.0 Center of sand wash 60 ft. wide course E.N.E.

615. Fence corner brs. S.66° 47' 30" W. 3.0 ft.

650. Point on fence. Continue on fence to

995. S. E. Corner post of fence (bar bed wire)

1022.0 Monument of stone

1042. Center of road course E.N.E.

1231.95 Intersect 3rd. Std. Parallel South at East 609.25 ft.

from the cor. of secs. 34 and 35 as described by

Deputy Wright in the field notes of the subdivision

of Tp. 15 S. R. 22 E. in the year 1907 and West 2077.05 ft from the 4 cor on S. bay Sec 35.

1455.4 To Cor. No.5. Set a granite rock 24 x 17 x 8 ins. 14 ins.

in the ground, chiseled S.E.C.-B.5-2601

Whence:-

Loc. cor, a mound of stones 3 ft. high 3-1/2 ft. base bears N.54° 12' E.19.3 ft.

A cross (x) and B.R.1-1-1800, to which add 5-2601, chiseled on granite bedrock bears S.28° 17' E. 148.5 ft.

No other bearings available.

## Thence S. 54° 12' W.

107.05 Cor. Nos. 1-1-1800 Hidden Treasure and Cracker Jack Lodes

agramite rock firmly set in The ground

Chiseled a cross Nand 1-1800HT. 1-1800C

262.65 To Cor. No.6, identical with location, a mound of stone

3 ft. high 4 ft. base. Set a granite stone 26 x 14 x

6 ins. 14 ins. in the ground, chiseled S.C.E.-B.6
2601. No other bearings available.

Thence S. 56° 59' W.

104.6 To Cor. No.1, the place of beginning

Variation at all corners 13° 05' E.

### AREA.

Total Area Butter Cup Lode Less area in conflict with

16.376

Acres

Sur.No. 2595 Eureka Lode 1.676

Acres

1.676

Net Area Butter Cup Lode

14.700 ABres

## LOCATION.

This claim is located in the S.E.1/4 of the S.E.1/4 of Sec. 34 and S.W.1/4 of the S.W.1/4 of Sec. 35 Tp.15 S. and N.E.1/4 of the N.E.1/4 Sec.3 Tp.16

S. R. 22 E. G. & S. R. B. & M. in Cochise Mining Pritrict, Cochisels, aryona. The presumed course of the lode is S.24° 52' E. 1500 ft. from N.C.E. (Cor.No.3) to S.C.E. (Cor.No.6)

#### ADJOINING CLAIMS.

On the South:

Cracker Jack and Hidden Treasure lodes Survey No. 1800, Stein & Boerecka claimants.

On the West:

Eureka lode Survey No. 2595, B. F. Halderman claimant.

## Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant or her grantors, is not less than five hundred dollars, and that said improvements consist of:-From Cor. No.3.

No. 1. The discovery shaft 6 x 8 ft. 10 ft.

deep which bears S.20° 47' E. 97 ft. The rein is broad extending tothe lode line Value at \$10 per ft. \$100.00

No. 2. A shaft 5 x 7 ft. 12 ft. deep

which bears S.40° 50' E. 216 ft.

Value at \$10 per ft.

120.00

NO.3. A shaft 4 x 5 ft. inside cribbing 25 ft. deep in decomposed granite bears S.27° 45' E.770 ft.

Value at \$5 per ft.

125.00

Nº4. A shaft 6 x 6 ft. inside cribbing 24 ft. deep to water bears S.44° 55' E. 710 ft.

Value at \$5 per ft. 120.00

NO 5. A shaft 5 x 5 ft. inside cribbing 25 ft. deep to water bears S.40° 10' E. 750 ft.

Value at \$5 per ft. 125.00

From Cor. No.5.

6. A shaft 6 x 8 ft. 10 ft. deep bears N.31° W. 230 ft.

Value at \$10 per ft.

100.00

\$690.00

#### Other Improvements.

From Cor. No. 5.

. A shaft 5 x 7 ft. 10 ft. deep bears N:60° 55' W. 230 ft., claimant unknown.

A house 12 x 48 ft. course of long dimension S.66° W., the S.E.Cor. of which bears

N.23° 32' W. 682 ft.

A barn the S.E. Cor of Which brs. N32.38W 713 ft. Barn approx-imately 18ft N70. EX 12 ft

-56

### INSTRUMENT.

This survey was made with a Young & Sons Mountain transit provided with Smith Solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured

with 50 ft. and 500 ft. steel tapes.

The disagreement bet these field notes and Tombstone, Ariz., those of adjoining surveys

Jan. 23, 1909. The due to errors in the latter.

Togana II al E 250 ac

A short 6 x 8 Mr. 40 Tr. As

Z'S , TO, E' ARO LE'.

Salar deep to mares a me

U. S. Mineral Surveyor.

grame of \$10 Det is

a Laine or do per fat

A chair y x B.ft. thates entheing

. Cospi**ko mater** besra

Value of 15 per ft.

s beers 3.27 Ast E. To

Value of ale Private Privat

Married bears 8.40 For E. 216 Ft.

Volum at 110 par fi.

## FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by John a Rock fellow
United States Mineral Surveyor, to assist in running measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
13 - 0 h
known as the Duttes Eup
and showing the respective capacities in which they acted.
, Chainman.
, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
i de male de mare
We, Themes III tall form IN Viteli
and the fitte the assisted of
Twelfuleww, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Mrs ama Scherrer
known as the Butter Cuk
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Relations, Chainman.
, Chainman.
, Axman.
, Flagman

Subscribed and sworn to by the above-named persons before me this

day of January, 19

My Com. expire mai 14/1911 6-1043

# FINAL OATH OF U.S. MINERAL SURVEYOR.

	I, John a Rockfeelera, U. S. Mineral Surveyor,					
	do solemnly swear that, in pursuance of instructions received from the United States					
	Surveyor General for Christian dated					
	Surveyor General for Congression, dated , I have, in strict conformity to the laws of the					
	United States, the official regulations and instructions thereunder, and the instructions					
	of said Surveyor General, faithfully and correctly executed the survey of the Mining					
	Claim of Mrs anna Scherrer					
	, known as the					
	Butter Cup					
	situate in Coeluse Mining District,					
	County, Terizma in Section					
34	7 3 5 , Township No. 5 5 , Range No. 2 2 E					
	and designated as Survey No. 260/ as represented					
	in the foregoing field notes, which accurately show the boundaries of said mining claim					
	as distinctly marked by monuments on the ground, and described in the attached copy					
	of the location certificate, which was received by me from the Surveyor General with					
	said instructions, and that all the corners of said survey have been established and per-					
	petuated in strict accordance with the law, official regulations and instructions there-					
	under; and I do further solemnly swear that the foregoing are the true and original					
	field notes of said survey and my report therein, and that the labor expended and					
	improvements made upon said mining claim by claimant or her grantors					
	are as therein fully stated, and that the character, extent, location, and itemized value					
	thereof are specified therein with particularity and full detail, and that no portion of					
	said labor or improvements so credited to this claim has been included in the estimate					
	of expenditures upon any other claim.					
	U. S. Mineral Surveyor.	v				
	and the state of John A Rochheller					
	Subscribed and sworn to by the said John A Workfiller U. S. Mineral Surveyor, before me Saml L Rockfiller					
	U. S. Mineral Surveyor, before me Saml I wonty this Iwanty There	0				
	1004					
	Janel L Karpfell	Le				
	Notary Public					
	day of Juny 190/ Same L Roshfell Artury Perblic by Common Expris					
	0-1044 Oct 15 1912					

# Affidavit of Five Hundred Dollars Improvements.

our, James M. Clast and J. M. Pitchie
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Buttle Cuf mining claim,
situate in Cochiae Mining district, Cochisi County,
Arizona Territory, for which Madama Scherrer
ha Smade application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and her grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
fames M. Platt
J. M. Ritchie
County of Leveline \( \) ss:
Sworn to and subscribed before me, this 2/
SEAL GOODS SEAL GOODS OF SAME OF FRANCE 1909
John Rockfuer
Motary Public
My Com. Expires Mar 14 19/1

# Motice of Mining Location

### LODE CLAIM

This Mining Claim, the name		Butter Cup.	
Mining Claim, situate on lands b			n which there
are valuable mineral deposits, wa			
purchase by Mrs. Annie			
Locator must insert either "a citizen of the Uni	ted States," or, "who has declared hi	s intention to become a citizen of t	he United States.")
the undersigned, on the 26th	day of August	1905.	
The length of this claim is	Fifteen hundred		feet,
and I claim 600			
n about northwesterly			
feet in a			
he center of the discovery shaft,			•
vith 300			
side of the center of said claim.			
Northwest			
The claim is situated and lo			
Cochise Co			
westerly			
allel with Patented Mil			
The surface boundaries of the	e claim are marked upon	the ground as follows:	Beginning at
Monument of	e claim are marked upon	the ground as follows:	Beginning at
Monument of	e claim are marked upon	the ground as follows:	Beginning at
Monument of t a point in a northwester	stone.  direction	the ground as follows:	Beginning at  feet from
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence	stone.  ly direction notice is posted), being in 300	600 the center of the Monum	feet from rthwest
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence	stone.  ly direction notice is posted), being in 300	600 the center of the Monum	feet from rthwest
Monument of  t a point in a northwester  he discovery shaft (at which this  and line of said claim; thence, bein	stone.  ly direction  notice is posted), being in  300  g the north	6 00  the center of the Monumer corner of said contents.	feet from rthwest ent of
Monument of  t a point in a northwester  he discovery shaft (at which this  and line of said claim; thence, bein	e claim are marked upon stone.  ly direction notice is posted), being in 300 g the north feet to a monume	600  the center of the No. feet to a monum corner of said ont of stone	feet from rthwest ent of claim; thence being at the
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence  the line of said claim; thence  the being  1500  east cor a monument of stone	ty direction  notice is posted), being in  300  g the north  feet to a monume rner of said claim; thence at the center of t	600  the center of the No. feet to a monum corner of said of the southeast end of the southea	feet from rthwest ent of laim; thence being at the feet of said claim;
Monument of  t a point in a northwester  de discovery shaft (at which this ad line of said claim; thence  te, bein  1500  east cor a monument of stone	ty direction  notice is posted), being in  300  g the north  feet to a monume rner of said claim; thence at the center of t	600  the center of the No. feet to a monum corner of said of the southeast end of the southea	feet from rthwest ent of laim; thence being at the feet of said claim;
Monument of  t a point in a northwester  he discovery shaft (at which this ad line of said claim; thence  he bein  1500  east	tone.  direction  notice is posted), being in  300  g the north  feet to a monume  ner of said claim; thence  at the center of t	600  the center of the Non feet to a monum corner of said of the southeast end of ment of stone ment of stone	feet from rthwest ent of claim; thence being at the feet of said claim; being at the
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence  the line the line thence the line the l	stone.  direction  notice is posted), being in  300  g the north  feet to a monume  rner of said claim; thence  at the center of t	600  a the center of the No. feet to a monum corner of said of att of stone 300 he southeast end of ment of stone ce 1500	feet from rthwest ent of claim; thence being at the feet of said claim; being at the
Monument of  t a point in a northwester  ne discovery shaft (at which this ad line of said claim; thence  te , bein  1500  east	stone.  ly direction  notice is posted), being in  300  g the north  feet to a monume  rner of said claim; thence  at the center of t  feet to a monu  corner of said claim; then  at the wes	600  the center of the Non feet to a monum corner of said of the southeast end of ment of stone cell 1500  the corner of said of ment of stone cell 1500	feet from rthwest ent of laim; thence being at the feet of said claim; being at the
Monument of  t a point in a northwester  the discovery shaft (at which this ad line of said claim; thence  1500  east con a monument of stone  south et to a monument of stone  tence 300	ty direction  notice is posted), being in 300  g the north  feet to a monume  ner of said claim; thence  at the center of the said claim; then  corner of said claim; then  feet to a monume  feet to a monume  feet to the place of	600  a the center of the Non feet to a monum corner of said of at of stone 300 he southeast end of ment of stone ce 1500  at corner of beginning.	feet from rthwest ent of laim; thence being at the feet of said claim; being at the
Monument of  t a point in a northwester  the discovery shaft (at which this ad line of said claim; thence  1500  east  o a monument of stone  nence 300  south  et to a monument of stone  thence 300  All done under the provisions	ty direction  notice is posted), being in 300  g the north  feet to a monume  rner of said claim; thence  at the center of the said claim; then  corner of said claim; then  feet to a monume  f	600  a the center of the No. feet to a monum corner of said of stone and of stone ment of stone cell 1500  at the ground as follows:	feet from rthwest ent of claim; thence being at the feet of said claim; being at the
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence  1500  east  o a monument of stone  south  et to a monument of stone  thence 300  All done under the provisions  the United States, and of an Act	ty direction  notice is posted), being in 300  g the north  feet to a monume  ner of said claim; thence  at the center of the corner of said claim; then  corner of said claim; then  at the wes  feet to the place of sof Chapter Six, of Title  ct of the General Assemble	600  a the center of the None feet to a monum corner of said cent of stone 300  he southeast end cent of stone cent of stone cent of stone corner of said cent of stone cent of stone cent of stone cent of beginning.  XXXII, of the Revised bly of Arizona, entitled	feet from rthwest ent of laim; thence being at the feet of said claim; being at the of said claim;
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence  1500  east cor a monument of stone  thence 300  south  et to a monument of stone  thence 300  All done under the provisions the United States, and of an Actevise and Codify the Laws of the	direction  notice is posted), being in  300  g the north  feet to a monume  rner of said claim; thence  at the center of the  corner of said claim; then  feet to a monume  feet to a monume  for the General Assemble  territory of Arizona," a	600  a the center of the No. feet to a monum corner of said of stone 300  he southeast end of ment of stone ce 1500  t corner of beginning.  XXXII, of the Revised bly of Arizona, entitled pproved March 16, 190	feet from rthwest ent of claim; thence being at the feet of said claim; being at the of said claim;
Monument of  t a point in a northwester  the discovery shaft (at which this and line of said claim; thence  1500  east  o a monument of stone  thence  300  south  et to a monument of stone  thence  300  All done under the provisions the United States, and of an Act	direction  notice is posted), being in  300  g the north  feet to a monume  rner of said claim; thence  at the center of the  corner of said claim; then  feet to a monume  feet to a monume  for the General Assemble  territory of Arizona," a	600  a the center of the No. feet to a monum corner of said of stone 300  he southeast end of ment of stone ce 1500  t corner of beginning.  XXXII, of the Revised bly of Arizona, entitled pproved March 16, 190	feet from rthwest ent of claim; thence being at the feet of said claim; being at the of said claim;
Monument of  t a point in a northwester  he discovery shaft (at which this  nd line of said claim; thence  ne , bein  1500  east , con  o a monument of stone  hence 300  south , eet to a monument of stone  thence 300  All done under the provisions the United States, and of an Activise and Codify the Laws of the  Dated and posted on the gro	direction  notice is posted), being in  300  g the north  feet to a monume  ner of said claim; thence  at the center of the  corner of said claim; then  ecorner of said claim; then  at the wes  feet to the place of  s of Chapter Six, of Title  ct of the General Assemble  e Territory of Arizona," a  bund this 26th da	600  a the center of the No. feet to a monum corner of said of stone 300  he southeast end of ment of stone ce 1500  t corner of beginning.  XXXII, of the Revised bly of Arizona, entitled pproved March 16, 190	feet from rthwest ent of claim; thence being at the feet of said claim; being at the of said claim; thence feet of said claim; being at the 1. 1905
Monument of  the discovery shaft (at which this and line of said claim; thence ne , bein 1500  east , cor o a monument of stone hence 300  south , eet to a monument of stone hence 300  All done under the provisions he United States, and of an Accevise and Codify the Laws of the Dated and posted on the gro	direction  notice is posted), being in  300  g the north  feet to a monume  ner of said claim; thence  at the center of the  corner of said claim; then  ecorner of said claim; then  at the wes  feet to the place of  s of Chapter Six, of Title  ct of the General Assemble  e Territory of Arizona," a  bund this 26th da	600  a the center of the No. feet to a monum corner of said of the stone 300  he southeast end of ment of stone ce 1500  at corner of beginning.  XXXII, of the Revised bly of Arizona, entitled pproved March 16, 190 by of August	feet from rthwest ent of claim; thence being at the feet of said claim; being at the of said claim; thence feet of said claim; being at the 1. 190.5
Monument of  It a point in a northwester  the discovery shaft (at which this and line of said claim; thence  ne	direction  notice is posted), being in  300  g the north  feet to a monume  ner of said claim; thence  at the center of the  corner of said claim; then  ecorner of said claim; then  at the wes  feet to the place of  s of Chapter Six, of Title  ct of the General Assemble  e Territory of Arizona," a  bund this 26th da	600  a the center of the No. feet to a monum corner of said of the stone 300  he southeast end of ment of stone ce 1500  at corner of beginning.  XXXII, of the Revised by of Arizona, entitled pproved March 16, 190 by of August  e Scherrer	feet from rthwest ent of claim; thence being at the feet of said claim; being at the of said claim;  Lettutes on "An Act to 1. 1905.

Territory of Arizona, SS.

I, C.A.McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the original location notice of the Butter Cup mining Claim, situated in the Cochise Mining District, filed for record in my office on the 4th day of November A.D. 1905 and recorded in Book 35, Records of Mines at Page 81, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 14th day of October, A.D. 1908.

Camedonald County Recorder.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,							
June 10,, 190_9							
I, U. S. Surveyor-General for District of Arizona.							
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey							
of the mining claim of							
MRS. ANN A SCHERRER							
known as the BUTTER CUP							
situate in COCHISE							
Mining District, COCHISE County, ARIZONA  34 & 35 in SectionS 3, Township No. 16 S., Range No. 22 E., and							
designated as Survey No. 2601 , has been correctly copied from the originals on file in							
this office; that said Field Notes furnish such an accurate description of said mining claim as will, it							
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein							
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.							
And I further certify that five hundred dollars' worth of labor has been expended or improve-							
ments made upon said mining claim by claimant or her grantors, and that said improvements consist of 6 shafts, total value \$690.00							
consist of o shares, cocar varue posses							
and that no portion of said labor or improvements has been included in the estimate of expenditures							
upon any other claim.							
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,							
Arizona. is correct and in conformity with the foregoing Field Notes.							
Frank S. Ingalls,							
United States Surveyor-General for Arizona.							


# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES: AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U. S. Surveyor-General,

	Ph	noenix, Arizona,	
		June 10,	, 1909.
I, U. S. Surveyo	or-General for District of Ar	izona	
do hereby certify that	t the foregoing and hereto attached Field	Notes and Return of the	Survey of the
Mining Claim of-	MRS. ANNA SCI	HERRER	
		·	
		·,	known as the
	BUTTER CUP		
situate in	COCHISE	М	ining District,
COCHISE	County,	ARIZONA	
34 & 35 in Section S 3	15 S., 16 S.,	, Range No. 22	E.
	esignated as Survey No. 2601		
executed by	John A. Rockfellow	, U. S. Do	eputy Mineral
	Dec. 2-3,		
	, 190_8, have been		
	nations made, and the said Field Notes and		
	A true copy of the copy of the location		
survey is included in t			PP
	Jan.	A A Ingas	els
			zona.
21811b3m2-06			

Scale 200



## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

## NOTICE OF CANCELLATION OF MINERAL SURVEY

The Butter Cup lode, M.S. 2601, located in sections 34 and 35, Township 15 South, Range 22 East, and section 3, Township 16 South, Range 22 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona\_State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769 (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat shall be noted as follows:

"Butter Cup lode, M.S. 2601, was canceled December 6, 2017, by memo 9605 (956) M.S. 2601, which is now a part of the original field notes."

December 5, 2017

Date

Chief Cadastral Surveyor of Arizona