

**M
S
-**

0

2

6

0

4

4-683.

MINERAL SURVEY No. 2604.

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

INSPIRATION COPPER COMPANY.

KNOWN AS THE

EUREKA, WILLIARD, OSCEOLA, JENNIE, BASIL, SPRING, MOSSYHILL, ARIZONA, GHOST, and CHALCOCITE LODES. GLOBE Mining District,

GILA County, ARIZONA.

In Unsurveyed ^{Sec. 25} T. 1 N., R. 14 E., G. & S. R. B. and M. and in Section 30, Township 1 N., Range 15 E., G. & S. R. B. & M. Within Crook Nat'l. Forest Reserve.

Surveyed under instructions dated Nov. 10, 1911.

by Frank Anderson U. S. Mineral Surveyor.

Claim located See location notices, 1911

Survey commenced December 11, 1911.

Survey completed December 22, 1911.

6-822

Address of Claimants Attorney, E. W. Rice, Globe, Arizona.

Curtis H. Lindley,

Mills Building,

San Francisco, Cal.

MINERAL SURVEY NO. 2604

14

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Pg.
Arizona	17	34	8
Basil	9	32	5
Chalcocite	21	35	10
Eureka	1	28	1
Ghost	18	35	9
Jennie	7	31	4
Mosseyhill	13	34	7
Osceola	5	30	3
Spring	11	33	6
Williard	3	29	2

NAME OF LOCATION.	DATE OF LOCATION.
Eureka,	April 27, 1905.
Williard,	January 1, 1903.
Osceola,	January 1, 1903.
Jennie,	April 15, 1908.
Basil,	November 30, 1908, Am'd.
Spring,	July 25, 1896.
Mossy Hill,	August 1, 1907, Am'd.
Arizona,	September 21, 1904.
Ghost,	October 23, 1911, Am'd.
Chalcocite,	October 23, 1911. Am'd.

SURVEY NO, 2604,

EUREKA DIST.

Feet.

Beginning at Cor. No. 1,

On line 2-3, Chalcocite lode, this survey.

Identical with Cor. No. 7, Mossy Hill lode, this survey.

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 1-2604-E and 7-2604-M.H. designated by punch marks in quadrants facing the respective lodes; whence,

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. & S.R.B. and M. bears N. 11° 04' E. 268.1 ft.

No bearing objects available.

Thence N. 83° 44' W.

- 10.0 Road, bearing northerly and southeasterly.
- 50.0 Gulch, draining southerly.
- 250.0 Road, bearing northerly and southerly.
- 301.4 South End Center location corner.
- 380.0 Road, bearing northerly and southerly.
- 517.4 Intersect line 1-2, Williard lode, this survey, at 544.3 ft. from Cor. No. 1.
- 584.5 Cor. No. 6, Mossy Hill lode, this survey, on line; also, Intersect line 2-3, Williard lode, this survey, at 58.7 ft. from Cor. No. 2.
- 601.1 To Cor. No. 2,
 - Identical with Cor. No. 1, Arizona lode, this survey.
 - A sawed pine post, 4 ins. square, 5 ft. long, set 18 ins. in the ground, in mound of earth and stone, scribed 2-2604-E. and 1-2604-A., whence,
 - An oak tree, 7 ins. in diameter, blazed and scribed 1-2-2604-B.T. bears N. 34° 33' W. 55.0 ft.

Thence N. 1° 11' W.

- 20.7 Intersect line 2-3, Williard lode, this survey, at 86.9 ft. from Cor. No. 2.

EUREKA LODE.

FEET.

- 978.3 Intersect line 4-1, Williard lode, this survey, at 714.2 ft. from Cor. No. 1.
 981.5 Intersect line 4-1, Osceola lode, this survey, at 318.1 ft. from Cor. No. 4.
 1157.7 Intersect line 1-2, Sur. No. 2373, Captain lode at
 N. 56°00' W. 75.9 ft. from Cor. No. 1.
 1348.8 Intersect line 3-4, Osceola lode, this survey, at 173.4 ft. from Cor. No. 4,
 and 86.3 ft. from its intersection with line 1-4 Sur. No. 2373, Captain lode.
 1499.8 To Cor. No. 3,

Identical with Cor. No. 4, Sur. No. 2510, Agent lode,
 Which post I removed and destroyed, and in its place,
 an iron pipe, 3 ins. in diameter, 4 ft. long, with iron
 cap, was set 18 ins. in the ground, in cement base; said
 cap is divided into quadrants by two lines sawed in same
 and the figures and letters 3-2604-E. and 4-2510-A. de-
 signated by punch marks in the quadrants facing the re-
 spective lodes.

Cor. No. 3 Survey No. 2510, Agent lode, brs. S. 69°
 06' E. 551.6 ft., the intersection of line 3-4 said
 Agent lode with line 4-1 Survey No. 2373, Captain lode,
 is 94.4 ft. distant. No bearings available.
 Thence S. 83° 44' E.

- 90.0 Intersect line 4-1, Sur. No. 2373, Captain lode at N. 2°58' E
 375.2 ft. from Cor. No. 1, and 23.9 ft. from its intersection with line 3-4 Sur. No. 2510,
 Agent lode.
 299.7 North End Center location corner, whence the discovery
 bears S. 1° 11' E. 153.0 ft.
 470.0 Gulch, draining southerly.
 504.0 Intersect line 2-3, Sur. No. 2507, Red Rock lode at
 N. 56°02' W. 2.7 ft. from Cor. No. 2.
 507.0 Intersect line 1-2, Sur. No. 2507, Red Rock lode at
 N. 30°33' E. 1.4 ft. from cor. No. 2.
 574.4 Intersect line 2-3, Sur. No. 2510, Agent lode at N. 22°34' E.
 145.2 ft. from Cor. No. 3; also,
 Intersect line 4-1, Sur. No. 2559, St. Johns No. 2 lode
 at N. 22°34' E. 156.6 ft. from Cor. No. 4.
 599.7 To Cor. No. 4,

An iron pipe, 3 ins. diameter, 4 ft. long, with iron
 cap, set 18 ins. in the ground, in cement base; said

EUREKA LODGE.

Feet. cap is divided into quadrants by two lines sawed in same, and the figures and letter 4-2604-E. designated by punch marks in quadrant facing this lode; whence,

Cor. No. 2, Sur. No. 2507, Red Rock lode bears N.84°31'W. 93.3 ft.

Cor. No. 4, Sur. No. 2559, St. Johns No. 2 lode bears S.31°00'W. 165.5 ft.

No bearing objects available.

Thence S.1°14'E.

160.0 Cor. No. 3, Chalcocite lode, this survey, on line; also, intersect line 3-4, Sur. No. 2559, St. Johns No. 2 lode at S.78°25'E. 90.5 ft. from Cor. No. 4.

1500.0 To Cor. No. 1,
The place of beginning.

WILLIARD LODGE.

Beginning at Cor. No. 1,

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 1-2604-W. designated by punch marks in the quadrant facing this lode; whence,

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. & S. R. B. and M. bears S.45°59'E. 315.9 ft.

No bearing objects available

Thence S.38°28'W.

170.0 Road, bearing northerly and southwesterly.

294.9 South ^{East} End Center location corner, whence the discovery

WILLIARD LODE.

Feet. bears N.37°16' W. 608.5 ft.

320.0 Road, bearing northeasterly and southwesterly.

395.0 Road, bearing northeasterly and southerly.

544.3 Intersect lines I-2 and 6-7, Eureka and Mossy Hill lodes, respectively, of this survey, 83.7 and 67.1 ft. from Cor. 2 & 6 respectively.

594.9 To Cor. No. 2,

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 2-2604-W. designated by punch marks in quadrant, facing this lode; whence,

An oak tree, 8 ins. diameter, blazed and scribed 2-2604-B.T. bears N.55°25' W. 24.3 ft.

Thence N.36°54' W.

58.7 Cor. No. 6, Mossy Hill lode, this survey, on line; also,

Intersect line I-2, Eureka lode, this survey, 584.5 ft. from Cor. No. 1.

86.9 Intersect line 2-3, Eureka lode, this survey, 20.7 ft. from Cor. No. 2.

295.0 Gulch, draining southeasterly.

355.7 Cor. No. 1, Spring lode, this survey, on line.

554.5 Cor. No. 5, Mossy Hill lode, this survey, on line.

1381.4 Intersect line I-2, Osceola lode, this survey, 706.4 ft. from Cor. No. 1

1499.8 To Cor. No. 3,

On line 4-1, Spring lode, this survey.

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 3-2604-W. designated by punch marks in quadrant facing this lode;

No bearing objects available.

Thence N.38°28' E.

30.0 Gulch, draining southeasterly.

WILLIARD LODE.

feet.

290.0 Northwest End Center location corner.

457.7 Intersect line 1-2, Sur. No. 2373, Captain lode at
S.56°00'E. 781.7 ft. from Cor. No. 2.

559.0 To Cor. No. 4,

On line 3-4, Osceola lode, this survey.

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 4-2604-W. designated by punch marks in the quadrant facing this lode.

No bearing objects available.

Thence S.38°14'E.

298.3 Intersect line 1-2, Sur. No. 2373, Captain lode at
S.56°00'E. 1072.9 ft. from Cor No.2.

775.0 Intersect line 4-1, Osceola lode, this survey, 280.5 ft. from Cor. No. 1.

776.8 Intersect line 2-3, Eureka lode, this survey, 978.3 ft. from Cor. No. 2.

1100.0 Road, bearing northerly and southerly.

1491.0 To Cor. No. 1,

The place of beginning.

OSCEOLA LODE.

Beginning at Cor. No. 1,

A sawed pine post, 4 ins. square, extending 2 ft. above the ground, firmly set in mound of earth and stone, scribed 1-2604 and Osc. is painted upon same, ~~which is the post set in the original survey;~~ whence,

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. bears S.56°18'E. 960.7 ft.

No bearing objects available.

SURVEY NO. 2604

OSCEOLA LODE.

Feet.

Thence N. 62° 35' W.

- 385.0 Gulch, draining southeasterly.
- 706.4 Intersect lines 2-3 and 4-1, Williard and Spring lodes, respectively, of this survey, 118.4 and 474.3 ft. from Cor. 3 & 4.
- 1500.0 To Cor. No. 2,

On line 4-1, Jennie lode, this survey.
 A sawed pine post, 4 ins. square, extending 2 ft. above the ground, firmly set in mound of earth and stone and scribed 2-2604 and Osc. is painted upon post, ~~which was set in the original survey;~~ whence,

A pine tree, 14 ins. in diameter, blazed and scribed 2-2604-B.T. bears N. 51° 46' W. 66.2 ft.

Thence N. 27° 24' E.

- 3.2 Intersect line 3-4, Spring lode, this survey, 418.2 ft. from Cor. No. 4
- 300.0 West End Center location, corner.
- 355.0 Gulch, draining southeasterly.
- 539.4 Center of Jennie Shaft, on line.
- 600.0 To Cor. No. 3,

Identical with Cor No. 2, Sur. No. 2373, Captain lode and with Cor. No. 4, Jennie lode, this survey,

Which post I removed and destroyed, and in its place, an iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, was set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 3-2604-O., 4-2604-J., and 2-2373-C, designated by punch marks in the quadrants facing the respective lodes. Cor. No. 1 said Captain lode brs. S. 56° 00' E. 1501.1 ft.

No bearing objects available.

Thence S. 62° 35' E.

- 794.0 Cor. No. 4, Williard lode, this survey, on line.

SURVEY NO. 2604

OSCEOLA LODE.

Feet.

1326.6 Intersect line 2-3, Eureka lode, this survey, 1343.8 ft. from Cor. No. 2.

1412.9 Intersect line 4-1, Sur. No. 2373 Captain lode at N.2°58'E. 189.1 ft. from Cor. No 1.

1500.0 To Cor. No. 4;

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 4-2604-0 designated by punch marks in quadrant facing this lode; whence,

Cor. No. 3, Eureka lode, this survey, identical with Cor. No. 4, Sur. No. 2510, Agent lode, bears N.33°41'W. 283.3 ft.

No bearing objects available.

Thence S.27°24'W.

300.0 East End Center location corner, whence the discovery bears N.62°35'W. 450.6 ft.

318.1 Intersect line 2-3, Eureka lode, this survey, 981.5 ft. from Cor. No. 2.

319.5 Intersect line 4-1, Williard lode, this survey, 775 ft. from Cor. No. 4.

600.0 To Cor. No. 1, the place of beginning.

JENNIE LODE.

Beginning at Cor. No. 1,

A sawed pine post, 4 ins. square, extending 2 ft. above the ground, firmly set, in mound of earth and stones and scribed 1-2604-J.L. and is painted green, which is the post set in the original survey; whence,

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. bears S.60°15'E. 2457.0 ft.

A pine tree, 14 ins. in diameter, blazed and scribed

SURVEY NO. 2604

JENNIE LODE.

Feet.

1-2604-B.T. bears N.47°45'W. 67.3 ft.

Thence N.87°41'W.

60.0 South End Center location corner, whence the discovery
bears N.6°00'E. 458.5 ft.

106.0 To Cor. NO.2,

On line 3-4, Spring lode, this survey, 96.3 ft. from Cor. No. 3,
also

On line 1-2, Sur. No. 2656, Sunset lode at N.0°23'W.

47.3 ft. from Cor. No.2.

An iron pipe, 3 ins. diameter, 4 ft. long, with iron
cap, set 18 ins. in the ground, in cement base; said
cap is divided into quadrants by two lines sawed in stone
and the figures and letter 2-2604-J. designated by punch
marks in the quadrant facing this lode; whence,

An oak tree, 10 ins. diameter, blazed and scribed
2-2604-B.T. bears N.86°59'E. 7.0 ft.

Thence N.0°23'W.

548.2 To Cor. No.3,

On line 1-2, Sur. No. 2656, Sunset lode.

A sawed pine post, 4 ins. square, extending 2 ft. above
the ground, firmly set in mound of earth and stones and
scribed 3-2604-J.L. and painted green, ~~which is the post
set in the original survey.~~

No near bearing objects available.

Thence S. 37°41'E.

91.5 North End Center location corner.

154.0 Gulch, draining southeasterly.

SURVEY NO. 2604

JENNIE LODE.

Feet.

388.3 To Cor. No. 4,

Identical with Cor. No. 2, Sur. No. 2373, Captain lode and with Cor. No. 3, Osceola lode, this survey, heretofore described.

Cor. No. 4, Sur. No. 2656, Joe Bush lode, identical with Cor. No. 4, Sur. No. 2379, Joe Bush lode, bears N. 37° 22' W. 0.8 ft.

Thence S. 27° 24' W.

60.6 Center of Jennie Shaft, on line.

245.0 Gulch, draining southeasterly.

596.8 Intersect line 3-4, Spring lode, this survey, 206 ft. from Cor. No. 3

600.0 Cor. No. 2, Osceola lode, this survey, on line.

604.8 To Cor. No. 1,

The place of beginning.

BASIL LODE.

Beginning at Cor. No. 1,

On line 2-3, Spring lode, this survey.

Identical with Cor. No. 4, Sur. No. 2629, South Sun lode.

A sawed pine post, 4 ins. square, extending 2 ft. above the ground, firmly set in mound of earth and stone scribed 4-2629-S.S., and which I scribed 1-2604-B.; whence

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T. 1 N., R. 15 E., G., and S. R. B. and M. bears S. 69° 12' E. 2113.3 ft.

An oak tree, 8 ins. diameter, blazed and scribed 1-2604-B.T. bears S. 80° 51' E. 25.3 ft.

Thence N. 69° 38' W.

225.0 Gulch, draining southeasterly.

BASIL LODE.

Feet.
 1076.1 Intersect line 1-2, Sur. No. 2656, Monte Christo Copper
 lode at S. 6° 31' E. 211.6 ft. from Cor. No. 1, and 132.2 ft. from
 its intersection with line 2-3, Sur. No. 2656, Sunset lode.
 1151.4 To Cor. No. 2,
 On line 3-4, Sur. No. 2629, South Sun lode.
 A sawed pine post, 4 by 6 ins., 4 ft. long, set 18
 ins. in the ground, in mound of earth and stone and
 scribed 2-2604-B.; whence,
 No bearing objects available.

Thence N. 37° 22' W.

89.0 West End Center location corner.
 152.3 Intersect line 2-3, Sur. No. 2656, Sunset lode at N. 83°
 57' W. 913.7 ft. from Cor. No. 2, and 148.9 ft. from its intersection
 with line 1-2, Sur. No. 2656 Monte Christo Copper lode.
 165.9 To Cor. No. 3,
 A sawed pine post, 4 by 6 ins., 4 ft. long, set 18
 ins. in the ground, in mound of earth and stone and
 scribed 3-2604-B.; whence,
 Cor. No. 1, Sur. No. 2656, Monte Christo Copper lode
 bears N. 70° 25' E. 156.4 ft.
 No bearing objects available.

Thence S. 85° 41' E.

155.1 Intersect line 1-2, Sur. No. 2656, Monte Christo Copper
 lode at S. 6° 31' E. 64.4 ft. from Cor. No. 1.
 822.8 To Cor. No. 4,
 Identical with Cor. No. 3, Spring lode, this survey.
 A sawed pine post, 4 ins. square, 4 ft. long, set 18
 ins. in the ground, in mound of earth and stone and
 scribed 4-2604-B. and 3-2604-S.; whence,
 An oak tree, 5 ins. diameter, blazed and scribed
 3-4-2604-B.T. bears N. 52° 28' W. 5.9 ft.

BASIL LODE.

Feet.

Thence S.37°22'E.

- 47.5 Intersect line 2-3, Sur. No. 2656, Sunset lode at
N.83°57'W. 68.1 ft. from Cor No.2.
- 90.0 Gulch, draining southerly.
- 209.8 East End Center location corner, whence the discovery
bears N.79°28'W. 146.3 ft.
- 592.4 To Cor. No. 1,
The place of beginning.

SPRING LODE.

Beginning at Cor. No. 1,

On lines 2-3 and 5-6, Williard and Mossy Hill lodes,
this survey, respectively.

A sawed pine post, 4 ins. square, 4 ft. long, set
18 ins. in the ground, in mound of earth and stone
scribed 1-2604-S.; whence,

The 1/4 Sec. Cor. on the west side of Sec.30, on the
west boundary of T.1 N., R.15 E., G. and S. E. B. and M.
bears S.87°18'E. 811.7 ft.

An oak tree, 8 ins. diameter, blazed and scribed
1-2604-B.T. bears S.71°20'E. 5.4 ft.

Thence S.88°32'W.

- 310.0 South End Center location corner, whence the discovery
bears N.36°34'W. 183.4 ft.

609.1 To Cor. No. 2,

On line 4-1, Sur. No. 2629, Nettie lode.

Identical with Cor. No.4, Mossy hill lode, this survey.

A sawed pine post, 4 ins. square, 4 ft. long, set 18
ins. in the ground, in mound of earth and stone, and
scribed 2-2604-S. and 4-2604-M.H.

187
2

SPRING LODGE.

Feet.

No bearing objects available..

Thence N.37°22'W.

- 117.8 Cor. Nos. 1-4, Sur. No. 2629 South Sun and Nettie lodes, respectively, on line.
- 916.2 Cor. No. 4, Sur. No. 2629, South Sun lode, identical with Cor. No. 1, Basil lode, this survey, on line .
- 1418.6 Gulch, draining southerly.
- 1461.1 Intersect line 2-3, Sur. No. 2656 Sunset lode, at N.83°57'W. 68.1 ft. from Cor. No. 2.
- 1508.6 To Cor. No. 3,
Identical with Cor. No. 4, Basil lode, this survey, heretofore described.

Thence N. 88°32'E.

- 50.0 Gulch, draining southerly.
- 96.3 Cor. No. 2, Jennie lode, this survey, on line; also, Intersect line 1-2, Sur. No. 2656, Sunset lode at N.0°23'W. 47.3 ft. from Cor. No. 2.
- 206.0 Intersect lines 2-3 and 4-1, Osceola and Jennie lodes, respectively, of this survey, at 3.2 ft. and 8 ft. from Cors. 2-1.
- 325.0 North End Center location corner.
- 624.2 To Cor. No. 4,
An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 4-2604-S. designated by punch marks in quadrant facing this lode; whence,
A pine tree, 6 ins. in diameter, blazed and scribed 4-2604-B.T. bears N.9°05'E. 28.7 ft.

SPRING LODGE.

Feet.

Thence S.36°54'E.

- 355.9 Cor. No. 3, Williard lode, this survey, on line.
- 474.3 Intersect line 1-2, Osceola lode, this survey, 793.6 ft. from Cor. No. 2.
- 1301.2 Cor. No. 5, Mossy Hill lode, this survey, on line.
- 1500.0 To Cor. No. 1, the place of beginning.

MOSSY HILL LODE.

Beginning at Cor. No. 1,

On line 2-3, Chalcocite lode, this survey: also,

On line 1-2, Sur. No. 2564, Nellie Bly lode at S.51° 07'E. 87.1 ft. from Cor. No. 1.

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 1-2604-M.H. designated by punch marks in the quadrant facing this lode; whence,

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. bears N.7°48'E. 368.3 ft.

No bearing objects available.

The S.E. corner of the location bears N.70°22'E. 120.0 ft., a stake in a mound of stones.

Thence S.70°22'W.

- 60.0 Gulch, draining southerly.
- 220.4 South End Center location corner; whence the discovery bears N.35°18'W. 731.5 ft.
- 565.1 To Cor. No. 2,
 - On line 1-2, Arizona lode, this survey; 359.2 ft. from Cor. No. 1
 - Also On line 4-1, Sur. No. 2564, Nellie Bly lode at S.62° 14'W. 524.9 ft. from Cor. No. 1.
 - Identical with the S. W. corner of the location, in wide gulch, draining southeasterly.

MOSSY HILL LODE.

Feet.

A sawed pine post, 4 ins. square, 4 ft. long, set 18 ins. in the ground, in mound of earth and stone, scribed 2-2604-M.H.; whence,

An oak tree, 12 ins. in diameter, blazed and scribed 2-2604-B.T. bears N.84°44'W. 22.1 ft.

Thence N.63°01'W.

435.0 Gulch, draining southeasterly.

735.3 To Cor. No. 3,

On line 4-1, Arizona lode, this survey, 588.1 ft. from Cor. No. 1, also

On line 4-1, Sur. No. 2629, Nettie lode at N.37°22'W. 281.1 ft. from Cor. No. 1.

A sawed pine post, 4 ins. square, 4 ft. long, set 18 ins. in the ground, in mound of earth and stone, scribed 3-2604-M.H.; whence,

An oak tree, 10 ins. in diameter, blazed and scribed 3-2604-B.T. bears N.68°25'E. 45.3 ft.

Thence N.37°22'W.

301.1 To Cor. No. 4,

On line 4-1, Sur. No. 2629, Nettie lode.

Identical with Cor. No. 2, Spring lode, this survey, heretofore described.

The N.W. corner of the location bears S.70°22'W. 180 ft., a stake in a mound of stone.

Thence N.70°22'E.

204.5 North End Center location corner.

519.7 To Cor. No. 5,

Identical with the N.E. corner of the location.

SURVEY NO. 2604.

MOSSY HILL LODE.

Feet.

On lines 2-3 and 4-1, Williard and Spring lodes, this survey, respectively.

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 5-2604-M.H. designated in the quadrant facing this lode; whence,

An oak tree, 5 ins. in diameter, blazed and scribed 5-2604-B.T. bears S.21°36'W. 3.7 ft.

Thence S.36°54'E.

198.8 Cor. No.1, Spring lode, this survey, on line.

259.5 Gulch, draining southeasterly.

467.6 Intersect line 2-3, Eureka lode, this survey, 20.7 ft. from Cor. No.

495.8 To Cor. No. 6,

On line 1-2, Eureka lode, this survey; 16.6 ft. from Cor. No. 2.

On line 2-3, Williard lode, this survey, 58.7 ft. from Cor. No. 2

A sawed pine post, 4 x 4 ins., 4 ft. long; set 18 ins. in the ground, in mound of stones, scribed 6-2604-M.H.; whence,

An oak tree, 10 ins. in diameter, blazed and scribed 6-2604-B.T. bears S.25°49'E. 34.7 ft.

Thence S.83°44'E.

67.1 Intersect line 1-2, Williard lode, this survey, 50.6 ft. from Cor. No.

204.5 Road, bearing northerly and southerly.

334.5 Road, bearing northerly and southerly.

534.5 Gulch, draining southerly.

574.5 Road, bearing northerly and southeasterly.

584.5 To Cor. No. 7,

On line 2-3, Chalcocite lode, this survey.

Identical with Cor. No. 1, Eureka lode, this survey, heretofore described.

SURVEY NO. 2604.

MOSSY HILL LODE.

Feet.

Thence S.1°14'E.

69.3 Road, bearing northerly and southeasterly.

97.3 To Cor. No. 1,

The place of beginning.

ARIZONA LODE.

Beginning at Cor. No. 1,

Identical with Cor. No. 2, Eureka lode, this survey, heretofore described.

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1' N., R.15 E., G. and S.R.B. and M. bears N.73°04'E. 678.4 ft.

Thence S.10°49'E.

300.0 East End Center location corner, whence the discovery bears S.88°10'W. 586.0 ft.

359.2 Cor. No. 2, Mossy Hill lode, this survey, on line, in Gulch, draining southeasterly; also, Intersect line 4-1, Sur. No. 2564, Nellie Bly lode at S.62°14'W. 524.9 ft. from Cor. No.1.

585.6 To Cor. No. 2,

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 2-2604-A. designated by punch marks in the quadrant facing this lode; whence,

An oak tree, 6 ins. in diameter, blazed and scribed 2-2604-B.T. bears N.53°25'E. 28.4 ft.

SURVEY NO. 2604.

ARIZONA LODE.

Feet.

Thence S. 87°39'W.

- 504.5 Intersect line 4-1, Sur. No. 2564, Nellie Bly lode at S. 62°14'W. 1046.6 ft. from Cor. No. 1; also, Intersect line 1-2, Ghost lode, this survey, 32.2 ft. from Cor. No. 1, 474 ft. from its intersection with line 2-3, Sur. No. 2805, Viola Keystone lode.
- 506.0 Intersect line 3-4, Sur. No. 2805, Viola Keystone lode at S. 64°00'E. 419.8 ft. from Cor. No. 3,
- 615.0 Gulch, draining northeasterly.
- 891.3 Intersect line 2-3, Sur. No. 2805, Viola Keystone lode at S. 2°18'W. 200.0 ft. from Cor. No. 3.
- 894.1 Intersect line 3-4, Sur. No. 2805, Verde lode at S. 76°10'E. 509.3 ft. from Cor. No. 3, and 474 ft. from its intersection with line 4-1, Sur. No. 2565, Eastern Star lode.
- 1141.8 Intersect line 2-3, Ghost lode, this survey, 298.7 ft. from Cor. No. 2.
- 1343.4 Intersect line 4-1, Sur. No. 2565, Eastern Star lode at S. 4°54'E. 498.2 ft. from Cor. No. 4, and 132.2 ft. from its intersection with line 3-4, Sur. No. 2805, Verde lode.
- 1394.8 Intersect line 2-3, Sur. No. 2805, Verde lode at S. 2°18'W. 142.4 ft. from Cor. No. 3.
- 1486.3 To Cor. No. 3,

An iron pipe, 3 ins. diameter, 4 ft. long, with iron cap, set 13 ins. in the ground in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 3-2604-A. designated by punch marks in the quadrant facing this lode; whence,

Cor. No. 3, Sur. No. 2805, Verde lode bears N. 33°38'E. 175.4 ft.

Cor. No. 4, Sur. No. 2565, Eastern Star lode bears N. 11°17'E. 512.1 ft.

No bearing objects available.

Thence N. 10°49'W.

- 275.0 Gulch, draining westerly.
- 299.3 West End Center location corner.
- 346.3 Intersect line 2-3, Ghost lode; this survey, 822.2 ft. from Cor. No. 2.
- 450.0 Gulch, draining southeasterly.

SURVEY NO. 2604.

ARIZONA LODE.

Feet.
496.4 Intersect line, 3-4, Sur. No. 2565 Eastern Star. lode
at S.85°41' W. 194.0 ft. from Cor. No. 4.

598.5 To Cor. No. 4,

An iron pipe, 3 ins in diameter, 4 ft long, with iron cap, set 18 ins. in the ground in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 4-2604-A. designated by punch marks in the quadrant facing this lode;

No bearing objects available.

Thence N.88°08'E.

436.0 Intersect line 1-2, Sur. No. 2629, Nettie lode at
N.71°49'W. 667.8 ft. from Cor. No.1; also,

Intersect line 4-1, Ghost lode, this survey, 877.9 ft. from Cor. No.1.

740.0 Gulch, draining southeasterly.

900.2 Cor. No. 3, Mossy Hill lode, this survey, on line; also,
Intersect line 4-1, Sur. No. 2629, Nettie lode at
N.37°22'W. 281.1 ft. from Cor. No.1.

1460.0 Gulch, draining southeasterly.

1488.3 To Cor. No. 1,

The place of beginning.

GHOST LODE.

Beginning at Cor. No.1,

On line 4-1, Sur. No. 2564, Nellie Bly lode.

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 1-2604-G. designated

GHOST LODGE.

Feet.

by punch marks in the quadrant facing this lode; whence

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. bears N.52°31'E. 1278.9 ft.

Cor. No. 3, Sur. No. 2805, Viola Keystone lode bears N.67°25'W. 441.1 ft.

An oak stump, 10 ins. in diameter, 6 ft. high, blazed and scribed 1-2604-B.T. bears N.77°05'E. 12.9 ft.

Thence S.62°14'W.

32.2 Intersect line 2-3, Arizona lode, this survey, 504.5 ft. from Cor. No. 2

32.6 Intersect line 3-4, Sur. No. 2805, Viola Keystone lode at S.64°00'E. 421.0 ft. from Cor. No. 3.

244.6 East End Center location corner.

290.0 Gulch, draining northeasterly.

478.2 Intersect line 2-3, Sur. No. 2805, Viola Keystone lode at S. 2°18'W. 392.3 ft. from Cor. No. 3; also, Intersect line 4-1, Sur. No. 2805, Verde lode at S. 2°18'W. 191.7 ft. from Cor. No. 4.

487.8 To Cor. No. 2,

Identical with Cor. No. 4, Sur. No. 2564, Nellie Bly lode,

which post I removed and destroyed, and in its place an iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, was set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 1-2604-G. and 4-2564-N.B. designated by punch marks in the quadrants facing the respective lodes.

No bearing objects available.

GHOST LODGE.

Feet.

Thence N.51°27'W.

- 298.7 Intersect line 2-3, Arizona lode, this survey, 1141.8 ft. from Cor. No. 2
 340.0 Gulch, draining northeasterly.
 463.9 Intersect line 3-4, Sur. No. 2805, Verde lode at
 N.76°10'W. 390.2 ft. from Cor. No. 4.
 576.2 Intersect line 4-1, Sur. No. 2565, Eastern Star lode
 at S. 4°54'E. 316.4 ft. from Cor. No. 4.
 720.0 Gulch, draining easterly.
 822.2 Intersect line 3-4, Arizona lode, this survey, 252.2 ft. from Cor. No. 4,
 1041.3 Intersect line 3-4, Sur. No. 2565, Eastern Star lode
 at S.85°41'W. 337.6 ft. from Cor. No. 4; also,
 Intersect line 4-1, Sur. No. 2565, Lone Star lode at
 S. 4°54'E. 673.5 ft. from Cor. No. 4.
 1362.5 To Cor. No. 3,

A sawed pine post, 4 ins. square, 4 ft. long, set 18
 ins. in the ground, in mound of earth and stone, scribed
 3-2604-G.; whence,

Cor. No. 3, Arizona lode, this survey, bears S.35°
 46'E. 834.4 ft.

Cor. No. 4, Sur. No. 2565, Lone Star lode bears
 N.22°21'E. 509.1 ft.

Cor. No. 4, Sur. No. 2565, Eastern Star lode bears
 S.73°27'E. 613.3 ft.

A pine tree, 10 ins. in diameter, blazed and scribed
 3-2604-B.T. bears S.48°56'E. 79.4 ft.

Thence N.62°14'E.

- 243.2 West End Center location corner, whence the Discovery
 bears S.51°27'E. 234.2 ft.
 253.1 Intersect line 4-1, Sur. No. 2565, Lone Star lode at
 S. 4°54'E. 354.3 ft. from Cor. No. 4; also,

GHOST LODGE.

Feet.

Intersect line 1-2, Sur. No. 2629, Nettie lode at
N.71°49'W. 1285.2 ft. from Cor. No. 1.

280.0 Gulch, draining easterly.

487.8 To Cor. No. 4,

A sawed pine post, 4 ins. square, 4 ft. long, set 18
ins. in the ground, in mound of earth and stone, scribed
4-2604-G.; whence,

An oak tree, 8 ins. in diameter, blazed and scribed
4-2604-B.T. bears N.77°09'E. 55.2 ft.

Thence S.51°27'E.

95.0 Gulch, draining easterly.

484.6 Intersect line 1-2, Sur. No. 2629, Nettie lode at

N.71°49'W. 667.8 ft. from Cor. No. 1; also,

Intersect line 4-1, Arizona lode, this survey, 436 ft. from Cor. No. 4.

775.0 Gulch, draining northeasterly.

1135.0 Gulch, draining northeasterly.

1285.0 Gulch, draining northeasterly.

1362.5 To Cor. No. 1,

The place of beginning.

CHALCOCITE LODGE.

Beginning at Cor. No. 1,

Identical with the S.E. corner of the location.

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron
cap, set 18 ins. in the ground, in cement base; said cap
is divided into quadrants by two lines sawed in same and
the figures and letter 1-2604-C. designated by punch
marks in the quadrant facing this lode; whence,

The 1/4 Sec. Cor. on the west boundary of Sec. 30,

CHALCOCITE LODGE.

Feet.

on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. bears N. 3°57'W. 439.5 ft.

No bearing objects available.

Thence N.78°25'W.

33.5 Intersect Section line at S. 0°20'W. 431.7 ft. from the.

1/4 Sec. Cor. on the west side of Sec. 30, on the west

boundary of T.1 N., R.15 E., G. and S.R.B. and M., & N.0° 20'E. 2183.5 ft. from Cor. to Secs. 25, 30, 31 and 36.

52.5 South End Center location corner.

80.0 To Cor. No. 2,

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 2-2604-C. designated by punch marks in quadrant facing this lode; whence,

The S.W. corner of the location bears S. 1°14'E. 15^{1.5} ft.

No bearing objects available.

Thence N. 1°14'W.

62.0 To Cor. No. 1, Mossy Hill lode, this survey, on line; also

Intersect line 1-2, Sur. No. 2564, Nellie Bly lode at

S.51°07'E. 87.1 ft. from Cor. No.1.

90.0 Road, bearing northerly and southeasterly.

159.3 Cor. Nos. 1 and 7, Eureka and Mossy Hill lodes, this survey, respectively, on line.

1499.3 To Cor. No. 3,

On line 4-1, Eureka lode, this survey; also,

On line 3-4, Sur. No. 2559, St. Johns No.2 lode at

S.78°25'E. 90.5 ft. from Cor. No. 4.

Identical with the N.W. corner of the location.

CHALCOCITE LODE.

Feet.

An iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letter 3-2604-C. designated by punch marks in the quadrant facing this lode; whence,

No bearing objects available.

Thence S. 73° 25' E.

26.5 North End Center location corner, whence the discovery bears S. 1° 16' E. 29.7 ft.

80.0 To Cor. No. 4,

Identical with the N.E. corner of the location.

On line 3-4, Sur. No. 2559, St. Johns No. 2 lode; also

On Section line at N. 0° 07' W. 1060.7 ft. from the 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T. 1 N., R. 15 E., G. and S. R. B. and M., and S. 0° 07' E. 1572.5 ft. from Cor. to Secs. 19, 24, 25 and 30.

An iron pipe, 2.5 ins. in diameter, extending 3 ft. above the ground, set in cement. This pipe was established by the Miami Copper Co. to mark their boundaries, and is a permanent monument, which I did not feel at liberty to molest. As I could not set another pipe without tearing up the cement base and pipe, I designated said pipe 4-2604-C. by punch marks on the side of pipe facing this lode.

No bearing objects available.

Thence S. 1° 14' E.

1470.0 Road, bearing northwesterly and southeasterly.

1485.3 Intersect line 1-2, Sur. No. 2564, Nellie Bly lode at S. 51° 07' E. 189.1 ft. from Cor. No. 1.

1499.3 To Cor. No. 1,

The place of Beginning.

SURVEY NO. 2604.

Variation at all corners is $13^{\circ}45'$ East.

 LODGE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Eureka lode, N. $1^{\circ}11'W$. 153.0 ft. and S. $1^{\circ}11'E$.
 1346.8 ft.

Williard lode, N. $37^{\circ}16'W$. 888.8 ft. and S. $37^{\circ}16'E$.
 608.5 ft. ✓

Osceola lode, N. $62^{\circ}35'W$. 1049.4 ft. and S. $62^{\circ}35'E$.
 450.6 ft. ✓

Jennie lode, N. $3^{\circ}55'W$. 90.6 ft. and S. $6^{\circ}00'W$.
 458.5 ft.

Basil lode, N. $79^{\circ}28'W$. 770.3 ft. and S. $79^{\circ}28'E$.
 146.3 ft.

Spring lode, N. $36^{\circ}34'W$. 1310.4 ft. and S. $36^{\circ}34'E$.
 183.4 ft. ✓

Mossy Hill lode, N. $50^{\circ}15'W$. 331.0 ft. and S. $66^{\circ}18'E$.
 781.5 ft. ✓

Arizona lode, N. $88^{\circ}10'E$. 586.0 ft. and S. $88^{\circ}10'W$.
 902.4 ft. ✓

Ghost lode, N. $51^{\circ}27'W$. 234.2 ft. and S. $51^{\circ}27'E$. 1128.3 ✓
 ft.

Chalcocite lode, N. $1^{\circ}16'W$. 29.7 ft. and S. $1^{\circ}16'E$.
 1469.8 ft.

SURVEY NO. 2604.

AREA.

Total area, Eureka lode -----20.498 Acs. ✓

Area in conflict with:

Sur. No. 2373, Captain lode ----- 0.631 " ✓

Sur. No. 2507, Red Rock lode----- 0.000+ " ✓

Sur. No. 2510, Agent lode ----- 0.919 " ✓

Sur. No. 2510, Agent lode exclusive of its
(.000+ Acres)
conflict, with Sur. No. 2507 Red Rock lode- 0.919- " ✓

Sur. No. 2510 Agent lode exclusive of its
(.025 Acres)
conflict, with Sur. No. 2373 Captain lode--- 0.894 " ✓

Sur. No. 2510, Agent lode exclusive of its
conflicts with Sur. No. 2373 Captain lode
and Sur. No. 2507 Red Rock lode ----- 0.894- " ✓

Sur. No. 2559, St. Johns No. 2 lode -----0.205 " ✓

Williard lode of this survey ----- 5.271 " ✓

Osceola lode of this survey ----- 0.633 " ✓

Osceola lode of this survey exclusive of
(.303 Acres)
its conflict, with Sur. No. 2373, Captain
lode ----- 0.330 " ✓

Total area, Williard lode -----19.219 Acs. ✓

Area in conflict with:

Sur. No. 2373, Captain lode ----- 0.305 " ✓

Osceola lode of this survey ----- 7.874 " ✓

Osceola lode of this survey exclusive of
(.305 Acres)
its conflict, with Sur. No. 2373 Captain
lode ----- 7.569 " ✓

Total area, Osceola lode -----20.661 Acs. ✓

Area in conflict with:

Sur. No. 2373, Captain lode ----- 2.791 " ✓

Spring lode of this survey ----- 1.884 " ✓

SURVEY NO. 2604.

Total area, Jennie lode ----- 3.107 Acs. ✓

Area in conflict with:

Spring lode of this survey ----- 0.009 " ✓

Total area, Basil lode ----- 5.349 Acs. ✓

Area in conflict with:

Sur. No. 2656, Sunset lode ----- 0.431 " ✓

Sur. No. 2656, Monte Christo Copper lode ---- 0.334 " ✓

Sur. No. 2656, Monte Christo Copper lode ex-
(0.43 Acres)
clusive of its conflict, with Sur. No. 2656

Sunset lode ----- 0.291 " ✓

Total area, Spring lode ----- 17.302 Acs. ✓

Area in conflict with:

Sur. No. 2656, Sunset lode ----- 0.079 " ✓

Total area, Mossy Hill lode ----- 9.863 Acs.

Area in conflict with:

Sur. No. 2564, Nellie Bly lode ----- 0.482 Acs. ✓

Williard lode of this survey ----- 0.033 " ✓

Spring lode of this survey ----- 1.132 " ✓

Eureka lode of this survey ----- 0.004 " ✓

Arizona lode of this survey ----- 2.395 " ✓

Total area, Arizona lode ----- 19.982 Acs. ✓

Area in conflict with:

Sur. No. 2564, Nellie Bly lode ----- 1.297 " ✓

Sur. No. 2565, Eastern Star lode ----- 1.915 " ✓

Sur. No. 2629, Nettie lode ----- 1.219 " ✓

SURVEY NO. 2604.

Sur. No. 2805, Verde lode -----	0.816	Ac.	✓
Sur. No. 2805, Verde lode exclusive of its (135 Acres) conflict with Sur. No. 2565, Eastern Star lode -----	0.681	"	✓
Sur. No. 2805, Viola Keystone lode -----	0.883	"	✓
Total area, Ghost lode -----	13.973	Ac.	✓
Area in conflict with:			
Sur. No. 2565, Lone Star lode -----	0.855	"	✓
Sur. No. 2565, Eastern Star lode -----	1.226	"	✓
Sur. No. 2629, Nettie lode -----	1.195	"	✓
Sur. No. 2805, Verde lode -----	0.883	"	✓
Sur. No. 2805, Viola Keysyone lode -----	1.737	"	✓
Arizona lode of this survey -----	8.536	"	✓
Arizona lode of this survey exclusive of its (980 Acres) conflict with Sur. No. 2565, Eastern Star lode -----	7.556	"	✓
Arizona lode of this survey exclusive of its (308 Acres) conflict with Sur. No. 2805, Verde lode -----	8.228	"	✓
Arizona lode of this survey exclusive of its (883 Acres) conflict with Sur. No. 2805, Viola Keystone lode -----	7.653	"	✓
Arizona lode of this survey exclusive of its conflicts with Sur. No. 2565, Eastern Star lode and Sur. No. 2805, Verde and Viola Key- stone lodes -----	6.365	"	✓
Total area, Chalcocite lode -----	2.684	Ac.	✓
Area in conflict with:			
Sur. No. 2564, Nellie Bly lode -----	0.068	"	✓

SURVEY NO. 2604.

The survey of the Eureka, Williard, Osceola, Jennie, and Arizona lodes of this location are identical with the corners of their locations as staked upon the ground. The survey of the Basil, ^{Spring} and Ghost lodes of this location are identical with the corners of their respective amended locations as staked upon the ground.

Location.

This survey is located in the N.W.1/4 and S.W.1/4 of Sec. 30, T.1 N., R.15 E., G. and S.R.B. and M. and in Sec. 25 Unsurveyed T.1 N., R.14 E., G. and S.R.B. and M, Globe Mining District, Gila County, Arizona; within the Crook National Forest Reserve.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars for the Eureka, Williard, Osceola, Jennie, Spring, and Arizona locations, but is less than five hundred dollars for the Basil, Mossy Hill, Ghost, and Chalcocite locations, supplementary returns of the remainder of the five hundred dollars improvements to be returned upon the completion of same, and said improvements consist of:-

EUREKA LODE.

- No.1. Discovery shaft, 4.5 X 7.5 X 10 ft. deep, in wash and broken up rock; the center of which, being the discovery point, is on the lode line at S.1°11'E. 153.0 ft. from the North End Center.

Value of shaft, \$70.00

SURVEY NO. 2604.

No.2. The Sullivan Shaft and level from same, both well timbered and in solid rock; the center of the middle compartment of Sullivan Shaft, 489.3 ft. deep, bears S.37°55'E. 374.7 ft. from Cor. No.3. Sullivan Shaft is three compartments, 20x6.5 ft., for the first 30 ft., then two compartments, 12.5 x 6.5 ft., for the remaining 459.3 ft. From a point 475.0 ft. down Sullivan Shaft, a level, 4 x 6 ft., 486.6 ft. long, runs thence N.33°31'E. 35.4 ft. to a point; thence N.81°32'E. 308.2 ft. to point "A"; thence N.10°44'E. 79.0 ft. to face. From point "A", a branch of level continues S.61°30'E. 64.0 ft. to face.

Value of shaft and level, . . \$36,140.00

Note: Said value includes \$475.00 for the cost of pumping water during the development work and \$1260.00 for the gallows frame.

The lower part of the Sullivan Shaft and the level from same are now submerged with water, so I was unable to survey same. These data of the cost, depth, length, and size of the Sullivan Shaft and level from same, were given me by the claimants; from records of the surveys and cost sheets in their possession, and which I believe to be correct and unquestionable.

No.3. A tunnel and open cut, in solid rock; center of face of cut, averaging 4.5 ft. wide and 7.0 ft. deep, bears S.23°46'W. 684.9 ft. from Cor. No.4, and runs thence S.79°45'E. 32.0 ft. to mouth, where cut breaks ground. At face of cut, tunnel, 4 x 6 ft., breaks cover and runs thence N.79°45'W. 29.0 ft. to face.

Value of tunnel and open cut, . . \$325.00

WILLIARD CLAIM.

No.1. Discovery tunnel and open cut, in solid rock; center of face of cut, averaging 5 x 5 ft. deep, bears N.30°07'E. 5.3 ft. from the discovery point, and cut runs
which is N.37°16'W. 608.5 ft. from the S.E.E.C.

SURVEY NO. 2604.

thence S.30°07'W. 14.0 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., breaks cover and runs thence N.30°07'E. 20.5 ft. to face.

Value of tunnel and open cut, ... \$100.00

No.2. Shaft, 4 x 6x40 ft. deep, timbered and in solid rock; the center of which bears N.23°12'W. 562.0 ft. from Cor. No.2.

Value of shaft, \$500.00

OSCEOLA TUNNEL.

No.1. Discovery point, where notice of location is posted, marked by a post, standing in mound of stone, is on mineralized outcrop of rock in place and bears N.62°35'W. 450.6 ft. from the East End Center.

No.2. A tunnel, drift and raise from same, and open cut, all in solid rock; center of face of cut, averaging 5 ft. wide and 5 ft. deep, bears N.32°54'W. 527.1 ft. from Cor. No.1, and cut runs thence S.0°09'E. 35.0 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., 168.5 ft. long, breaks cover and runs thence N.0°09'W. 72.7 ft. to point "A"; thence N.41°30'W. 60.3 ft. to point "B"; and thence N.63°08'W. 35.5 ft. to face.

From point "A", a drift 4 x 6 x 29.5 ft. long, runs thence N.0°09'W. 31.5 ft. to face.

At a point N.63°08'W. 31.0 ft. from point "B", is a vertical raise, 4 x 6 ft. in cross-section, top of which is 12.0 ft. above floor of drift.

Value of cut, tunnel, drift and raise, ... \$1700.00

No.3. A tunnel and open cut, all in solid rock; center of face of cut, averaging 4 ft. wide and 3.5 ft. deep, bears N.79°31'W. 634.4 ft. from Cor. No.4, and cut runs thence S.3°32'E. 26.0 ft. to mouth, where it breaks ground.

SURVEY NO. 2604.

At face of cut, tunnel, 3.5 x 4 ft., breaks cover and runs thence N.3° 32'W. 3.0 ft. to face.

Value of tunnel and open cut, \$50.00

No.4. Shaft, 4.x 5.5 ft, 6 ft. deep, in solid rock; center of which bears N.82° 25'W. 592.8 ft. from Cor. No.4.

Value of shaft, \$30.00

No.5. Shaft, 4 x 6 ft., in solid rock; center of which bears N.38° 25'W. 480.6 ft. from Cor. No.1. Shaft is at least 120.0 ft. deep, but I was unable to get its exact depth.

Value of shaft, at least \$1500.00

No.6. Shaft, 4.5 x 7 x 9 ft. deep, in solid rock; center of which bears N.89° 13'W. 519.3 ft. from Cor. No.4.

Value of shaft, \$75.00

No.7. Shaft, 4.5 x 5 x 5 ft. deep, in solid rock; center of which bears N.37° 24'W. 502.2 ft. from Cor. No. 4.

Value of shaft, \$25.00

No.8. Shaft, 7 x 10 x 11 ft. deep, in solid rock; center of which bears N.89° 58'W. 539.0 ft. from Cor. No.4.

Value of shaft, \$175.00

Note:

An undivided one-half interest in Improvement No. 2, Jennie lode, this survey, is credited to this lode.

Value of Jennie Shaft, \$2140.00

Value of one-half interest, \$1070.00

JENNIE LODE.

No.1. Discovery cut, averaging 4 ft. wide and 4 ft. deep, in wash and solid rock; the center of face of which,

SURVEY NO. 2604.

being the discovery point, is on the lode line at S. 3° 55' E. 90.6 ft. from the North End Center and cut runs thence N. 43° 00' E. 13.0 ft. to mouth, where it breaks ground.

Value of cut, \$25.00

No. 2. Jennie Shaft, 4 x 6 x 125.5 ft. deep, well timbered and in solid rock; center of which bears S. 27° 24' W. 60.6 ft. from Cor. No. 4.

Value of Jennie Shaft, \$2140.00

Value of one-half interest, \$1070.00

An undivided one-half interest in this shaft is credited to the Jennie and Osceola lodes, this survey.

This shaft is situated on both the Jennie and Osceola lodes, this survey, and consequently tends to their development.

BASIL LODE.

No. 1. Discovery tunnel with cut approach thereto, rock; all in solid rock; center of mouth of cut, where it breaks ground, being the discovery point, is on the lode line at N. 79° 28' W. 146.3 ft. from the East End Center. From mouth, cut, averaging 4 ft. wide and 4.5 ft. deep, runs S. 84° 27' W. 13.0 ft. to face. From mouth, tunnel, 4 x 6 ft., runs S. 84° 27' W. 22.5 ft. to face.

Value of tunnel and cut, \$200.00

Note: Five hundred dollars improvements not completed on this lode at time of survey.

SURVEY NO. 2604.

SPRING LODGE.

- No.1. Discovery tunnel and open cut, all in solid rock; the center of face of cut, which is mouth of tunnel, where it breaks cover, being the discovery point, is on the lode line at N.36°34'W. 183.4 ft. from the South End center. From face, cut, averaging 5 ft. wide and 5 ft. deep, runs S.47°17'E. 24.5 ft. to mouth, where it breaks ground. From mouth, tunnel, 3.5 x 5 ft., runs N.54°17'W. 11.5 ft. to face.
- Value of tunnel and open cut, . . . \$100.00
- No.2. Cut, averaging 7 ft. wide and 4 ft. deep, in solid rock; the center of northerly end of which bears S.38°23'E. 35.8 ft. from the discovery point and cut runs thence S. 24°33'W. 40.5 ft. to the southerly end.
- Value of cut, \$80.00
- No.3. A tunnel and open cut, in solid rock; the center of face of cut, averaging 5 ft. wide and 4.5 ft. deep, bears S. 33°30'E. 452.6 ft. from Cor. No. 4. and cut runs thence N.45°41'E. 9.0 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., breaks cover and runs thence S.45°41'W. 36.5 ft. to face.
- Value of cut and tunnel, \$300.00
- No.4. Shaft, 4 x 6 x 15 ft. deep, in solid rock; the center of which bears S.55°27'E. 199.3 ft. from Cor. No.3.
- Value of shaft, \$120.00
- No.5. Tunnel and open cut, in solid rock; the center of face of cut, averaging 4 ft. wide by 5.5 ft. deep, bears S.46°46'E. 360.4 ft. from Cor. No.3 and cut runs thence N.41°28'W. 21.5 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., breaks cover and runs thence S.41°28'E. 10.0 ft. to face.
- Value of tunnel and cut, \$100.00

SURVEY NO. 2604.

MOSSY HILL LODE.

No.1. Discovery shaft, 5 x 7 x 11 ft. deep, in solid rock the center of which, being the discovery point, is on the lode line at S.50°15'E. 331.0 ft. from the North End Center.

Value of shaft, \$90.00

No.2. Shaft, 4 x 6 ft., 14 ft. deep, in solid rock; the center of which bears S.20°56'E. 261.2 ft. from Cor. No.

5. Value of shaft, \$110.00

Note:- Five hundred dollars improvements not completed on this lode at time of survey.

ARIZONA LODE.

No.1. Discovery shaft, 4 x 6 x 14 ft. deep, in solid rock; the center of which, being the discovery, is on the lode line at S.88°10'W. 586.0 ft. from the East End Center.

Value of shaft, \$110.00

No.2. A tunnel and open cut; the center of face of cut, averaging 6 ft. wide and 5.5 ft. deep, bears S.56°17'W. 453.6 ft. from Cor. No. 1 and cut runs thence N.28°04'E. 19.0 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., breaks cover and runs thence S.28°04'W. 77.6 ft. to face. Tunnel is in solid rock and cut is one-half in wash and one-half in solid rock.

Value of tunnel and cut, \$700.00

SURVEY NO. 2604.

GHOST LODGE.

No.1. Discovery shaft, 4 x 7 x 10 ft. deep, in wash and broken up rock; the center of which, being the discovery point, is on the lode line at S.51°27'E. 234.2 ft. from the North End Center.

Value of shaft, \$65.00

No.2. Shaft, 4 x 6.5 x 14 ft. deep, mostly in solid rock; the center of which bears S.11°04'W. 234.4 ft. from Cor. No.4.

Value of shaft, \$110.00

No.3. Shaft, 4 x 7 x 10 ft. deep, in rock; the center of which bears N.42°17'E. 172.6 ft. from Cor. No.2.

Value of shaft, \$75.00

Note: Five hundred dollars improvements not completed on this lode at time of survey.

CHALCOCITE LODE.

No.1. Discovery shaft, 4 x 7 x 28.0 ft. deep, in solid rock; the center of which, being the discovery point, is on the lode line at S.1°16'E. 29.7 ft. from the West End Center.

Value of shaft, \$280.00

Note: Five hundred dollars improvements not completed on this lode at time of survey.

SURVEY NO. 2604.

OTHER IMPROVEMENTS.

A tunnel and open cut; the center of face of cut, averaging 5 ft. wide and 6 ft. deep, bears S.46°50'E. 325.8 ft. from Cor. No. 4, Ghost lode, this survey, and cut runs thence N.80°45'E. 20.0 ft. to mouth, where it breaks ground. At face of cut, tunnel, 4 x 6 ft., 31.0 ft. long, breaks cover and runs thence S.80°45'W. 15.0 ft. to a point; thence S.41°45'W. 16.0 ft. to face. This tunnel and cut was applied on Sur. No. 2629, Nettie lode.

INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian, as determined by direct solar observations; the details of which are returned herein. The distances were measured with two 300-ft. steel tapes.

REPORT.

The discrepancies between the location of the Jennie lode as of record and as staked on the ground, are due to errors in the former.

The 1/4 Sec. Cor. on the west side of Sec. 30, on the west boundary of T.1 N., R.15 E., G. and S.R.B. and M. is a granite stone, 1.2 ft. by 2.5 ft., extending 0.5 ft. above the ground, and is marked 1/4 S. and x on top of same. A small mound of stones alongside.

Sur. No. 2373, Captain lode.

Cors. Nos. 1 and 4 are pine posts, properly set and scribed with the number of the corner and the survey.

Cor. No. 2, identical with Cor. Nos. 3 and 4, Osceola and Jennie lodes, this survey, was a sawed pine post, 4 ins. square, extending 2 ft. above the ground, firmly set in mound of earth and stones, scribed 2-2373, 3-2604-Osc., and 4-2604-J.L., but which was removed and destroy-

SURVEY NO. 2604.

ed by me and in its place I set an iron pipe, which has been previously described.

Sur. No. 2379, Joe Bush lode.

Cor. No. 4, identical with Cor. No.4, Sur. No. 2656, Joe Bush lode, was a sawed pine post, 4 ins. square, extending 2.5 ft. above the ground, firmly set in mound of earth and stones, scribed 4-2379 and 4-2656-J.B., but which was removed and destroyed by me, at the request of claimants, as said post is so near Cor. Nos. 3 and 4, Osceola and Jennie lodes, this survey, identical with Cor. No. 2, Sur. No.2373, Captain lode. In its place, an iron pipe, 3 ins. in diameter, 4 ft. long, with iron cap, was set 18 ins. in the ground, in cement base; said cap is divided into quadrants by two lines sawed in same and the figures and letters 4-2379 and 4-2656-J.B. designated by punch marks in the quadrant facing the respective lodes.

Sur. No. 2507, Red Rock lode.

Cor. No.2 is a sawed pine post, properly set and scribed with the number of the corner and the survey.

Sur. No. 2510, Agent lode.

Cor. No.3 is a sawed pine post, properly set and scribed with the number of the corner and the survey.

Cor. No. 4, identical with Cor. No. 3, Eureka lode, this survey, was a sawed pine post, 4 ins. square, extending 2.5 ft. above the ground, firmly set in mound of earth and stone, scribed 4-2510-Agt. and 3-2604-E.L., but which was removed and destroyed by me and in its place I set an iron pipe, which has been previously described.

SURVEY NO. 2604.

Sur. No. 2559, St. Johns No. 2 lode.

Cor. No. 4 is a sawed pine post, properly set and scribed with the number of the corner and the survey.

Sur. No. 2564, Nellie Bly lode.

Cors. Nos. 1 and 2 are sawed pine posts, properly set and scribed with the number of the corner and the survey.

Cor. No. 4, identical with Cor. No. 2, Ghost lode, this survey, was a sawed pine post, 4 ins. square, extending 2.5 ft. above the ground, firmly set in mound of earth and stones, scribed 4-2564-N.B., but which was removed and destroyed by me and in its place I set an iron pipe, which has been previously described.

Sur. No. 2565, Eastern Star and Lone Star lodes.

Cors. Nos. 4 and 1, Eastern Star lode and Cors. Nos. 1 and 4, Lone Star lode are sawed pine posts, properly set and scribed with the number of the corner and the survey.

Sur. No. 2629, Nettie and South Sun lodes.

All the corners are sawed pine posts, properly set and scribed with the number of the corner and the survey.

Sur. No. 2656, Joe Bush, Sunset, and Monte Christo Copper lodes.

Cor. No. 4, Joe Bush lode, identical with Cor. No. 4, Sur. No. 2379, Joe Bush lode, previously described.

Cors. Nos. 1 and 2, Sunset lode and Cors. Nos. 1 and 2, Monte Christo Copper lode are sawed pine posts, properly set and scribed with the number of the corner

SURVEY NO. 2604.

Sur. No. 2805, Verde and Viola Keystone lodes.

Cors. Nos. 3 and 4, Verde lode and Cors. Nos. 3 and 4, Viola Keystone lode are sawed pine posts, properly set and scribed with the number of the corner and the survey.

ERRORS.

I find line 1-2, Captain lode, Sur. No. 2373 to be N.56°00'W. 1501.1 ft. instead of N.55°58'W. 1501.1 ft.

Line 3-4, Agent lode, Sur. No. 2510 to be N.69°06'W. 551.6 ft. instead of N.69°02'W. 551.6 ft.

Line 1-2, Nellie Bly lode, Sur. No. 2564 to be S.51°07'E. instead of S.51°03'E.

Line 4-1, Nellie Bly lode, Sur. No. 2564 to be N.62°14'E. 1502.2 ft. instead of N.62°22'E. 1502.2 ft.

Line 1-2, Nettie lode, Sur. No. 2629 to be N.71°49'W. instead of N.71°46'W.

Line 4-1, Nettie lode, Sur. No. 2629 to be S.37°22'E. 700.0 ft. instead of S.37°20'E. 700.0 ft.

Line 3-4, South Sun lode, Sur. No. 2629 to be S.69°38'E. 1501.2 ft. instead of S.69°38'E. 1500.0 ft.

Line 4-1, South Sun lode, Sur. No. 2629 to be S.37°22'E. 798.4 ft. instead of S. 37°20'E. 800.0 ft.

NOTE: The surrounding claims on the north are, Sur. No. 2373, Captain lode, Sur. No. 2379, Joe Bush lode, Sur. No. 2507, Red Rock lode, Sur. No. 2510, Agent lode, Sur. No. 2559, St. Johns No.2 lode, and Sur. No. 2558, Sunset and Joe Bush lodes; on the south are Sur. No. 2564, Nellie Bly lode, and Sur. No. 2805, Verde and Viola Keystone lodes; on the west are Sur. No. 2555, Lone Star and Eastern Star lodes, Sur. No. 2629, Nettie

SURVEY NO. 2604.

and South Sun lodes, and Sur. No. 2656, Monte Christo Copper lode.

Surs. Nos. 2379, 2629, and 2656 belong to the Inspiration Copper Co.; Surs. Nos. 2373, 2507, 2510, and 2559 belong to the Miami Copper Co.;

Survey No. 2564, Nellie Bly lode belongs to the Inspiration Consolidated Copper Company.

Survey No. 2565, Lone Star and Eastern Star lodes belong to the Keystone Mining Company and also to the Berray - Hunt - Dunn group of claims; the two interests having divided the claims between them.

Survey No. 2805, Verde and Viola Keystone lodes belong to the Berray - Hunt - Dunn group of claims.

DETERMINATION OF MERIDIAN.

The true meridian to which all courses herein given are referred, was determined by an observation on the sun, taken from Cor. No.4, Williard lode, this survey, on December 13,1911 at 9:00 A.M., Mountain Standard Time.

Observed altitude of sun 15° 53'
 Refraction correction 03'
 True altitude of sun 15° 50'
 Latitude N.33° 24'
 Declination. S.23° 07'

From this data, the true course to sun is calculated to be S.47°29'E., from which I turn Left 15°08' along line 3-4, Osceola lode, this survey, determining its true course to be S.62°35'E.

The latitude was determined by an observation made in survey of Sur. No. 2639, Bull Dog, Louis, Bull Pup, and Colorado No.2 lodes, and the notes of the determination thereof accompany the field notes of said survey.

FD

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Frank Anderson
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

Inspiration Copper Company
known as the Eureka, Williard, Osceola, Jennie, Basil, Spring
Mossy Hill, Arizona, Ghost, & Chalcocite lodes
and showing the respective capacities in which they acted.

- Jo McKenzie , Chairman.
- L. A. McGee , Chairman.
- Chris Harold , ~~Assistant~~ Flagman.
- , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Jo McKenzie, L. A. McGee and Chris Harold
and _____, do solemnly swear that we assisted Frank
Anderson _____, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Inspiration Copper Company
known as the Eureka, Williard, Osceola, Jennie, Basil, Spring,
~~known as the~~ Mossy Hill, Arizona, Ghost & Chalcocite lodes
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

- Jo McKenzie , Chairman.
- L. A. McGee , Chairman.
- Chris Harold , ~~Assistant~~ Flagman.
- , Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of December _____, 1914.

R. C. Pease
Notary Public in and
for Sala County, Ariz.

My Commission Expires June 27, 1914.



FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Frank Anderson, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated November 10, 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Inspiration Copper Company known as the Eureka, Williard, Osceola, Jennie, Basil, Spring, Massy Hill, Arizona, Ghost and Chaleocite lodes, situate in Globe Mining District, Gila County, Arizona, unsurveyed Sec. 25, T. 1 N. R. 14 E and in in Section 30, Township No. 1 N., Range No. 15 E. S. & S. R. B & M and designated as Survey No. 2604, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Frank Anderson
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Frank Anderson

U. S. Deputy Mineral Surveyor, before me L. C. Pearse
a Notary Public in and for Gila County, Ariz. this Twenty-second
day of December, 1911.

L. C. Pearse
Notary Public



My Commission Expires June 27, 1914

Chalcocite lode.

No.2, 67.5 ft. of cut and tunnel, 5.5 x 7.5 ft., the center of the portal of which bears N.05°-32' E. 142.6 ft. from a point on line 2-3, 159.3 ft. from Cor. No.2, and which extends thence N.00°-30' E. 51.5 ft. to face, and S.00°-30' W. 16.0 ft. to mouth. Value \$375.00.

Mossyhill lode.

No.3, 65.5 ft. of cut and tunnel, 5.5 x 7.0 ft., the center of the mouth of which bears N.63°-19' W. 288.5 ft. from Cor. No.6, and which extends thence N.85°-50' W. to face. Value \$375.00.

Ghost lode.

No.4, 57 ft. of cut and tunnel, 5 x 7 ft., the center of the mouth of which bears S.15°-44' E., 206.6 ft. from Cor. No.4, and which extends thence S.10°-45' E. to face. Value \$300.00.

Edwin T. Stewart
U.S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart,
U.S. Mineral Surveyor, before me this 13th day of April,
A.D. 1912.

L. M. Crookner
Notary Public.

(My commission expires December 12, 1912.)

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Eureka Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Daniel Sullivan a citizen of the United States, the undersigned, on the 27th day of April 1905.

The length of this claim is Fifteen Hundred feet, and I claim Two Hundred feet, in a Northerly direction and Thirteen hundred feet, in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premise is from the Northerly to the Southerly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about seven miles in a westerly direction from the Town of Globe and joins the Osceola mining claim on the west.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a Northerly direction Two Hundred feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence Easterly 300 feet to a Monument, being the North east corner of said claim; thence Southerly 1500 feet to a Monument, being at the South East corner of said claim; thence Westerly 300 feet to a Monument at the center of the South end of said claim; thence westerly 300 feet to a monument, being at the South West corner of said claim; thence Northerly 1500 feet to a monument at the north west corner of said claim; thence Easterly 300 feet to the place of beginning,


All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 27th day of April 1905.

Daniel Sullivan

Filed and recorded at the request of L.L.Henry on the 24th day of July, A.D.1905, at 20 minutes past 11 o'clock A.M.

W.D.Fisk, County Recorder.



TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "EUREKA" Mining Claim,

as the same appears of record in my office in Book 10, Records of Mines,

at page 417; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 25th day of

July A. D. 1905.

E. T. Stewart

County Recorder, Gila County, A. T.

Post

APR 15 1912

REPORT OF EXPENDITURE UPON MINING CLAIM, FILED BY
U.S. MINERAL SURVEYOR AFTER RETURN OF SURVEY.

I, E.T. Stewart, U.S. Mineral Surveyor, do solemnly swear that in pursuance of instructions received from the United States Surveyor General for Arizona, dated the 1st day of March, 1912, and supplemented by further instructions dated the 29th day of March, 1912, I have made a personal and thorough examination upon the premises, to ascertain the value of the improvements made by the Inspiration Copper Company upon the Basil, Chalcocite, Mossy Hill and Ghost lodes, situate in the Globe Mining District, Gila County, Arizona, in the unsurveyed T.1 N., R. 14 E., and in Section 30, T.1 N., R.15 E., G. & S.R.E. & M., and designated as Survey No. 2304, subsequent to the survey thereof by Frank Anderson, United States Mineral Surveyor. That the value of the labor expended and improvements so made are as fully stated herein; that the character, extent, location and itemized value of said improvements are herein specified with particularity and full detail, and that no portion of said labor or improvements, so credited to these claims, have been included in the estimate of expenditures upon any other claim, and that said improvements are as follows, to-wit:

Basil

No. 1, the discovery, 85 ft. of cut and tunnel, 4.5 x 6.0 ft., the portal of which is on the lode line N. 79°-28' W. 146.3 ft. from the E.E.C., and which extends thence S. 84°-27' W. 72 ft. to face and N. 84°-27' E. 13.0 ft. to mouth. Value \$575.00.

This is the same improvement reported as No. 1 in the original returns of survey but which has been extended to its present length.

Chalcocite Lode.

No. 2, 67.5 ft. of cut and tunnel, 5.5 x 7.5 ft., the center of the portal of which bears N.05°-32' E. 142.6 ft. from a point on line 2-3, 159.3 ft. from Cor. No. 2, and which extends thence N.00°-30' E. 51.5 ft. to face, and S.00°-30' W. 16.0 ft. to mouth. Value \$375.00.

Mossyhill Lode.

No. 3, 65.5 ft. of cut and tunnel, 5.5 x 7.0 ft., the center of the mouth of which bears N.63°-19' W. 288.5 ft. from Cor. No. 6, and which extends thence N.85°-50' W. to face. Value \$375.00.

Ghost Lode.

No. 4, 57 ft. of cut and tunnel, 5 x 7 ft., the center of the mouth of which bears S.15°-44' E., 206.6 ft. from Cor. No. 4, and which extends thence S.10°-45' E. to face. Value \$300.00.

Edwin T. Stewart
U.S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart,
U.S. Mineral Surveyor, before me this 13th day of April,
A.D. 1912.

L. M. Crocker
Notary Public.

(My commission expires December 12, 1912.)

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN, that the Williard Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by George Goodwin & Kenneth Clayton citizens of the United States on this First day of January 1903, has been located for mining purposes. Said claim is 1,500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode deposit or premises, is North & South.

This claim is situated in Globe Mining District Gila County Territory of Arizona, about seven miles in a Westerly direction from The town of Globe and one and one half mile south westerly from the Black Warrior Mine, and was formerly the Wedge claim.

This claim is bounded and marked as follows, to-wit: Beginning at the North center end post or monument, being 750 feet Northerly of the center of discovery shaft, upon which the notice is posted; thence 300 feet in a Easterly direction to a post or monument; thence 750 feet in a Southerly direction to a post or monument at the center of the East side line of claim; thence 750 feet in a Southerly direction to a post or monument; thence 300 feet in a Westerly direction to a post or monument, being the center end post or monument of South end of said claim and 750 feet South from the center of discovery shaft; thence 300 feet in a West-erly direction to a post or monument; thence 750 feet in a Northerly direc-tion to a post or monument, being the center of the westerly side line of claim; thence 750 feet ina Northerly direction to a post or monument; thence 300 feet in a Easterly direction to the place of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Witness.

R.M.Clark
E.W. Eode

George Goodwin
Kenneth Clayton
Locators.

Recorded at request of Geo. Goodwin at 30 minutes past 11 o'clock
A.M. January 10th 1903.

W.D.Fisk, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the

"WILLIARD" Mining Claim,

as the same appears of record in my office in Book 7, Records of Mines,

at page 620; that I have compared the same with the original record and that the same is

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN, that the Osceola Mining Claim, containing mineral bearing quartz, earth or rock in place, located by George Goodwin & Kenneth Clayton citizens of the United States on this First day of January 1903, has been located for mining purposes. Said claim is 1,500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit or premises is East & West.

This claim is situated in Globe Mining District Gila County Territory of Arizona, about seven miles in a Westerly direction from The town of Globe and one and one half mile southwesterly from the Black Warrior mine, and known formerly known as the Sun Mining claim.

This claim is bounded and marked as follows, to-wit: Beginning at the East center end post or monument, being 350 feet East of the center of discovery shaft upon which the notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the North side line of claim; thence 750 feet in a Westerly direction to a post or monument, thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of West end of said claim and 1150 feet westerly from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument, being the center of the South side line of claim; thence 750 feet in a Easterly direction to a post or monument; thence 300 feet in a Northerly direction to the place of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

E.W.Bode
R.M.Clark

Witness.

George Goodwin
Kenneth Clayton
Locators.

Recorded at request of Geo. Goodwin at 30 minutes past 11 o'clock A.M. January 10th, 1903.

W.D.Fisk, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the
"OSCEOLA" Mining Claim
as the same appears of record in my office in Book 7, Records of Mines,
at page 620; that I have compared the same with the original record, and that the same is a true transcript

Handwritten initials or mark.

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Jennie Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Daniel D. Sullivan, am a Citizen of United States, the undersigned, on the 15th day of April 1908.

The length of this claim is 1500 feet and I claim 1400 feet in a Southerly direction and 100 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about seven miles in a westerly direction from Town of Globe also Join the Osceola Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a Northerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the North endline of said claim; thence 300 feet to a Monument, being the North East corner of said claim; thence 1500 feet to a Monument, being at the South East corner of said claim. thence 300 feet to a Monument at the center of the South end of said claim; thence 300 feet to a Monument, being at the South West corner of said claim; thence 1500 feet to a Monument at the North west corner of said claim; thence 300 feet to the place of beginning.


All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15th day of April 1908.

Daniel D. Sullivan.

Filed and recorded at the request of D.D.Sullivan on the 8 day of July A.D.1908, at 20 minutes past 1 o'clock P.M.

E.T.Stewart, County Recorder.



TERRITORY OF ARIZONA, } ss.
COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "JENNIE" Mining Claim,

as the same appears of record in my office in Book 17, Records of Mines, at page 472; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 25th, day of

July A. D. 1908.

E. T. Stewart

County Recorder, Gila County, A. T.

JUL 22 1909

AMENDED

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Basil Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by D. D. Sullivan, a citizen of the U. S. the undersigned on the 30th day of Nov. 1908.

The length of this claim is Nine hundred and eighteen feet, feet, and I claim 135.0 feet, in a S 79° 48' E. direction and 783.0 feet in a N 79° 48' W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. E. to the N. W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 2/3 of a mile in a western direction from the main working shaft of the Miami Copper Co. It is bounded on the north by the Sunset lode Survey No 2656. On the South by the South Sun lode Survey No. 2629.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a pine post at a point in a S 79° 48' E. direction 135' feet from the discovery shaft (at which this notice is posted), being in the center of the eastern end line of said claim, thence S 37° 20' W. 378' feet to a pine post being the S. E. corner of said claim, thence N. 69° 38' W. 1150.0 feet to a pine post being at the S. E. corner of said claim, thence N 37° 20' W. 90.00 feet to a pine post at the center of the western end of said claim, thence same course 75.0 feet to a pine post being at the N. W. corner of said claim, thence S 85° 30' E. 825.0 feet to a pine post at the N. E. corner of said claim, thence 210 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Basil Mining Claim, located by D. D. Sullivan on the 30 th day of Nov. 1908., and recorded in Book 18 of Records of Mines, at page 37, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the ^{said} original Location Notice.

Dated and posted on the ground this 9th day of July 1909.

D. D. Sullivan

H. T. Wayne
Witness,

Filed and recorded at the request of H. T. Wayne at 30 minutes past 10 o'clock A. M. on the 10 day of July A.D. 1909.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the
"BASIL" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines
at page 361; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 17th day of

July A. D. 1909.

E. T. Stewart

MAY 11 1912

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the SPRING Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by D.D.Sullivan, a citizen of the United States the undersigned, on the 25th day of July 1896, ~~190~~

The length of this claim is 1471 feet, and I claim 190 feet, in a South Easterly direction and 1281 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about one half mile in a South westerly direction from the Miami Mine and laying between the Jennie and Ocoela on the north, the Williard on the East, Mossyhill on the South, the Nettie and South Sun on the West.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Post and monument of Stone marked Spring S.E.Cen. at a point in a South 34° 50' East direction 190 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence South 88° 30' West 292 feet to a Post, being the South west corner of said claim; thence North 37° 18' West 1515 feet to a Post, being at the North west corner of said claim; thence North 88° 30' East 370 feet to a Post at the center of the North end of said claim; thence North 88° 30' East 256 feet to a Post, being at the North East corner of said claim; thence South 36° 50' East 1500 feet to a Post at the South East corner of said claim; thence South 88° 30' West 316 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Spring Mining Claim, located by John White on the 25th day of July, 1896, ~~190~~ and recorded in Book 6 of Records of Mines, at page 88, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 9th day of December, 1908.

D.D.Sullivan.

Filed and recorded at the request of H.T.Wayne, at 5 minutes past 3 o'clock P.M. on the 9 day of December, A.D. 1908.

E.T.Stewart, County Recorder,
By L.M.Brookner,
Deputy Recorder.

STATE OF ARIZONA,)
): SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE of the SPRING Lode Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 239; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 9th day of May, A.D. 1912.

E. T. Stewart
County Recorder, Gila
County, Arizona.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mosseyhill Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by D.D.Sullivan, a citizen of the United States, the undersigned, on the 1st day of Aug. 1907.

The length of this claim is 1500 feet, and I claim 400 feet, in a westerly direction and 1100 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about - - - in a - - direction from - -

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stake at a point in a Easterly direction 1100 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a stone monument, being the South east corner of said claim; thence 1500 feet to a stone monument, being at the South west corner of said claim; thence 300 feet to a stone monument at the center of the west end of said claim; thence 300 feet to a stone monument, being at the north west corner of said claim; thence 1500 feet to a stone monument at the North East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Mosseyhill Mining Claim, located by D.D.Sullivan a citizen of the U.S. on the First day of Aug. 1907, and recorded in Book 14, of Records of Mines, at page 438, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 6th day of June 1908.
D.D.Sullivan

Filed and recorded at the request of D.D.Sullivan at 30 minutes past 4 o'clock P.M. on the 9 day of June A.D.1908.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of ~~the Amended Location Notice of~~ the "MOSSYHILL" Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 179; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 25th day of

July A. D. 1908.

E. T. Stewart

County Recorder, Gila County, Arizona

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Arizona Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.J.Keegan, D.D. Sullivan and H.E.Smith, an Citizens of United States, the undersigned, on the 21st day of September 1904.

The length of this claim is 1500 feet, and we claim 600 feet, in a Easterly direction and 900 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 7 miles in a Westerly direction from the Town of Globe.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at - - at a point in a Westerly direction 900 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northerly 300 feet to a Monument, being the North West corner of said claim; thence Easterly 1500 feet to a Monument, being at the North East corner of said claim; thence Southerly 300 feet to a Monument at the center of the East end of said claim; thence Southerly 300 feet to a Monument, being at the South East corner of said claim; thence Westerly 1500 feet to a Monument at the South West corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21st day of Sept. 1904.

J.J.Keegain 1/2 interest
D.D.Sullivan 1/4 interest
H.E.Smith 1/4 interest.

Filed and recorded at the request of D.D.Sullivan on the 20th day of December A.D.1904, at 20 minutes past 4 o'clock P.M.

W.D.Fisk, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of ~~the Location Notice of the~~ "ARIZONA" Mining Claim,

as the same appears of record in my office in Book 10, Records of Mines,

at page 143; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 25th day of

July A. D. 1908.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

NOV. 9 - 1911

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the GHOST Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by ^{the} Inspiration Copper Co., incorporated under the laws of Maine, the undersigned, on the 23 day of October, 1911.

The length of this claim is 1354 feet, and we claim 230 feet in a northwesterly direction and 1124 feet in a south easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 444.8 feet in width of the surface grounds, ~~on each side of the center of said claim.~~ The general course of the lode deposit and premises is from the Northwest to the southeast.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about $1\frac{1}{2}$ miles in a westerly direction from Miami. The southwest corner of this claim is identical with Cor. No. 4 of Nellie Bly Claim, Sur. No. 2564.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post set in a mound of stones at a point in a Northwesterly direction 230 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence about N. 62° 15' E. 245.5 feet to a post set in a mound of stones, being the North east corner of said claim; thence about S. 51° 15' E. 1354 feet to a post set in a mound of stone, being at the south east corner of said claim; thence S. 62° 15' W. 245.5 feet to a post set in a mound of stones at the center of the south end of said claim; thence S. 62° 15' W. 239.5 feet to a post set in a mound of stones being at the south west corner of said claim; thence about N. 51° 15' W. 1354 feet to a post set in a mound of stones at the northwest corner of said claim; thence N. 62° 15' E. 239.5 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Ghost Mining Claim, located by Ralph Holton on the 10th day of February, 1909, and recorded in Book 18 of Records of Mines, at page 288, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 23 day of October, 1911.

Inspiration Copper Co.
by
W.C. Browning, Agent.

Filed and recorded at the request of E.W. Rice, at 15 minutes past 11 o'clock A.M. on the 1 day of November, A.D. 1911.

TERRITORY OF ARIZONA,)
 : SS
County of Gila.)

I, E.T. Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Location Notice of the GHOST Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 553; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 3rd day of November, A.D. 1911.

E. T. Stewart
County Recorder.

AMENDED
NOTICE OF MINING LOCATION.
LODE CLAIM.

NOV 9-1911

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Chalcocite Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Inspiration Copper Co. incorporated, under the laws of Maine, the undersigned, on the 23 day of October, 1911.

The length of this claim is 1500 feet, and we claim 30 feet in a northerly direction and 1470 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with about 79 feet in width of the surface grounds, ~~en-each-side-of-the-center-of-said-claim~~. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Globe Mining district, in Gila County, in the Territory of Arizona, about one mile in a westerly direction from Miami. The N.E. corner of this claim bears about 1575 ft. south from the N.W. Cor. of Sec. 30, T.1 N.R.15 E., G. & S.R.E. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post set in a mound of stones at a point in a northerly direction 30 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence S.78° 25' E. 53.5 feet to an iron pipe set in concrete, being the north east corner of said claim; thence about S.1° 06' E. 1500 feet to a post set in mound of stone, being at the South East corner of said claim; thence N.78° 25' W. 53.5 feet to a post set in mound of stone, at the center of the south end of said claim; thence N.78° 25' W. 27 feet to a post set in mound of stone, being at the south west corner of said claim; thence about N.1° 06' W. 1500 feet to a post set in mound of stone at the north west corner of said claim; thence S.78° 25' E. 27 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Chalcocite Mining Claim, located by J.J. Keegan on the 18th day of January, 1911 and recorded in Book 21, of Records of Mines, at page 403, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 23 day of Oct. 1911.
Inspiration Copper Co.
by W.C. Browning, agent.

Filed and recorded at the request of E.W. Rice at 15 minutes past 11 o'clock A.M. on the 1 day of November, A.D. 1911.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of Gila.)

I, E.T. Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Location Notice of the CHALCOCITE Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 554; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office,
this 3rd day of November, A.D. 1911.

E. T. Stewart
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 31, 1912.

I, U. S. Surveyor General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

Inspiration Copper Company

, known as the EUREKA, WILLIARD, OSCEOLA, JENNIE, SPRING, MOSSYHILL, ARIZONA, GHOST, CHALCOCITE. BASIL, situate in

GLOBE Mining District, GILA County, Arizona Unsurveyed Sec. 25, in Section 30, T. 1 N., R. 14 E., and in Township No. 1 N.,

Range No. 15 E. G&SRB&L, and designated as Survey No. 2604, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{each of} said mining claims by claimant or its grantors, and that said improvements consist of 17 shafts, 14 cuts, 12 tunnels, 2 drifts and 1 raise, total value \$46,720.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 31, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Inspiration Copper Company

known as the EUREKA, WILLIARD, OSCEOLA, JENNIE, BASIL, SPRING, MOSSYHILL, ARIZONA, GHOST, CHALCOCITE. situate in GLOBE mining district,

GILA County, ARIZONA

Unsurveyed Sec. 25, T. 1 N., R. 14 E., and in in Section 30, Township No. 1 N., Range No. 15 E., G&SRB&M.

designated as Survey No. 2604

executed by Frank Anderson, U. S. Deputy Mineral

Surveyor, December 11, -22 1911, 190, under my instructions dated

Nov. 10, 1911, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

Amendment to
FIELD NOTES MINERAL SURVEY NO.
2604.

Beginning at Cor. No. 1 of the Chalcocite lode, thence N. 78° 25' W. along line 1-2 said lode, 33.5 ft. to an intersection with the line between Secs. 25 and 30, T. 1 N., Rs. 14 and 15 E., being also the west boundary of Lot 3 said Sec. 30; thence N. 0° 02' E. along said section line and west boundary of Lot 3, 431.7 ft. to the $\frac{1}{4}$ Cor. between said Secs. 25 and 30, being the N. W. Cor. Lot 3 and the S. W. Cor. Lot 2 said Sec. 30; thence continuing along said section line, being now the west boundary of said Lot 2, N. 0° 07' W. 1060.7 ft. to Cor. No. 4 Chalcocite lode, being a point on said section line; thence S. 1° 14' E. along line 4-1 said Chalcocite lode, 1499.3 ft. to the place of beginning, containing 0.518 acres.

I certify that the above correctly describes the conflict between the Chalcocite lode, Mineral Survey No. 2604, and Lots 2 and 3, Sec. 30, T. 1 N., R. 15 E., and that the plats of said Survey No. 2604 on file in the General Land Office, the Phoenix Land Office and this office, have been correctly amended in green ink to properly show said conflict.

Done pursuant to General Land Office letter "N" 019371, dated January 30, 1914.


Surveyor-General for Arizona.

Office of U. S. Surveyor-General,
Phoenix, Arizona, February 4, 1914.