

M
S

0

2

6

0

9

Copied 3-20-1909.

A. L. H.

1

MAR 10 1909

MAY 13 1909

4-683.

MINERAL SURVEY No. 2609

LOT No. _____

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John C. Molder & J. M. Erickson

Morenci, Arizona

KNOWN AS THE

Tomb Stone

Copper Mountain

Mining District,

Graham

County, Arizona

Section ^{Approx.} 21, Township 4 S., Range 29 E. unsurveyed

Surveyed under instructions dated December 2nd, 1908

by Lamar Cobb

U. S. Mineral Surveyor.

Claim located (See Location Notice) _____, 19

Survey commenced Jan. 25th, 1909

Survey completed Jan. 26th, 1909

6-822

Address of claimants' atty.,

John R. Hampton,

Clifton, Arizona.

Survey No. 2609; Tomb Stone Lode.

Beginning at Cor. No. 1,

A limestone rock 16 x 12 x 7 ins., set 12 ins. in the ground, with mound of stone alongside, chiseled 1-2609 N C T, whence,

U. S. M. M. No. 4 bears N. $46^{\circ} 57'$ E., 2610 ft.

A cross (x) and B. R. 1-2609 chiseled on limestone point 5 x 2 ft., 3 ft. high, bears S. $25^{\circ} 35'$ W., 22 ft.

Thence S. $44^{\circ} 23'$ E.

299.00 North east center end of the location,

A mound of stone with stake, marked N E C E Tomb Stone.

598.00 To Cor. No. 2.

A 4 x 6 pine post, 4.5 ft. long, set in the ground to bedrock, surrounded by mound of stone, scribed 2-2609 E C T, Whence,

A cross (x) and B R 2-2609 chiseled on sandstone point 3 x 3 ft, 3 ft. high, bears S. $42^{\circ} 46'$ E. 38 ft.

Thence S. $41^{\circ} 13'$ W.

1500.00 To Cor. No. 3.

On line 1-4, Micawber lode, Lot No. 75, Sur. No. 760

A limestone rock, 17 x 14 x 9 ins., set 10 ins. in the ground, with mound of stone alongside, chiseled 3-2609 S C T Whence,

A cross (x) and B. R. 3-2609 chiseled on limestone bedrock exposed 6 x 6 ft. bears N. $17^{\circ} 03'$ E. 59 ft.

Thence N. $44^{\circ} 23'$ W.

299.00 South west center end, monument obliterated.

598.00 To Cor. No. 4.

Identical with Cor. No. 4, Micawber lode, Lot No. 75, Sur. No. 760
 A shale rock, 5 x 16 x 22 ins. in place, with mound of stone alongside, chiseled M M No. 4, to which I add, 4-2609 W C T,

No bearings available.

3

Thence N. $41^{\circ} 13'$ E.

1500.00 To Cor. No. 1, the place of beginning.

Variation at all corners $12^{\circ} 45'$ E.

The survey of the Tombstone lode is identical with its location.

A R E A .

Total and net area Tomb Stone lode 20.531 A.

L O C A T I O N .

^{approximately}
This claim is located in the West $1/2$ of Sec. 21,
T. 4 S., R. 29 E., G. & S. R. B. M., Unsurveyed.

I M P R O V E M E N T S

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of,

No. 1, The discovery point.

No. 2, An open cut, the face of which bears from a point on the center line, 171 ft. from the North East center end, S. $51^{\circ} 53'$ W. 177 ft., running N. 68° E. 3 ft. wide 10 ft. face 17 ft. long.

No. 3. Value \$75.00

A tunnel with open cut opposite, the face of the tunnel bears from the same point on the center line as above S. $62^{\circ} 32'$ W. 573 ft. 4 x 6 ft., running N. 60° W. 59.0/ft. to breast.

Open cut approach 3.5 ft. wide, 23 ft. long and 11 ft. face.

Value \$590.00

I n s t r u m e n t

This survey was made with a Berger Light Mountain Transit. The courses were deflected from the true meridian as determined by Polaris observations and measured with 500 ft. steel tape.

The disagreement between these field notes and the location certificate is due to errors in the latter,

LEDGE

The presumed course of the center of the ledge begins at the discovery point, running thence N. $41^{\circ} 13'$ E. 726 ft. to the North East center end, and S. $41^{\circ} 13'$ W. 774 ft. to the South West center end of the claim as surveyed.

ADJOINING CLAIMS

This claim is bounded on the North West, by unknown mining claims, unsurveyed; on the North East, by the Pittsburg lode, unsurveyed, J. C. Molder and J. E. Erickson, claimants; on the South East by the Mascot lode, unsurveyed, Detroit Copper Mining Co. claimant, and on the South West by the Micawber lode, ^{Sur. No. 760,} Lot No. 75, claimant unknown.

The disagreement between these field notes and the tie line of the Micawber lode is due to errors in the survey of that claim.

DISCOVERY

The discovery consists of mineral-bearing rock in place, the position of which is appropriately marked by a location monument of stone.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Lamar Cobb
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
John C. Molder & J. M. Erickson
 known as the Tombstone
 and showing the respective capacities in which they acted.

E. J. Morton , Chainman.
 , Chainman.
 , Axman.
 , Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. J. Morton
 and do solemnly swear that we assisted Lamar Cobb
 , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of John C. Molder & J. M. Erickson
 known as the Tombstone

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction ; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

E. J. Morton , Chainman.
 , Chainman.
 , Axman.
 , Flagman.

Subscribed and sworn to by the above-named persons before me this 28th
 day of June , 1909

Geo W Keeley
Notary Public
 My commission expires July 25-1910.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Lamar Cobb, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Nov. 30/1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of John C. Molder & J. M. Erickson,
known as the Tomb Stone,
situate in Copfer Mountain Mining District,
Graham County, Arizona, in Section
approx. 21, Township No. 4 S., Range No. 29 E. unsurveyed,
and designated as Survey No. 2609, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Lamar Cobb
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Lamar Cobb
U. S. Mineral Surveyor, before me Jas W Keeley
Notary Public this 28th
day of Jan, 1909

Jas W Keeley
Notary Public

6-1044

My commission expires July 25-1910.

754

Affidavit of Five Hundred Dollars Improvements.

We, H. N. Halvay and Dan Gallagher

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Tomb Stone mining claim,

situate in Copper Mountain Mining district, Graham County,

Arizona Territory, for which John C. Molder & J. M. Erickson

have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

H. N. Halvay

Dan Gallagher

TERRITORY OF ARIZONA,

County of Graham } ss:

Sworn to and subscribed before me, this 15,

day of Feb, 1907



J. M. Erickson
Notary Public.

My Commission expires July 8, 1912

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Tomb Stone Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Herman J. Degener & John B. M.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 3 day of April 1908

The length of this claim is 1500 feet,
and had claim 750 feet,
in a 750 S. W. direction and 750
feet in a N. E. direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
S. W. to the N. E.

The claim is situated and located in the Copper Mountain Mining District, in
Yavapai County, in the Territory of Arizona, about 1500
in a westerly direction from water tanks on
adjoins the McCumber on the N. E. 1/2 mile
S. W. from Marucci and the Pittsburg
on the S. W. Mascot on the north

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

post
at a point in a S. W. direction 750 feet from
the discovery shaft (at which this notice is posted), being in the center of the S. W.
end line of said claim; thence 300 feet to a post
post, being the S. W. corner of said claim; thence
1500 feet to a post, being at the
N. E. corner of said claim; thence 300 feet
to a post at the center of the N. E. end of said claim;
thence 300 feet to a post, being at the
N. E. corner of said claim; thence 1500
feet to a post at the S. W. corner of said claim;
thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 3 day of April 1908

Herman J. Degener,
John B. Melder,

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,.....M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....
 County Recorder.

3377
 Frank Stone,

Notice of Location

LODE CLAIM

John C. Molter,
 And
 Helena J. Degeer,

Dated Apr 3 1908

Filed and Recorded at request of

H. J. Degeer,

June 12 A. D. 1908

at 9 A.M.


Book 20 Record of Mines

Pages 229

Max Seimens
 County Recorder.

By Deputy Recorder.

Frank Stone



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 22, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

John C. Molder & J. M. Erickson

known as the TOMB STONE

situate in COPPER MOUNTAIN

Mining District, Graham County, Arizona

in Section APPROX. 21, Township No. 4 S., Range No. 29 E., Unsur., and

designated as Survey No. 2609, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that ^{not less than} five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant^As or their grantors, and that said improvements consist of 2 cuts and 1 tunnel, value \$665.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

Handwritten initials and arrow pointing right.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 22, 1909

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of John C. Molder & J. M. Erickson

known as the Tomb Stone

situate in Copper Mountain mining district, Graham County, Arizona

in Section Approx. 21, Township No. 4 S., Range No. 29 E., Unsur. designated as Survey No. 2609

executed by Lamar Cobb, U. S. Deputy Mineral Surveyor, Jan. 25-26, 1909, under my instructions dated

Dec. 2, 1908, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Handwritten signature of Frank D. Ingalls

U. S. Surveyor-General for Arizona

Claimants unknown

Pittsburg
Unsurveyed

Tombstone

Discovery Point

Mascot
unsurveyed

MICANBER
Lot No. 75

Survey No. 2609
Arizona Land District
surveyed Jan. 26th 1909
by *Lamar C. ...* U.S. Dep. Min. Surveyor
Scale 200 ft = 1 in

