4-683.

MINERAL SURVEY No. 26/6

LOT No.

Arizona Land District.

FIELD NOTES

Claim located Section Actives 1897

Claim tocated Section Motice, 1697

Survey commenced from 6, 1909

Survey completed from 6, 1909

Orckett & Bownan Attorneys of Claimant Fornostone

ariz

WEST SIDE LODE.

Beginning at Cor. No. 1, the S. E. Cor. of location, identical with Cor. No. 2, Sur. No. 2608 Gray Mule Lode, and on line 1-4 Copper Bug lode, Survey No. 2608, a pine post 4 ins. sq., 3 1/2 ft. above ground, in mound of stone, scribed SWC-GM2-2608, SEC-WS, to which add 1-2616

Whence; -

U.S.L.M. No. 1319 bears N. 82° 52' E. 1648.7 ft.

on limestone bedrock bears N. 99 17' W. £5 ft.

A cross (X) and BR2-2608 chiseled on limestone bedrock bears S. 61° 47' E. 21.0 ft.

Thence S. 63° 57' 30" W. Var. 12' 30' E.

196.9 N. Center End, Copper Bug Lode Sur. No. 2608

300 S. Center End, a pine post 4 ins. sq. 3 1/2 ft. above ground in a mound of stone, scribed S.C.E.-W. S., to which add 2616.

Whence:-

A monument of stones 3 ft. diam., 2 ft. high bears N. 36 20' E.- 27.6 ft.

A cross (X) and BR - 2616 chiseled on limestone bedrock bears S. 3° 30' W. 13.5 ft.

A cross (X) and BR - 2616 chiseled on porphyry in place, bears N. 89 53' W. 15.4 ft.

466.4 To Cor. No. 2, identical with Cor. No. 4, Copper Bug
Lode Survey No. 2608, a pine post 4 ins. sq., 3 1/2 ft.
above ground, in a mound of stone, scribed NWC-CB
4-2608, add 2-2616 W. S.

No nearby bearings available.

Thence S. 67 44' W. Var. 12 50' E.

95.3 To Cor. No. 3, a pine post 4 ins. sq., 3 1/2 ft. above ground, in mound of stone, scribed SWC-WS, to which add 3-2616

Whence; -

A cross (X) and BR3-2616 chiseled on porphyry in place, bears N. 39° 41' E. 13.3 ft.

No other bearings available.

Thence N. 18 02' W. Var. 12 45' E.

1401.2 To Cor. No. 4, a pine post 4 ins. sq. 3ift. above ground, in mound of stone, scribed NWC-WS, to which add 4-2616.

Whence:-

A cross (X) and BR4-2616 chiseled on a porphyry boulder, exposing 48 X 40 ins., bears S. 60 12' E. 10.2 ft.

A cross (X) and BR4-2616, chiseled on a porphyry boulder, exposing 8 X 16 ft., 4 ft. high, bears N. 64 24' E., 25.0 ft.

S.E.Cor. Black Hawk Lode, unsurveyed, bears S. 45 22' E., 426.3 ft.

Thence N. 63 57 30" E. Var. 12 45 E.

233.5 N. Center End, a pine post 4 ins. sq., 3 ft. above ground, in mound of stone, scribed N.C.E. - W.S., to which add 2616.

Whence:-

A cross (X) and BR-2616 chiseled on limestone bedrock, bears N. 6° 30' W., 20.0 ft.

A cross (X) and BR-2616 chiseled on limestone bedrock, bears N. 74° 45' E., 32.7 ft.

N. 22° 56' W. 39.8 ft. from Cor. No. 2

533.5 To Cor. No. 5, a cross (X) and N.E.C.-W.S., also S.E.C.-N.Y. chiseled on limestone bedrock, witnessed by mound of stone 3 ft. base, 2 ft. high, 2 ft. to North, add 5-2616

Thence S. 19 12' E. Var. 12 45' E.

Feet

40.0 Cor. Nos. 3-2, Sur. No. 2608, Gray Mule and Headlight

1403.8 To Cor. No. 1, the place of beginning.

All corners of this claim are identical with location.

AREA.

Total area West Side Lode

17.526 A.

Less Area in conflict with Headlight Lode, Survey

No. 2608

Net area West Side Lode.

0.001 17.525

LOCATION.

This claim is located in approximately Tp. 19 S., R. 25 E., unsurveyed, probably within the boundaries of the Coronado National Forest, unsurveyed, in Turquoise Mining District, Cochise County, Arizona. The presumed course of the lode from the South Center End to the North Center End is N. 19 12' W. 1403.8 ft.

ADJACENT CLAIMS.

On the North:-

Black Hawk Lode, unsurveyed, Martin Costello claimant,

New York Lode, unsurveyed, Hearne & Pidwell claimants.

On the East:-

Gray Mule Lode, Sur. No. 2608, Leadville Mining Company claimant.

on the South:-

Copper Bug Lode, Sur. No. 2608, Leadville Mining Company claimant.

On the West:-

Claimant unknown.

Improvements.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant or its grantors, is more than five hundred dollars, and that said improvements consist of:-

From the S. Center End,

- No. 1. The discovery cut, 12 ft. long, 5 ft. wide, 6 ft. face, the mouth of which bears N. 19 12' W. 375 ft. Value 00.08
 - No. 2. A cut 25 ft. long, 5 ft. wide, 10 ft. face, the mouth of which bears N. 23° 55' E., 100.00 246 ft. Value
 - NO.3. A shaft 4 X 6 ft., 8 ft. deep, which bears N. 0° 40' W., 230 ft. Value at \$10. per ft.

\$80.00

No.4. A shaft 4 X 6 ft., 6 ft. deep, which bears N. 4° 47' W., 232 ft. Value at \$10 per ft.

\$60.00

- No.5. A shaft 4 X 6 ft., 30 ft. (or more) deep, which bears N. 7° 10' W., 225 ft. Value at \$10 per ft. \$300.000
- No.6. A shaft 4 X 6 ft., 60 ft. deep, which bears N. 15° 10' W.. 240 ft. Value at \$10 per ft.

\$600,00

No.7. A shaft 4 X 6 ft. Gdeep, which bears N. 21 20' W., 239 ft.

Value at \$10 per ft.

\$60.00

NOS. A cut 12 ft. long, 6 ft. wide, 8 ft. face, the mouth of which bears N. 23° 30' W. 160 ft.

Value

\$80.00

OTHER IMPROVEMENTS.

A shaft 4 X 6 ft., deep, which bears S. 66° 10' W., 219 ft. from the S. Center End, claimant unknown.

INSTRUMENT.

This survey was made with a Young & Sons mountain transit, provided with a Smith solar attachment. The the angles were turned from true meridian as determined by direct solar observations. The distances were measured with 500 ft. and 50 feet steel tapes.

Tombstone, Arizona,
Jan. 23, 1909.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by John College
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Leadville Minning Co
known as the West Jude
and showing the respective capacities in which they acted On Many Chainman. Chainman. Axman.
$\dots,$ Flagman.
FINAL OATHS OF ASSISTANTS.
we, Janua Mark Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Scadwille
known as the first Side
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for
Janus M. Platt, Chainman.
, Flagman.
Subscribed and sworn to by the above-named persons before me this 2/1-2//

My Commission Experies mar 14 191

6-1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, John M. C. Siew, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Angua, dated
Dec 161908, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Leadville Mining Co
, known as the
situate in Augustice, Mining District,
County, This, in Section (Upprox, Township No. / J. S., Range No. 75 (unsurveyed)
and designated as Survey No. Roll 6 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U. S. Mineral Surveyor.
U. S. Mineral Surveyor.
Subscribed and sworn to by the said of the stand of the said
Subscribed and sworn to by the said John A. Rosh feller U. S. Mineral Surveyor, before me Sound I Donkfeller this Zwenty Zhvref
day of Jany 1909 Jamel I Rockfeller
day of Jary 1909 Same I Rockfeller Motor Pullic My common Expers
Marie Continue
6-1044

Affidavit of Five Hundred Dollars Improvements.

•
we, fast Dougherty and PB Marueller.
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Mist Side mining claim, situate in Jungmoise Mining district, Cochise County, Arizona Territory, for which
situate in Jugarouse Mining district, Collise County,
Arizona Territory, for which
Mining Company
ha \slash made application for survey prior to application for patent under the provisions .
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Lograntor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Jasus Dougherty.
O O Marrettoo
County of Chise
124

Sworn to and subscribed before me, this seal.

SEAL.

John Chrise

Jay of Februar, 1909

My Commission upon March

LOCATION NOTICE.

This Mining claim the name of which is the West Side. Located by Holmes Jan 1st 1897, the no. of feet in length of said claim is 1500, 1497 ft mortherly from center of discovery shaft and 3ft Southerly the General Course of this claim is Southerly to Northerly this Claim Lays about 350 ft Westerly from a hill known as the Galena Hill situated in the North Camp of the Turquoise Mining dist County of Cochise, Ter # Arizona and is described as follows Commencing at this monument of stones Being the Inat monument thence Easterly 300 ft to a monument of stones Being the S E cor thence Northerly 750 ft to a monument of stones Being the Easterly side line ctr thence Northerly 750 ft to a monument of stones being the N. E. cor thence Westerly 300 ft to a monument of stones Being the Northerly End center thence westerly 300 ft to a monument of stones Being the N. W. cor thence Southerly 750 ft to a monument of stones Being the Westerly side line ctr thence Southerly 750 ft to a monument of stones Being the S. W. cor thence Easterly 300 ft to the place of beginning this claim Lays and joins the Grey Mule and the Head Light mines on the West this claim also Joins and Lays parallell end ways to the Copper bug mine on the North this all done in compliance with the mining Laws of Arizona and the United States Dated and posted on ground this Jan 1st 1897.

Wm. Holmes. Locator.

Witness

H. Fitch Wm. Storbeck

Filed and recorded at request of Wm. Holmes Jan. 9th A D 1897 at 9-15 A. M. Book 14 Records of Mines at page 139.

Territory of Arizona)
ss.
County of Cochise)

I, C. A. McDonald, County Recorder, in and for said County, do hereby certify that I have compared the annexed and foregoing copy with the original Location Notice of the West Side Mining Claim filed for record in my office and recorded on Jan. 9th. 1897 in Book 14 Records of Mines at page 139, and that the same is a full, true and correct copy of the same and of the whole thereof.

Given under my hand and seal of office this 12th day of December A. D. 1908.

__ County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
May 11, , 1909
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of LEADVILLE MINING CO.
known as the WEST SIDE
situate in TURQUOISE
Mining District, COCHISE County, ARIZONA
in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and
designated as Survey No. 2616 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or grantors, and that said improvements
consist of 3 shafts and 5 cuts, total value \$1360.00
*
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor-General for Arizona

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.	
May 11,	., 190_9.
I, U. S. Surveyor-General for District of Arizona	
lo hereby certify that the foregoing and hereto attached Field Notes and Return of the Surv	rey of the
Mining Claim of LEADVILLE MINING CO.	
, kno	
WEST SIDE	
situate in minin	g district,
COCHISE County, ARIZONA	
in Section Approx., Township No. 19 S., Range No. 25 E.,	Unsur.
, designated as Survey No2616	
executed by John A. Rockfellow , U. S. Deput	y Mineral
Surveyor, Jan. 5-6., , 1909., under my instructi	ons dated
Dec. 16. , 190.8, have been critically examined and the necessary	ssary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they	
are hereby approved. A true copy of the copy of the location certificate filed by the appli	cant for
survey is included in the field notes.	
Jana Degalle	
U. S. Surveyor-General for Arizona.	

Large