

MS.

0

2

6

2

2

Copied 4-23-1909.

A. L. H.

MAR 18 1909
1
APR 7 1909

*Plotted
2000*

4-683.

MINERAL SURVEY No. 2622

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thomas P. Lewis

KNOWN AS THE

Little Rock No 2

Turquoise Mining District,

Cochise County, Arizona

Section Approximate, Township 19S, Range 25E unsurveyed

Surveyed under instructions dated Jan 30, 1909

by John A. Rockwell
U. S. Mineral Surveyor.

Claim located See Location Notice, 1900

Survey commenced Feb 4, 1909

Survey completed Feb 25, 1909

6-822

Address of Claimants Attorneys
Pickett & Bowman
Tombstone
Ariz.

LITTLE ROCK NO. 2 Lode.

Beginning at Cor. No. 1, the N. E. Cor. of location, identical with Cor. No. 5 Ann lode survey No. 1889, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone scribed N E C - L R 2, to which I add 1-2622, also scribed N W C - A 5-1889

Whence U. S. Mineral Monument No. 1, Turquoise Dist. bears N. $13^{\circ} 05' 30''$ E. 39133 ft. Cor. No. 1 Little Rock Lode Survey No. 2391 bears S. $8^{\circ} 42'$ W. 832.4 ft A cross (X) and B. R. 5-1889, to which add 1-2622, chiseled on conglomerate rock, 18 X 14 X 4 ins. bears S. $31^{\circ} 35'$ E. 40.4 ft. Cor. No. 4 Hurricane lode survey No. 2184 bears S. $71^{\circ} 09'$ W. 72.4 ft.

Thence S. $30^{\circ} 33'$ E. Var. 12 50' E.

- 550 Road bears northerly and southerly
- 688 Road bears W. N. W. and E. S. E.
- 1406.7 To Cor. No. 2, identical with Cor. No. 4 Ann lode, ^{Sur. No 1889} a pine post 4 ins. sq., 3 ft. above ground in a mound of stone, scribed L R 2 M C S E C, add 2-2622 also scribed S.W.C - A. 4-1889.

No bearing rocks or trees available.

Thence S. $62^{\circ} 50'$ W.

- 7.0 Intersect a shed 1.3 ft. southerly from N.E. Cor.
- 57.4 N. W. Cor. above shed
- 79 Center of road bears N. N. W. and S. S. E.
- 99.2 Intersect barbed wire fence of Mr. Parish, southeasterly 14 ft. from N. E. Cor.
- 216 Intersect barbed wire fence of Mr. Parish, southeasterly 6.1 ft. from N. W. Cor.
- 284.3 N. W. Cor. Katherine lode, unsurveyed, a post in a mound of stone, scribed N. W. C.- K.
- 300 S. Center End, a pine post 4 ins. sq. in mound of stone, scribed S C E - L R 2, to which add 2622

(2)

- 446 Pt. whence N. Center End Triangle lode, unsurveyed, bears S. $27^{\circ} 10'$ E. 0.8 ft., a post in a mound of stone scribed N. C. F. - T.
- 570 Road bears N.N.W. and S. S. E.
- 589.45 Intersect line 1-2, Little Rock Lode Survey No. 2391 at S. $25^{\circ} 42'$ E. 729.9 ft. from Cor. No. 1
- 589.5 Intersect wire fence of W. B. Moore, at S. 25° E. 1.5 ft. from N. E. Cor.
- 600 To Cor. No. 3, a pine post 4 ins. sq., 3 $1/2$ ft. above ground, in mound of stone, scribed S.W.C.- L.R.2, to which add 3-2622. No rock or tree bearings available. Drive an iron bolt 9 ins. long its length in ground, at N. $62^{\circ} 50'$ E. 5.0 ft.
- Thence N. $30^{\circ} 33'$ W.
- 2.1 Center of post of wire fence of W. B. Moore. Course of fence S. 65° W.
- 336.3 Intersect barbed wire fence at S. 64° W. 33.8 ft. from S. E. Cor.
- 501.2 Intersect barbed wire fence at S. 64° W. 61.6 ft. from N. E. Cor.
- 737.7 Intersect line 1-4 Little Rock Lode, ^{Sur. No 2391} at S. $68^{\circ} 14'$ W. 73.15 ft. from Cor. No. 1
- S. E. Cor. Musso lode, unsurveyed, a post in mound of stone, scribed S. E. C. - M.
- 790.1 Post E. C. E. Musso lode ^{Uns. &} post, in mound of stone, scribed E. C. E. - M.
- 820.1 N.E. Cor Musso lode and S.E. Cor Belvista lode, unsurveyed a Post in mound of stone scribed S.E.C. - B.
- 1025 Intersect barbed wire and ocatillo fence at S. 77° W. 35.8 ft. from S. E. Cor.
- 1080.8 Intersect barbed wire and ocatillo fence at S. 77° W. 51 ft. from N. E. corner.
- 1125.7 E. C. E. Belvista lode post in mound of stone scribed

feet

E C E - B

- 1431.3 N. E. Cor. Belvista lode post, in mound of stone, scribed N. E. C. - B.
- 1500 To Cor. No. 4, a pine post 4 ins. sq., 3 ft. above ground, in mound of stone, scribed N W C - L R 2, to which add 4-2622. No rock or tree bearings available. At N. 62° 50' E. 5 ft. drive an iron bolt 9 ins. long its length in ground
Thence N. 62° 50' E.
- 198.7 Intersect line 2-3 Amelia lode, Sur. No. 1969 at S. 76° 55' W. 345.2 ft. from Cor. No. 2
- 300 To Cor. No. 5, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed N C E - L R 2, to which add 5-2622. No rock or tree bearings available.
Thence N. 79° 48' E.
- 230 Road bears N. and S.
- 247.25 Intersect line 2-1 Amelia lode Survey No. 1969 At N. 13° 05' W. 12.2 ft. from Cor. No. 2 also line 4-5 Hurricane lode Sur. No. 2184 at N. 13° 05' W. 10.9 ft. from Cor. No. 4.
- 319.4 To Cor. No. 1, the place of beginning.

AREA

| | |
|---|--------------|
| TOTAL AREA LITTLE ROCK NO 2 lode | 20.304 acres |
| Less area in conflict Little Rock lode, Sur. No. 2391 | .700 |
| Less area in conflict Hurricane lode, Sur. No. 2184 | .009 |
| Less area in conflict Amelia lode Sur. No. 1969 | .132 |
| NET AREA LITTLE ROCK NO. 2 Lode | 19.463 " |

The survey of this lode is identical with location

(4)

LOCATION

This claim is located in Turquoise Mining District, Cochise County, Arizona, in approximate Tp. 19 S., R. 25 E., unsurveyed, and probably not within the boundaries of the Coronado National Forest (unsurveyed).

LODE

The presumed course of the lode is N. 30° 33' W. 1500 ft. from S. Center End to Cor. No. 5

ADJOINING CLAIMS.

On the North:

Amelia lode Sur. No. 1969

Hurricane lode Sur. No. 2184

Martin Costello claimant of both.

On the East:

Ann lode Sur. No. 1889. W. H. McKittrick et al claimants.

On the South:

Katherine lode, unsurveyed. Copper Belle Mining Co. claimant.

Triangle lode, unsurveyed. Thos. P. Cowan claimant.

On the West:

Little Rock lode Sur. No. 2391. Thos. P. Cowan claimant.

Musso and Belvista lodes, unsurveyed. Louis Musso claimant.

 EXPENDITURE OF \$500.00

I certify that the value of labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of:

| | | |
|---|---|---------|
| No. 1. | Discovery shaft, which bears from Cor. No. 5 S. 30° 33' E. 679 feet; shaft 6 X 4 feet, caved now, 9 1/2 ft. deep, Value \$90.00 | \$90.00 |
| <i>From a point on Lode Line (at Distance) at 530' 33" E 677.4 ft from Cor. No. 5.</i> | | |
| No. 2. | A shaft which bears N. 88° 03' E. 270 ft.; shaft 6 X 4 ft., said to be 40 ft. deep, is partly filled with water. At least 35 ft. deep. Value at \$10.00 per foot | 350.00 |
| No. 3. | A shaft which bears S. 75° 45' E. 151 ft. Shaft 6 X 5 ft., caved, formerly much deeper, now 14 ft. Value at \$10.00 per ft. | 140.00 |
| From S. Center end. | | |
| No. 4. | A shaft which bears N. 7° 26' W. 188 ft. Shaft 5 X 5 ft., 26 ft. deep - first 3 ft. in earth, remainder in rock. Value 23 ft. at \$10. per ft. | 230.00 |
| No. 5. | A shaft which bears N. 51° 03' W. 116 ft. Shaft 5 X 5 ft., 30 ft. deep to water - first 6 ft. in earth, remainder in rock. Value earth work \$20., Value rock work 24 ft. at \$10. per ft. \$240, | |
| Total value | | 260.00 |

OTHER IMPROVEMENTS.

A frame house, the N. W. Cor. of which bears from point on lode line S. 30° 33' E. 677.4 ft. from Cor. No. 5, S. 78° 43' E. 280 ft. House 34 ft. northerly and southerly X 28 ft. Thos. P. Cowen claimant.

From S. Center End.

A frame house, the S. E. Cor. of which bears N. 29° 17' E. 225 ft.. House 48 ft. easterly

(6)

and westerly X 18 ft. Wm. Cummings claimant.

A frame house, the S. W. Cor. of which bears N. 17° 55' E. 116.8 ft. House 32 ft. northerly and southerly X 12 ft. G. I. Van Meter claimant.

A frame house (black smith shop), the S. W. Cor. of which bears N. 1° 15' W. 127.9 ft. House 24 ft. easterly and westerly by 16 ft. C. McLean claimant.

A frame house, the S. E. Cor. of which bears N. 26° 15' W. 129 ft. House 22.5 ft. northerly and southerly X 12 ft. C. McLean claimant.

A frame house, the S. W. Cor. of which bears from point on line 3-4 at N. 30° 33' W. 345.5 ft. from Cor. No. 3 N. 59° 27' E. 14.6 ft. House 20 ft. northerly and southerly X 24 ft.

James Garrett Claimant.

A frame house the S. W. Cor. of which bears from point on line 3-4 at N. 30° 33' W. 476.2 ft. from Cor. No. 3 N. 59° 27' E. 27.2 ft. House 18 ft. northerly and southerly X 20 ft. James Garrett claimant.

A frame house, the S. W. Cor. of which bears from point on line 3-4 at N. 30° 33' W. 1067.6 ft. from Cor. No. 3 N. 59° 27' E. 21.6 ft. House 22 ft. Easterly and Westerly X 12 ft. John Wixtrom claimant.

This survey was made with a Young & Sons Mountain transit, provided with Smith solar attachment. The courses were deflected from true meridian, as determined by direct solar observations. The distances were measured with 50 ft.

and 500 ft. steel tapes. Note: A preliminary survey of this lode was made by me in February 1906, and corners marked by substantial posts which are here referred to. The Arizona law requiring center side monuments under which this lode was located had been repealed; hence these center side monuments were not perpetuated and were not found in this survey.

Tombstone Ariz. February 27, 1909.

John A. Rockefeller
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

Thomas P. Coover
known as the Little Rock No 2

and showing the respective capacities in which they acted.

M. H. O'Connor, Chainman.

J. M. Ritchie, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, M. H. O'Connor

and J. M. Ritchie, do solemnly swear that we assisted John A. Rockefeller, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Thos. P. Coover

known as the Little Rock No 2

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Ariz

M. H. O'Connor, Chainman.

J. M. Ritchie, Chainman.

_____, Axman.

_____, Flagman

Subscribed and sworn to by the above-named persons before me this 25

day of February, 1909

My Com. expires Mar 14 1911
John A. Rockefeller
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Jan 30 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Thos P. Cowen
....., known as the
Little Rock No 2
situate in Turquoise Mining District,
Cochise County, Arizona, in Section
Approx., Township No. 19 S, Range No. 20 E unsurveyed
and designated as Survey No. 2622, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me

Samuel L. Rockfellow
this 27

day of February, 1909

Samuel L. Rockfellow

Notary Public

My commission expires
Oct 15 1912



Affidavit of Five Hundred Dollars Improvements.

We, Thomas King, and Ed J Hughes

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Little Rock No 2 mining claim, situate in Turquoise Mining district, Cochise County, Arizona Territory, for which Thomas P Bauer

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.


Thomas King

Ed J Hughes

TERRITORY OF ARIZONA, }
County of Cochise } ss:

Sworn to and subscribed before me, this 25

day of February, 1909



14396b400-8-04

John A. Roesch
Notary Public
My com. expires Mar 14 1911

Notice of Mining Location

QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Little Rock No 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by T. I. Cowan

the undersigned, on the 23rd day of April 1900

The length of this claim is 1500 feet, and I claim 750 feet, in a southerly direction and 750 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 17 miles

in an easterly direction from Tombstone and in a northwesterly direction from J. Gleeson's house, and the side line adjoins the Little Rock Mining claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

monument of stones

at a point in a southerly direction 750 feet from the discovery shaft, at which this notice is posted, being in the center of the South end line of said claim; thence 300 feet to a monument of stones

being the south west corner of said claim; thence 750 to a monument of stones at the center of the West side line of said claim; thence 750 feet to a monument of stones

being at the north west corner of said claim; thence 300 feet to a monument of stones at the center of the north end of said claim; thence 300 feet to a monument of stones, being at

the north east corner of said claim; thence 750 feet to a monument of stones being at the center of the East side line of said claim; thence 750 feet to a monument of stones at the

south east corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 23rd day of April ~~1900~~ 1900

T. P. Cowan

Filed and recorded at request of Thomas P. Cowan, June 15th. A D 1900 at 10. A M Book 18 Records of Mines at page 91.

TERRITORY OF ARIZONA)
 County of Cochise) ss.

I, C. A. McDonald, County Recorder, in and for
 the County and Territory aforesaid, do hereby certify that I have
 compared the annexed and foregoing copy with the original Notice of
 Mining Location of the Little Rock No 2 Mining Claim filed
 for record in my office on the 15th day of June A D 1900,
 and recorded in Book 18 Record of Mines at 91^{page} and that the same is a
 full, true and correct copy of said original and of the whole thereof
 Given under my hand and seal of office this 27th day of January
 A. D. 1909.

C. A. McDonald
 County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 27, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Thomas P. Cowen

known as the LITTLE ROCK NO. 2.

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2622, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 5 shafts, total value \$1070.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 27, 1909

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Thomas P. Cowen

, known as the

LITTLE ROCK NO. 2

situate in TURQUOISE Mining District,

COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur,

, designated as Survey No. 2622

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, February 14-25, 1909, under my instructions dated

January 30, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Sargent

U. S. Surveyor-General for Arizona.

Large
Map