

Copied 5-25-1909,

A. L. H.

Mar 26, 09

1 APR 24 1909

4-683.

MINERAL SURVEY No. 2625

LOT No. _____

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thomas King, Thos. P. Cowen &
John Gleeson

KNOWN AS THE

Nineteen Hundred Seven No. 2

Turquoise Mining District,
Cochise County, Arizona
Section Approx, Township 19-5 Range 25-E (Unsurveyed)

Surveyed under instructions dated Feb. 9, 1909

by John A. Rockfellow
U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced Feb. 21, 1909

Survey completed Feb. 24, 1909

6-822

Address of Claimants' attorneys,
Pickett and Bowman
Tombstone, Ariz.

NINETEEN HUNDRED SEVEN NO. 2 LODGE.

- identical
- Beginning at the N.W. Cor. of location and with Cor. 1803-3 S 99° 56' E 00° on line 1-2, Head Center Lode, Sur. No. 1610.
No. 4, Nineteen Hundred Seven Lode Sur. No. 2549, a 2 ft. square stone block in the middle of a stone block 4 ft. square E.C.E. pine post 4 ins. square, 3 ft. above the ground, in a mound of stone scribed N. 33° 0' 1903-2 to which add 6° 3' LF. from E. W. Cor.
- 1-2625 also scribed S.W.C. 1907.
In front of it a stone block 4 ft. 2 in. 2 ft. 4 in. Whence U.S. Loc. Min't. No. 1319 brs. N. 28° 13' 30" W. 2950 ft. 10' 12" E. N.M. Cor.
- A cross (x) and B.R. 4-2549 to which add 1-2625 4 ft. 11' 4" S 22° E. 8° 52' LF. (low col. 10' 12" E. 10' 12" S 22° E. 8° 52' LF. chiselled on limestone bed rock brs. N. 16° 25' E. 15. 0 ft. In front of block of limestone stone block 4 ft. 2 in. 2 ft. 4 in. A cross (x) and B.R. 4-2549 to which add 4° 0' 42" E. 8° 52' 18" LF. (low col. 2' 0" 10' 6 ft. 1-2625 chiselled on limestone bed rock brs. N. 8° 45' W. In front of line 2-4 held nine paces S 22° W. N. 34° 0' 10. 6 ft. 397.4 ft. V. base, col. 4 N.E.C.E. plus S 28° 44" E. 300° 0' 45' The intersection of lines 4-3 Nineteen Hundred Seven lode, V. base, col. 4 N.E.C.E. plus N. 28° 48' E. 33° 45' and 3-4 Fairview lode Sur. No. 2458 brs. N. 61° 25' E. 300° 0' 45' 336.2 ft. Line S.C.E. column 9 paces E. 28° 48' 45' The intersection of lines 4-3 Nineteen Hundred Seven lode and 2-3 Fairview lode brs. N. 61° 25' E. 278.05 ft. Thence N. 54° 27' E. Va. 13' 10" E. 391.16 Intersect W. side Germania Lode unsurveyed at N. 39° 29' W. 48.85 ft. from S.W. Cor. (Whence S. 0. E., S. 27° 24" post in mound of stone brs. N. 50° 10' E. 302.51 ft.) and 48.33 ft. from Cor. N. 3 Nineteen Hundred Seven Lode. ^{Sever 17} 394.80 Intersect line 3-4 Nineteen Hundred Seven Lode at N. 35° 10' W. 245.23 ft. ^{48.22} from Cor. N. 3. same with a complex 876.8 Intersect S. side of westerly wing, trans. store building of Chas. F. M. Renaud at N. 86° 56' ^{45° 14' from angle corner and S. 86° 56' E.} from S.E. Cor. Wing addition. the main block of the house 909.3 Intersect N.E. side of main building at N. 86° 56' W. 394.9 ft. from N.E. Cor. (porch) and S. 86° 56' E. L. 34.8 ft. from N.W. Cor. Wing addition. the main block of the house 972.7 Intersect S. side of building used as barber shop at S. 85° W. 14.7 ft. from S.E. Cor. and at N. 85° W. 5.7 ft. from S.W. Cor. Rose S 99° E.C.E. Barber shop rose parallel to S. E. Cor. 989.4 Intersect E. end barber shop at N. 7° W. 81.05 ft. from S.E. Cor. and S. 7° E. 2.1 ft. from N.E. Cor.

2. S. COL. N.W.C.R. A. E. 2.1.6. CLOU. H. S. COL.

995.0 To Cor. No. 2 identical with location and with S.E.

Cor. Germania Lode, and E.C.E. Repeter Lode unsurveyed,
a monument of stone partly destroyed, a post formerly
set, lying down. Site of previous one as follows:

Below this Cor. is situated in the main street of the new
town of Courtland and is an ordinary rock or post Cor.

and is not likely to remain permanently, hence Post
below the surface of the ground, an iron bolt, $\frac{3}{4}$ in. diam.,
12 ins. long, and resting same a steel bar (drill) $\frac{3}{4}$ ins.

diam. and 3 ft. long and surround the same with a conical
mound of stone 3 ft. base and $2\frac{1}{2}$ ft. high. Also estab-

lished witness Cor. at S. 30° 44' E. 176.0 ft. Set a
limestone 24x14x8 ins. 12 ins. 20 in. the ground. L. 10 ft. 48° 22'

Chisel a cross (x) for the exact point and 1.0 ft. back

261.18 1907 add 2625, 1907 Node. 1907 Node made up of N. 26 30.0°

Whence front to the corner to E.

Whence:- A cross (x) and B.R. 2-2625 chiselled on a
quartzite reef, a face 48x48 ins., brs. N. 56° 49' E. 111.42 ft.
The intersection of these 4-2 1907 Node made up of N. 26 30.0°

The S.C.E. Germania Lode Brs. S. 49° 27' 30" W.

220.3 D.F.

300.0 ft. Whence 2-4 1907 Node 2625 plus N. 21.32. E.
A post scr'd N.W.C.R. brs. N. 65° 52' W. 202.5 ft.

A post scr'd N.E.C.R. brs. S. 59° 44' E. 200.0 ft.
2625.4 D.F.

Thence:- S. 30° 44' E. Va. 12° 30' E.

COL. No. 2 witness made up below Node plus N. 21.32. E.

25.0 Approximate center Main street of Courtland Brs. N. and S.
10° 48.6'

42.6 Intersect line 3-4 Mary Mine Lode Sur. No. 2458 at
N.O. 43° W. 372.72 ft. from Cor. 3.
V close (x) 2625 plus B.Y. 4-2 1907 Node made up of N. 26 30.0°

58.1 Intersect front of frame store building of Geo. McGee
at N. 4° 25' E. 9.85 ft. from S.W. Cor. and S. 4° 25' W.
V close (x) 2625 plus B.Y. 4-2 1907 Node made up of N. 26 30.0°

10.15 ft. N.W. Cor. N. 18° 12' L.F.
1907 Node made up of N. 26 30.0°

69.9 Intersect S. side store building at S. 85° 35' E.
1907 Node made up of N. 26 30.0°

176.9 6.9 ft. from S.W. Cor. 1907 Node made up of N. 26 30.0°
224.0 Witness Cor. for Cor. No. 2 1907 Node made up of N. 26 30.0°
E.C.E. identical with location, a pine post 2x4 ins.
Lives back of the adams' x L.F. made up of N. 26 30.0°
3 ft. above the ground in mound of stone scribed E.C.E.
No. 4 1907 Node made up of N. 26 30.0°
1907-2 add 2625.
Beginning of the 1st Col. of junction 1907 Col.

- 381.4 To cor. No.3 identical with location, a cross (x) on the N.W. side of the lode; chiselled on limestone bed rock and witnessed by a monument of stone alongside. Add 3-2625. 1907 No.2.
 Whence:- A cross and B.R. 3-2625 chiselled on limestone bed rock brs. S. 10° 06' E. 11.7 ft.
- Cors. 3-4 Sur. 2458 Mary Mine and Fairview Lodes brs. S. 64° 12' W. 187.15 ft.
- Thence S. 47° 55' W. 13° 15' E. 180 ft. from N.E. corner and N. 35° 27' W. 25.2 ft. from S.E. corner.
- 226.38 Intersect line 2-3 Mary Mine and 4-1 Fairview Lodes at S. 0° 23' E. 70.25 ft. from Cor. Nos. 3-4 respectively.
- Whence Cor. No. 3 Fairview lode brs. S. 89° 07' W. 592.3 ft.
- The intersection of line 4-3 Fairview ^{Lode} and 3-4 Nineteen Hundred Seven lode brs. S. 89° 07' W. 540.8 ft.
- 976.2 Intersect E. side Courtland District School House at S. 35° 27' E. 17.0 ft. from N.E. cor. and N. 35° 27' W. 25.2 ft. from S.E. cor.
- 1001.0 Intersect W. side school house at S. 35° 27' E. 19.7 ft. from N.W. cor. and N. 35° 27' W. 22.5 ft. from N.W. cor.
- 1011.3 To Cor. No.4. The point falls at intersection of lines 2-5 Fairview Sur. No. 2458 and 1-2 Head Center Lode Sur. No. 1610. It is close to the side door of the school house hence not suitable for permanent corner. Set an iron bolt 1/2 in. diam., 15 ins. long, it's length in the ground and establish witness Cor. N. 30° 44' W. 32.4 ft. Set a pine post 4 ins. square, 3 1/2 ft. long, 1 ft. in the ground to hard pan, in a mound of stone scribed 4-2625 W.C. 1907-2. The brace or pegging.
- Whence from true cor., cor. of location, a post in a mound of stone brs. S. 30° 44' E. 31.4 ft. chiselled on limestone bed rock brs. S. 22° 42' E. 77.5 ft. Cor. No.3 Fairview Lode brs. N. 1° 00' W. 587.25 ft.
- The intersection of lines 2-3 Fairview lode and 3-4 Nineteen Hundred Seven lode Sur. No. 2549 brs. N. 1° 00' W. 560.25 ft.
- A mound of stones, presumably Cor. No.2 Head Center lode, Sur. No. 1610, brs. S. 30° 44' E. 31 ft.

- 4.
- 5 No other rock or tree bearings available.
- 2-4 Thence N. 30° 44' W. Va. 113° 45' E. No. 2248 Plat. # 100.
For Cor. No. 4
- 32.4 W.C. also identical with S.W. Cer. Repeter Lode
unsurveyed a mound of stone.
- 75.0 Center of road of main street of Courtland brs. NE&SW.
- 273.5 West C.E. identical with location, a pine post 4 ins.
square 3 ft. above ground in a mound of stone, scribed
W.E.C. 1907-S.
- 496.9 N.O. To corner No. 1, the place of beginning.
Along to pale bar in a mound of stone scribed 4-1907
per a pine post & the -AREA- 2 1/2 Acre. 445
Total Area 1907 No. 2 Lode Col. N. 20 449.99628' LF.
Area in Conflict is the same 1/2 acre 445 per
mound with Fairview Lode Sur. No. 24584.405
- 4.465
No. 10 with 1907 Lode Sur. No. 24590.218 the school
3-2 1/2 with Germania Lode Unsurveyed 0.337 acres total 0.515
- 1001.2 With Mary Mine Lode Sur. No. 24587.661
- 1100.0 Common Area in Conflict 0.515
- 1001.0 With Fairview and 1907 Lodes.016
- 1100.0 With 1907 and Germania Lodes.002
- 0.22 8A. E. 1A. 0 LF. From N.E. Col. 8A. E. 1A. 0 LF.
Total Net Area 1907 No. 2 Lode 0.515
- 1/2 acre 445 per
line intersection of line 4-2 1/2 acre 445
Thence Col. No. 2 1/2 acre 445 per
Location.
S. 0 8A. E. 1A. 0 LF. From Col. No. 2 1/2 acre 445 per
This claim is located in approximate Township 19 S. R.
25 E. unsurveyed, Turquoise Mining District, Cochise
County, Arizona.
- It is probably without the boundaries of the Coronado
National Forest Unsurveyed.
- The presumed course of the lode is N. 54° 29' E 995ft.
from west center end to east center end.
On the North:
- ADJOINING-CLAIMS.-
On the North:
To Col. No. 2 adjacent after junction of close (x)

Nineteen Hundred Seven Lode Sur. No. 2549

Thos. King claimant.

Germania Lode Unsurveyed, Wm. Cowan, claimant.

On the East.

^{No. 1} Germania Lode unsurveyed, Stevenson Bros. claimants.

Mary Mine Lode Sur. No. 2458, Great Western Mng. Co.,
claimants.

On the South.

Fairview Lode Sur. No. 2458, Great Western Mng. Co.,
claimants. 1300*

On the West.

Head Center Lode Sur. No. 1610, Martin Costello, claimant.

A conflicting claim, Register lode unsurveyed,
occupies approximately the same ground as this lode.

Brown & Shattuck Claimants.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and
that said improvements consist of:

From W.C.E.
The following table collected from mine records on opposite page.

No. 1. Discovery shaft which bears N. 55° 35' E. 52 ft.,
6x4 ft. deep, partly in cement, partly in rock.
Value at \$8.00 per ft. \$80.00

No. 2. A shaft which bears N 7° 50' W. 175 ft., shaft
6x4 ft. 10 ft. deep, partly in cement partly in rock.
Value at \$8.00 per ft. 96.00

From Cor. Miners mentioned in notes of file 1-8.
Spiral shaft which bears N 50° W. 339 ft., shaft 6x4 ft.,
34 ft. deep from windlass silla, 8 ft. timbered. First 4 ft.
in loose stuff, timbered 30 ft. in hard rock.

-OTHER IMBODIMENTS -
Value of timbering 50.00

Value of 30 ft. shaft at \$12 per ft. 360.00

\$ 586.00

AMTRE OF 20 SPACES 6 OF HIS BEL LP. 800.00

380-00

20.00

Above or following
-OTHER IMPROVEMENTS. -

lock. I had it at 20 feet depth, but a school of fish

1. A shaft which bears from Cor. I No. 3, N. 87-35' at. 408 ft. of
shaft 6x4 ft., 28 ft. deep, Brown & Shattuck claimants.
Below the buildings mentioned in notes of line 1-2.

Claimant of barber shop, unknown.

3. A shaft which bears from W.C.E. N. 10 20° W. 195 ft.
6x4 ft. 10 ft. deep, claimant unknown.

- INSTRUMENT. -
ASPIRE OF \$8.00 BELL LF.
\$80.00
This survey was made with a Young and Son mountain
ASPIRE AND LF. TO LF. geob. BELL FJLR IN GOMONF. BELL FJLR IN LOOP.
transit, No. 6355, provided with a Smith Solar attachment.

The courses were deflected from true meridians as obtained
by direct solar observations. The measurements were made
with 500 and 50 ft. steel tapes.

Notes Any discrepancies between these notes and the map may notice of location are due to errors in the latter.

Any discrepancies between this survey and former surveys are due to errors in the latter.

BLOOM & SWOFFORD COUNSELORS.

~~• school site as building some of yesterday's old houses~~

У ~~составленії~~ ~~составленії~~ остаточного уставу юдеї винуватилися.

Tombstone, Arizona,

C.J.W. Feb. 27, 1909.

1871-1872

U.S. Mineral Surveyor.

2021-07-11

Digitized by srujanika@gmail.com

卷之三

Concordia et concordia regnorum. — *Concordia regnorum.*

1900. Kurs obligatorisch.

Издательство Академии Наук СССР
Москва 1959

APR 27 1909

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of

John A. Rockfellow, Thos. P. Cowan, John Gleeson
known as the Nineteen Hundred Seven No. 2

and showing the respective capacities in which they acted.

J. W. Slack, Chairman.

, Chainman.

, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

We,

J. W. Slack

and John A. Rockfellow, do solemnly swear that we assisted John A. Rockfellow, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Thos. P. Cowan and John Gleeson known as the Nineteen Hundred Seven No. 2

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

J. W. Slack, Chairman.

, Chainman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this

25

day of February, 1909

John A. Rockfellow
My Com. expires Mar 14 1911 Notary Public
6-1043

APR 27 1909

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Feb 9 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Thos King Thos B. Cramer and
John Gleggian, known as the
Nineteen Hundred Seven No 2,
situate in Tuscarora Mining District,
Cochise County, Ariz, in Section
aff 19 S, Township No. 19 S, Range No. 25 E unsurveyed,
and designated as Survey No. 2625, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me

this

27day of February, 1909Samuel L Rockfellow

Notary Public

6-1044

My commission expires
Oct 15 1912

Affidavit of Five Hundred Dollars Improvements.

We, William Storbeck, and William Holmes
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Nineteen Hundred Seven No 2 mining claim,
situate in Turquoise Mining district, Cochise County,
Arizona Territory, for which Thos King, Thos P. Caven
and John Gleeson
have made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.

Wm Storbeck

Wm Holmes

TERRITORY OF ARIZONA,
County of Cochise } ss:

Sworn to and subscribed before me, this 25

day of February, 1909

John Rockfellow
Notary Public
My Com. expires Mar 14 1911



Notice of Mining Location

11

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Nineteen Hundred Seven No 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Thomas King, a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of January 1907.

The length of this claim is 995.1 feet, and I claim 50 feet, in a southwesterly direction and

945.1 feet in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southwest to the northeast.

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, ~~about~~ in what is known ~~as~~ as the "North Camp" ~~direction~~ and the S. W. cor. is identical with Cor. No. 2 Head Center lode, survey No. 1610, and the N W Cor is identical with the S W Cor of the Nineteen Hundred Seven lode, and the and the N E cor, is identical with the S E cor. of Germania Lode

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stone

at a point in a southwesterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence N. 30° 44' W. 221.7 feet to a post in mound of stone, being the N. W. corner of said claim; thence N 54° 29' E 995.1 feet to a post in mound of stone, being at the N E corner of said claim; thence S 30° 44' E 221.7 feet to a mound of stone at the center of the east end of said claim; thence same course, 175.4 feet to a post in mound of stone, being at the S. E. corner of said claim; thence southwesterly 1050 feet to a post in mound of stone at the S. W. corner of said claim; thence N 30° 44' W 300 feet to the place of beginning. Excluding area in conflict with Germania and Nineteen hundred seven lodes

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of January 1907.
This is a relocation of abandoned ground, name unknown

Thomas King

Witness Thomas P. Cowan

Filed and recorded at request of J A Rockfellow Feb. 23 1907 at I-20 P M
Book 38 Record of Mines page 193.

TERRITORY OF ARIZONA)
County of Cochise)ss.

I, C. A. McDonald, County Recorder, in and for
the County and Territory aforesaid, do hereby certify that I have
compared the annexed and foregoing copy with the original Notice of
Mining Location of the Nineteen Hundred Seven No2 Mining Claim filed
for record in my office on the 23rd day of February, A. D. 1907
and recorded in Book 38 Record of Mines at page 193 and that the same is a
full, true and correct copy of said original and of the whole thereof

Given under my hand and seal of office this 27th day of January
A. D. 1909.

C. A. McDonald
County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 3, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Thos. King, Thos. P. Cowen & John Gleeson

known as the NINETEEN HUNDRED SEVEN NO. 2

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur., and designated as Survey No. 2625, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.And I further certify that ^{not less than} five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or ~~their~~ grantors, and that said improvements consist of 3 shafts, total value \$586.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

July 3, 1909

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

Thos. King, Thos. P. Cowen & John Gleeson.

, known as the

NINETEEN HUNDRED SEVEN NO. 2

situate in TURQUOISE Mining District,


COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur.


, designated as Survey No. 2625

executed by John A. Rockfellow, U. S. Deputy Mineral
Surveyor, Feb. 21-24

, 1909, under my instructions dated
Feb. 9, 1909, have been critically examined and the necessary
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.



U. S. Surveyor-General for Arizona.



SURVEY NO 2625
ARIZONA LAND DISTRICT
Surveyed Feb. 21-24, 1909.
By John A. Rockfellow
U. S. Mineral Surveyor.
Scale 200ft=1in.

