

APR 21 1909  
May 19, 1909

4-683.

MINERAL SURVEY No. 2631

LOT No. \_\_\_\_\_

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John G. Smith

KNOWN AS THE

Coronet

Turquoise Mining District,  
Cochise County, Arizona

Section Approx, Township 19 S, Range 25 E misurveyed

Surveyed under instructions dated Feb 20, 19 09

by John A. Rockefeller  
U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced March 27, 19 09

Survey completed April 2, 19 09

6-822

Address of Claimants Attorneys  
Pickett & Bowman  
Tombston  
Ariz.



## COMET LODE.

- Ft. Beginning at Cor. No. 1. N. W. Cor. of location a pine post 4 ins. Sq. 31/2 ft above ground in a mound of stone scribed N. W. C. --C. add 1-- 2631. also scribed N. W. C. T. J. for N.W. Cor. Two Jays lode, unsurveyed Whence,
- U. S. Loc. monument NO.1319 brs. N.  $84^{\circ} 27'$  W. 2488.5 ft  
A cross (X) and B. R. 1-- 2631 chiseled on a quartzite rock 30X 12 ins. brs. S.  $8^{\circ} 45'$  W. 38.65 ft.  
A cross (X) and B. R. 1-- 2631 chiseled on a lime stone 20X10X6 ins. brs. N.  $43^{\circ} 10'$  W. 37.1 ft.  
A post scribed S. C. E. -- T. brs. N.  $62^{\circ} 49'$  W. 5.1 ft.  
Thence N.  $32^{\circ} 54'$  E. Va  $14^{\circ} 30'$  E.
- 2.6 S. E. Cor. Triangle lode unsurveyed a post scribed S. E. C. - T. Thence: along E. side Triangle lode.
- 7.1 Intersect frame building used as Restaurant at S.  $57^{\circ}$  E. 0.4/ from S. W. Cor. and N.  $57^{\circ}$  W. 15.7/ from S. E. Cor.
- 27.2 Intersect N. side frame building at S.  $57^{\circ}$  E. 9.35 ft from N. W. Cor., Trotter and Wood Claimants.
- 29.4 Intersect S. side frame store building at S.  $57^{\circ}$  E. 4.0 ft from S. W. Cor. and N.  $57^{\circ}$  W. 26/ft from S. E. Cor.
- 49.4 Intersect same building at S.  $57^{\circ}$  E. 3.6 ft from N. W. Cor. and N.  $57^{\circ}$  W. 26.4 ft from N. E. Cor. also S. side contiguous frame building used as Bakery.
- 60.3 Intersect ~~N.~~ side same building at S.  $57^{\circ}$  E. 3.3 ft from N. W. Cor. and N.  $57^{\circ}$  W. 26.7 ft from N. E. Cor. B. Q. Musgrave claimant of both buildings.
- 80.6 S. W. <sup>Corner</sup> frame building used as tailor shop course of side South  $57^{\circ}$  -- 06 E. 12 ft.
- 91.3 N. W. Cor. same building B. Q. Musgrave claimant S. W. Cor. frame building used as Barber shop course of side S.  $57^{\circ}$  -- 06 E. 12 ft.
- 101.2 N. W. Cor. same building W. Robinson claimant and S. W. Cor. contiguous frame building course of side S.  $57^{\circ}$  -- 06 E.



- 12ft.
- 121.3 N. W. Cor same building B.
- 129.0 Pt. whence S. W. Cor frame building brs. S 57° 06' E. 2.0 ft building 40 X 12 ft course of long side N. 32° E.  
B. Q. Musgrave claimant.
- 197.5 Pt. whence S. 57° 06' E. 50.7 AS. W. Cor. frame house 24 ft easterly and westerly X 12 ft, claimant unknown.
- 216.5 Pt. whence S. 57° 06' E. 32 ft N. W. Cor. of a frame house 36 ft easterly and westerly X 12 ft., claimant unknown.
- 270.1 Pt. whence S. 57° 06' E. 1.5 ft N. W. Cor. frame house 12 ft N. easterly and S. westerly X 14 ft, claimant unknown
- 283.6 Pt. whence S. 57° 06' E. 4.8' N. W. Cor. frame house 12 ft N. easterly and S. westerly X 14 ft, claimant unknown.
- 291.6 N. W. Cor. Triangle No. 2 lode and N. East. Cor. Two Jays lode a 4 X 4 post scribed N. W. C.-- T No. 2 and N. E. C.-- T. J.
- 314.5 N. center end, a pine post 4 ins. Sq. 4 ft above ground in a mound of stone scribed N. C. E. -- C. identical with location.
- 338.8 S. E. Cor. frame house 26 ft westerly X 12 ft. A. J. Johnson claimant.
- 483.2 N. center end Triangle No. 2 lode a 4 X 4 post scribed N. C. E. -- T. No. 2.
629. To Cor. No. 2 identical with location a pine post 4 ins. Sq. 4 ft high in a mound of stone 3 1/2 ft above ground scribed N. E. C. -- C. add 2-- 2631.  
Whence, A cross ( X ) and B. R. 2-- 2631 chiseled on a limestone 30 X 24 X 12 ins. Brs. S. 41° 51' E 19.5 ft.  
A cross ( X ) and B. R. 2 -- 2631. chiseled on a limestone 30 X 10 X 4 ins. Brs. S. 7° 05' W. 30 ft.  
The N. E. Cor. Triangle No. 2 lode Brs. N. 32° 54' E. 180.2 ft  
Whence: Angle Cor. same lode bears S 30° 32' E. 145 ft.  
Thence, S. 39° 30' E. Va 13' 10' E.
- 361.5 To Cor. No. 3 identical with location a pine post 4 ins. sq. 4 ft above ground in a mound of stone scribed  $\Delta$  Cor. . C. add 3--2631.



Whence, A cross ( X ) and B. R. 3-- 2631 chiseled on a lime stone 14 X 14 X 8 ins. Brs. N. 55° 57' W. 21.1 ft.

A cross ( X ) and B. R. 3-- 2631 chiseled on a limestone reef brs. N. 37° 45' E. 28.7ft.

Thence, S. 74° 45' E. Va 13° 10' E.

75, Wagon road Brs. N. N. E. and S. S. W.

406 Wagon road brs. Notherly and Southerly.

470. Wagon road Brs. N. N. E. and S. S. W.

524.2 S. E. Cor. Triangle No. 2 lode a 4 X 4 ins. Post scribed S. E. C -- T. No. 2. Whence: S.W.Cor, same lode bears S 32° 54' W 0.8 ft.

594.8 To Cor. No. 4. chiseled a cross ( X ) and 4-- 2631 C. on limestone bed rock

Whence, Cor. of location a pine post 4 ins. sq. 3 ft above ground in a mound of stone scribed S. E. C. -- C. also

For S.E. Cor Two Jays lode. scribed S. E. C. -- T. J. brs. S. 9° 45' E. 8.0 ft. Cor. No. 3 Sur. No. 2587 Maid of Sunshine lode bears S 10° 26' W 586.9 ft. Thence, S. 32° 54' W. Va 13° 10' E. Cor No. 6 Elgin lode Sur, No 546 bears S 35° 38' E 454.3ft.

4.55 S. center end Set. a lime stone 24 X 12 X 6 ins 12 ins. in the ground, chisel a cross at the exact point and 2631 C.

Whence, S. Center end of location a pine post 4 ins. sq. 3 1/2 ft above ground in a mound of stone scribed S. C. E. for S. center end Two Jays lode --C. and S. C. E. T. J. brs. S. 39° 30' E. 5.55 ft.

7.2 To Cor. No. 5, set a limestone 24 X 10 X 8 ins, 12 ins. in the ground, chisel a cross ( X ) at the exact point and 5-- 2631 C.

Whence, S. W. Cor. of location a pine post 4 ins. sq. 3 ft above ground in a mound of stone scribed S. W. C. --C. For S.W. Cor. Two Jays lode. also S. W. C. -- T. J. brs. S. 62° 49' E. 5.4 ft

A cross ( X ) and B. R. 5-- 2631 chiseled on a limestone bed rock brs. N. 66° 08' W. 11.0 ft. No other nearby stone or tree bearings available.

Thence, N. 62° 49' W. Va 13° 10' E.

50. Road brs. N. N. E. -- S. S. W.



- 180. Road brs. E. N. E. and W. S. W.
- 536.2 Intersect E. side of frame house at N. 23 E. 13 ft from S. E. Cor. and S. 23 W. 22.7 ft from N. E. Cor.
- 552.3 Intersect W. side same house N. 23 E. 1.4 ft from S. W. Cor. and S. 23 W. 22.6ft from N. W. Cor. A. D. Davis claimant.
- 602.0 Pt. Whence N. 23 11 E. 2.1 ft S. W. Cor. of house 22.1 ft easterly and westerly X 14.1 ft.
- 724.4 Pt. Whence N. W. Cor. of frame house brs. N. 50 46 E. 138.9 ft house 12 ft northerly and southerly X 15 ft.
- The S. W. Cor. of a frame house brs. N. 48 55 E. 137.1 ft house 20 ft northerly and southerly X 12 ft, M. Spiers claimant.
- 751.3 To Cor. No. 1 the place of beginning

Area 6.683 Acres

Location

This claim is located in Turquoise Mining Dist. Cochise County, Arizona in approximately T. 19. S., R. 25 E., Unsurveyed, also probably without the Coronado Forest Reserve Unsurveyed.

The presumed course of the lode is N. 39 30 30 W. 784.25 ft from S. center end to N. center end.

Adjoining claims are: On the North.

Triangle lode unsurveyed James Heron claimant, On the East.

Triangle No. 2 lode unsurveyed partly in conflict with Comet lode said <sup>Triangle No. 2 lode</sup> not excluded. C. C. Towner and J. H. Jones claimants.

Silver Peak lode unsurveyed J. Taylor claimant. On the West.

April Fool lode, claimants unknown.

Conflicting claim occupying a portion of Comet lode ground (not excluded)

Two Jays lode unsurveyed, Towner and Jones claimants.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant and his grantors is not less than five hundred dollars and that said improvements



consist of:

From S. Center End.

- N<sup>o</sup> 1. Discovery shaft the center of the westerly edge of which  
brs. N. 39° 30' W. 114 ft. Shaft irregular 8 X 6 ft 8 ft  
deep with slope at Northerly end, Making length at top  
12 ft.

Value

\$1000

- N<sup>o</sup> 2. A shaft the center of which brs. N. 20° 20' W. 251.5 ft.  
Shaft 7 X 5 ft timbered and lagged with plank, first  
ten ft: 6 X 4 inside of timbers 39.5 ft. deep: first  
four ft. in loose stuff, Value of timber and labor setting  
same, \$50  
Value of 35.0 ft shaft at \$11 per ft. \$385  
Total value shaft and timbering \$435

Other Improvements.

- A. Shaft which brs. from point on line 1---2 at N. 32° 54' E.  
291.6 ft from Cor. No. 1, S. 5° 30' E. 228 ft  
Towner and Jones claimants.  
Buildings Mentioned in topography of side lines of this  
claim with claimants named <sup>W.H.C. 17</sup> they could be ascertained.  
A frame house the S. Cor. of which Brs. from S. center end  
N. 58° 44' W. 119.8 ft course of Southerly side N. E. 33.5 ft  
X 57 ft with jogs at Northerly end. Applicants herein  
claimants. In addition to the above there are many tents  
and temporary structures.

Instrument.

This survey was made with Young and Sons Mountain transit  
with Smith Tolar attachment. The courses were deflected from the  
true Meridian as determined by direct solar observations.  
The distances were measured with 50 ft and 500 ft steel  
tapes.

Tombstone, Arizona.  
April 12 1909

*John A. Rockefeller*  
U.S. Mineral Surveyor



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

John G. Smith  
 known as the Corner

and showing the respective capacities in which they acted.

H. M. Katz \_\_\_\_\_, Chainman.  
J. M. Ritchie \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, H. M. Katz

and \_\_\_\_\_, do solemnly swear that we assisted John A. Rockefeller, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of \_\_\_\_\_

John G. Smith  
 known as the Corner

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona


H. M. Katz \_\_\_\_\_, Chainman.  
J. M. Ritchie \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 14

day of April, 1909

John A. Rockefeller  
 Notary Public

My Commission expires Mar 14 1911






FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
Feb 20 1909, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of John G. Smith  
, known as the  
Cornet  
situate in Turquoise Mining District,  
Cochise County, Arizona, in Section  
Apprx, Township No. 19S, Range No. 25E unsurveyed  
and designated as Survey No. 2631, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or his grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

John A. Rockefeller  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller  
U. S. Mineral Surveyor, before me a Notary Public for  
Cochise County this 19<sup>th</sup>  
day of April, 1909

J. J. M. Court  
Notary Public  
My commission expires June 23, 1912





Affidavit of Five Hundred Dollars Improvements.

We, H. M. Katz and J. M. Ritchie

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Cornet mining claim,

situate in Turquoise Mining district, Cochise County,

Arizona Territory, for which John G. Smith

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

H. M. Katz  
J. M. Ritchie

TERRITORY OF ARIZONA, }  
County of Cochise } ss:

Sworn to and subscribed before me, this 14

day of April, 1909



John A. Rockefeller  
Notary Public  
My Commission expires Mar 14 1911

27669b1m2-07





## Amended Notice of Mining Location.

## Lode Claim.

To All Whom it may Concern;

This mining claim, the name of which is the Comet Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank A Sharkey, a citizen of the United States, the undersigned on the 16th day of May, 1908.

The length of this claim is seven hundred and ninety feet and I claim one hundred twenty five feet, S 39° 30' E from the discovery shaft, near which this notice is posted, and six hundred sixty five feet N 39° 30' W from the discovery shaft lengthwise of the claim together with three hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is N 39° 30' W to S 39° 30' E. The claim is situated and located in the Turquoise Mining District, Cochise County, Territory of Arizona, and is bounded by the following claims, - Traingle, Ureky or April Fool, and Silver peak.

The surface boundaries are marked upon the ground as follows; Beginning at a postt in a mound of stone at a point S 39° 30' E 125 ft. from the discovery shaft being in the center of the South End Line of said claim, thence S 32° 54' W 0.4 ft. to a post in mound of stone being the South west corner of said claim; thence N. 62° 49' W 756.7 feet, (following the the North side line of the Eureky or April Fool Claim) to a post in mound of stone, the northwest corner, thence N 32° 54' E 314.5 ft. to a post in mound of stone, the North Center End point; continuing this line same direction and following the East side line of the Triangle (or Triangle No 1) claim, 629.0 ft. from the North West Corner to the North East corner, a post in mound of stone; thence S 39° 30' E 361.5 ft to an angle corner, on the west side line of the Silver Peak Claim, a post in mound of stone, thence S 9° 44' E 602.8 feet to a post in mound of stone



being the South East Corner of said Claim, on the west side line of the Silver Peak Claim, thence S 32° 54' W 0.4ft. to the place of beginning.

This is a relocation of an abandoned mining claim name unknown. All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona entitled "An act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

This is an Amended Location notice of the Comet Mining Claim, located by Frank A. Sharkey on the 16th day of May 1908, and recorded in Book ---of Records--- at page ---in the office of the County recorder of the aforesaid County of Cochise, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of November 1908.

Frank A Sharkey  
by J M Platt

m Witness  
W H Kirlew  
copy J M Platt

Filed and recorded at request of John G. Smith Nov. 7 1908 at 9:00 A. M.

Book 40 Records of Mines at pages 220, 221, 222.

TERRITORY OF ARIZONA )  
County of Cochise )<sup>oss</sup>

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the Original Amended Notice of Location of the "Comet" Mining Claim filed for record in my office on the 7th day of November 1908 and recorded in Book 40 Record of Mines at pages 220, 221, 222 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 10th day of February A. D. 1909.

C. A? McDonald,  
County Recorder  
By *C. A. McDonald*  
Deputy



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 31, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

John G. Smith

known as the Comet

situate in Turquoise

Mining District, Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2631, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 shafts, total value \$535.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona.

July 31, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

John G. Smith

, known as the

COMET

situate in TURQUOISE Mining District,

COCHISE

County,

ARIZONA

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.

designated as Survey No. 2631

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, March 27-April 2, 1909, under my instructions dated

Feb. 20, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor-General for Arizona.