4-683.

MINE	RAL	S	URY	IEY	No.	2636
------	-----	---	-----	------------	-----	------

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Martin Costello

KNOWN AS THE

North Star, Frenchman, Frenchman No2, Millionaire, Quail, Hiland Mary,
and Piedmont lodes, in Turquoise

Mining District,

Section Approximately, Township 19 S , Range 25 E, unsurveyed

Surveyed under instructions dated March 4 , 19 09

by John A. Rockfellow
U. S. Mineral Surveyor.

Claim located Sec Cocation notice, 19

Survey commenced June 2, , 19 09

Survey completed June 5, , 19 09

Address of claimant's Attorney,
Lee O. Woolery,
Tombstone, Arizona.

Frenchman Lode.

Beginning at cor No.1, the N.W. corner of location identical with Cor. No. 4, Frenchman No 2 lode of this survey, and with the N E Corner of the North Star No2 lode unsurveyed, a pine post 4ins square, 3 ft above ground in a mound of stone scribed SWC-F No2, NEC-N S No2, and NWC-F, add 4-1-2636, whence: 2018. 931

are Sailt above ground in mound of atone, willed

U. S. M. H., No 1, bears N 70° 22'W, 5168.9 ft. A cross (X) and B R 4-1-2636, chiseled on a limestone rock 10 X 8 X 4 ins bears N 70° 52'W, 42.1 ft. No other rock or tree bearings available.

Nose of Cochise's head, Chiricahua Mts bears N 50°54'E, Thence N 55°57'E, Va 12° 50'E, A 481 481 481 481

- 310.00 north center end, identical with location and with south center end of Frenchman No2 lode of this survey, a pine post in mound of stone scribed NCE-F and SCE-F No2, add
- 620.0 to corner No 2, identical with location and with Cor. No 5, Frenchman No 2 lode of this survey, a pine post 4 ins square 3 ft above ground in a moundof stone scribed NEC-F and SEC-F No 2, add 2-3-2636,

Whence:

A cross(x) and BR 2-3-2636 chiseled on a quartzite rock 12 X 10 X 6 ins bears S 85° E, 38.2 ft. No other bearings available.

Thence S 19°25'E, Va 12°50'E,

- 241.5 center of Arizona and Colorado R. R. bears NNE & SSW.
- Cor. No.4 Piedmont lode of this survey, also Cor. Hol, Silver Reef lode, Survey No. 1618.
- 1500.0 To Cor. No 3, identical with location and on line 1-2 Grown Point lode, Survey No 1618, at S 55°57'W, 300.8 ft from Cor No 2., a pine post 4 ins square 32 ft above ground in a mound of stone, scribe SEC-F, add 3-2636.

Whence:

A cross(X) and BR 3-2636 chiseled on limestone rock 24 X 18 ins lewel with the ground bears S 36°50'E, 11.1 ft.

No more bearings available.

Thence S 55° 57'W, Va 12°50'E.

along line 2-1 Crown Point lode Survey No 1618,

310.0 south center end identical swith location, a post in a mound of stone, scribed SCE-F add 2636,

620.0 to south west corner, identical with location a X and COR chiseled on limestone bed rock with a monument of stone 31 ft high alongside, change marking to SW COR- F-4-2636, Whence:

A cross (X) and BR 4-2656 chiseled in two places on limestone bedrock bears N 70°10'E, 3.85 ft, and N 26°30'W, 5.6 ft.

Thence N 19°25'W, Va 12° 50'E,

634.0 center of Arizona and Colorado R.R. bears NNE & SSW. 1500.0 To Cor. No. 1, the place of beginning.

steroo for Frenchman No 2 lode. I allo good plan and allow worth

Beginning at Cor. No I, the north west corner of location and identical with Cor. No.1 Hiland Mary lode of this survey, a pine post 4 ins square 3 ft above ground in mound of stone, scribed NWC-F No2 and SWC- HM add 1-1-2636, whence: U.S.M.M.,No.1,bears N 85°47'W,4381.6 ft A cross (X) and BR 1-1-2636, chiseled in two places

on porphyry bedrock bears N 53°30'E, 6.1 ft and S 50°05'W, 15.9 ft.

Thence N 55°57'E, Va 12° 50'E,

310.0 north center end identical with location and with the south center end Hiland Mary lode of this survey, a post in mound of stone scribed NCE-F No2, SCE-HM, add 2636.

620.0 To corner No 2 identical with location and with corner

No 4 Hiland Mary lode of this survey, a pine post 4 ins

scrare 3nft above ground in mound of stone, acribed

NEC-F No2, and SEC-HM, add 4-2-2636 whence a cross and BR 4-2-2636 chiseled on a porphyry rock 16%14X12 ins bears S 18°13'W, 11.55 ft.

A cross (X) and BR 4-2-2636 chiseled on a porphyry rock 18 X 14 X 3 ins bears N 76° 43'W, 9.2 ft.

Thence S 19°25'E, Va 12° 50'E,

- 420.0 center wagon road Courtland to Gleeson bears ENE & WSW.
- 450.0 center gulch 20 ft wide course easterly.
- 690.1 corner Nos 1 Quail lode and 1 Piedmont lode, both of this survey.
- to corner No 3, identical with location and with Cor No 2 Frenchman lode of this survey, heretofore described.

 Thence S 55° 57'W, Va 12°50'E,
- 510.0 south center end identical with location and with north center end Frenchman lode of this survey heretofore described.
- 620.0 to corner No.4, identical with location and with corner no No.1 Frenchman lode of this survey heretofore described.

 Thence N 19°25'W, Va 12°50'E,
- ft wide, bears easterly and westerly, course of gulch easterly.
- 1500.0 to Corl No. 1, the place of beginning.

Hiland Mary lode, to our verbe on a destroy tece

Beginning at Cor. No. 1, the SW corner of location, identical with Cor Nol, Frenchman No 2 lodeof this Survey hertofore described.

U.S.M.N. No 1 Turquoise District bears N 85°47'W,

Thence N19°25'W, Va 12°50'E,

1500.0 to Cor. No 2, identical with location, a pine post

4 ins square, 3½ ft above ground in a mound of stone,
scribed NWC-HM add 2-2636, whence:

A cross (X) and BR 2-2636 chiseled on porphyry bed rock in two places bears S 35°47'W, 12.5 ft and N 20 °30'E, 7.4 ft.

Thence N 55° 57'E, Va 12° 50'E,

- 310.0 morth center end identical with location, a post in mound of stone scribed NCE-HM add 2636,
- 620.0 to Cor. No. 3, identical with location, a pine post 3 ins square, 3 ft above ground on a mound of stone, scribed NEC-HM add 3-2636, whence:

A cross (X) and BR 3-2636 chiseled on a quartzite face 18 X 10 ins bears N 69°57'W, 8.1 ft,

A cross (X) and BR 3-2636 bhiseled on a quartzite rock 8 X 6 X 10 ins bears S 2° 54'W, 16.55 ft.

Thence S 19°25'E, Va 12° 50'E, and the state of the state

- 690.1 Cor. No 2 Quail lode of this survey,
- 1500.0 to Cor. No. 4, identical with location and with Cor. No 2
 Frenchman No 2 lode of this survey and heretofore
 described.

Thence S 55° 57'W, Va 12° 50" E,

- 310.0 south center end identical with location and with north center end Frenchman No 2 lode of this survey heretofore described.
- 620.0 to Cor No 1, the place of beginning.

Piedmont lode,

Beginning at Cor. No. 1 the NWCorof location, identical with Cor. No.1 Quail lode of this curvey and on line 2-3 Frenchman No 2 lode of this survey, a pine post 4 ins square 3 ft above ground in a mound of stone, scribed SWC-Q, NWC-P, add 1-1-2636, whence:

U.S.M.M., No. 1, Turquoise District bears N 83°01'W, 5151.0 ft.

A cross and BR 1-1-2636 chiseled on a porphyry rock 24 X 18 \overline{X} 6 ins bears N 71° 37'W, 40.1 ft.

A cross and BR 1-1-2636, chiseled on a porphyry rock

18 X 16 X 8 ins bears N 0°25'E, 13.25 ft.

Thence N 59°27'E, Va 12° 50'E,

190.0 enter wide sand wash course easterly,

-Orand Alock, adds-1-ecro

- 305.7 nerth center end a monument of stone in sand wash, identical with location and with south center end of Quail lode of this survey,
- 550.0 leave sand wash, ascent sharp rocky slope,
- 611.4 to Cor. No 2, identical with location and with Cor. No
 4 Quail lode of this survey, and with Cor No 4 Millionaire
 lode of this survey, a pine post 4 ins square, 4 ft above
 ground in a mound of stone, scribed SEC-Q, NEC-P, SWC-M,
 add 4-4-2-2636,

Whence: A cross (X) and BR 4-4-2-2636 chiseled on perphyry bed rock in twoNplaces bear N 24° 55'E, 14.5 ft, and N 78°10'E, 15.6 ft.

Thence S 19°25'E, Va 12° 50'E,

- 10.0 enter wide sand wash course easterly, 280.0 leave sand wash
- 494.0 center of Arizona and Colorado R.R. track on curve north easterly and south westerly,
- 1500.0 to Cor. No 3, identical with location, and with Cor No 2
 Silver Reef lode Survey No 1618, a pine post 4ins square,
 3 ft above ground in a mound of stone scribed, SEC-P,
 NEC-SR 2-1618, add 3-2636,

whence:

A cross and BR 3-2636 chiseled on a quartzite rock 12X 8 X 3 ins bears S 51°05'E, 25.3 ft, no other rock or tree bearings available,

Thence 3 59°27'W, Va 12°50' E

- 305.7 south center end identical with location and with north center end Silver Reef lode, Survey 1618, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed SCE-P, NCE-SR 1618, add 2636,
- 611.4 to Cor No 4, identical with location and with Cor. No 1,

Silver Reef lode, Survey No 1618, and on line 2-3
Frenchman lode of this survey, a pine post 3 ft above ground in a mound of stone scribed SWC-P and NWC-SR 1-1618, add 4-2636,

whence: A cross and BR 4-2636 chiseled on a lime stone rock 12 X s12 X 4 ins bears N 56° 52'E, 52.9 ft, no other rock or tree bearings available.

Thence M 19° 25'W, Va 12°50'E,

- 448.6 center of Arizona and Colorado R.R track bears NNE &SSW,
- 690.1 corner No 3, Frenchman No 2 lode and Corner No 2 Frenchman lode, both of this survey,
- Quail lode,

Beginning at Cor. No 1, the south west corner of location, identical with Cor No 1, Piedmont lode of this survey and heretofore described,

Whence U.S.M.N. NO 1, Turquoise District, bears N 83°01'W, 5151.0 ft.

Thence N 19°25'W, Va 12° 50'E,

- 690.1 cor Nos 2, Frenchman No 2, and 4 Hiland Mary lodes of this survey,
- 1500.0 To Cor No 2, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone scribed NWC-Q, add 2-2636, Whence:

A cross (X) and BR 2-2636 chiseled on a quartzite rock 10 X 6 X 4 ins bears S 47°28 W, 26.1 ft, no other rock or tree bearings available.

Thence N 59°27'E, Va 12°50'E,

- 305.7 north center end identical with location, a pine post
 4 ins square, 3 ft above ground in a mound of stone,
 scribed NCE-Q add 2636,
- 350.4 intersect line 4-1 North Star lode of this survey at S 70°31'E, 132.3 ft from Cor. No. 1,
- No,1 Millionaire lode of this survey, a pine post 4ins square, $3\frac{1}{8}$ ft above ground in a mound of stone scribed N=0-9 and NWC-M, add3-1-2636

257.0 inter sect line 4-1 North Star lode of this survey at \$ 70°31'W, 461.4 ft from corner No 1,

1150.0 road bears NE & SW,

1500.0 to corner No 4 identical with location, and with Cor.

Nos 4 Millionaire and 2, Piedmont lodes of this survey

and heretofofe described,

Thence S 59°27'W; Vall2°50'E; Too Descript posts

61.4 enter wide sand wash course easterly,

305.7 south center end, identical with location, and with north center end of the Piedmont lode of this survey,

421.4 leave sand wash, no gost joge-

611.4 To Cor. No 1, the place of beginning.

Millionaire lode. Comes no de

Beginning at Cor, No 1, the north west corner of location identical with Cor. No.3, Quail lode of this survey, heretofore described,

Whence, U.S.M.M., No 1 Turquoise District bears S 77°56'W, 5256.8 ft. 3' breguour roges of cure and a composition of the angle of the a

Thence N 59° 27'E, Va 12° 50'E, W' and Alph Con P

- 467.1 intersect side 3-4 North Star lode of this survey at N 19°29'E, 558.0 ft from Cor No 4,
- 611.5 to cor No 2, identical with location, a pine post 4 ins square, 32 ft above ground in mound of stone, scribed NEC-M, add 2-2636, Long ID & Bong OF STONE CONTROL

Whence: College Peak bears S 49° 06'E,

A cross (X) and BR 2-2636 chiseled on a porphyry reef
bears N 48°23'E, 31.2ft, no other rock or tree bearings
available.

1093.0 center of wagon road Gleeson to Courtland, bears NE & SW,

1500.0 to cor No 3, identical with location, a pine post 4 ins sea square, 3 ft above ground in a mound of stone, scribed SEC-M, add 3-2636,

Whence, College Peak bears S 50°39'E,

No rock or tree bearings available,

4 ins square, 3 ft above ground in a mound of stone, scribed SCE-M, add 2636, 981 MIRE 100321011 to bland of stone

611.5 to cor No 4, identical with location, and with cor Nos

4, Quailand 2, Piedmont lodes of this survey, heretofore

described, Tandro de Market Person

Thence N 19°25'W, Va 12°50'E,

350.0 center of wagon road Gleeson to Courtland, bears NE & SW.

1243.0 intersect line 4-1 North Star lode of this survey at N 70°31'W, 138.6 ft from corner No 4.

1500.0 to corner No 1, the place of beginning.

\$ 78°05'W, 4896.7 ft., pen

North Star lode.

Beginning at Cor. No 1, the southwest corner of location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed SWC-NS, add 1-2636,

Whence: U.S.M.M., Nol, Turqueise District bears

A cross (X) and BR 1-2636, chiseled on a quartzite rock

10 X 6 X 2 ins bears S 27° 36'E, 16.3 ft,

No other tree or rock bearings available.

Thence N 19°29'E, Va 12°50'E, of full dollars at

1500.0 to corner No 2, identical with location, a quartzite rock 8 X 6 ins, 12 ins above ground, with a monument of stone alongside to the west, and chiseled with a cross (X) NWC-NS, add 2-2636, Whence a cross and BR (not room for more) chiseled on a quartzite rock 19X 7 X 6 ins bears

N 23°45'W, 38.5 ft, The Published Dollars. Thence S 70° 31'E, Ma 12°50'E, 300.0 north center end, identical with location, a quartzite rock 8 X 4 ins, 12 ins above ground, with a monument of stone alongside to the north, and chiseled with a cross (X) and NCE-NS, add 2636, 600.0 to corner No 3, identical with location, a quartzite rock 8 X 6 ins 12 ins above ground with monument alongside easterly, and chiseled with a cross (X) and NEC-NS, add 3-2636, or many many Whence a cross (X) and BR 3-2636 chiseled on a quartzite rock 12 X 10 X 4 ins bears S 81°24'W, 5.2 ft, A cross (X) and BR 3-2636, chiseled on a quartzite rock 14 X 12 X 8 ins bears N 18°25'W, 7.3 ft. Thence S 19°29'W, Va 12° 50'E, Tool I Tool 942.0 intersect line 1-2 Millionaire lode of this survey, at N 59°27'E, 467.1 ft from corner No 1, 1500.0 to cor No 4, identical with location, a pine post 6 ins square, 3 ft above ground in a mound of stone, scribed SEC-NS, add 4-2636, our mesetack number Lables whence a cross and BR 4-2636, chiseled on a quartzite rock 10 X 7 X 2 ins bears N 26°23'W, 17.9 ft. No other rock or tree bearings available. Cor Nos 1-Millionaire and 3, Quail lodes of this survey bears N 36°50'W, 360.6 ft. Thence N 70°31'W, Va 12° 50'E, 138.6 intersect line 1-4 Millionaire, lode of this survey at S 19°25'E, 257. ft from corner nos1.-3 -- 00000 300.0 south center end identical with location a pine post 4 ins square, 3 ft above ground in mound of stone, scribed 467.7 intersect line 2-3 quail lode of this survey at S 59027'W, 261.0 from cor No 3, 600.0 to Cor. No. 1, the place of beginning

tot less then live hundred dollars and that the gald

seed in sale mining claims by the claimstreet his

Total area Frenchman lode ------20.657

Total area Frenchman No.2 lode ---------20.657

Total area Hiland Mary lode-----20.657

Total area Millionaire lode-----20.660

Total area Quail lode------20.657

Total area North Star lode-----20.661

Area in conflict, Quail and North Star lodes 0.755 acres

Location. The grantente.

This survey is located in approximately Tp. 19 S in the Turquise mining Dist, Cochice County, R 25 E unsurveyed, and is partly within at the boundries of the Coronado Forrest Reserve, unsurveyed.

The presumed courses of the lodes are as follows: on the Frenchman, Frenchman No.2 Hiland Mary, Piedmont, Quail and Millionaire, N 19° 25'W-1500 ft.from the S. Centre end to the N. Centre end;

On the North Star lode N 19° 29'E 1500 ft. from the S centre end to the N centre end.

choas (xy *suc *s: *s *c to dast prire 100

decrease Adjoining Claims, on peace a wrong are the

On the east of the Millionaire-lode a lode claim name unknown. Name of claimant unknown.

unknown.

On the south of group, Silver Reef and Crown Pointe lodes both of Survey No. 1618.

On the west of the Frenchman lode the Fortland lode, unsur.

Thos. Cowen, claimant and North Star No 2 lode, Martin

Costello, claimant.

Expenditure of Five Hundred Dollars.

LIDUCO COLORO PROPORTO PROPORTO DE LA COLORO DEL COLORO DE LA COLORO DEL COLORO DE LA COLORO DE

I certify that the value of the labor and improvements

made upon or for the benefit of each of the locations

embraced in said mining claims by the claimant or his grantors
is not less than five hundred dollars and that the said

on the Frenchman lode;

No 1,Discovery shaft on lode line at S 19°25'E, 690 ft from the north center end, 6 X 4 ft., 13 ft deep, (caved)

No2- Shaft which bears from the north center end, S 19°25'E, 93 ft, 6 X 4 ft., 10 ft deep,

Wall praconcial system Value at \$10. per ft....\$100.00

No3- A shaft which bears from Cor No 4 Piedmont lode on line 2-3 Frenchman lode at S 19° 25'E, 690.1 ft from Cor No 2, S 0°40'W, 365 ft, 7 X 5 ft, 7 ft deep,

Value at \$10. per foot\$70.00 No.4- An opecut or trench in rock, the center of which bears from Cor No 4, Piedmont lode on line 2-3 Frenchman lode S 19°25'E, 690.1 ft from Cor No 2, S 4°45'E, 400 ft, 4 X 10ft, 3 ft deep, formerly deeper,

Value.....\$60.00

On Frenchman No 2 lode, v

No, 1, Discovery shaft on lode line at S 19°25'E, 65 ft from north center end, 6 X 4 ft, 10 ft deep,

, Yalue.....\$100.00

No 2- A shaft which bears from a point on line 2-3 at 5 19° 25'E,1120.1ft from corner No 2, N 70°45'W, 399 ft, 6 X 4 ft, 8 ft deep, In cement and rock,

Value.....\$60.00

On the Hiland Mary love of celton

No 1-Discovery shaft on the lode line at N 19°25'W, 166 ft, from South center end, 6 X 4 ft, 10 ft deep,

Value.....\$100.00

No 2- A shaft which bears from a point on line 3-4 at N 19° 25' W, 190.6 ft from Cor No 4, S 71°20'W, 283 ft, 6 X 4ft 50 ft deep, drift from bottom 10 ft easterly,

Value at \$10. per ft....\$600.00

```
Mo 3- A shaft which bears from Cor No 4, N 49°25'W, 87 ft, 6 X 4ft, 6 ft deep, Value at $40. per ft..$60.00
```

- Mo 4- A shaft which bears from Cor No 4, N 50°40'W, 67 ft

 6 X 4 ft, 40 ft deep, from bottom an incline easterly 20ft,

 Value at \$10. per ft,.....\$600.00
- Mo 5- A shaft which bears from Cor No 4, N 23°20'W, 50 ft, 6 X 4 ft, 6 Ft deep, value at \$10. per ft \$60.00

On the Piedmont lode,

No. | Discovery shaft on the lode line at N 19°25'W, 60 ft

from south center end, 6 X 4 ft, 10 ft deep,

Value.....\$100.00

Mo. 2- A shaft partly filled which bears from Gor No 3, N 84°55'W, 183 ft, now 6 X 4 ft, 4 ft deep,

Value \$40.00

- The 3-A shaft, partly filled, which bears from Cor 2

 M. 19°25'W. 690.1 ft. from Cor. No. 4,

 Frenchman lode on 4-1 Piedmont lode, S 70°30'E, 118 ft,

 now 6 X 4 ft, 3½ ft deep, value......\$35.00
- 4- A shaft which bears from Cor No 1, S 49°05'E, 514 ft, 6 X 4 ft, 8 ft deep, Value at \$10per ft \$80.00
- W 5- A shaft which bears from Cor No 3, N 72°35'W, 364 ft, 6 X 4 ft 10 ft deep, Value at \$10 per ft\$100.00
- 00 6-, A shaft which bears from Cor No 3, S 62° 30'W, 199 ft 6 X 4 ft, 4 ft deep, formerlytdeeper,

Value \$40.00

On the Quail lode. Col to the Blemson Torre

Discovery shaft on lode line at \$ 19°25'E, 500 ft from north center end, 6 X 4 ft, 10 ft deep,

Value....\$100.00

- W 3- A shaft which bears from Cor No4 Hiland Mary lode on N.19°25' M. 690.1 ft. from Cor No.1, line 1-2 Quail lode, N 77°E, 196 ft, 6 x 4 ft, 28 ft deep, Value at \$10. per ft,.....\$280.00.

On the Millionaire lode,

- Mo. Discovery shaft on lode line at N 19°25'W, 481. ft from south center end, 6 x 4 ft, 9 ft deep, in cement and rock, Value \$50.00
 - 2- A shaft which bears from the south center end, N 20° 10'W, 464 ft, 6 x 4 ft, 9 ft deep in cement and rock,

Value;;;;.....\$50.00

North Star lode,

Nol+ Discovery shaft on lode line at S 19°29'W, 300 ft from north center end, 6 X 4 ft, 30 ft deep,

Value\$300.00 from N.C.E.,

2- A shaft on lode line at S 19°29'W, 746 ft, 6 x 4 ft,

10 ft deep, Vlaue\$100.00

3- A shaft on lode line at S 19°29'W, 800 ft, from north center end, 6 x 4 ft, 10 ft deep, Value...\$100.00 A 11 of above mentioned work is in rock, except as otherwise noted.

Work incomplete, more to be reported later.

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 500 ft and 50 ft steel tapes.

Tombstone, Ariz.

June 9, 1909.

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES
(Land MR 10)
A list of the names of the individuals employed by John Mockeyeuru
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Martin Costillo
mann comme
Disail Filand Many, Millionain and North Star
and showing the respective capacities in which they acted.
$Q = I \cap I$
T.L. Vobinson, Chainman.
Mit O Comor Chainman.
, oraclination,
, Axman.
, Flagman.
[T. 18]
FINAL OATHS OF ASSISTANTS.
We, E. L. Nobinson
and MA O'Conno, do solemnly swear that we assisted Lolina
Tuckfellow, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Martine Costello
the boundaries of the mining claim of
known as the Piedmink, Franchiman Franchiman No 2 Lucis
Known as the Tiedmont, Fundamen, Franching No 2, Lucis Hiland Mary, Millionaire and North Star
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction, and that said supprove has been in all page sets to the best of any knowledge and belief faithfully
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Trazma
tions furnished by the United States Surveyor-Generalitor
E. L. Colruson, Chainman.
M. A. O'Corror, Chainman.
, Awman.
Flagman.
, rugmun.
Subscribed and sworn to by the above-named persons before me this
day of 2000 - 190 9
, 19°
1. A Contintentime
My commission of Mot A.
expens ma /4/9/

FINAL OATH OF U.S. MINERAL SURVEYOR.

	I, John a. Rockfellow, U. S. Mineral Surveyor,	
	do solemnly swear that, in pursuance of instructions received from the United States	
	Surveyor General for Arizona, dated	
	Surveyor General for Arizona, dated March 4. 1909, I have, in strict conformity to the laws of the	
	United States, the official regulations and instructions thereunder, and the instructions	
	of said Surveyor General, faithfully and correctly executed the survey of the Mining	
	Claim of Martin Costello	
	, known as the	, .
roug /	Har, Fruchuan, Fruchmanhoz, Millionaire, Quail, Hilan Asituate in Turquoise Mining District, Leochise County, aryona, in Section reviewate, Township No. 195, Range No. 25 Coursurvey Ed.,	d
udwa	Asituate in Aurguouse Mining District,	
	Mochise County, Curyona, in Section	
app	roximale, Township No. 195, Range No. 23 Minsurveyed,	
	and designated as Survey No. 2636 , as represented	
	in the foregoing field notes, which accurately show the boundaries of said mining claim	
	as distinctly marked by monuments on the ground, and described in the attached copy	
	of the location certificate, which was received by me from the Surveyor General with	
	said instructions, and that all the corners of said survey have been established and per-	
7	petuated in strict accordance with the law, official regulations and instructions there-	
	under; and I do further solemnly swear that the foregoing are the true and original	
	field notes of said survey and my report therein, and that the labor expended and	
	improvements made upon said mining claim by claimant or the grantors	
	are as therein fully stated, and that the character, extent, location, and itemized value	
	thereof are specified therein with particularity and full detail, and that no portion of	
	said labor or improvements so credited to this claim has been included in the estimate	
	of expenditures upon any other claim.	
	7	
	Colored pol -	_
	U. S. Mineral Surveyor.	
	Subscribed and sworn to by the said John A. Rockfellow,	
	U. S. Mineral Surveyor, before me , Frances J. Abell, Notary Public,	
	in and for Cochise County, Arizona, this 9th	
	day of, 190 9.	
	My commission expires	
	Dec. 32, 1909. Frances J. Abell,	
	Note on Public	

6—1044

AMENDED NOTICE OF LOCATION.

NOTICE IS HEREBY GIVEN that the Frenchman lode mining claim has been located by Martin Costello, present owner, on the 15th day of August 1908.

Said claim is 1500 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of discovery, and the North center end monument of the claim is distant in a N. 19° 25' W. direction 690 feet from the point of discovery, a monument of stone, on which this notice is posted, and the opposite center end monument, a monument of stone, is distant in a southerly direction 810 feet from said point of discovery.

And the general course of the claim is Northerly and Southerly.

This claim is situate in the Turquoise Mining District, Cochise

County, Territory of Arizons.

And the South end line of this claim is identical with a portion of the north side line of the Crown Point lode, Survey No. 1618, and the N.W. corner is S.70° 22' E. 5169 feet from U.S.M.M. No.1 of Turquoise Mining District


The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Northerly direction 690 feet from the discovery work, being at the center of the north end of said claim; thence N.55° 57' E. 310 feet to a post in a mound of stone, at the N.E. corner of said claim; thence S. 19° 25' E. 1500 feet to a post in mound of stone, at the S.E. corner of said claim; thence S. 55° 57' W. 310 feet to a post in a mound of stone, being at the center of the south end of said claim; thence same course 310 feet to a post in a mound of stone, at the S.W. corner of said claim; thence N. 19° 25' W. 1500 feet to a post in a mound of stone, at the S.W. corner of said claim; thence N. 19° 25' W. 1500 feet to a post in a mound of stone, at the N.W. corner of said claim, thence N. 55° 57' E. 310 feet to the place of beginning.

This is an amended location notice of the Frenchman mining claim, located by A.Casey, Jan.l, 1897 and recorded in Book 14 of Records of Mines of Cochise County, Arizona, at page 144, and is made to better describe the position of said claim.

Posted on the ground this 15th day of August 1908.

Martin bostello Present Owner.

Uttnesses: g. A. Rockfellow gohn Isleson



AMENDED NOTICE OF LOCATION.

NOTICE IS HEREBY GIVEN that the Frenchman No.2 lode mining claim has been located by Martin Costello, present owner, on the 15 th day of August, 1908.

Said claim is 1500 feet in length, and 600 feet wide, that is 300 feet wide on each side of the point of discovery.

And the North center end monument of the claim is distant in a N.19° 25' W. direction 65 feet from the point of discovery, a mound of stone on which this notice is posted, and the opposite center end monument, a mound of stone, is distant in a southerly direction 1435 feet from said point of discovery.

And the general course of the claim is Northerly and Southerly.

This claim is situate in the Turquoise Mining District, Cochise

County, Territory of Arizona.

And this claim is a Northerly extension of the Frenchman lode claim, and the S.W. corner is S.70° 22' E. 5169 feet from U.S.M.M. No.1 of Turquoise Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Northerly direction 65 feet from the discovery shaft, at the center of the north end of said claim; thence N.55° 57' E. 310 feet to a post in a mound of stone, at the N.E. corner of said claim; thence S. 19° 25' E. 1500 feet to a post in a mound of stone, at the S.E. corner of said claim; thence S. 55° 57' W. 310 feet to a post in a mound of stone, at the center of the south end of said claim; thence same course 310 feet to a post in a mound of stone, at the S.W. corner of said claim; thence N. 19° 25' W. 1500 feet to a post in a mound of stone, at the N.W. corner of said claim; thence N.55° 57' E. 310 feet to the place of beginning.

This is an amended location notice of the Frenchman No.2 mining claim, located by A.Casey Jan.1, 1897, and recorded in Book 14 of Records of mines of Cochise County, Arizona, at page 143, and is made to better describe the position of said claim.

Posted on the ground this 15th day of Ougust 1908.

Witnesser:g.a. Rockfellow golm Isleson Wartin bostello
Present Owner.

E 30 AMERICA OF CHICA **** anta NOTICE IS HEREBY GIVEN that the Franch and Tode claim has been located by Martin Costello, As Core を は day of August, 1908. Said claim is 1500 feet in length, and 600 feet wide, that is So feet wide on each side of the point of discovery. And the North center end monument of the Light is distant 1.190 25 W. direction 65 feet from the point the opposite stone on which this notice is posted, and end monujent, a mound of stone, is distant in

And this claim is a Northerly extension of the Frénchem 16de claim, and the S.W. corner is 8.70° 22' E. 5169 feet from U.S.M.M. No.1 of Turquoise Mining District.

And the general course of the of the farm

This claim is situate in the Turquoise stiff non

1435 feet from said point of discovery.

County, Territory of Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Mortherly direction 65 feet from the discovery shaft, at the center of the north end of said claim; thence M.55° 57' E. 310 feet to a post in a mound of stone, at the M.E. corner of said claim; thence S. 19° 25' E. 1500 feet to a post in a mound of stone, at the senter of said claim; thence S. 55° 57' W. 310 feet to a post in a mound of stone, at the center of the south end of said claim; thence same course 310 feet to a post in a mound of stone, at the senter of the south end of stone, at the S.W. corner of said claim; thence mound of stone, at the M.W. corner of said claim; thence M. 19° 25' W. 1500 feet to a post in a mound of stone, at the M.W. corner of said claim; thence M.55° 57' E. 310 feet to the place of beginning.

This is an amended location notice of the Frenchman No.2 mining claim, located by A.Casey Jan.1, 1897, and recorded in Book 14 of Records of wines of Cochise County, Arizons, at page 143, and is made to better describe the position of said claim.

Posted on the ground this I day of Annogad 1908.

Present Owner.

and Moutherly.

Motice of Location.

Notice is Hereby Given, That the Millionaire Lode
Mining Claim has been located by Martin Costello
acitizen of the United States on the 19th day of September 1908
Said claim is fifteen hundred (1500) feet in length, and
six hundred (600) feet wide; that is
three hundred (300) feet wide on each side of the point of Discovery.
And the South Center end Monument of the claim
is distant in a S19°25'E direction four
is distant in a S19°25'E direction four hundred and seventy five (475) feet from the point of Discovery, A
stake in mound of stone (5 ft, Southerly from the discovery
shaft)
on which this notice is posted, and the opposite Center end Monument, A. post in
mound of stone
one thousand twenty five (1025) feet from said point of Discovery.
And the general course of the claim is Northerly to Southerly
This claim is situate in the Mining
District, Cochise County, Territory of Arizona.
And the claim is bounded and described as follows; beginning at the South
Center End monument, a post in mound falone, thence N59027' F 305.7ft to the
South East Corner a post in mound of store; thence N 19°25'W, 1500ft to the North
East Corner a post in mound of stone; thence 5,59°27'W 305.7ft. tothe North Center
Endmonument a kost in mound of stone: thene S. 59° 27'W. 30 5. 7 ft to the North West corner a portion mound of stone identical with the North East Corner of the
West corner a portine mound of stong identical with the north East torner of the
Quail bode, thence S. 19°25' E 1500 St. to the South West Corner a post in mound I stone identical with the South East Corner of the Quaillode; thence N59°27' E 365.7 ft to the place of beginning Posted on the Ground, this 19th day of September 1908
Posted on the Ground, this 19th day of September 1908
Martin Costello Locator.
Witness: Locator.
Pohn Glesson

TOMBSTONE, Cochise Co., Ariz.

AMENDED NOTICE OF LOCATION.

NOTICE IS HEREBY GIVEN that the Quail lode mining claim has been located by Martin Costello, present owner, on the 15 th day of August, 1908.

Said claim is 1500 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of discovery.

And the North center end monument of the claim is distant in a N.19° 25' W. direction 500 feet from the point of discovery, a monument of stone on which this notice is posted, and the opposite center end monument, a monument of stone is distant in a southerly direction 1000 feet from said point of discovery.

And the general course of the claim is Northerly and Southerly. This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona.

And the S.W. corner is S.83° Ol' E. 5151 feet from U.S.M.M.No.l Turquoise Mining District. The Westerly side line is identical with a portion of the easterly side lines of the Frenchman No.2 and the Hiland Mary lode claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Northerly direction 500 feet from the discovery shaft, being in the center of the north end of said claim; thence N.59° 27' E. the center of the north end of stone, at the N.E. corner of said 305.7 feet to a post in a mound of stone, at the S.E. corner of said claim; thence S. 59° 27' W. 305.7 being at the S.E. corner of said claim; thence S. 59° 27' W. 305.7 being at the S.E. corner of said claim; thence S. 59° 27' W. 305.7 feet to a post in a mound of stone, at the center of the south end for said claim; thence same course 305.7 feet to a post in a mound of stone, at the S.W. corner of said claim; thence N.19° 25' W. 1500 stone, at the S.W. corner of said claim; thence N.19° 25' W. 1500 stone, at the S.W. corner of said claim; thence N. 59° 27' E. 305.7 feet to the place of beginning. The surface boundaries of the claim are marked upon the ground

This is an amended location notice of the Quail mining claim, located by A.Casey and recorded in Book 14 of Records of Mines of Cochise County, Arizona, at page 141, erroneously spelled "Quell" in said original location notice, but conveyed to the present owner by the proper name "Quail".

posted on the ground this 15 th day of August

1908.

Witnesses! Ja. Rockfellow John Islesson Mattin batello
Present Owner.

ANGELDED MOTICE OF ***** NOTICE IS HERRY GIVEN that the Quatified mining been located by Martin Costello, present owner Name of the second August, 1908. Said claim is 1500 feet in length, and 600 reet 300 feet wide on each side of the point of discovery, CAnd the North center end monument of the cletistint W. direction 500 feet from the point montent of stone on which this notice is post di al anota to inemunom a inemunom bne revisa ection 1000 feet from said point of discovery And the general course of the claim is This claim is situated in the Turenoise County, Territory of Arizona, And the S.W. corner is S.83° Ol' E. 5151 feet from U.S.M.M.No.1
Turquoise wining District. The westerly side line is identical with
a portion of the easterly side lines of the prenchman No.2 and the Hiland Mary lode claims.
The surface boundaries of the claim are marked upon the ground The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Mortherly direction 500 feet from the discovery shaft, being in the center of the north end of said claim; thence M.590 27' E. 305.7 feet to a post in a mound of stone, at the M.E. corner of said claim; thence S. 190 25' M. 1500 feet to a post in a mound of stone, being at the S.W. corner of said claim; thence S. 590 27' W. 305.7 feet to a post in a mound of stone of said claim; thence same course 305.7 feet to a post in a mound of sone of said claim; thence same course 305.7 feet to a post in a mound of stone, at the center of the south end of said claim; thence same course 305.7 feet to a post in a mound of said claim; thence M.190 25' W. 1500 feet to a post in a mound of stone, at the M.W. corner of said claim; thence M. 590 27' M. 305.7 feet to a post in a mound of stone, at the M.W. corner of said claim; thence M. 590 27' M. 305.7 feet to the place of beginning. This is an amended location notice of the Quail mining claim, located by A.Casey and recorded in Book 14 of pecords of wines of Cochise County, Arizons, et page 141, erroneously spelled "Quell" in said original location notice, but conveyed to the present owner by the proper name "Quail". 1908. day of posted on the ground this Present Owner.

AMENDED NOTICE OF LOCATION.

NOTICE IS HEREBY GIVEN that the Hiland Mary lode mining claim has been located by Martin Costello, present owner, on the day of August, 1908.

Said claim is 1500 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of discovery.

And the North center end monument of the claim is distant in a N.19° 25' W. direction 1334 feet from the point of discovery, a stone monument on which this notice is posted, and the opposite center end monument, a stone monument, is distant in a Southetly direction 166 feet from said point of discovery.

And the general course of the claim is Northerly and Southerly.

This claim is situate in the Turquoise Mining District, Cochise

County, Territory of Arizona.

And this claim is a Norherly extension of the Frenchman No.2 lode, and the S.W. corner S.85° 47' E. 4382 feet from U.S.M.M.No.1 of Turquoise Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Northerly direction 1334 feet from the discovery work, at the center of the North end of said claim; thence N.55° 57' E. 310 feet to a post in a mound of stone, at the N.E. corner of said claim; thence S. 19° 25' E. 1500 feet to a post in a mound of stone, at the S.E. corner of said claim; thence S.55° 57' W. 310 feet to a post in a mound of stone, at the center of the south end of said claim; thence same course 310 feet to a post in a mound of stone, at the S.W. corner of said claim; thence N. 19° 25' W. 1500 feet to a post in a mound of stone, at the N.W. corner of said claim; thence N.55° 57' E. 310 feet to the place of beginning.

This is an amended location notice of the Hiland Mary mining claim, located by A.Casey July 25, 1898, and recorded in Book 14 of Records of Mines of Cochise County, Arizona, at page 673, and is made to better describe the position of said claim.

Posted on the ground this 15th day of August, 1908.

Martin bostello Present Owner.

Witnesses:g. A. Rockfellow - John Bleson TERRITORY OF ARIZONA.

County of Cochise.

I, C.A. McDonala, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within impriment was hiel for record at Molecular M., on the day of AUG. Teconds of Cochise County, Arizona, at pages.

County, Arizona, at pages.

County, Arizona, at pages.

County, Arizona, at pages.

County, Recorder.

County, Recorder.

County, Recorder.

County Recorder.

And the content of the point of discovery of the discovery of the content and monument of the content and monument of the content of the cont

And this claim is a Norherly extension of the Frenchman Mo.2 lode, and the S.W. corner S.85° 47' M. 4382 feet from U.S.M.M.No.1 of Turquoise Wining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone at a point in a Northerly direction 1554 feet from the discovery work, at the center of the North end of said claim; thence N.55° 57' E. 310 feet to a post in a mound of stone, at the N.E. corner of said claim; thence sorner of said claim; thence corner of said claim; thence E.55° E. 15° 25' E. 1500 feet to a post in a mound of stone, at the senter of the south end of said claim; thence mound of stone, at the center of the south end of said claim; thence corner of said claim; thence to said claim; thence to said claim; thence to said claim; thence to said claim; thence N. 15° 25' W. 1500 feet to a post in a mound of stone, at the N.W. corner of said claim; thence N. 55° a mound of stone, at the N.W. corner of said claim; thence N. 55° 57' E. 310 feet to the place of beginning.

This is an amended location notice of the Hiland Mary mining claim, located by A. Casey July 25, 1898, and recorded in Book 14 of Records of wines of cochise County, Arizons, at page 673, and is made to better describe the position of said claim.

posted on the ground this 15th day of August, 1908.

Present Owner.

Notice of Location.

Piedmont.

Notice is hereby given, That the Piedmont Lode Mining Claim has been located by John Cleeson on the 1st day of January 1907. Said claim is 1500 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of Discovery. And the Southecenter endimonument of the claim is distant in a Southerly direction 60 feet from the point of Discovery. A post in a mound of stone, identical with the N. center end of Silver Reef lode Survey No. 1618 on which this notice is posted, and the opposite Center end Monument, a post in a mound of stone is distant 1440 feet from said point of Discovery. End the general course of the claim is N 19* 25' w. This claim is situate in the Turquoise Mining District, Cochise County, Territory of Arizona.

And from the S. W. corner(which is identical with the N W corner of Silver Reef lode) U. S. Mineral Monument No 1 of Turquoise District bears N. 70* 01'W. 5991 feet. The course of the end lines is N 59* 27'E. 611.4 ft. All corners of this claim are marked by a post in a mound of stone. This is a relocation of abandoned ground, name unknown.

Posted on the Ground this 1st day of Manuary 1907.

John Gleeson-Locator.

Filed and recorded at request of J. A. Rockfellow Mar. 1 A D 1907 at 4 P. M. Book 40 Records of Mines at page 23.

--9/9/0--

Territory of Arizona))as County of Cochise

I, C. A. McDonald, County Recorder in and for said County, do hereby certify that I have compared the foregoing copy with the original Notice of Location of the Piedmont Lode Mining Claim filed for record in my office on the 1st day of March & D 1907 and recorded in Book 40 Record of Mines at page 23 and that the same is a full, true

and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 2nd day of March 1909

Motice of Location.

Notice is Hereby Given, That the	ORTH STAR Lode
Mining Claim has been located by Warti	u bostello
on the 15	day of Cuaust 190.8
Said claim is1500	feet in length, and
600	feet wide; that is
feet wide	on each side of the point of Discovery.
And the	
is distant in a	direction300
monument of sto	ne
on which this notice is posted, and the opposite	
monument of stone	is distant
in a southerly direction 1200	feet from said point of Discovery.
And the general course of the claim is	W.190 29' H.
This claim is situate in the	Turquoise Mining
District, Cochise County, Ter	ritory of Arizona.
And the S.W. corner beers from T	.S.M.M.No.1 in Turquoise Mining
District, N.790 05' E. 4896 feet,	and the south center end bears from
the N.R. corner of the Quail lode	claim S. 190 291 W. 200 feet.
Posted on the Ground, this 15th day of.	August 1908
	Locator
	artin Costello Locator.
Witnesslo	
J. a. Rockfellow	

Kocation Water

TERRITORY OF ARIZONA, County of Cochise.

C. A. McDonald, County Recorder in and or the County and Territory aforesaid, do erreby certify that the within instrument was filed for record at 20 clock. M., on day of 106 2 1 1908 190 and

names. records of Cochise County, Arizona, at pages NIR.

witness my hand and official seal the day and year first above written.

Sound Smald
County Recorder.

Book 40 Mines TOMBSTONE, Cochise Co., Ariz. Becorder's Office,

Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

Office of U. S. Surveyor-General,

Phoenix, Arizona, September 3, 1909.

I, U. S. Surveyor-General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Martin Costello, known as the North Star, Frenchman, Frenchman No. 2, Millionaire, Quail, Hiland Mary, and Piedmont, situate in Turquoise Mining District, Cochise County, Arizona, in Section Approx. Township No. 19

S., Range No. 25 E., Unsur., and designated as Survey No. 2636, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that at time of survey \$500.00 worth of labor has been expended or improvements made upon each the Hiland Mary and North Star lodes, and that less than \$500.00 worth of labor has been expended or improvements made upon each the Frenchman, Frenchman No. 2, Piedmont, Quail and Millionaire lodes, by claimant or his grantors, and that said improvements consist of twenty-four shafts, one cut and one drift, total value, \$3345.00, and that no portion of said labor or improvements has been included in the estimates of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls, United States Surveyor-General For Arizona.

AN THE RESERVE OF THE PARTY OF

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
September 3, 190.9.
I, U. S. Surveyor-General for District of Arizona.
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Martin Costello
, known as the
North Star, Frenchman, Frenchman No. 2, Millionaire, Quail, Hiland Mary, and Piedmont.
situate in Turquoise mining district,
Cochise County, Arizona
in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.
designated as Survey No. 2636
executed by, U. S. Deputy Mineral
Surveyor, June 2-5, , 190 9, under my instructions dated
March' 4, , 1909, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Manh D. L. zalk. U. S. Surveyor-General for Arizona.
U. S. Surveyor-General for Arizona.

I certify that labor and improvements have been performed upon lode claims of Survey No. 2636 by the claimant since the date of survey as follows:

Piedmont Lode.

A shaft which bears from Corner No. 1 S 58° 00° E 441 feet shaft 4x6 ft. more than twenty feet deep in cement and rock -.

Value at \$9 per foot

\$180

Frenchman Lode.

A cut and shaft the mouth of which bears from corner No. 4 Piedmont Lode on line 2-3 Frenchman Lode at S 19°25' E 690.1 ft. from cor. No. 2, S 20°25' W 549 ft. Cut 4' wide southeasterly 8' to center of shaft. Shaft 15% ft. deep in rock.

Value at \$10 per ft.

\$155

Frenchman Lode No. 2.

A sthaft which bears from cor. Nos. 1-1 Piedmont and Quail lodes on line 2-3 at S 19°25' E 690.1 feet: S 28°15' W 382 feet shaft 6x4 ft. 32 feet deep in cement and rock.

Value at \$9 per foot

\$288

Additional work on shaft No. 2, 5 ft. depth at \$9 per foot

\$45

Additional work in discovery shaft: cleaned out and su sunk more than one foot deeper in exceedingly hard U.S. Mineral Surveyor.

Agine All, 1909.

MIllionaire Lode.

A shaft which bears from N. Center End S 34° 15' E 33ft. shaft 6x4 ft. more than 50 feet deep in cement and rock. Value at \$10 per ft.

A shaft which bears from cor. No.4 Hiland Mary

\$500

On the Quail Lode.

On the Quail Lode.

Beer see exce A shaft which bears from cor. No.4 Hiland Mary on line 1-2 Quail lode N 69° E 76 ft. Sheft 6x4 To Lt. deeb. nore than 50 fee

Agine Mart which bears from M.

was he

\$100

Tombstone, Arizona.

December 11, 1909.

sunk more than he foot deeper in exceedingly hard

Additional work in discovery shaft: cleaned out and an

Loop

學學已

nt. Aspth at 49 per Additional Sworn and Subscribed to before me this 11 day of

Becember, 1909.

cement and rack

8 20015' W 382 feet shaft Notary Public.

My commission expires -2 at 2 18.52, E 800.1 feet October 15, 1912.

A senant which bears from gor. Nos. 1-1 Pleamont and

Frenchman Lode No. 2.

Value at \$10 par ft.

15; ft. deep in rock.

Out 4' wide southeasterly 8' to center of shaft. Shaft

8 19°25' & 690.1 ft. from cor. No. 2, 8 80°25' W 549 ft.

No. 4 Fladmont Lade on line 2-5 Frenchman Lade at

A cut and sakatt the mouth of which bears from corner

Frenchman Lode. Francheman 102 Viedmont of John Val Function agence Lugie

cement and reck-.

dal feet shuft axa ft, more than thenty feet deep in

A shaft which bears from Corner 18. 1 5 58° cg'

Pledment Loge.

claiment since the date of survey as follows:

performed upon lode claims of Survey No. 2556 by the I certify that labor and improvements have been

Affidavit of Five Hundred Dollars Improvements.

Thomas King Thomas P. Comer
Thomas King and Thomas P. Cowen
of lawful age, being first duly sworn according to law, depose and say: That we are fruelimen, Quaie, Siland May, Midware, acquainted with the Frueliman No 2, Viedmont V North Sla mining claim,
situate in Turquise Mining district, Cochese County, Arizona Territory, for which Marlen Costello
Arizona Territory, for which ///writer Costello
haf_made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Lis grantors exceed Five Hundred
for each claim Dollars in value, and further that we are not personally interested in said mine.
Thomas King
Tho. P. Cowen
Sins of the contest
TERRITORY OF ARIZONA,
County of Cachise
Sworn to and subscribed before me, this
day of Dec., 1909
Francis Con Column
27669b1m2-07

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES	REPORTED	AFTER	RETURN	OF	SURVEY	OF	MINING	CLAIM.
			TETT CITI		CHILI	O.I.	TATTALIALI	A LANIVI

I, U.S. Surveyor General for District of Arizona ,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or his grantors, upon the mining claim sof
granters, upon and mining claim so
Martin Costello
known as the North Star, Frenchman, Frenchman No.2, Millionaire, Quail, Hiland Mary, Piedmont
situate in mining district,
Cochise County, Arizona .
in Section Approx, Township No. 19 S., Range No. 25 E., Unsur.
that said improvements consist of, in addition to those enumerated in
my certificate dated September 3, 1909, 5 shafts, 1 cut, and
additional work in shafts Nos. 1 and 2 on the Frenchman No. 2
lode, the value of such additional improvements being \$1283.00,
which, with the \$3345 certified to in my former certificate,
makes a total expenditure of \$4628 upon this group.
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
John A. Rockfellow , U.S. Deputy Mineral Surveyor, dated
December 11, , 1909, is hereto attached.
, 1000, is hereto attached.
Frank S. Ingalls,
U. S. Surveyor General for Arizona.
Office of U. S. Surveyor General,
Phoenix, Arizona,
December 28, , 1909 .
0. 2–178