1 Shan

4-683.

## Mineral Survey No. 2638

Lot No.

ARIZONA Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

INSPIRATION COPPER COMPANY

KNOWN AS THE

GLADIATOR

GLOBE Mining District,

Gila County, Arizona.

Section Unsurveyed Township 1 N. Range 14%. G.&S.R.B. & M. within Crook National Forest Surveyed under instructions dated March 6, , 1909, Reserve.

by FRANK ANDERSON.

U.S. Deputy Mineral Surveyor

Claim located Section (March 1906)

Survey commenced April 24, 1909

Survey completed April 25, 1909

Address of Claimant's Attorney,

o 6—160

Curtis H. Lindley,

Mills Building,

San Francisco, California.

Feet.

## GLADIATOR LODE. MICH MICH.

Beginning at Cor. No. 1. No. 1 and 4 Hattie and Gladietor

N. 59 % 15'E. 451, 5 ft.

Cor. bo. 4, Phl.

On spur of Ridge, bearing northerly and southerly.

Identical with Cor. Nos. 1-2-3 and 4 Gladiator, Hattie, Columbia, and Clipper lodes, Sur. No. 2379, respectively; also with the N.E. Corner of the location.

I set alongside a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 1-2638-G., whence

The section corner common to Secs. 19 and 30, on the West boundary of T. 1 N., R. 15 E., G. and S.R., B. & M. bears S. 89° 28' E. 7603.7 ft.

A cedar tree, 6 ins. in diameter, blazed and scribed 1-2638-B.T. bears S. 76° 23' W. 37.7ft.

#### Thence S. 10° 13'W.

e, Sur, Me. 2560 bears

Var. 13° 30'E. 2' 88. 50'E'.

a 4 x 4 pine post, properly marked, set in a mound of stone 299.1 East end Center location corner, whence the discovery bears S. 89° 26' W. 227.1 ft.

Ridge, bearing northeasterly and westerly. 400.0

Intersect line 4-1 Summit lode, Sur. No. 2565 at S.80° 596.0 53' E. 495.7 ft. from Cor. No. 4.

To Cor. No. 2. 596.7

> Identical with Cor. Nos 2 and 3 Gladiator and Clipper lodes, Sur. No. 2379, respectively, also with S.E. corner of the location. Idelburg 1000' par. no. 8220'

> I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground, in mound of earth and stone, which I scribed 2-2638-G., whence

Cor. No. 4 Summit lode, Sur. No. 2565 bears N. 80° 48' W. 495.7 ft. Troppe 9 98 50.

SURVEY NO. 2638.

No bearing objects available.

#### GLADIATOR LODE. (Continued)

Ü.	GLADIATOR LODE. (Continued)				
	Feet.	Thence S. 89° 20'W.			
		col. for # 200 Var. 13° 10'E. 10' Spec peaks M. 80.			
	330.0	Ridge, bearing northerly and southwesterly.			
		The state of the same and are described as the same of			
	634.7 Intersect line 3-4 Summit lode, Sur. No. 2565 at S.59° 12'W. 169.2 ft. from Cor. No. 4.				
	982.1	Intersect line 4-1 Philidelphia lode, Sur. No. 2560,			
	302.1	at S. 2° 19'W. 226.6 ft. from Cor. No. 4.			
	1790 0				
	1120.0 Gulch, draining northwesterly.				
	1361.0	To Cor. No. 3.			
	59670	On line 2-3 Gladiator lode, Sur. No. 2379.			
	400°0	A sawed pine post, 4 ins. square by 4 ft. long,			
	100 0	set 18 ins. in the ground in mound of earth and stone,			
	in the second	which I scribed 3-2638-G., whence,			
	299.1	Cor. No. 3 Gladiator lode, Sur. No. 2379, identical			
with S.W.corner of the location, bears S. 89° 20'W.1.5					
		trende 5. 10° 18'W.			
		Cor. No. 4, Philidelphia lode, Sur. No. 2560 bears			
		N. 59° 15'E. 451.5 ft.			
		An oak tree, 12 ins. in diameter, blazed and scribed			
	3-2638-B.T. bears N. 82° 00'E. 51.9 ft.				
		8. c V. bears 8. 89° 28' H. 7605.7 ft.			
		the Fest boundary of w. 1 m. ; W. 15 2. ; G. and C. M. ;			
		Thence N. 10° 13'E.			
		sug stone, which I far. 13.50 E. G. Whende			
	110.0	Barney Gulch Creek, draining northeasterly.			
	300.0	West End center location corner, a 4x4 pine post, properly marked, set in a mound of stone.			
	305.8	Intersect line 3-4 Philidelphia lode, Sur. No. 2560 at			
		N. 78° 08' W. 341.1 ft. from Cor. No. 4.			
	311.0	Barney Gulch Creek, draining northerly.			
	568.1	To Cor. No. 4. bearing northerly and southerly.			
		Identical with Cor. Nos. 3 and 4 Hattie and Gladiator			
	1661*	lodes, Sur. No. 2379, respectively; also, with N.W.			

STRANT BO. 2638.

corner of the location.

#### SURVEY NO.2638,

# GLADIATOR LODE- Continued.

Feet.

by 4 ft.long, 18 ins.in the ground, in mound of earth and stone, which I seribed 4-2638-G; whence

An oak tree, 8 ins.in diameter, blazed and scribed 4-2638-B T bears S.19° 52'W. 54.7 ft.

Value of one-bi termin interest, "t. .... 1,091.00

Thence N.88. 09'E.

TSTS OF TROM Var.13.° 50'E. ABBUST AND THE WALL-

1366.7

40.8;

To Cor. No.1, 10-2018. Wouth of times beers 5.88 57'8.

The place of beginning.

eredited to this winding

## LODE LINES.

As near as can be determined from present developments, the vein of this location extends N.89° 26'E.

227.1 ft., and S.89° 26'W. 1133.5 ft.from the Discovery point.

out bears M. 36. 18'W. 507.8 it. from dor. We. 2, averse-

son Tunnel, with its grossches, drifts, and winses, is

All location corners were found standing in place.

#### A burnel with out W E E Went trereto; the face of

#### Terra made upon, To Cov L. 1 O. N. Tit of, this logation

GLAPITIER LODE- Continued.

SURVEY NO. 2558,

by the claimant or its grantors, to not less than

This survey is located in unsurveyed T. 1 N., R. 14 E., G. and S.R.B. and M., Globe Mining District, Gila County, Arizona, within the boundaries of the Crook National Forest Reserve.

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

county, Arizona, within the boundaries of the Crook

I certify that the value of the labor and improvements made upon, or for the benefit of, this location by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:-

Discovery point, on a mineralized outcrop of rock No.1, in place, bears S.89° 26'W. 227.1 ft.from the East End Center.

> A tunnel with cut approach thereto; the face of cut bears N.36° 18'W. 307.2 ft. from Cor. No.2, averaging 4 by 5 ft., and runs thence N.50° 00'E. 24.5 ft. to where it breaks ground. From the face of cut a tunnel, 4 x 6 ft., runs S.50° 00'W. 6.5 ft.to face. Value of cut and tunnel, .... \$50.00.

Note:

No.2,

TPRE"

An undivided one-sixteenth interest in the Woodtunnel No. 3 on the Americus lode, Sur. No. 2379, son Tunnel, with its crosscuts, drifts, and winzes, is credited to this claim, the details of which are given in the returns of my Supplemental Report of Improvements to Sur. No. 2379. Mouth of tunnel bears S.82 37'E. 1242.0 ft.from Cor. No.1. Value of tunnel with its various crosscuts, drifts and winzes ......\$17,456.00. Value of one-sixteenth interest, ...... 1,091.00

This tunnel tends to the development of this lode inasmuch as drifts run in the direction of said lode will intersect at depth the veins of same; and is the most economical and practical method for its development. To long, is the line or earth

Note:

An undivided one-sixth interest in the Columbia approvement No.4 on the Columbia lade, Sur. No. 2379, Tunnel and drift, is credited to this claim, the details of which are given in the returns of my Supple-

SURVEY NO. 2638

#### GLADIATOR LODE- Continued.

mental Report of Improvements to Sur. No. 2379. Mouth of tunnel bears \$.83 28 E.1184.2 ft. from Cor. No.1. Value of tunnel and drift, .....\$4,782.00. Value of one-sixth interest, ..... \$797.00.

This tunnel tends to the development of this lode. inasmuch as drifts run in the direction of said lode will intersect at depth the veins of same; and is a most economical and practical method for its development. 568.4 ft., inshend of M.10 09'N. 561.4 ft.

## Line 3-4, I.M. Z. I.M. E. N. I. No. 2279, to be W.10

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian, as determined by direct solar observations, the details of which are returned herewith. The distances were measured with two 300-ft.steel tapes.

#### REPORT.

The section corner common to secs. 19 and 30, on the west boundary of T. 1 N., R. 15 E., G. and S.R.B. and M., is a conglomerate stone 6 x 10 ins.extending 8 ins.above the ground, and is marked with four nicks on the north edge, and two nicks on the south edge; a mound of stone alongside.

Sur. No. 2560, Philadelphia lode:

Cors. Nos. 1, 3, and 4 are pine posts, properly set and scribed with the number of the corner and the sur-Ach. bed with the number of the corner and the survey.

Sur, No. 2579, Persec-

Sur.No.2565, Summit lode: The books' blockly she was

Sur. No.

Sur . No.

Cors. Nos.1, 3, and 4 are pine posts, properly set and scribed with the number of the corner and the survey.

GLADIATOR LODE- Continued.

SURVEY NO. 2638,

#### GLADIATOR LODE- Continued.

Sur. No. 2379, Gladiator lode: a mappe and sanga and sanga

BALL HOW

scribed with the number of the corner and the survey.

seriped at the the finisher of the corner and the curvey.

Sur. No. 2379, Hattie, Columbia, and Clipper lodes:

Cors.Nos.2 and 3, Hattie lode, are identical with Cors.Nos.1 and 4 Gladiator lode, Sur.No.2379, respectively, described above.

Cor.No.3, Columbia lode, is identical with Cor. No.1, Gladiator lode, Sur.No.2379, described above.

Cors.Nos.3 and 4, Clipper lode, are identical with Cors.Nos.2 and 1 Gladiator lode, Sur.No.2379, respectively, described above.

HEBOBE.

#### ERRORS.

I find line 1-2, Gladiator lode, and line 4-3, Clipper lode, Sur.No.2379, respectively, to be S.10 13' W.596.7 ft., instead of S.10 09'W. 597.2 ft.

Line 2-3, Gladiator lode, Sur.No.2379, to be S. 89 20'W. 1362.5 ft., instead of S.86 51'W. 1377.8 ft.

Line 3-4, Gladiator lode, Sur.No.2379, to be N.10 22'E. 568.4 ft., instead of N.10 09'E. 561.4 ft.

Line 4-1, Gladiator lode, and line 3-2, Clipper lode, Sur.No.2379, respectively, to be N.88 09'E.

1366.7 ft., instead of N.85 24'E. 1386.65 ft.

I find the section corner connection to the sec.

cor.common to secs.19 and 30 on the West boundary of T.
l N., R. 15 E., G.& S.R.B. and M., from cor.No.1 Gladi
ator lode, Sur.No.2379, to be S.89 28'E. 7603.7 ft.

instead of S.89 26'E. 7607.68 ft.

GPYDTVLOB PODITION IN SUCCE.

\* SESS\* ON ALABS

#### DETERMINATION OF MERIDIAN.

The true meridian to which all courses given in this survey are referred was determined by an observation on the sun at 9 hr. 7 m. A.M. Mountain Standard Time, April 24,1909 at Cor. No. 4 of this survey.

Observed Altitude of Sun	41° 13'
Correction for refraction	. 0° 01'
True Altitude of Sun	41° 12'
Declination	12° 48'
Latitude of place of observation	33° 24'

From which I determine the true course to the sun to be S. 77° 02'E. and turn Right 87° 15' to Cor. No. 3 of this survey, and find the true course of this line to be S. 10° 13'W.

The Latitude was determined by an observation made in the Survey of Survey No. 2639, Bull Dog, Louis, Bull Pup, and Colorado No. 2 lodes, and the notes of the determination thereof accompany the field notes of said survey.

O Shirakes Wisher Con

#### ADJOINING CLAIMS.

North: Hattie lode, Sur. No. 2379, claimant herein.
East: Clipper lode, Sur. No. 2379, claimant herein.
South: Summit lode, Sur. No. 2565, Keystone Copper Coclaimant, Philadelphia lode, Sur. No. 2560.
West: Philadelphia lode, Sur. No. 2560.

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employed by Nank Underson					
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and					
boundaries described in the foregoing field notes of the survey of the mining claim of					
Inspiration Copper Company					
Inspiration Copper Company known as the Gladiator Lode					
and showing the respective capacities in which they acted.					
W. C. Dunlap., Chainman.  Thomas Meehan, Chainman.					
Thomas Meehan, Chainman.					
John Mulherin , Axman.					
, Flagman.					
FINAL OATHS OF ASSISTANTS.					
We, W. 6. Dunlap, Thomas Mechan					
we, N. 6. Dunlap, Thomas Mechan and John Mulherin, do solemnly swear that we assisted Frank					
Anderson, United States Mineral Surveyor, in marking the corners and surveying					
the boundaries of the mining claim of Inspiration Copper Company					
known as the Gladiator fode					
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his					
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully					
and correctly executed, and the corner and boundary monuments established according to law and the instruc-					
tions furnished by the United States Surveyor-General for Onizona					
M. C. Sembak , Chainman.					
Thomas meelon, Chainman.					
John mulherin, Axman.					
, Flagman.					
Subscribed and sworn to by the above-named persons before me this 29 th					
day of April , 1909					
M.C. S. C. Stree					
My Com Experis Jan 21 1910  My Com Experis Jan 21 1910  Moliny Public 6-1043					
6-1043					

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Frank Underson	, U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of instructions rec	eived from the United States				
Surveyor General for Arizona	, dated				
Surveyor General for Arizona  March 6th ,1909, I have, in strict	t conformity to the laws of the				
United States, the official regulations and instructions the					
of said Surveyor General, faithfully and correctly execut	ed the survey of the Mining				
Claim of Inspiration Copper C	ompany				
Claim of Inspiration Copper C	, known as the				
Gladiator Lode	······································				
situate in Globe	Mining District,				
Unsurveyed, Township No. 1 N, Range No. 14 E.,	yona, in Section				
unsurveyed, Township No. 1 N, Range No. 14 E.	, 99 3 8 R. 13 5 m.				
and designated as Survey No. 2638	, as represented				
in the foregoing field notes, which accurately show the bo	undaries of said mining claim				
as distinctly marked by monuments on the ground, and d	escribed in the attached copy				
of the location certificate, which was received by me from	n the Surveyor General with				
said instructions, and that all the corners of said survey h	ave been established and per-				
petuated in strict accordance with the law, official regul	lations and instructions there-				
under; and I do further solemnly swear that the foregoing are the true and original					
field notes of said survey and my report therein, and t	, ,				
improvements made upon said mining claim by claimant	or grantors				
are as therein fully stated, and that the character, extent	, location, and itemized value				
thereof are specified therein with particularity and full d	letail, and that no portion of				
said labor or improvements so credited to this claim has l	been included in the estimate				
of expenditures upon any other claim.					
Fra.	6.0				
	U. S. Mineral Surveyor.				
Subscribed and sworn to by the said Fraux	Auderson Atie a nolam				
U. So Mineral Surveyor, before me	Atrie a nolam				
Publice.	this 29 %				
day of april , 1909					
	011.				
Ro	Nother of				
Com Experies Jan 211910	notary Kublic				

## Affidavit of Five Hundred Dollars Improvements.

one, N. C. Dunlap and Thomas Mechan			
of lawful age, being first duly sworn according to law, depose and say: That we are			
acquainted with the Gladiator Lode mining claim,			
situate in Slobe Mining district, Gila County,			
Arizona Territory, for which Inspiration Copper Company			
has made application for survey prior to application for patent under the provisions			
of the act of Congress, approved May 10, 1872; and that the labor done and improve-			
ments made thereon by the applicant and the grantors exceed Five Hundred			
Dollars in value, and further that we are not personally interested in said mine.			
M.O. Sunlass			
Thomas anechan			
County of Sila See:			
Sworn to and subscribed before me, this 2976			
day of April , 1909			
ny Com Ethies Jan 21,910 Go Robeie Notary Public			
ny Com Espires Jan 211910 Molary Public			

#### Amended NOTICE OF MINING LOCATION LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Gladiator Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration Mining Company a corporation organized under the laws of the Territory of Arizona the undersigned, on the 22nd day of December 1906

The length of this claim is 1350 feet and it claims 300 feet, in a Easterly direction and 1050 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim

the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East end to the West end.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 10 Miles in a Westerly direction from Globe and approximately in T. 1 N.R.1411E.G. & S.R.B & M., the East extension is the Clipper same owner.

extension is the Clipper, same owner.

The surface boundaries of the claim are marked upon the ground as The surface boundaries of the claim are marked upon the ground as follows, Beginning at = - at a point in a Easterly direction 300 feet from the discovery shaft monument (at which this notice is posted,) being in the center of the East end line of said claim; thence N.10° 09'E. 300 feet to a Post, being the N.E. corner of said claim; thence S.88°01'W. 1357 feet to a Post; being at the N.W. corner of said claim; thence S.10°09'W. 261 feet to a Post at the center of the West end of said claim; thence S.10°09'W. 300 feet to a Post being at the S.W. corner of said claim; thence N.89°38'E.1350 feet to a Post at the S.E. corner of said claim; thence N.10°09'E. 299 feet to the place of beginning.

feet to a Post at the S.E. corner of said claim; thence N.10009'E. 299 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled"An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Gladiator Mining Claim, located by W. H. Woodson on the 1st day of January 1903, and recorded in Book 7 of Recordsof Mines, at page 630 in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. the said original Location Notice.

Dated and posted on the ground this 22nd day of December 1906.

The Inspiration Mining Company by J. D. Coplen Manager

Filed and recorded at the request of Geo. R. Hill on the 24 day of December A.D. 1906 at minutespast 11 o'clock A. M.

> W. D. Fisk County Recorder. By Richard Fleming Deputy Recorder.

TERRITORY OF ARIZONA, SS COUNTY OF GILA

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of ... Amended Location Notice of the "GLADIATOR" Mining Claim, as the same appears of record in my office in Book. 12, Records of Mines, at page......; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this....3rd.......day of March ...., A. D. 190.9.

E. J. Stewart

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,					
March 5, , 1 910.					
I, U. S. Surveyor General for District of Arizona ,					
do hereby certify that the foregoing transcript of the Field Notes, return and approval					
of the Survey of the mining claim of					
Inspiration Copper Co.					
, known as the Gladiator					
, situate inGlobe					
Mining District, Gila County,					
Arizona , in Section , Township No. 1 N.,					
Range No. 14 E., Unsur, and designated as Survey					
No. 2638 , has been correctly copied from the originals on					
file in this office; that said Field Notes furnish such an accurate description of said					
mining claim as will, if incorporated into a patent, serve fully to identify the premises,					
and that such reference is made therein to natural objects or permanent monuments as					
will perpetuate and fix the <i>locus</i> thereof.					
And I further certify that five hundred dollars' worth of labor has been expended					
or improvements made upon said mining claim by claimant or its grantors, and					
that said improvements consist of 1 cut and tunnel, value \$50.00.					
Tunnel No. 3 on the Americus lode, Survey No. 2379, value \$17456,					
being a common improvement for the benefit and development of					
this and fifteen other lode claims, an undivided 1/16 interest					
therein, value \$1091, is properly credited to this claim, and					
tunnel No. 4 on the Columbia lode, Survey No. 2379, value \$4782,					
being a common improvement for the benefit and development of					
this and five other lode claims, an undivided 1/6 interest therein, value \$797, is properly credited to this claim.					
and that no portion of said labor or improvements has been included in the estimate of					
expenditures upon any other claim.					
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,					
Arizona is correct and in conformity with the foregoing Field Notes.					
Frank S. Ingalls,					
United States Surveyor General for Arizona,					

o 6—168

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

	_ <u>P</u>	hoenix, Arizona,				
		March 5, 1910. , 190				
I, U. S. Surveyor-General for District of Arizona						
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the						
Mining Claim of						
		0.				
		known as the				
	Gladiator					
situate in	Globe	Mining District,				
		Arizona				
in Section	, Township No. 1 N.	, Range No. 14 E., Unsir.				
,	designated as Survey No. 2638					
executed by	Frank Anderson	U. S. Deputy Mineral				
Surveyor,	April 24 - 25, 1909	, 190, under my instructions dated				
March 6, 1909 , have been critically examined and the necessary cor-						
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,						
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for						
survey is included in the field notes.						
	TI G G	Arizona				

7360b5m3-03